BOEN Sport: Longstrip 23 mm

Gradings – woodtypes ash, maple, beech, oak

		Ash Sport	*Ash Baltic*	*Maple Sport*	*Beech Contract*	*Oak Contract*
Minimum strip length		14 cm	14 cm	14 cm	14 cm	14 cm
Sound sapwood	Size	N.A.	N.A.	N.A.	N.A.	1/2 of strip width
	Amount	N.A.	N.A.	N.A.	N.A.	ca. 1/5 of all strips
Brownheart		-	x	-	x	N.A
Knots, sound		x	x	< 10 mm	< 10 mm	< 6 mm
Knots, filled		-	-	< 4 mm	< 4 mm	< 4 mm
Knots, cracked and filled		-	-	-	-	-
Yellow stain		-	-	-	-	-
„Cat spots“		x	x	x	x	x
Bark pockets		-	-	-	-	-
Splits, filled with putty		-	-	-	-	-
Windshake		-	-	-	x	x
Curly grain		x	x	x	x	x
Slope of grain		x	x	x	x	x
Sound heart		-	-	-	-	-
Colour variation		strong	strong	moderate	moderate	strong
White stripes (moonrings)		-	-	-	x	x
Medullary ray, mirrors		x	x	x	x	x
Biodeteration: insect infestation, wormholes		-	-	-	-	-
Rot, fungus, mold		-	-	-	-	-
Stick marks		-	-	-	-	-

BOEN products are graded according to the free class (BOEN Class) in accordance with EN 13489.