



AGRICULTURAL SEATING



QUALITY SEATING MANUFACTURER



UnitedSeats for agricultural equipment and vehicles

“We unite your seat”



UnitedSeats is a worldwide manufacturer of off road seating solutions for the industrial, agricultural, construction and marine sectors. All seats are produced under contract for us in a state of the art modern 75,000 m² facility using the latest manufacturing techniques.

We are based in Zwijndrecht, the Netherlands, from where we supply a portfolio of OEMs and a dealer network around the world. UnitedSeats remains committed to innovation, providing seating products and supported by excellent sales and service support.

Our in-house design capability allows us to tailor products for OEM and dealer specification. Our range comprises a selection of air and mechanical suspensions which are both high profile and low profile, importantly for small and compact agricultural machines.

These suspensions can be combined with a wide selection of seat uppers and seat pans. Our skill is ‘Uniting your seat’.



Our main agricultural seats are robust and easy to operate and meet EEC 78/764 class 1/2/3 type approvals for farm tractors and forestry machines. Our standard range accommodates driver weight range up to 130 kgs and heavy duty versions to accommodate 150 kgs are available. All our suspension seats meet ISO 6683 seat belt strength approval, ISO 7096 construction approval, and all SIP dimensions are according to ISO 5353.

UnitedSeats has a wide range of accessories, such as safety critical items, like seat belts and seat switches. Special armrests and pods are available to carry joystick controls for various machines. A wide variety of spare parts such as dampers and cushions can be supplied.

Above all, our priority is to supply seating solutions to maintain the health and safety of the operator. We also emphasize the need to maintain and repair damaged seats to prevent injury.

At UnitedSeats we've got your back!

We have seats for the following machinery:



Large tractor 100 HP+



Medium tractor 60 - 100 HP



Small tractors 30 - 60 HP



Compact tractors & vineyard tractors



Combine harvester



Crop sprayer



Large ride on mower



Compact & small ride on mower



Telescopic handler

Focus product

RANCHER PRO

MAXIMUM COMFORT FOR AGRICULTURAL APPLICATIONS

UnitedSeats presents a new low back AIR seat: the Rancher Pro for agricultural, construction and industrial machines. It features integrated controls and powered adjustment for weight and height settings. Its cushions provide optimal comfort for the operator and the seat has a wide range of adjustments to improve cab ergonomics. For farmers the 20 degree swivel feature assists with rear view activities such as ploughing as well as helping with ingress/egress of the tractor cab.

Luxury armrests

Heavy duty fabric

Comfortable seat cushion with depth & tilt adjustment

Heavy duty slide rails

Adjustable headrest

Heating 12 V (3 stages)

Adjustable lumbar support

Easy to operate fully adjustable backrest

Variable damper

Powered weight adjuster

Turntable

Slide rail handle

Fore/aft isolator

Universal mounting pattern



RANCHER STD



Seat is also available in PVC trim.

STANDARD FEATURES

-  **Air suspension**
120 mm suspension travel

-  **Compressor 12 V**

-  **Weight adjustment**
50 - 135 kg

-  **Height adjustment**
80 mm stepless

-  **Slide rail travel**
210 mm

-  **Fore/aft isolator**

-  **Backrest adjustment**


-  **Lumbar support**

-  **Adjustable damper**

-  **Turntable**
20°/20° swivel

-  **Backrest extension & armrests**

SEAT MEASUREMENTS



OPTIONS

-  **Operator presence switch NO/NC**

-  **Compressor 24 V**

-  **Seat belt**

RANCHER ARTISAN



STANDARD FEATURES

-  **Air suspension**
120 mm suspension travel

-  **Compressor 12 V**

-  **Weight adjustment**
50 - 135 kg

-  **Height adjustment**
80 mm stepless

-  **Slide rail travel**
210 mm

-  **Fore/aft isolator**

-  **Backrest adjustment**


-  **Lumbar support**

-  **Adjustable damper**

-  **Backrest extension**

-  **Armrests**

SEAT MEASUREMENTS



OPTIONS

-  **Operator presence switch NO/NC**

-  **Compressor 24 V**

-  **Seat belt**

RANCHER MECHANICAL



STANDARD FEATURES

-  **Mechanical suspension**
120 mm suspension travel

-  **Weight adjustment**
50 - 135 kg

-  **Slide rail travel**
210 mm

-  **Backrest adjustment**


-  **Lumbar support**

-  **Armrests**

OPTIONS

-  **Operator presence switch NO/NC**

SEAT MEASUREMENTS



LGV90/C1



STANDARD FEATURES

-  **Air suspension**
120 mm suspension travel

-  **Compressor 12 V**

-  **Weight adjustment**
50 - 130 kg

-  **Height adjustment**
80 mm stepless

-  **Slide rail travel**
200 mm

-  **Fore/aft isolator**


-  **Backrest adjustment**

-  **Lumbar support**

-  **Backrest extension**

-  **Armrests**

SEAT MEASUREMENTS



OPTIONS

-  **Operator presence switch NO/NC**

-  **Compressor 24 V**

-  **Seat belt**



Seat is also available in PVC trim.

LGV90/C2 TT



STANDARD FEATURES

-  **Air suspension**
120 mm suspension travel

-  **Compressor 12 V**

-  **Weight adjustment**
50 - 130 kg

-  **Height adjustment**
80 mm stepless

-  **Slide rail travel**
150 mm


-  **Fore/aft isolator**

-  **Backrest adjustment**

-  **Armrests**

-  **Turntable**
360° swivel

SEAT MEASUREMENTS



OPTIONS

-  **Operator presence switch NO/NC**

-  **Compressor 24 V**

-  **Seat belt**



Seat is also available in PVC trim.

LGV90/C2 PRO



STANDARD FEATURES

-  **Air suspension**
120 mm suspension travel

-  **Compressor 12 V**

-  **Weight adjustment**
50 - 130 kg

-  **Height adjustment**
80 mm stepless

-  **Slide rail travel**
200 mm

-  **Fore/aft isolator**

-  **Backrest adjustment**


-  **Seat cushion depth & tilt adjustment**

-  **Lumbar support**

-  **Headrest**

-  **Armrests**

SEAT MEASUREMENTS



OPTIONS

-  **Operator presence switch NO/NC**

-  **Compressor 24 V**

-  **Seat belt**



Seat is also available in PVC trim.




MGV120/C8 PRO

STANDARD FEATURES

-  **Mechanical suspension**
100 mm suspension travel
-  **Weight adjustment**
50 - 150 kg
-  **Slide rail travel**
200 mm
-  **Backrest adjustment**
-  **Seat cushion depth & tilt adjustment**
-  **Lumbar support**
-  **Headrest & armrests**

SEAT MEASUREMENTS



OPTIONS

-  **Operator presence switch NO/NC**
-  **Seat belt**



Seat is also available in PVC trim.




LGV150/C8 PRO

STANDARD FEATURES

-  **Air suspension**
150 mm suspension travel
-  **Compressor 24 V**
-  **Weight adjustment**
50 - 150 kg
-  **Slide rail travel**
200 mm
-  **Fore/aft isolator**
-  **Backrest adjustment**
-  **Seat cushion depth & tilt adjustment**
-  **Lumbar support**
-  **Adjustable damper**
-  **Headrest**
-  **Armrests**

SEAT MEASUREMENTS



OPTIONS

-  **Operator presence switch NO/NC**
-  **Compressor 12 V**
-  **Seat belt**



Seat is also available in PVC trim.



HIGHLANDER PRO

STANDARD FEATURES

-  **Air suspension**
120 mm suspension travel

-  **Compressor 24 V**

-  **Weight adjustment**
50 - 135 kg

-  **Height adjustment**
80 mm stepless

-  **Slide rail travel**
210 mm

-  **Fore/aft isolator**

-  **Backrest adjustment**


-  **Seat cushion depth & tilt adjustment**

-  **Lumbar support**

-  **Adjustable damper**

-  **Headrest & armrests**

SEAT MEASUREMENTS



OPTIONS

-  **Operator presence switch NO/NC**

-  **Compressor 12 V**

-  **Seat belt**



HIGHLANDER PRO

With front control and heating

STANDARD FEATURES

-  **Air suspension**
120 mm suspension travel

-  **Compressor 24 V**

-  **Weight adjustment**
50 - 135 kg

-  **Height adjustment**
80 mm stepless

-  **Slide rail travel**
210 mm

-  **Fore/aft isolator**

-  **Backrest adjustment**

-  **Seat cushion depth & tilt adjustment**


-  **Lumbar support**

-  **Adjustable damper**

-  **Heating**

-  **Headrest & armrests**

SEAT MEASUREMENTS



OPTIONS

-  **Operator presence switch NO/NC**

-  **Compressor 12 V**

-  **Seat belt**





Also available in retro brown



Seat is also available in PVC trim.

CS85/C1

STANDARD FEATURES

-  **Mechanical suspension**
90 mm suspension travel

-  **Weight adjustment**
50 - 125 kg

-  **Height adjustment**
60 mm in 3 stages

-  **Slide rail travel**
150 mm


-  **Backrest adjustment**

-  **Lumbar support**

-  **Backrest extension**

-  **Armrests**

SEAT MEASUREMENTS



OPTIONS

-  **Operator presence switch NO/NC**

-  **Seat belt**

CS85/C2 PRO

STANDARD FEATURES

-  **Mechanical suspension**
90 mm suspension travel

-  **Weight adjustment**
50 - 125 kg


-  **Height adjustment**
60 mm in 3 stages

-  **Slide rail travel**
150 mm

-  **Backrest adjustment**

-  **Seat cushion depth & tilt adjustment**

SEAT MEASUREMENTS



OPTIONS

-  **Operator presence switch NO/NC**

-  **Headrest**

-  **Armrests**

-  **Seat belt**



Seat is also available in PVC trim.


CS85/H90



STANDARD FEATURES

-  **Mechanical suspension**
90 mm suspension travel
-  **Weight adjustment**
50 - 125 kg
-  **Height adjustment**
60 mm in 3 stages
-  **Slide rail travel**
150 mm
-  **Backrest adjustment**
-  **Fold forward feature**
-  **Headrest**
-  **Armrests**

SEAT MEASUREMENTS



OPTIONS

-  **Operator presence switch NO/NC**



Seat is also available in PVC trim. Backrest can fold fully forward.


LGV84/TOP15



STANDARD FEATURES

-  **Small air suspension**
100 mm suspension travel
-  **Compressor 12 V**
-  **Weight adjustment**
50 - 130 kg
-  **Height adjustment**
80 - 140 mm
-  **Slide rail travel**
100 mm
-  **Fore/aft isolator**
-  **Backrest adjustment**
-  **Fold forward feature**
-  **Headrest**
-  **Armrests**

SEAT MEASUREMENTS



OPTIONS

-  **Operator presence switch NO/NC**
-  **Compressor 24 V**



Seat is also available in PVC trim. Backrest can fold fully forward.

LGV84/C1



STANDARD FEATURES

-  **Small air suspension**
100 mm suspension travel

-  **Compressor 12 V**

-  **Weight adjustment**
50 - 130 kg

-  **Height adjustment**
80 - 140 mm

-  **Slide rail travel**
150 mm

-  **Fore/aft isolator**


-  **Backrest adjustment**

-  **Lumbar support**

-  **Backrest extension**

-  **Armrests**

SEAT MEASUREMENTS



OPTIONS

-  **Operator presence switch NO/NC**

-  **Compressor 24 V**

-  **Seat belt**



Seat is also available in PVC trim.

MGV84/C1



STANDARD FEATURES

-  **Small mechanical suspension**
100 mm suspension travel

-  **Weight adjustment**
50 - 120 kg

-  **Height adjustment**
80 - 140 mm

-  **Slide rail travel**
150 mm


-  **Backrest adjustment**

-  **Lumbar support**

-  **Backrest extension**

-  **Armrests**

SEAT MEASUREMENTS



OPTIONS

-  **Operator presence switch NO/NC**

-  **Seat belt**



Seat is also available in PVC trim.

MGV84/C6

STANDARD FEATURES




-  **Small mechanical suspension**
100 mm suspension travel
-  **Weight adjustment**
50 - 120 kg
-  **Height adjustment**
80 - 140 mm
-  **Slide rail travel**
150 mm
-  **Backrest adjustment**
-  **Armrests**

OPTIONS

-  **Operator presence switch NO/NC**

SEAT MEASUREMENTS



Seat is also available in PVC trim.

MGV84/C1 SM

STANDARD FEATURES




-  **Small mechanical suspension**
100 mm suspension travel
-  **Weight adjustment**
50 - 120 kg
-  **Height adjustment**
80 - 140 mm
-  **Slide rail travel**
150 mm
-  **Backrest adjustment**

OPTIONS

-  **Operator presence switch NO/NC**
-  **Headrest**
-  **Armrests**
-  **Seat belt**

SEAT MEASUREMENTS



Seat is also available in PVC trim.

MGV84/1050 SM




STANDARD FEATURES

-  **Small mechanical suspension**
100 mm suspension travel
-  **Weight adjustment**
50 - 120 kg
-  **Height adjustment**
80 - 140 mm
-  **Slide rail travel**
150 mm

OPTIONS

-  **Operator presence switch NO/NC**
-  **Headrest**

SEAT MEASUREMENTS



MGV84/MI560




STANDARD FEATURES

-  **Small mechanical suspension**
100 mm suspension travel
-  **Weight adjustment**
50 - 120 kg
-  **Height adjustment**
80 - 140 mm
-  **Slide rail travel**
150 mm

OPTIONS

-  **Operator presence switch NO/NC**

SEAT MEASUREMENTS



T600



STANDARD FEATURES

-  **Rear mechanical suspension**
80 mm suspension travel

-  **Weight adjustment**
50 - 120 kg


-  **Height adjustment**
60 mm

-  **Slide rail travel**
160 mm

-  **Armrests**

-  **Seat belt**

SEAT MEASUREMENTS




OPTIONS

-  **Operator presence switch NO/NC**



Seat is also available in fabric trim.



T700 & W700

STANDARD FEATURES


-  **Rear mechanical suspension**
80 mm suspension travel

-  **Weight adjustment**
50 - 120 kg

-  **Slide rail travel**
150 mm

-  **Sloping base adjustment**
from 12° to 25°

SEAT MEASUREMENTS




OPTIONS

-  **Operator presence switch NO/NC**



T700 & W700 both have an adjustable base.



5010 VARIO



Sloping base adjustment



5010 VARIO SM (NARROW)


STANDARD FEATURES

-  **Mechanical suspension**
90 mm suspension travel
-  **Weight adjustment**
50 - 130 kg
-  **Slide rail travel**
170 mm
-  **Sloping base adjustment**
available

OPTIONS

-  **Operator presence switch NO/NC**

SEAT MEASUREMENTS



Seat is also available with seat width 490 mm.

MGV35 C (COMFORT VERSION)


STANDARD FEATURES

-  **Mechanical suspension**
80 mm suspension travel
-  **Weight adjustment**
50 - 155 kg
-  **Slide rail travel**
180 mm
-  **Backrest adjustment**
-  **Fold forward feature**
-  **Operator presence switch NO/NC**
-  **Seat belt**

OPTIONS

-  **Headrest**
-  **Armrests**

SEAT MEASUREMENTS



Seat is also available in fabric trim. Backrest can fold fully forward.

MGV55


STANDARD FEATURES



Seat is also available in PVC trim and in comfort version with seat width 490 mm. Backrest can fold fully forward.

-  **Mechanical suspension**
80 mm suspension travel
-  **Weight adjustment**
50 - 155 kg
-  **Slide rail travel**
180 mm
-  **Backrest adjustment**
-  **Fold forward feature**
-  **Operator presence switch NO/NC**
-  **Armrests**
-  **Seat belt**

SEAT MEASUREMENTS



OPTIONS

-  **Heating**
12 V or 24 V
-  **Headrest**

US20


STANDARD FEATURES



Seat is in heavy duty PVC. Also available in fabric trim.

-  **Mechanical suspension**
40 mm suspension travel
-  **Weight adjustment**
50 - 125 kg
-  **Slide rail travel**
150 mm
-  **Slide rail adjustment**
150 - 328 mm in width
-  **Backrest adjustment**
-  **Operator presence switch NO/NC**

SEAT MEASUREMENTS



OPTIONS

-  **Heating**
24 V
-  **Armrests**
-  **Seat belt**

MI400

STANDARD FEATURES

Seat pan PVC with drainage

Water- and weather proof

One piece foam

Steel shell

OPTIONS

Operator presence switch NO/NC


Seat belt

Slide rails

Turntable

Suspension

SEAT MEASUREMENTS



MI560

STANDARD FEATURES

Seat pan PVC with drainage

Water- and weather proof

One piece foam

Steel shell

Multi hole mounting pattern

OPTIONS

Operator presence switch NO/NC


Seat belt

Slide rails

Turntable

Suspension

SEAT MEASUREMENTS





Yellow



Grey



Mi600

STANDARD FEATURES

Seat pan PVC with drainage

Water- and weather proof

One piece foam

Plastic shell

Multi hole mounting pattern

OPTIONS

Operator presence switch NO/NC

Seat belt


Slide rails

Suspension

Yellow PVC

Grey PVC

SEAT MEASUREMENTS



Also available in low back version Mi150.

Mi800

STANDARD FEATURES

Seat pan PVC with drainage

Water- and weather proof

One piece foam

Plastic shell

OPTIONS

Operator presence switch NO/NC

Seat belt


Slide rails

Armrests

Suspension

Yellow PVC

SEAT MEASUREMENTS



Yellow



SEAT OPTIONS

Different types of armrests



Multi adjustable armrests



Air & mechanical suspensions



Slide rails



Various seat belts



Turntables



SEAT OPTIONS

Operator presence switch



Delta switch NO/NC



Fore/aft isolator



Heating



Joystick console



Headrests and custom logo



SPECIALTY PRODUCTS & BUILDS

Various builds and options for seats.
Further options available upon request.



LGV90/C7 Pro with pods



MGV35 with joystick armrest



C5 upper with logo

SEAT & BACK CUSHIONS

Fabric and PVC replacement cushions.
Further options available upon request.



SPECIALTY PRODUCTS & BUILDS

Custom build 2, 3 & 4-point seat belt.
Further options available upon request.



2-point Hi-Viz seat belt



3-point Hi-Viz seat belt



4-point red belt harness

2-, 3- AND 4-POINT SEAT BELTS

ALR/ELR type available.
Further options available upon request.

ON.151107



ON.150757S



ON.151109



ON.151108



ON.150756S




ON.150855



QUALITY **SEATING** MANUFACTURER

Custom **made in** Holland



At UnitedSeats we are dedicated to providing a quality service from the initial quotation to final product delivery. Our commitment to service, knowledge and product availability has made us the preferred source for your seating needs.

WWW.UNITEDSEATS.COM

