



Bliss Balm

Onyx & Rose, LLC

MME ID: AG-R1046646IHH - AG-R1046646IHH

Topical, Other

Sample: DIGP2606.0600.T.03410

Sample Date: 06/12/2026 Report Date: 06/17/2026

METRC Sample:

Production Run #: BB500MG061126

Potency Test Results

Cannabinoid Test Results

	<LOQ	529.83
	Total Potential THC	Total Potential CBD
	<LOQ	<LOQ
	THCa	CBDa

1 Unit = 1 unit, 58g

Analyte	LOQ	Mass	Mass
	%	mg/unit	%
THCa	0.00001	<LOQ	<LOQ
Δ9-THC	0.00001	<LOQ	<LOQ
Δ8-THC	0.00001	<LOQ	<LOQ
THCV	0.00001	<LOQ	<LOQ
CBDa	0.00001	<LOQ	<LOQ
CBD	0.00001	529.8300	0.91350
CBDV	0.00001	<LOQ	<LOQ
CBN	0.00001	<LOQ	<LOQ
CBGa	0.00001	<LOQ	<LOQ
CBG	0.00001	<LOQ	<LOQ
CBC	0.00001	<LOQ	<LOQ
Total		529.8300	0.91350

Total Potential THC = (THCa * 0.877) + Δ9-THC + Δ8-THC, Total Potential CBD = (CBDa * 0.877) + CBD, LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected; Cannabinoids for flower and trim reported as received. Cannabinoids analyzed per Digipath Labs SOP-317 on an Agilent 1260 UPLC.

Terpene Test Results

Analyte	CAS No.	LOQ	Mass	Mass
		%	%	mg/g
Linalool	78-70-6	0.0019	0.6786	6.786
Eucalyptol	470-82-6	0.0053	0.1174	1.174
β-Farnesene	18794-84-8	0.0350	0.0391	0.391
β-Caryophyllene	87-44-5	0.0053	0.0312	0.312
δ-Limonene	5989-27-5	0.0040	0.0227	0.227
Ocimene	13877-91-3	0.0083	0.0132	0.132
Nerolidol	7212-44-4	0.0106	<LOQ	<LOQ
Geraniol	106-24-1	0.0050	<LOQ	<LOQ
α-Bisabolol	23089-26-1	0.0037	<LOQ	<LOQ
Guaiol	489-86-1	0.0050	<LOQ	<LOQ
β-Pinene	18172-67-3	0.0164	<LOQ	<LOQ
Isopulegol	89-79-2	0.0035	<LOQ	<LOQ
Caryophyllene Oxide	1139-30-6	0.0039	<LOQ	<LOQ
α-Humulene	6753-98-6	0.0059	<LOQ	<LOQ
Terpinolene	586-62-9	0.0060	<LOQ	<LOQ
p-Cymene	99-87-6	0.0043	<LOQ	<LOQ
α-Pinene	80-56-8	0.0032	<LOQ	<LOQ
α-Terpinene	99-86-5	0.0036	<LOQ	<LOQ
β-Myrcene	123-35-3	0.0091	<LOQ	<LOQ
δ-3-Carene	13466-78-9	0.0046	<LOQ	<LOQ
Camphene	79-92-5	0.0068	<LOQ	<LOQ
γ-Terpinene	99-85-4	0.0037	<LOQ	<LOQ
Total			0.9022	9.022

NR = Not Reported; ND = Not Detected; LOQ = Limit of Quantification. Terpenes analyzed per Digipath Labs SOP-333 on an Agilent FID-GCMS or Digipath Labs SOP-334 on an Agilent 7697A/7890B/5977A Headspace GC/MS.

Safety & Quality Tests

Visual	Not Tested	Moisture Content	Not Tested
Microbiological	Complete	Gender	Not Tested
Heavy Metals	Complete	Residual Solvents	Complete
Mycotoxins	Complete	Pesticides	Complete
Water Activity	Not Tested	HLVd	Not Tested



Scan to View Results



Accreditation #99721

Sherri Defreese

Sherri Defreese
Scientific Director

I certify that this sample has been tested by DigiPath Labs.
All results are reported on AS-IS basis.

All pass/fail limits are as specified in NCCR, NRS 678 and DPBH Policies. Unless otherwise stated, all quality control samples performed within specifications previously established by the Laboratory. This product has been tested by Digipath Labs, Inc. using validated testing methodologies under a QMS as required by ISO/IEC 17025:2017 and Nevada state law. Sample collected per Digipath Labs' SOP-312. Values reported relate only to the product tested. Water activity tested at 25o C. Digipath Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein and treats all client communication and testing results as confidential. This Certificate shall not be reproduced without the written approval of Digipath Labs. Measurement Uncertainty values have been determined for all methods and analytes.

©2023 Digipath Labs | All Rights Reserved | www.digipathlabs.com | info@digipathlabs.com



Bliss Balm

Onyx & Rose, LLC

MME ID: AG-R1046646IHH - AG-R1046646IHH

Topical, Other

Sample: DIGP2606.0600.T.03410

Sample Date: 06/12/2026 Report Date: 06/17/2026

METRC Sample:

Production Run #: BB500MG061126

Pesticides

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Abamectin	0.44320		<LOD	Tested
Acequinocyl	0.40000		<LOQ	Tested
Bifenazate	0.40000		<LOQ	Tested
Bifenthrin	0.40000		<LOD	Tested
Cyfluthrin	0.40000		<LOQ	Tested
Cypermethrin	0.40000		<LOD	Tested
Daminozide	0.40000		<LOD	Tested
Dimethomorph	0.16740		<LOQ	Tested
Etoxazole	0.40000		<LOQ	Tested
Fenhexamid	0.40000		<LOQ	Tested
Flonicamid	0.40000		<LOQ	Tested
Fludioxonil	0.40000		<LOQ	Tested
Imidacloprid	0.40000		<LOQ	Tested
Myclobutanil	0.40000		<LOQ	Tested
Paclobutrazol	0.40000		<LOD	Tested
Piperonyl Butoxide	0.40000		<LOQ	Tested
Pyrethrins	0.03610		<LOQ	Tested
Quintozene	0.40000		<LOQ	Tested
Spinetoram	0.15920		<LOQ	Tested
Spinosad	0.24810		<LOQ	Tested
Spirotetramat	0.40000		<LOQ	Tested
Thiamethoxam	0.40000		<LOQ	Tested
Trifloxystrobin	0.40000		<LOQ	Tested

ND = Not Detected; NR = Not Reported; NT = Not Tested; LOQ = Limit of Quantification; Tested Pesticides: Nevada Division of Public and Behavioral Health Monitoring List for Pest Control Substances. Pesticides analyzed per Digipath Labs' SOP-319 on an Agilent 6460 LC QQQ and SOP-318 on an Agilent 7890B-7010B HES-MS.

Heavy Metals

Analyte	LOQ	Limit	Units	Status
	PPB	PPB	PPB	
Arsenic	4.6		<LOQ	Tested
Cadmium	6.9		<LOQ	Tested
Lead	4.5		20.0	Tested
Mercury	3.6		<LOQ	Tested

ND = Not Detected; LOQ = Limit of Quantification; Tested Metals: Arsenic, Cadmium, Lead, Mercury. Heavy Metals analyzed per Digipath Labs SOP-321 using an Agilent 7700 or 7900 ICP-MS.

Microbials

Analyte	LOQ	Limit	Units	Status
	CFU/g	CFU/g	CFU/g	
Aerobic Bacteria	100		<100	Tested
Bile-Tolerant Gram-Negative Bacteria	100		<100	Tested
Coliforms	100		<100	Tested
Yeast & Mold	100		<100	Tested
Powdery Mildew			NR	NT
STEC E. coli			Negative	Tested
Salmonella			Negative	Tested
Aspergillus niger			Negative	Tested
Aspergillus flavus			Negative	Tested
Aspergillus fumigatus			Negative	Tested
Aspergillus terreus			Negative	Tested

NR = Not Reported; NT = Not Tested; TNTC = Too Numerous to Count > 10x Limit; Analyzed per Digipath Labs SOP-373, SOP-376, and/or SOP-377 with BioRad CFX96 Touch Deep Well Real-Time PCR, SOP-351 using 3M parafilm and/or Compact Dry Hardy Plates.

Mycotoxins

Analyte	LOQ	Limit	Mass	Status
	PPB	PPB	PPB	
Aflatoxins	5.00		<LOQ	Tested
Ochratoxin A	5.00		<LOQ	Tested

Tested Mycotoxins: aflatoxin B1, aflatoxin B2, aflatoxin G1, aflatoxin G2, & Ochratoxin. LOQ = Limit of Quantification; Analyzed per Digipath SOP-375 with Agilent 6460 LCQQQ or SOP-385 using Romer Labs Elisa Kits and a Byonoy Plate Reader.

Solvents

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Butanes	5.000		<LOQ	Tested
Heptanes	5.000		<LOQ	Tested
Propane	5.000		<LOQ	Tested

NR = Not Reported; ND = Not Detected; LOQ = Limit of Quantification. Solvents analyzed per Digipath Labs SOP-320 on an Agilent 7697A/7890B/5977A Headspace GC/MS.



Sherri Defreece
Sherri Defreece
Scientific Director

I certify that this sample has been tested by DigiPath Labs.
All results are reported on AS-IS basis.

All pass/fail limits are as specified in NCCR, NRS 678 and DPBH Policies. Unless otherwise stated, all quality control samples performed within specifications previously established by the Laboratory. This product has been tested by Digipath Labs, Inc. using validated testing methodologies under a QMS as required by ISO/IEC 17025:2017 and Nevada state law. Sample collected per Digipath Labs' SOP-312. Values reported relate only to the product tested. Water activity tested at 25o C. Digipath Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein and treats all client communication and testing results as confidential. This Certificate shall not be reproduced without the written approval of Digipath Labs. Measurement Uncertainty values have been determined for all methods and analytes.

©2023 Digipath Labs | All Rights Reserved | www.digipathlabs.com | info@digipathlabs.com