

PATIO DOOR REPLACEMENT GUIDE

MARVIN[®]
REPLACEMENT 




TABLE OF

CONTENTS

- 03 Expert consultation
- 04 Finding your perfect fit
- 05 Seamless installation
- 06 Long-term peace of mind
- 07 Door Replacement Glossary

Work directly with Marvin Replacement - we'll handle the details, so you can focus on your new view.

Replacing your old patio doors shouldn't be difficult or stressful. Marvin Replacement streamlines your door replacement experience from start to finish – all to help you get the perfect new sliding, swinging, or folding patio door for your home. Because some decisions should only be made once.



EXPERT

CONSULTATION

The first step in the patio door replacement process is a free, no-obligation consultation with a Marvin Replacement design consultant to assess your doors and discuss your replacement options. They will answer all your questions and provide a detailed, custom project quote based on your patio door specifications. Here are some key indicators that your home is a good candidate for new doors:



Moisture issues

If you've seen water between door panes, leaking, water stains or evidence of wood rot on the frame or threshold – those are signs that excess moisture is accumulating where you can't see it. This can lead to damage, including mold, mildew and warping. While some condensation is normal, an excess of moisture often points to a problem.



Faulty operation

If you struggle to open, close or lock your sliding, swinging, or folding patio doors, this can be an early sign of problems to come. While you might be able to fix door operation issues with cleaning or repairs, if you are experiencing moisture issues, safety or energy efficiency concerns consider saving yourself future trouble by replacing your doors.




Energy efficiency

Older doors can cause drafty rooms and uncomfortable temperatures inside your home. New energy-efficient Marvin Replacement doors can help make your home more comfortable and save on energy costs.*



Safety

Since doors are the main entry points to your home, broken doors are a major issue and should be addressed immediately. Replacing broken doors is also important to help keep kids and pets safe.



*Savings reflects installing ENERGY STAR® certified products compared to non-certified when replacing single pane windows based on the average savings among homes in modeled cities. Actual savings will vary by product type, location, method of installation, individual home characteristics, local climate and conditions, utility rates and other factors. https://www.energystar.gov/products/building_products/residential_windows_doors_and_skylights/benefits

FINDING YOUR

PERFECT FIT

All Marvin Replacement folding, sliding and swinging patio doors are built with Ultrex® fiberglass to combine serious strength, timeless design, energy-efficiency and virtually no-maintenance performance.

Full-frame flexibility

All doors are installed with full-frame replacements, which requires taking out the existing frame and trim. This door installation method offers the possibility of replacing your existing door with an entirely new style or larger door. With our sizing flexibility, Marvin Replacement custom doors fit nearly any size opening in your home. Your design consultant will help you determine the best solution for your home.



SLIDING FRENCH

Offers the classic look of a French door but with space-saving sliding operation for added convenience




SLIDING PATIO

Features a narrow profile for bigger views and more daylight



INSWING FRENCH

Classic French-style door design that opens inwards for uninterrupted views



BI-FOLD

Slide and stack open to maximize views and fresh air

Hardware Finishes



Exterior Colors



Interior Colors + Finishes



Hardware Finishes: (L-R) White, Sierra, Satin Taupe, Satin Nickel, Brushed Chrome, Brass, Antique Brass, Oil Rubbed Bronze, Matte Black

Exterior Colors: (L-R) Stone White, Sierra, Cashmere, Pebble Gray, Bronze, Bahama Brown, Ebony

Interior Colors + Finishes: (L-R) Stone White, Sierra, EverWood®, Bronze, Ebony

Note: Sierra interior is not available with Ebony exterior. Bronze interior is only available with Bronze exterior. Ebony interior is only available with Ebony exterior. Printed color may not be an accurate representation. Ask for color chips.

* Sliding French and Sliding patio doors are available in 2, 3 and 4 panel configurations. Inswing French door is available in 1, 2 and 3 panel configurations.

SEAMLESS

INSTALLATION

**Prep for installation**

Plan to know who will be home when the installation team arrives and how to keep children and pets safe and sound. Be sure to clear access to both the interior and exterior sides of the door and disarm any alarms prior to installation. Our team will talk you through how to prep your home prior to installation day to give you time to do an assessment of your curtains/blinds, furniture, rugs and other items that may need to be moved prior to installation day.

What to expect during installation

From floor coverings to dust containment, prep to clean-up, our team respects your indoor and outdoor living spaces and will treat your home like it was their own. Expect the crew to work respectfully and diligently to minimize disruption and install your new doors efficiently.

**Post-installation**

After your new doors are installed, your project manager will talk you through how to operate your Marvin Replacement doors, including screens, optional footbolts and locking hardware.

LONG-TERM**PEACE OF MIND**

It's our pledge to you that we will stand behind our products for as long as you own your home. Because some decisions, like replacing your doors, should only be made once.

**Warranty**

Life happens. That's why it's essential to examine the warranty on any replacement project before you complete your purchase.

We proudly offer a Limited Lifetime Warranty. Plus, we offer a two-year service and installation warranty for additional peace of mind. For full details on our Limited Lifetime Warranty, visit [marvinreplacement.com](https://www.marvinreplacement.com).

**Customer service**

It's perfectly normal to have questions long after your doors have been installed. When you have questions – whether about UV protection or door cleaning – you should get quick and clear answers. You can call our team whenever you have questions - we're here to help.

DOOR REPLACEMENT

GLOSSARY

Active Panel

The primary operating panel.

Assembly

Two or more units mullled (attached) together to create one larger grouping.

Bi-Fold Door

A patio door with uni-directional or bi-parting panels that fold and stack tightly to the frame for a wide opening.

Condensation

Moisture that forms on a surface. This could be a result of a difference in temperature between the surface and the air, or high humidity in the home.

Daylight Opening (DLO)

The area of the window or door where light passes through; the width and the height of the visible glass.

Divided Lite / Simulated Divided Lite (SDL)

Decorative bars permanently adhered to glass (Simulated Divided Lites) or between two panes of glass (Grilles Between Glass) to add architectural interest on a window or door.

French Door

A style of door that has wider stiles and rails for a more traditional look on either sliding or swinging doors.

Glazing

Installing glass into windows and doors.

GBG's (Grilles Between the Glass)

Dividers placed between the panes of insulated glass to simulated authentic divided lites. GBGs allow for easier door cleaning with no bars on the exterior or interior surface of the glass.

Hardware

The locks, crank handles and hinges on windows and doors used to operate and secure them.

Head Jamb

The horizontal piece forming the top of the frame on a window or door.

Inactive Panel

Fixed or non-operating portion of the door that holds the glass and is separate from the frame.

Inswing French Door

A French-style patio door with panels that swing open to the interior of the home.

Mull/Mulling

The actual components used to attach two or more windows and/or door units together to form an assembly. The process of attaching two or more window or door units together.

Muntins

Bars that form the decorative grille pattern on a window or door.

Operator

A moving sash, panel or unit.

Panel

Stationary or operating portion of the door that holds the glass and is separate from the frame.

Rails

The horizontal part of a sash, door panel or screen.

Rough Opening

The opening in the wall where a window or door unit is to be installed. Openings are larger than the size of the unit to allow room for insulation.

Screens

A close-mesh woven material of metal or fiberglass attached to an aluminum or wood surround. Screens inhibit entry of insects, yet allow for light, air and unobstructed views.

Side Jamb

The left and right vertical pieces forming the frame on a window or door.

Sill

The lower, horizontal piece of a window or exterior door frame that supports the frame.

Sliding French Door

A French-style patio door available in two, three or four-panel configurations. Left, right and/or center panels operate when grouped in three. When grouped in four, two center panels slide out to the side to reveal a wide walk-through center opening.

Sliding Patio Door

A sliding door featuring a narrow profile for a more contemporary styling and increased daylight opening. Available in configurations similar to the Sliding French Door.

Stationary

A non-operating sash, panel or unit.

Stiles

The upright or vertical members of the framework of a sash, door, screen or other panel assembly.

Ultrex®

A pultruded composite material made of resin and glass fibers with an integrated proprietary finish.

Unit

One single window or door.

Weather-stripping

A strip of resilient material designed to seal the window or door frame in order to reduce air and water infiltration.



Call **1.800.846.5674** or visit us at **MARVINREPLACEMENT.COM** to schedule your free in-home or virtual consultation.

©2021 Marvin Lumber and Cedar Co., LLC. All rights reserved. ®Registered trademark of Marvin Lumber and Cedar Co., LLC. Fibrex® is a registered trademark of Andersen Corporation. ENERGY STAR® and the ENERGY STAR certification marks are registered U.S. marks. Product specifications subject to change without notice.

November 2021.

MARVIN® 
REPLACEMENT