



## Complete Plasticizing barrels

For inquiries, please use our website [contact form](#).

Always provide machine serial number and demanded injection unit size so we can verify your fitment individually.

St. Nr.	Diameter (mm)	Quality	Geometry	Check Valve	Suitable Injection Units	Condition
cpb.141	18 (L/D22)	M3 + S8	G 1.2	R9b	In80/200	used - good
cpb.133	18 (L/D24)	M3 + S10	G 1.2	R9b	In60 /170H	like new
cpb.109	22 (L/D 24)	MX + S10	G 1.2	not included	170/200	like new
cpb.123	25 (L/D 24.8)	M3 + S8	G 1.2	R9b	170/200/330	like new
cpb.124	25 (L/D 24.8)	M3 + S8	G 1.2	R9b	170/200/330	like new
cpb.134	25 (L/D 24.8)	M3 + S8	G 1.2	R9b	170/200/330	like new
cpb.119	25 (L/D 20)	M3 + S8	G 1.2	R9b	170/200/330	like new
cpb.132	30 (L/D 16)	M3 + S1	LIM	not included	170/200	like new
cpb.126	30 (L/D 23.6)	MX + S8	G 1.2	R9b	310/330	like new
cpb.130	35 (L/D 20)	M3 + S8	G 1.2	R9b	265/320/460/465	like new
cpb.138	35 (L/D 20)	M3 + S8	G 1.2	R9b	320/460/465	like new

cpb.139	35 (L/D 20)	M3 + S8	G 1.2	R9b	320/460/465	like new
cpb.135	35 (L/D 24)	M3 + S8	G 16	R9b	310/330/440/500	like new
cpb.106	40 (L/D 20)	MX + S8	G 1.2	R9os	860/1060	like new
cpb.112	40 (L/D 20)	M3 + S8	G 1.2	R9b	320/460	like new
cpb.114	40 (L/D 20)	M3 + S8	G 1.2		440/500	used - good
cpb.116	40 (L/D 20)	M3 + S8	G 13.2	R9b	320/460	used - good
cpb.117	40 (L/D 20)	M3 + S8	G 1.2	R9b	320/460	like new
cpb.131	40 (L/D 20)	M3 + S8	G 1.2	R9b	320/460/465	like new
cpb.136	40 (L/D 20)	M3 + S8	G 1.2	R9b	320/460	like new
cpb.137	40 (L/D 20)	M3 + S8	G 1.2	R9b	320/460	like new
cpb.101	45 (L/D 20)	M3 + S8	G 1.2	R9b	330/440/500	used - good
cpb.140	45 (L/D 20)	MX + S8	G 1.2	R9b	440/500	used - good
cpb.107	45 (L/D 24)	M3 + S1	G 15.1	not included	1560	used - good
cpb.121	45 (L/D 24)	M3 + S8	G 1.2	R11s	650/740/750	used - good
cpb.103	50 (L/D 16)	M3 + S1	LIM	LIM	650/740/750/860/940/1050	used - good
cpb.118	50 (L/D 20)	M3 + S8	G 1.2	R9b	170/200/330	like new
cpb.108	55 (L/D 20)	M3 + S8	G 1.2	not included	1560	used - good
cpb.125	55 (L/D 24)	M3 + S8	G 16S	R11s	860	used - good
cpb.115	60 (L/D 20)	MX + S1	G 1.2		1560	used - good
cpb.120	60 (L/D 20)	MX + S8	G 1.2	R9b	170/200/330	like new
cpb.127	70 (L/D 22)	MX + S8	G 1.3	R9b	3550/4550	used - good

cpb.110	80 (L/D 24)	M3 + S8	G 16	Ball stop R10	2050/2550	used - good
cpb.129	80 (L/D 25)	M3 + S4V	G 16	Ball stop R12	3660/5160	used - good
cpb.111	105 (L/D 22)	M3 + S4V	G 1.3	R9	7050/11050	used - good
cpb.128	150 (L/D 22)	M3 + S4V	G 1.3	not included	17060/23060	used - good

*Note: M= Barrel type standards; S= Screw type standards*