



## SANITIZING ACRYLIC SOLID SURFACE



The final finish of AVONITE® material should be specified in one of the following identifiers: Matte, Satin, or High Gloss. To ensure the maintenance of this finish, and proper sanitation

of the surface, the following procedures should be adhered to.

Use only the approved list of household cleaners below and mild soap/water, for routine cleaning. The AVONITE® Care & Maintenance information is within the fabrication guide as well as all warranty information, is available online at [www.aristechsurgfaces.com/avonite/techlibrary](http://www.aristechsurgfaces.com/avonite/techlibrary). If you have further questions, please contact our technical service/support team at [avonitesupport@aristechsurgfaces.com](mailto:avonitesupport@aristechsurgfaces.com) or direct 800.358.9858.

CLEANER	MANUFACTURER	EFFECT ON AVONITE SURFACES® SOLID SURFACE (*)
Vani-Sol Washroom Cleaner II	Reckitt Benckiser	None
Lysol Disinfectant Wipes	Reckitt Benckiser	None
Lysol Disinfectant Spray	Reckitt Benckiser	None
Pure Bright Germicidal Ultra Bleach	KIK International	None
Clorox Bleach	Clorox	None
Clorox Healthcare Bleach Germicidal Wipes	Clorox	None
Hydrogen Peroxide	Various	None
PDI Sani-Cloth AF3 germicidal Wipes	Professional Disposables International	None
Triad III Cleaner and Disinfectant	Johnson Diversey	None
Virex II 256 Disinfectant Cleaner	Johnson Wax	None
Envy Liquid Disinfectant	Johnson Wax	None

(\*)The listed disinfectants were tested according to the manufacturers direction on AVONITE® 100% Acrylic Solid Surface materials. If used in any manner other than directed, there can be minor de-glossing or surface etching that may require a surface refinish.

