


ROTHENBERGER ROBLAST **EFI** JETTER

High pressure drain cleaning jetter for clearing blockages from drains up to 8"




ROBLAST EFI

ROTHENBERGER ROBLAST EFI JETTER

ROBLAST EFI

NEXT GENERATION POWER

- HONDA iGX800 EFI engine.
- Turn-Key Start: No manual choke or throttle to adjust - just turn the key and start jetting.
- Smart Governor / Auto-Throttle: Automatically drops RPM in bypass mode for lower noise and better fuel economy.
- Increased Longevity: Runs efficiently at 90% capacity compared to the older model's 100%.
- Storage Friendly: EFI completely eliminates gummed-up carburetors after periods of non-use.
- Modern Fuel Injection: Delivers cleaner exhaust fumes, reduced noise pollution, and superior fuel efficiency.



SPECS

- **Engine:** Honda iGX800 EFI (25HP)
- **Pump:** Interpump W3523 High performance plunger pump (5000 PSI @ 23L/min)
- **Drive System:** Direct belt drive means increased efficiency, longer lifetime of the engine and reduced noise
- **Water Tank:** 51L capacity stainless steel
- **Jetting Hose:** 60 m Armadillo Redflex 3/16"
- **Supply Hose:** 35 m Greenflex 3/4"
- **Filtration:** Dual 1" clear view water filters
- **Mounting:** Compact built for truck/ute/trailer (takes up to 43% less space on a truck compared to other brands)
- **Fuel Tank:** 25 L, removable with level indicator and quick release connector

ROBLAST EFI JETTER

High pressure drain cleaning jetter for clearing blockages such as grease, sediment and tree roots from drains up to 8"

- Honda iGX800 V-twin petrol engine
- Low oil level safety shutdown switch
- Hour meter
- Low water level safety switch for pump protection
- Marine grade battery isolator
- "Battery saver" safety alarm
- Interpump W3523 High Performance plunger pump
- Fully guarded direct belt drive system
- Low profile frame with multiple hose reel positioning options
- Designed and built for truck/ute/trailer mounting, for professional use
- Tough Mustang hose reels for both high and low pressure hoses
- Unique 5/16" Armadillo Redflex jetting hose, easy to handle without compromising the flow
- Premium 3/4" water supply hose with tap fittings
- Removable 25L fuel tank with level indicator and quick release connector
- Dual water filtration to increase pump service intervals
- Single point operation layout for ergonomic user comfort
- Mustang Nozzles remote mini reel with 60 m 1/4" Armadillo Redflex hose*
- Genuine Mustang Nozzles nozzle box including Root Ranger® nozzle plus 15 m Whip Hose*
- Mustang safety plate, safety sign and safety glasses*

* Optional extras

Variants

Model		
RB5000EFI	ROBLAST EFI JETTER ONLY	195
RB5001	Plumber's Pack	



Nozzle Box Includes: Root Ranger Nozzle (RB5101), Predator Invader Nozzle (RB5102), Negotiator Thruster Nozzle (RB5103), Compressor Thruster Nozzle w/adaptor (RB5104/RB105), Spare quick release (RB5100), Nozzle tip cleaner (RB5107), Nozzle spanner (RB5106)

Technical Data

Description	
Working range / Pipe diameter	Ø 8"
Max. working range	120 m (with mini reel)
Engine	Honda iGX800 25 HP
Pump	Interpump W3523
Flow rate (Class B)	23L/min
Battery	280CCA 26Ah 12V PbAc
PSI (Class B)	5,000
Fuel tank	25L
Water tank	51L capacity / 38L usable
Dry weight	195 kg
Dimensions	1350L x 585W x 870H mm
Dimensions w/out reels	840L x 585W x 870H mm

+ ROBLAST Accessories



ROTHENBERGER Nozzle Box




Mini Reel



CIP sign



Hose Restraint



Safety Plate



15 m Whip Hose

Further Products



CASECAM



R750



R600 CL

ROTHENBERGER Australia

6 / 13 Hoyle Avenue
Castle Hill, NSW, 2154

☎ 02 9899 7577

✉ sales-au@rothenberger.com

🌐 rothenberger.com/au-en