

VPN SITE CONNECTIVITY

SERVICE DEFINITION

V2.0

Issue Date: 14/10/2025

Commercial in Confidence

This is a controlled document and the information contained therein is the property of Cloud Gateway Ltd. Uncontrolled if printed or held outside the jurisdiction of the company.

About this document	3
What is VPN Site Connectivity?	3
Basic operation	4
VPN & Routing Configuration	4
IPSec VPN	4
Routing: VTI/BGP capable	4
Improved Resilience	5
Acceptance testing	5
Acceptance criteria	5
Exclusions	5
Customer responsibilities	5
Cloud Gateway responsibilities	6
Ordering and lead time	6
Ordering and volume	6
Lead time	6
Service management	6
Service support	6
Support escalations	7
Complaints	7
Reporting	7
Service levels	7
Data processing	7
Security arrangements	7
Log storage	7
Business continuity and disaster recovery	8


About this document

This document provides a straightforward, clear description of our **VPN Site Connectivity** service. It covers basic operation, support, what's included and excluded. It defines your responsibilities, and our responsibilities when deploying and running the service.

What is VPN Site Connectivity?

VPN Site Connectivity is a component service available as part of the Cloud Gateway platform. VPN Site Connectivity enables you to connect your sites to chosen endpoints via the Cloud Gateway platform on a 'bring your own network' basis - using your existing internet circuits and hardware.

By using VPN Site Connectivity, you can link your branch sites, offices and other enterprise locations to other parts of the network. You can also implement security components that protect the traffic to and from each site. Additional connectivity and security services are subject to commercial agreement and not included with VPN Site Connectivity as standard.



Basic operation

We provide you with a set of configurations and credentials, which allow you to build a pair of secure IPSec VPN tunnels from your Customer Premises Equipment (CPE) device(s), to our tenancy.

From there, we will connect the VPNs to our platform, and establish links to all the other endpoints on the network estate, depending on your needs.

To onboard, we need to know the encryption standards to be used on the IPSec VPN. This information will vary depending on the capability of your CPE.

We'll provide you with two public IP addresses for VPN termination. It's important that your IP schema is unique within the network and doesn't overlap with other services.

If you're unsure and need assistance, we can provide guidance and support. Be aware that professional services time may carry a charge.

VPN & Routing Configuration

IPSec VPN

Two IPSec VPN tunnels will be configured to each of your devices on site. These devices will remain owned and managed by you. One of the tunnels will terminate in our London tenancy, the other will terminate in Manchester. Geographic separation gives the service resilience.

We need you to provide information about the device so that we can understand the VPN configuration parameters required. Each device is different. Ideally, the parameters will meet or exceed [NCSC Foundation grade](#). However, if the device can't conform to these standards, we will work together to agree on an alternative method.

When using the NCSC Foundation grade, Cloud Gateway prefers to use IKEv2 in place of IKEv1 (Internet Key Exchange).

Where possible, Cloud Gateway will configure a VTI (Virtual Tunnel Interface) type tunnel rather than static crypto-maps - also known as policy-based VPN. Both options are available, depending on the device capability.

Routing: VTI/BGP capable

In order to control traffic paths and allow for dynamic failover should there be any Priority 1 service affecting issues at any point during live service, BGP will be configured across the VPN tunnels. BGP configuration parameters will dictate a primary route to our Point of Presence (PoP) for all traffic, with a secondary PoP as a backup for failover.

BGP AS-PATH prepend will be the main traffic path manipulation technique.

Improved Resilience

We recommend the provision of multiple circuits to sites that require enhanced resilience and availability. Should the primary circuit fail, your data traffic will be routed over the back-up circuit instead. Most commonly, we use Layer 3 routing protocol to automatically route traffic down the secondary link.

For the majority of circuit combinations, an outage of up to 90 seconds may be experienced as the network detects failure and routes traffic via the alternative connection.

Acceptance testing

Acceptance criteria

The acceptance criteria for VPN Site Connectivity, as part of the platform onboarding are:

- Basic connectivity testing to/from site(s) and other network endpoints
- Failover test between primary and secondary VPN connection

Exclusions

The service does not include:

- Custom security policy. Custom security policies may be implemented via Foundation Security, Firewall-as-a-Service (FWaaS), Web Application Firewall (WAF) and SWG (Secure Web Gateway). These services are available as separate components of the platform
- Internet or MPLS connectivity. VPN Site Connectivity is an overlay service on your own infrastructure

Customer responsibilities

You are responsible for:

- Configuring the IPSec VPN tunnels on your own device(s) in accordance with the credentials we provide and any instructions we might give you
- Management of your own CPE (routing and firewall devices etc) located at the your sites
- Ensuring that your CPE devices are correctly configured for failover
- Ensuring there is no overlapping IP addressing between any networks connecting to the service
- Any User Acceptance Testing (UAT) before, during or after the service goes live
- Manually updating prefixes and detecting failures of VPN tunnels across the internet, if using non BGP/VTI routing configuration
- Providing Rule Name, Source (IP), Destination (IP) and Service (Protocol/Port) for each firewall rule that is to be applied

- Ongoing maintenance, management and/or decommissioning of your other security capabilities
- Backups. You are responsible for backing up your own systems. We don't hold customer data. We will back up our own platform, and will store logs as detailed in the Log Storage section below

Cloud Gateway responsibilities

We are responsible for:

- All IP routing including failover and dynamic routing
- 24/7 proactive monitoring of the service
- Application and management of firewall rules gathered during onboarding process
- Providing credentials and configuration instructions to you
- Providing access to a pair of highly available VPN endpoints
- Providing access to the Cloud Gateway Portal (subject to the Terms of Use)

Ordering and lead time

Ordering and volume

We calculate your cost on a bandwidth basis. VPN Site Connectivity is sold as a component of our platform, the cost will usually be combined with other components and quoted as a total service cost in the proposal. The bandwidth of each site connection will mirror the overall bandwidth capacity of the platform being purchased.

You can request an increase in bandwidth volume from our Sales Team, or via the Cloud Gateway Portal. During the service contract term, you will not be able to reduce the bandwidth volume.

Lead time

Our Service Level Agreement (SLA) to deliver the service is 5 working days. The lead time is measured from receipt of a valid Purchase Order (PO) and contract acceptance, to live service ready for any acceptance testing. The SLA timer will be paused when there is a dependency on you to provide information or input.

Service management

Service support

We have an experienced Service Desk team who are responsible for the day-to-day operational service between you and us.

The Service Desk team's primary responsibility is to provide a single point of contact within Cloud Gateway – to which issues surrounding satisfaction of service may be escalated and resolved.

Support escalations

We strive to ensure that all incidents, service requests, or simple advice and guidance requests from our customers are fulfilled efficiently and effectively within our published timescales.

If you feel that a request is not being managed effectively or would like to escalate a particular issue, this can be raised with our Service Management team.

Complaints

We take complaints seriously and ask that any customer wishing to raise a formal complaint does so in writing to service@cloudgateway.co.uk. Full details of our complaints procedure can be found within the Cloud Gateway Customer Service Pack, which you will receive during the onboarding process.

Reporting

Various types of reports such as utilisation and traffic log reports are provided by the portal. You can request other reports by contacting service@cloudgateway.co.uk, or raising a ticket via the Cloud Gateway Portal. Charges may apply.

Service levels

The service levels that apply to this service are available in our Service level Agreement (SLA).

Data processing

The data processing terms that apply to this service are available in the Cloud Gateway MSA, found here: <https://www.cloudgateway.co.uk/compliance/msa/>.

Security arrangements

- The core platform infrastructure that supports this component service is hosted in geographically diverse UK data centres. All data remains within UK sovereignty (with exception if endpoints connect to our platform via the internet)
- We are ISO 27001 and ISO 9001 accredited. We are also compliant with CyberEssentials Plus

Log storage

- All traffic logs and policy controlled events are stored in our Log Aggregation Platform (LAP)
- Logs are retained for 62 days as standard, and are used to populate graphs and visualisations in the Cloud Gateway Portal

Business continuity and disaster recovery

Cloud Gateway maintains a comprehensive approach to operational resilience, ensuring continuity of service through robust business continuity and disaster recovery planning. Our internal continuity and disaster recovery plans are reviewed and tested regularly, and staff receive training to ensure they can respond effectively to a disruption.

Our infrastructure is designed for high availability across data centres. Network component configurations are backed up regularly and can be used to recover from disruptive scenarios. Supplier relationships are governed by rigorous due diligence, including reviews of the supplier's own continuity and recovery practices. Data centres and hosting providers, where under our selection, are selected based on secure practices and continuity capabilities. Certifications held by the supplier are reviewed, such as ISO 22301, ISO 27001, ISO 9001 and ISO 14001.

Our operational model supports full remote working, whereby all staff are equipped to operate securely from the office, home or other locations.

cloudgateway.co.uk



+44 (0)20 3870 2444



sales@cloudgateway.co.uk



Cloud Gateway
The Ministry, Borough
79 Borough Rd, London SE1 1DN

