



REDUCE - REUSE - RECYCLE



It is time to rethink.

# The pollution of our planet by plastic

Millions of tonnes of plastic waste is in our oceans

Millions of tonnes of waste are added annually

75 Percent of this is plastic


years for a plastic bottle to decompose in the sea

407 Millions of tons of plastic are produced annually

**146** Millions of tons of it is packaging material



The path of plastic packaging into the food chain.



Take responsibility.

# Reduce. Reuse. Recycle. REPACK by RUKO

- Plastic free
- Recyclable
- Compostable


















Natural components.


### REPACK by RUKO consists of natural cast fibre

Fibre castings are made from recycled paper and natural materials such as hay and straw.









Protective properties.

# Organically sourced coating

REPACK by RUKO is provided with an organic coating, without chemical additives.













### **Shock resistant**

The cast fibre material is extremely resistant, capable of absorbing shocks; providing optimal protection to the contents.



### Liquid repellent

An organic based coating protects the surface of the packaging from liquids such as cutting oil, avoiding any degradation and maintaining the integrity of the pack.



#### **Heat resistant**

The organic coating also provides heat protection to the pack, avoiding damage directly after use, from hot tooling.

#### With FLOWSTEP® tip

## **ULTIMATECUT Step drill** in **REPACK by RUKO**

- 6x more holes possible
- Up to 75% faster hole starting
- Perfect centring





#### **ULTIMATECUT®**

#### Size 0/9:

5.0 | 6.0 | 7.0 | 8.0 | 9.0 | 10.0 | 11.0 | 12.0 mm

6.0 | 8.0 | 10.0 | 12.0 | 14.0 | 16.0 | 18.0 | 20.0 mm

8.0 | 10.0 | 12.0 | 14.0 | 16.0 | 18.0 | 20.0 | 22.0 | 24.0 | 26.0 | 28.0 | 30.0 mm

Item no. 101 626 PRK





















#### DIN 335 Type C 90°

## **ULTIMATECUT Countersink** in REPACK by RUKO

- Up to 30% time saving
- Twice as many countersink holes
- Excellent, smooth countersink results











### Spiral fluted

## Step drills in REPACK by RUKO

- Up to 4 times more holes
- Easier and smoother drilling process
- Significantly improved drilling result











### DIN 335 Type C 90°

### **Countersink** in REPACK by RUKO

- Precise countersinking
- High concentricity
- Excellent countersink results











### Type B and shape C

### Machine tap in REPACK by RUKO

- Optimum chip removal and no catching in the material
- Quiet cutting process for precise internal threads











### **REPACK by RUKO**

### Product overview









Item number Page **101 626 PRK 10-11** 

Page **14-15** 

Page **14-15** 






































Reduce. Reuse. Recycle.







© All rights reserved.

This catalogue is protected by copyright law and remains solely our property. We reserve the right to make changes to technical data. Images are non-binding. Liability for printing errors is excluded. This catalogue invalidates any previous editions.