Super Powder

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Issue date: 12/20/2024 Version: 1.0

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Trade name : Super Powder

1.2. Other means of identification

No additional information available.

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Nail Care
Restrictions on use : All other uses not recommended above

1.4. Supplier's details

V Beauty Pure
2257 Vista Parkway
Ste 23
West Palm Beach, Florida 33411
T 888-390-4259
regulatory@vbeautypure.com

1.5. Emergency phone number

Emergency number : For Hazardous Materials or Dangerous Goods Incident Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night: 1-800-424-9300 (Toll Free, USA) / 703-527-3887 (Virginia, USA) CCN 854185

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Skin corrosion/irritation, Category 2	H315	Causes skin irritation.
Serious eye damage/eye irritation, Category 2	H319	Causes serious eye irritation.
Skin sensitization, Category 1	H317	May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351	Suspected of causing cancer.
Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	H335	May cause respiratory irritation.
Specific target organ toxicity — Repeated exposure, Category 1	H372	Causes damage to organs (lungs) through prolonged or repeated exposure (Inhalation).

Full text of H statements : see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US) :

Signal word (GHS US) : Danger
Hazard statements (GHS US) : Causes skin irritation
May cause an allergic skin reaction
Causes serious eye irritation

Precautionary statements (GHS US)	:	May cause respiratory irritation Suspected of causing cancer. Causes damage to organs (lungs) through prolonged or repeated exposure (Inhalation) Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wash hands, forearms and face thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection. If on skin: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. If exposed or concerned: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention. Call a poison center or doctor if you feel unwell. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available.

2.4. Hazards not otherwise classified

No additional information available.

2.5. Unknown acute toxicity

No additional information available.

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Mica	CAS-No.: 12001-26-2	40 – 60	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 STOT RE 1, H372
Diiron trioxide	CAS-No.: 1309-37-1	≤ 2.5	Aquatic Chronic 3, H412
Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	CAS-No.: 13463-67-7	≤ 2.5	Carc. 2, H351

Name	Product identifier	%	GHS US classification
Dibenzoyl peroxide, benzoyl peroxide	CAS-No.: 94-36-0	≤ 2.5	Org. Perox. B, H241 Eye Irrit. 2, H319 Skin Sens. 1, H317
Iron oxide	CAS-No.: 51274-00-1	≤ 2.5	Aquatic Chronic 3, H412
C.I. pigment yellow 042	CAS-No.: 51274-00-1	≤ 2.5	STOT RE 2, H373 Aquatic Chronic 3, H412

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general : First aider: Pay attention to self-protection. Never give anything by mouth to an unconscious person. Give artificial respiration if necessary. Induce artificial respiration with mask fitted with one-way valve or other suitable device but not mouth-to-mouth. IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth out with water. Do NOT induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation : May cause cancer. Causes damage to organs (lungs) through prolonged or repeated exposure (Inhalation). Possible respiratory damage following repeated or prolonged inhalation.

Symptoms/effects after skin contact : May cause irritation to skin.

Symptoms/effects after eye contact : Stinging, redness, itching, tears, blurred vision, swelling.

Symptoms/effects after ingestion : May cause irritation to the digestive tract.

Chronic symptoms : Suspected of causing cancer. Causes damage to organs (lungs) through prolonged or repeated exposure (Inhalation). Possible respiratory damage following repeated or prolonged inhalation.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Dry chemical, CO2, or water spray or regular foam. Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard.

Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Use water spray or fog for cooling exposed containers. Use extinguishing media appropriate for surrounding fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid breathing dust. Do not take actions involving personal risks. Absorb spillage to prevent material-damage. Stop leak if safe to do so. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous for inhalation.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Evacuate the danger area. If outdoors, move to an area upwind of the danger area. If possible without taking personal risks, remove ignition sources, ventilate area. Avoid breathing dust. Avoid contact with skin and eyes. Prevent other non-emergency personnel from entering the danger area.

For emergency responders

Protective equipment : Wear the recommended personal protective equipment.

Emergency procedures : Evacuate personnel to a safe area. Ventilate spillage area. Stop leak if safe to do so.

Environmental precautions : Do not let the product reach soil, drains, sewers, or surface and ground water.

6.2. Methods and materials for containment and cleaning up

For containment : Using a clean shovel, put the material in a dry container and cover without compressing it.

Methods for cleaning up : Take up mechanically (sweeping, shoveling) and collect in suitable container for disposal. Decontaminate surfaces and equipment with water and detergent. Contaminated absorbent material may pose the same hazard as the spilt product. Until a sufficient level of dilution is achieved, the decontamination water may pose the same hazards as the product. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

For further information refer to section 8: "Exposure controls/personal protection",For further information refer to section 13

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing mist, spray, vapors, gas. Take precautionary measures against static discharge.

Hygiene measures : Always wash hands after handling the product. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace.

Additional hazards when processed : Avoid dust formation.

7.2. Conditions for safe storage, including incompatibilities

Storage conditions : Protect from sunlight. Store in a well-ventilated place. Keep cool.

Incompatible materials : Strong acids, strong bases and strong oxidants.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Mica (12001-26-2)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Mica
ACGIH OEL TWA	0.1 mg/m³ (R - Respirable particulate matter)
Remark (ACGIH)	TLV® Basis: Pneumoconiosis
Regulatory reference	ACGIH 2024
USA - OSHA - Occupational Exposure Limits	
Local name	Mica (Silicates (less than 1% crystalline silica))
OSHA PEL TWA	20 mppcf
Remark (OSHA)	Table Z-3. CAS No. source: eCFR Table Z-1.
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-3 Mineral Dusts

Diiron trioxide (1309-37-1)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Iron oxide (Fe2O3)
ACGIH OEL TWA	5 mg/m³ (R - Respirable particulate matter)
Remark (ACGIH)	TLV® Basis: Pneumoconiosis. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2024
USA - OSHA - Occupational Exposure Limits	
Local name	Iron oxide fume
OSHA PEL TWA	10 mg/m³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

Titanium Dioxide (13463-67-7)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Titanium dioxide
ACGIH OEL TWA	0.2 mg/m³ (Nanoscale particles. R - Repirable particulate matter) 2.5 mg/m³ (Finescale particles. R - Repirable particulate matter)
Remark (ACGIH)	TLV® Basis: LRT irr; pneumoconiosis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2024
USA - OSHA - Occupational Exposure Limits	
Local name	Titanium dioxide (Total dust)
OSHA PEL TWA	15 mg/m³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

Dibenzoyl peroxide (94-36-0)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Benzoyl peroxide
ACGIH OEL TWA	5 mg/m³
Remark (ACGIH)	TLV® Basis: URT & skin irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2024
USA - OSHA - Occupational Exposure Limits	
Local name	Benzoyl peroxide
OSHA PEL TWA	5 mg/m³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Use general ventilation, local exhaust ventilation, or process enclosure to keep the airborne concentrations below the permissible exposure limits. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Environmental exposure controls : Avoid release to the environment. Take measures to reduce or limit air emissions and releases to soil and the aquatic environment.

8.3. Individual protection measures, such as personal protective equipment

Personal protective equipment:
Personal protective equipment should be chosen according to national standards and in discussion with the supplier of the protective equipment. Wear recommended personal protective equipment.

Hand protection:
Wear protective gloves

Eye protection:
Chemical goggles or safety glasses

Skin and body protection:
Body protection should be chosen depending on activity and possible exposure. Handling product in bulk: Wear protective clothing

Respiratory protection:
Use NIOSH approved respirator if ventilation is inadequate. SCBA for emergency responders. Must be used in accordance with an OSHA complaint respiratory protection program.

Personal protective equipment symbol(s):

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state : Solid
Appearance : Powder.

Color	:	According to product specification
Odor	:	Odorless
Odor threshold	:	No data available
pH	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Flammability (solid, gas)	:	Not applicable.
Vapor pressure	:	No data available
Relative vapor density at 20°C	:	No data available
Relative density	:	No data available
Solubility	:	Insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity, kinematic	:	No data available
Explosion limits	:	No data available
Particle characteristics	:	No data available

Mica	
Particle characteristics	No data available

Diiron trioxide	
Particle characteristics	No data available

Titanium Dioxide	
Particle characteristics	No data available

Dibenzoyl peroxide	
Particle characteristics	No data available

Iron oxide	
Particle characteristics	No data available

F D & C BLUE 1	
Particle characteristics	No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available.

SECTION 10 Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Incompatible materials.

10.5. Incompatible materials

Strong acids, strong bases and strong oxidants.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates: Carbon dioxide. Carbon monoxide.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Diiron trioxide	
LD50 oral	> 5000 mg/kg body weight

Titanium Dioxide	
LD50 oral rat	> 5000 mg/kg body weight

Iron oxide	
LD50 oral rat	> 10000 mg/kg body weight

F D & C BLUE 1	
LD50 oral rat	> 10000 mg/kg
LD50 oral	> 10000 mg/kg body weight

Skin corrosion/irritation : Causes skin irritation.

F D & C BLUE 1	
pH	3.5 – 7.5

Serious eye damage/irritation : Causes serious eye irritation.

F D & C BLUE 1	
pH	3.5 – 7.5

Respiratory or skin sensitization : May cause an allergic skin reaction.

Dibenzoyl peroxide	
Local Lymph Node Assay, mouse	Sensitiser

Germ cell mutagenicity : Not classified

Carcinogenicity : Suspected of causing cancer.

Diiron trioxide	
IARC group	3 - Not classifiable
Titanium Dioxide	
IARC group	2B - Possibly carcinogenic to humans
Dibenzoyl peroxide	
IARC group	3 - Not classifiable

Reproductive toxicity : Not classified

Dibenzoyl peroxide	
NOAEL (animal/male, F0/P)	500 mg/kg body weight
NOAEL (animal/female, F0/P)	≥ 1000 mg/kg body weight

STOT-single exposure : May cause respiratory irritation.

Mica	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure : Causes damage to organs (lungs) through prolonged or repeated exposure (Inhalation).

Mica	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Diiron trioxide	
LOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.2102 mg/l air
NOAEL (oral,rat,90 days)	> 1000 mg/kg body weight
NOAEC (inhalation,rat,dust/mist/fume,90 days)	≥ 0.03 mg/l air
Iron oxide	
LOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.1957 mg/l air
F D & C BLUE 1	
LOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.1957 mg/l air
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

Super Powder	
Viscosity, kinematic	No data available
Mica	
Viscosity, kinematic	No data available
Diiron trioxide	
Viscosity, kinematic	No data available
Titanium Dioxide	
Viscosity, kinematic	No data available
Dibenzoyl peroxide	
Viscosity, kinematic	No data available

Mica	
Iron oxide	
Viscosity, kinematic	No data available
F D & C BLUE 1	
Viscosity, kinematic	No data available

Symptoms/effects after inhalation : May cause cancer. Causes damage to organs (lungs) through prolonged or repeated exposure (Inhalation). Possible respiratory damage following repeated or prolonged inhalation.

Symptoms/effects after skin contact : May cause irritation to skin.

Symptoms/effects after eye contact : Stinging, redness, itching, tears, blurred vision, swelling.

Symptoms/effects after ingestion : May cause irritation to the digestive tract.

Chronic symptoms : Suspected of causing cancer. Causes damage to organs (lungs) through prolonged or repeated exposure (Inhalation). Possible respiratory damage following repeated or prolonged inhalation.

SECTION 12 Ecological information

12.1. Ecotoxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short–term (acute) : Not classified

Hazardous to the aquatic environment, long–term (chronic) : Not classified

Diiron trioxide	
EC50 - Crustacea [1]	> 100 mg/l
EC50 - Other aquatic organisms [1]	> 100 mg/l
EC50 72h - Algae [1]	> 20 mg/l
Titanium Dioxide	
EC50 - Other aquatic organisms [1]	> 100 mg/l
EC50 72h - Algae [1]	> 100 mg/l
LOEC (chronic)	5 mg/l
Dibenzoyl peroxide	
LC50 - Fish [1]	0.0602 mg/l
EC50 - Crustacea [1]	0.11 mg/l
NOEC (acute)	0.0316
NOEC (chronic)	0.0011 mg/l
Iron oxide	
LC50 - Fish [1]	≥ 100000 mg/l
EC50 - Crustacea [1]	> 100 mg/l
EC50 72h - Algae [1]	> 20 mg/l
EC50 72h - Algae [2]	> 20 mg/l

F D & C BLUE 1	
LC50 - Fish [1]	≥ 100000 mg/l
EC50 - Crustacea [1]	> 100 mg/l
EC50 72h - Algae [1]	18 mg/l
EC50 72h - Algae [2]	> 20 mg/l

12.2. Persistence and degradability

Super Powder	
Persistence and degradability	Not established.

Mica	
Persistence and degradability	Not rapidly degradable

Diiron trioxide	
Persistence and degradability	Not rapidly degradable

Titanium Dioxide	
Persistence and degradability	Not rapidly degradable

Dibenzoyl peroxide	
Persistence and degradability	Readily biodegradable.

Iron oxide	
Persistence and degradability	Not rapidly degradable

F D & C BLUE 1	
Persistence and degradability	Not rapidly degradable

12.3. Bioaccumulative potential

Super Powder	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available.

12.5. Other adverse effects

Ozone : Not classified
Fluorinated greenhouse gases : No

SECTION 13 Disposal considerations

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations : Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : Disposal must be done according to official regulations. Refer to all applicable national, international and local regulations or provisions.
Additional information : Do not re-use empty containers.
Ecological waste information : Avoid release to the environment.

SECTION 14 Transport information

In accordance with DOT / IMDG / IATA

DOT	IMDG	IATA
14.1. UN number		
Not regulated for transport		
14.2. Proper Shipping Name		
Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not regulated	Not regulated	Not regulated
14.4. Packing group		
Not regulated	Not regulated	Not regulated
14.5. Environmental hazards		
	Not regulated	
No supplementary information available		

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT
Not regulated

IMDG
Not regulated

IATA
Not regulated

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:		
Mica	CAS-No. 12001-26-2	40 – 60%

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.		
Dibenzoyl peroxide	CAS-No. 94-36-0	≤ 2.5%

15.2. International regulations

CANADA

Mica (12001-26-2)

Listed on the Canadian DSL (Domestic Substances List)

Diiron trioxide (1309-37-1)

Listed on the Canadian DSL (Domestic Substances List)

Titanium Dioxide (13463-67-7)

Listed on the Canadian DSL (Domestic Substances List)

Dibenzoyl peroxide (94-36-0)

Listed on the Canadian DSL (Domestic Substances List)

Iron oxide (51274-00-1)

Listed on the Canadian DSL (Domestic Substances List)

F D & C BLUE 1 (51274-00-1)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available.

National regulations

Mica (12001-26-2)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Diiron trioxide (1309-37-1)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Titanium Dioxide (13463-67-7)

Listed on IARC (International Agency for Research on Cancer)
Listed on INSQ (Mexican National Inventory of Chemical Substances)

Dibenzoyl peroxide (94-36-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Iron oxide (51274-00-1)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

F D & C BLUE 1 (51274-00-1)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. State regulations

WARNING: This product can expose you to Titanium dioxide (airborne, unbound particles of respirable size), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16 Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Issue date : 12/20/2024

Full text of hazard classes and H-statements	
H241	Heating may cause a fire or explosion
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.