



One Step Gel

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Issue date: 12/20/2024 Version: 1.0

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Trade name : One Step Gel

1.2. Other means of identification

No additional information available.

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Nail Care
Restrictions on use : All other uses not recommended above

1.4. Supplier's details

V Beauty Pure
2257 Vista Parkway
Ste 23
West Palm Beach, Florida 33411
T 888-390-4259
regulatory@vbeautypure.com

1.5. Emergency phone number

Emergency number : For Hazardous Materials or Dangerous Goods Incident Spill, Leak, Fire, Exposure, or Accident
Call CHEMTREC Day or Night: 1-800-424-9300 (Toll Free, USA) / 703-527-3887 (Virginia, USA)
CCN 854185

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Skin corrosion/irritation, Category 2	H315	Causes skin irritation.
Serious eye damage/eye irritation, Category 2	H319	Causes serious eye irritation.
Skin sensitization, Category 1	H317	May cause an allergic skin reaction.
Carcinogenicity, Category 2	H351	Suspected of causing cancer.
Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	H335	May cause respiratory irritation.

Full text of H statements : see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US) : Warning
Hazard statements (GHS US) : Causes skin irritation
May cause an allergic skin reaction
Causes serious eye irritation
May cause respiratory irritation
Suspected of causing cancer.

One Step Gel

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautionary statements (GHS US)

: Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Avoid breathing mist, spray, vapours.
Wash hands, forearms and face thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves, protective clothing, eye protection, face protection, and hearing protection.
If on skin: Wash with plenty of soap and water.
If skin irritation or rash occurs: Get medical advice or attention.
Take off contaminated clothing and wash it before reuse.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
If exposed or concerned: Get medical advice/attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice or attention.
Call a poison center or doctor if you feel unwell.
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available.

2.4. Hazards not otherwise classified

No additional information available.

2.5. Unknown acute toxicity

No additional information available.

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Bis-Hydroxyethyl Methacrylate Poly (Neopentyl Glycol Adipate)/IPDI Copolymer	CAS-No.: 82339-16-0	20 – 60	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Trimethylopropane Trimethacrylate	CAS-No.: 3290-92-4	5 – 20	Aquatic Chronic 2, H411
[(1-Methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)]]diacrylate ; Tripropylene glycol diacrylate	CAS-No.: 42978-66-5	5 – 20	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335 Aquatic Chronic 2, H411
(1-Hydroxycyclohexyl)phenylmethanone	CAS-No.: 947-19-3	0.1 – 5	Aquatic Chronic 3, H412
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	CAS-No.: 162881-26-7	≤ 0.1	Skin Sens. 1A, H317 Aquatic Chronic 4, H413

One Step Gel

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
Titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]	CAS-No.: 13463-67-7	≤ 0.1	Carc. 2, H351

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	: First aider: Pay attention to self-protection. Never give anything by mouth to an unconscious person. Give artificial respiration if necessary. Induce artificial respiration with mask fitted with one-way valve or other suitable device but not mouth-to-mouth. IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. Do NOT induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: May cause irritation to skin. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Stinging, redness, itching, tears, blurred vision, swelling.
Symptoms/effects after ingestion	: Ingestion may cause nausea and vomiting.
Most Important Symptoms/Effects	: May cause an allergic skin reaction.
Chronic symptoms	: Suspected of causing cancer.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Dry chemical, CO ₂ , or water spray or regular foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Fire hazard	: No fire hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon dioxide. Carbon monoxide. Nitrogen oxides.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Use water spray or fog for cooling exposed containers. Use extinguishing media appropriate for surrounding fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

One Step Gel

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Evacuate area. Avoid all personal contact including breathing in gas, vapors, mist, and spray. Do not take actions involving personal risks. Absorb spillage to prevent material-damage. Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Evacuate the danger area. If outdoors, move to an area upwind of the danger area. If possible without taking personal risks, remove ignition sources, ventilate area. Avoid breathing gas, vapors, mist, and spray. Avoid contact with skin and eyes. Prevent other non-emergency personnel from entering the danger area.

For emergency responders

Protective equipment : Wear the recommended personal protective equipment.
Emergency procedures : Evacuate personnel to a safe area. Ventilate spillage area. Stop leak if safe to do so.

Environmental precautions : Do not let the product reach soil, drains, sewers, or surface and ground water.

6.2. Methods and materials for containment and cleaning up

For containment : Contain with non-combustible inert absorbent. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak, if possible without risk.
Methods for cleaning up : Take up in non-combustible inert absorbent and place into container for disposal. Decontaminate surfaces and equipment with water and detergent. Contaminated absorbent material may pose the same hazard as the spilt product. Until a sufficient level of dilution is achieved, the decontamination water may pose the same hazards as the product. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

For further information refer to section 8: "Exposure controls/personal protection", For further information refer to section 13

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing mist, spray, vapors, gas. Take precautionary measures against static discharge.
Hygiene measures : Always wash hands after handling the product. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace.

7.2. Conditions for safe storage, including incompatibilities

Storage conditions : Keep away from heat, sparks, and flame. Protect from sunlight. Store in a well-ventilated place. Keep cool.
Incompatible products : Alkalis. Peroxides. Strong acids. Strong oxidizers.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

One Step Gel

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Titanium Dioxide (13463-67-7)

USA - ACGIH - Occupational Exposure Limits

Local name	Titanium dioxide
ACGIH OEL TWA	0.2 mg/m ³ (Nanoscale particles. R - Repirable particulate matter) 2.5 mg/m ³ (Finescale particles. R - Repirable particulate matter)
Remark (ACGIH)	TLV® Basis: LRT irr; pneumoconiosis. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2024

USA - OSHA - Occupational Exposure Limits

Local name	Titanium dioxide (Total dust)
OSHA PEL TWA	15 mg/m ³
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1

8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station. Use general ventilation, local exhaust ventilation, or process enclosure to keep the airborne concentrations below the permissible exposure limits. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Environmental exposure controls	: Avoid release to the environment. Take measures to reduce or limit air emissions and releases to soil and the aquatic environment.

8.3. Individual protection measures, such as personal protective equipment

Personal protective equipment:

Personal protective equipment should be chosen according to national standards and in discussion with the supplier of the protective equipment. Wear recommended personal protective equipment.

Hand protection:

Handling product in bulk: Wear nitrile or other impervious gloves if skin contact is possible. When the material is dissolved or suspended in an organic solvent, wear gloves that provide protection against the solvent.

Eye protection:

Chemical goggles or safety glasses. Wear safety glasses which protect from splashes

Skin and body protection:

Body protection should be chosen depending on activity and possible exposure. Handling product in bulk: Wear protective clothing

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed and a NIOSH/MSHA or European Standard EN 149 approved respirator must be used if any of the following situations occur: workplace conditions warrant respirator use, or exposure limits are exceeded or if irritation or other symptoms are experienced

Personal protective equipment symbol(s):



One Step Gel

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear or Pigmented.
Color	: According to product specification
Odor	: No data available
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 100 °C / 212 °F
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: ≈ 65000 cP
Explosion limits	: No data available
Particle characteristics	: No data available

Bis-Hydroxyethyl Methacrylate Poly (Neopentyl Glycol Adipate)/IPDI Copolymer

Particle characteristics	No data available
--------------------------	-------------------

Trimethylopropane Trimethacrylate

Particle characteristics	No data available
--------------------------	-------------------

Tripropyleneglycol diacrylate

Particle characteristics	No data available
--------------------------	-------------------

Hydroxycyclohexyl Phenyl Ketone

Particle characteristics	No data available
--------------------------	-------------------

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Particle characteristics	No data available
--------------------------	-------------------

Titanium Dioxide

Particle characteristics	No data available
--------------------------	-------------------

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available.

One Step Gel

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10 Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Incompatible materials.

10.5. Incompatible materials

Alkalis. Peroxides. Strong acids. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates: Carbon dioxide. Carbon monoxide. Nitrogen oxides.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Tripropyleneglycol diacrylate

LD50 oral rat	6200 mg/kg
LD50 oral	6800 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LD50 dermal	2500 mg/kg

Hydroxycyclohexyl Phenyl Ketone

LD50 oral rat	> 2500 mg/kg body weight
LD50 dermal rat	> 5000 mg/kg body weight
LC50 Inhalation - Rat	> 1 mg/l air

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

LD50 oral rat	> 2000 mg/kg body weight
LD50 dermal rat	> 2000 mg/kg body weight

Titanium Dioxide

LD50 oral rat	> 5000 mg/kg body weight
---------------	--------------------------

Skin corrosion/irritation : Causes skin irritation.

One Step Gel

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hydroxycyclohexyl Phenyl Ketone	
pH	5.7
Serious eye damage/irritation	: Causes serious eye irritation.
Hydroxycyclohexyl Phenyl Ketone	
pH	5.7
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Suspected of causing cancer.
Titanium Dioxide	
IARC group	2B - Possibly carcinogenic to humans
Reproductive toxicity	: Not classified
Trimethylopropane Trimethacrylate	
NOAEL (animal/female, F0/P)	≥ 1000 mg/kg body weight
STOT-single exposure	: May cause respiratory irritation.
Tripropyleneglycol diacrylate	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified.
Trimethylopropane Trimethacrylate	
LOAEL (oral,rat,90 days)	1000 mg/kg body weight
LOAEL (dermal,rat/rabbit,90 days)	300 mg/kg body weight
NOAEL (oral,rat,90 days)	300 mg/kg body weight
NOAEL (dermal,rat/rabbit,90 days)	300 mg/kg body weight
Tripropyleneglycol diacrylate	
LOAEL (dermal,rat/rabbit,90 days)	20 mg/kg body weight
Hydroxycyclohexyl Phenyl Ketone	
NOAEL (oral,rat,90 days)	300 mg/kg body weight
Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide	
NOAEL (oral,rat,90 days)	> 1000 mg/kg body weight
Aspiration hazard	: Not classified
One Step Gel	
Viscosity, kinematic	No data available
Bis-Hydroxyethyl Methacrylate Poly (Neopentyl Glycol Adipate)/IPDI Copolymer	
Viscosity, kinematic	No data available
Trimethylopropane Trimethacrylate	
Viscosity, kinematic	No data available

One Step Gel

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Bis-Hydroxyethyl Methacrylate Poly (Neopentyl Glycol Adipate)/IPDI Copolymer

Tripropyleneglycol diacrylate

Viscosity, kinematic	No data available
----------------------	-------------------

Hydroxycyclohexyl Phenyl Ketone

Viscosity, kinematic	No data available
----------------------	-------------------

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Viscosity, kinematic	No data available
----------------------	-------------------

Titanium Dioxide

Viscosity, kinematic	No data available
----------------------	-------------------

Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: May cause irritation to skin. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Stinging, redness, itching, tears, blurred vision, swelling.
Symptoms/effects after ingestion	: Ingestion may cause nausea and vomiting.
Most Important Symptoms/Effects	: May cause an allergic skin reaction.
Chronic symptoms	: Suspected of causing cancer.

SECTION 12 Ecological information

12.1. Ecotoxicity

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Not classified

Trimethylopropane Trimethacrylate

LC50 - Fish [1]	2 mg/l
EC50 - Crustacea [1]	> 9.22 mg/l

Tripropyleneglycol diacrylate

LC50 - Fish [1]	4.5 mg/l
EC50 - Crustacea [1]	88.7 mg/l
EC50 72h - Algae [1]	> 28 mg/l

Hydroxycyclohexyl Phenyl Ketone

LC50 - Fish [1]	58.426 mg/l
EC50 - Crustacea [1]	53.9 mg/l
EC50 72h - Algae [1]	14.4 mg/l
EC50 72h - Algae [2]	4.68 mg/l
EC50 96h - Algae [1]	41.382 mg/l

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

LC50 - Fish [1]	> 0.09 mg/l
EC50 - Other aquatic organisms [1]	> 1.175 mg/l

One Step Gel

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

EC50 72h - Algae [1]	> 0.26 mg/l
----------------------	-------------

Titanium Dioxide

EC50 - Other aquatic organisms [1]	> 100 mg/l
------------------------------------	------------

EC50 72h - Algae [1]	> 100 mg/l
----------------------	------------

LOEC (chronic)	5 mg/l
----------------	--------

12.2. Persistence and degradability

One Step Gel

Persistence and degradability	Not established.
-------------------------------	------------------

Bis-Hydroxyethyl Methacrylate Poly (Neopentyl Glycol Adipate)/IPDI Copolymer

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Trimethylopropane Trimethacrylate

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Tripropyleneglycol diacrylate

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Hydroxycyclohexyl Phenyl Ketone

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

Titanium Dioxide

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

12.3. Bioaccumulative potential

One Step Gel

Bioaccumulative potential	Not established.
---------------------------	------------------

Tripropyleneglycol diacrylate

Partition coefficient n-octanol/water (Log Pow)	2.77
---	------

Hydroxycyclohexyl Phenyl Ketone

Partition coefficient n-octanol/water (Log Pow)	2.44
---	------

12.4. Mobility in soil

No additional information available.

12.5. Other adverse effects

Ozone	: Not classified
Fluorinated greenhouse gases	: No

One Step Gel

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13 Disposal considerations

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations. Refer to all applicable national, international and local regulations or provisions.
Additional information	: Do not re-use empty containers.
Ecological waste information	: Avoid release to the environment.

SECTION 14 Transport information

In accordance with DOT / IMDG / IATA

DOT	IMDG	IATA
14.1. UN number		
Not regulated for transport		
14.2. Proper Shipping Name		
Not regulated	Not regulated	Not regulated
14.3. Transport hazard class(es)		
Not regulated	Not regulated	Not regulated
14.4. Packing group		
Not regulated	Not regulated	Not regulated
14.5. Environmental hazards		
	Not regulated	
No supplementary information available		

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT

Not regulated

IMDG

Not regulated

IATA

Not regulated

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

Bis-HEA Poly(1,4-butanediol)-9/ IPDI Copolymer	CAS-No. No Data	20 – 60%
--	-----------------	----------

One Step Gel

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

Bis-Hydroxyethyl Methacrylate Poly (Neopentyl Glycol Adipate)/IPDI Copolymer (82339-16-0)

Listed on the Canadian NDSL (Non-Domestic Substances List)

Trimethylopropane Trimethacrylate (3290-92-4)

Listed on the Canadian DSL (Domestic Substances List)

Tripropyleneglycol diacrylate (42978-66-5)

Listed on the Canadian DSL (Domestic Substances List)

Hydroxycyclohexyl Phenyl Ketone (947-19-3)

Listed on the Canadian DSL (Domestic Substances List)

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide (162881-26-7)

Listed on the Canadian DSL (Domestic Substances List)

Titanium Dioxide (13463-67-7)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available.

National regulations

Tripropyleneglycol diacrylate (42978-66-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Hydroxycyclohexyl Phenyl Ketone (947-19-3)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Phenyl bis(2,4,6-trimethylbenzoyl)-phosphine oxide (162881-26-7)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Titanium Dioxide (13463-67-7)

Listed on IARC (International Agency for Research on Cancer)


Listed on INSQ (Mexican National Inventory of Chemical Substances)

One Step Gel

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. State regulations

 **WARNING:** This product can expose you to Titanium dioxide (airborne, unbound particles of respirable size), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16 Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations
Issue date : 12/20/2024

Full text of hazard classes and H-statements	
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H351	Suspected of causing cancer.
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects
H413	May cause long lasting harmful effects to aquatic life

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.