



# Wipe Matte Top Coat

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
Issue date: 7/9/2024 Revision date: 7/12/2024 Supersedes: 7/9/2024 Version: 1.1

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Trade name : Wipe Matte Top Coat

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Nail Care  
Restrictions on use : All other uses not recommended above

#### 1.3. Supplier

V Beauty Pure  
2257 Vista Parkway  
Ste 23  
West Palm Beach, Florida 33411  
T 888-390-4259  
[support@vbeautypure.com](mailto:support@vbeautypure.com)

#### 1.4. Emergency telephone number

Emergency number : For Hazardous Materials or Dangerous Goods Incident Spill, Leak, Fire, Exposure, or Accident  
Call CHEMTREC Day or Night: 1-800-424-9300 (Toll Free, USA) / 703-527-3887 (Virginia, USA)  
CCN 854185

### SECTION 2: Hazard(s) identification


#### 2.1. Classification of the substance or mixture

##### GHS US classification

Skin corrosion/irritation Category 2	Causes skin irritation
Serious eye damage/eye irritation Category 2	Causes serious eye irritation
Skin sensitization, Category 1	May cause an allergic skin reaction
Full text of H statements : see section 16	

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labeling

Hazard pictograms (GHS US) : 

Signal word (GHS US) : Warning

Hazard statements (GHS US) : Causes skin irritation  
May cause an allergic skin reaction  
Causes serious eye irritation

Precautionary statements (GHS US) : Avoid breathing mist, spray, vapors, gas.  
Wash hands, forearms and face thoroughly after handling.  
Contaminated work clothing must not be allowed out of the workplace.  
Wear protective gloves/protective clothing/eye protection/face protection.  
If on skin: Wash with plenty of water.  
If skin irritation or rash occurs: Get medical advice/attention.  
Take off contaminated clothing and wash it before reuse.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

# Wipe Matte Top Coat

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

No additional information available

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
2-Hydroxyethyl methacrylate	CAS-No.: 868-77-9	25 – 35	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Hydroxycyclohexyl Phenyl Ketone	CAS-No.: 947-19-3	2 – 5	Aquatic Chronic 3, H412
[ethoxy(phenyl)phosphoryl]-(2,4,6-trimethylphenyl)methanone	CAS-No.: 84434-11-7	2 – 5	Aquatic Chronic 2, H411

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general	: First aider: Pay attention to self-protection. Never give anything by mouth to an unconscious person. Give artificial respiration if necessary. Induce artificial respiration with mask fitted with one-way valve or other suitable device but not mouth-to-mouth. IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. Do NOT induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Call a poison center/doctor/physician if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation	: Inhalation of vapors may cause respiratory irritation.
Symptoms/effects after skin contact	: May cause an allergic skin reaction. Irritation (itching, redness, blistering).
Symptoms/effects after eye contact	: Stinging, redness, itching, tears, blurred vision, swelling.
Symptoms/effects after ingestion	: May cause irritation to the digestive tract.

# Wipe Matte Top Coat

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Dry chemical, CO<sub>2</sub>, or water spray or regular foam.  
Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard.  
Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon dioxide. Carbon monoxide. Nitrogen oxides.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection. Use water spray or fog for cooling exposed containers. Use extinguishing media appropriate for surrounding fire. Prevent fire-fighting water from entering environment.  
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.  
Emergency procedures : Evacuate the danger area. If outdoors, move to an area upwind of the danger area. If possible without taking personal risks, remove ignition sources, ventilate area. Avoid breathing mist, spray, vapors, gas. Avoid contact with skin and eyes. Prevent other non-emergency personnel from entering the danger area.

#### 6.1.2. For emergency responders

Protective equipment : Wear the recommended personal protective equipment.  
Emergency procedures : Evacuate personnel to a safe area. Ventilate spillage area. Stop leak if safe to do so.

### 6.2. Environmental precautions

Do not let the product reach soil, drains, sewers, or surface and ground water.

### 6.3. Methods and material for containment and cleaning up

For containment : Stop leak, if possible without risk. Spill area may be slippery. Contain with non-combustible inert absorbent.  
Methods for cleaning up : Take up in non-combustible inert absorbent and place into container for disposal. Contaminated absorbent material may pose the same hazard as the spilt product. Decontaminate surfaces and equipment with water and detergent. Until a sufficient level of dilution is achieved, the decontamination water may pose the same hazards as the product. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

# Wipe Matte Top Coat

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Avoid breathing mist, spray, vapors, gas. Take precautionary measures against static discharge.
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Protect from sunlight. Store in a well-ventilated place. Keep cool.
Incompatible products	: Oxidizing agents. Peroxides.
Storage temperature	: ≤ 30 °C (86 °F)

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Wipe Matte Top Coat

No additional information available

##### 2-Hydroxyethyl methacrylate (868-77-9)

No additional information available

##### Hydroxycyclohexyl Phenyl Ketone (947-19-3)

No additional information available

##### [ethoxy(phenyl)phosphoryl]-(2,4,6-trimethylphenyl)methanone (84434-11-7)

No additional information available

#### 8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Environmental exposure controls	: Avoid release to the environment. Take measures to reduce or limit air emissions and releases to soil and the aquatic environment.

#### 8.3. Individual protection measures/Personal protective equipment

##### Personal protective equipment:

Personal protective equipment should be chosen according to national standards and in discussion with the supplier of the protective equipment. Wear recommended personal protective equipment.

##### Hand protection:

Wear protective gloves

##### Eye protection:

Chemical goggles or safety glasses

##### Skin and body protection:

Body protection should be chosen depending on activity and possible exposure. Handling product in bulk: Wear protective clothing

# Wipe Matte Top Coat

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal protective equipment symbol(s):



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid.
Appearance	: Viscous liquid.
Color	: Transparent
Odor	: Ester-like
Odor threshold	: No data available
pH	: 7
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 100 °C (212 °F)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: < 1 mm Hg (20 °C/ 68 °F)
Relative vapor density at 20°C	: No data available
Relative density	: 1.15
Density	: 1.05 g/m <sup>3</sup>
Solubility	: Water: Insoluble in cold and hot water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 1500 – 2000 mPa·s (30 °C/ 86 °F)
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions of use.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Incompatible materials.

# Wipe Matte Top Coat

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.5. Incompatible materials

Oxidizing agents. Peroxides.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates : Nitrogen oxides. Carbon dioxide. Carbon monoxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### 2-Hydroxyethyl methacrylate

LD50 oral rat	5564 mg/kg body weight
LD50 dermal rabbit	> 5000 mg/kg body weight

#### Hydroxycyclohexyl Phenyl Ketone

LD50 oral rat	> 2500 mg/kg body weight
LD50 dermal rat	> 5000 mg/kg body weight
LC50 Inhalation - Rat	> 1 mg/l air

#### [ethoxy(phenyl)phosphoryl]-(2,4,6-trimethylphenyl)methanone

LD50 oral rat	> 5000 mg/kg body weight
LD50 dermal rat	> 2000 mg/kg body weight

Skin corrosion/irritation : Causes skin irritation.  
pH: 7

#### 2-Hydroxyethyl methacrylate

Additional information	Repeated or prolonged contact may cause skin irritation
------------------------	---

#### Hydroxycyclohexyl Phenyl Ketone

pH	5.7
----	-----

Serious eye damage/irritation : Causes serious eye irritation.  
pH: 7

#### 2-Hydroxyethyl methacrylate

Serious eye damage/irritation, rabbit	Mildly irritating
---------------------------------------	-------------------

#### Hydroxycyclohexyl Phenyl Ketone

pH	5.7
----	-----

Respiratory or skin sensitization : May cause an allergic skin reaction.

#### 2-Hydroxyethyl methacrylate

Skin sensitization, Guinea pig	Skin sensitizer
--------------------------------	-----------------

Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified

# Wipe Matte Top Coat

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

### 2-Hydroxyethyl methacrylate

LOAEC (inhalation, rat, gas, 90 days) 350 ppm

NOAEC (inhalation, rat, gas, 90 days) 100 ppm

### Hydroxycyclohexyl Phenyl Ketone

NOAEL (oral, rat, 90 days) 300 mg/kg body weight

Aspiration hazard : Not classified

Viscosity, kinematic : No data available

Symptoms/effects after inhalation : Inhalation of vapors may cause respiratory irritation.

Symptoms/effects after skin contact : May cause an allergic skin reaction. Irritation (itching, redness, blistering).

Symptoms/effects after eye contact : Stinging, redness, itching, tears, blurred vision, swelling.

Symptoms/effects after ingestion : May cause irritation to the digestive tract.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

### 2-Hydroxyethyl methacrylate

LC50 - Fish [1] > 100 mg/l

EC50 - Crustacea [1] 380 mg/l

EC50 72h - Algae [1] 836 mg/l

EC50 72h - Algae [2] 345 mg/l

LOEC (chronic) 49.6 mg/l

NOEC (chronic) 24.1 mg/l

### Hydroxycyclohexyl Phenyl Ketone

LC50 - Fish [1] 58.426 mg/l

EC50 - Crustacea [1] 53.9 mg/l

EC50 72h - Algae [1] 14.4 mg/l

EC50 72h - Algae [2] 4.68 mg/l

EC50 96h - Algae [1] 41.382 mg/l

### [ethoxy(phenyl)phosphoryl]-(2,4,6-trimethylphenyl)methanone

LC50 - Fish [1] 1.89 mg/l

EC50 - Crustacea [1] 2.26 mg/l

EC50 72h - Algae [1] 1.01 mg/l

EC50 72h - Algae [2] 0.239 mg/l

# Wipe Matte Top Coat

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 12.2. Persistence and degradability

#### Wipe Matte Top Coat

Persistence and degradability	Not established.
-------------------------------	------------------

### 12.3. Bioaccumulative potential

#### Wipe Matte Top Coat

Bioaccumulative potential	Not established.
---------------------------	------------------

#### Hydroxycyclohexyl Phenyl Ketone

Partition coefficient n-octanol/water (Log Pow)	2.44
---	------

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations. Refer to all applicable national, international and local regulations or provisions.
Additional information	: Do not re-use empty containers.
Ecological waste information	: Avoid release to the environment.

## SECTION 14: Transport information

In accordance with DOT / IMDG / IATA

DOT	IMDG	IATA
<b>14.1. UN number</b>		
Not regulated for transport		
<b>14.2. Proper Shipping Name</b>		
Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>		
Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>		
Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>		
Not regulated	Not regulated	Not regulated
No supplementary information available		



# Wipe Matte Top Coat

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 14.6. Special precautions for user

#### DOT

Not regulated

#### IMDG

Not regulated

#### IATA

Not regulated

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

[ethoxy(phenyl)phosphoryl]-(2,4,6-trimethylphenyl)methanone

CAS-No. 84434-11-7

2 – 5%

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

### 15.2. International regulations

#### CANADA

##### 2-Hydroxyethyl methacrylate (868-77-9)

Listed on the Canadian DSL (Domestic Substances List)

##### Hydroxycyclohexyl Phenyl Ketone (947-19-3)

Listed on the Canadian DSL (Domestic Substances List)

##### [ethoxy(phenyl)phosphoryl]-(2,4,6-trimethylphenyl)methanone (84434-11-7)

Listed on the Canadian DSL (Domestic Substances List)

#### EU-Regulations

No additional information available

#### National regulations

##### 2-Hydroxyethyl methacrylate (868-77-9)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

##### Hydroxycyclohexyl Phenyl Ketone (947-19-3)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

# Wipe Matte Top Coat

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

### SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 7/12/2024

Full text of hazard classes and H-statements	
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.