

FULLY

RIOT	35
RIOT LT	41
AMR	47
AMR LT	53
KATO FS	61
CAGUA	69
THE HOOD FS	75
DH / NORTHSORE	79

HARDTAIL

HTX	87
NILA	95
TACANA	101
KATO	111
SONA	119
THE HOOD	125

MISS

LANAO FS	133
LANAO	139
NILA	149
LAWU	155

E-HYBRIDE

TERU FS	163
TERU FS LT	169
TERU	175
ANDASOL X	183
ANDASOL	191

CROSS & TREKKING

PANAMAO X	203
PANAMAO	215

ROAD

NIVOLET	231
SPEEDLINE	239

POWERKID

POWERKID	245
----------	-----

EBS

EBS	257
-----	-----

GEAR & APPAREL

GEAR & APPAREL	261
----------------	-----

SUPPORT

GEOMETRY DATA	297
---------------	-----



GHOST
GERMAN BICYCLE TECHNOLOGY

ONE BIKE ALL THE AWARDS

ENG

This saying gained us quite some attention last year. Our engineers, designers and all other employees whose contributions made our RIOT into this exceptional bicycle were recognized with highly prestigious awards and the best test results for their hard work. In addition, Alexandra Engen managed to ride to two World Cup victories in the first half of the season and Tomas Slavik crowned himself as 4X World Champion for the second time. The 2015 model year awaits you with many innovations and there is only one thing left to say for the future - **EXPECT RIOT!**

GER

Mit diesem Spruch haben wir im vergangenen Jahr viel Aufmerksamkeit erregt. Unsere Ingenieure, Designer und alle anderen Mitarbeiter, die dazu beigetragen haben, unser RIOT zu diesem außergewöhnlichen Bike zu machen, wurden mit prestigeträchtigen Awards und besten Testresultaten für ihre harte Arbeit belohnt. Zudem fuhr Alexandra Engen auf GHOST in der ersten Saisonhälfte noch zwei Weltcupsiege ein und Tomas Slavik kürte sich zum zweiten Mal zum 4X-Weltmeister. Im Modelljahr 2015 erwarten dich viele Neuerungen und auch für die Zukunft bleibt nur noch eines zu sagen: **EXPECT RIOT!**



FROM SKETCH TO TRAIL

ENG

Our GHOST R&D department team consists of highly educated engineers, but most importantly riders like you and me. Their passion for biking is reflected in every piece of their work. It all starts with the sketch, which is the very first step in the long development process. Next, the work continues on the computer where our engineers work with sophisticated 3-D modeling programs to create the lightest, stiffest and most efficient bikes. Next, the prototypes undergo the toughest, most precise tests on our test rigs to guarantee your safety. In the final step, the prototype bike leaves the laboratory and is tested under real race conditions by our Expect RIOT team, consisting of our engineers and, of course, our GHOST Factory Racing team. That's German Bicycle Technology!

VON DER SKIZZE AUF DEN TRAIL

GER

Unsere GHOST R&D Abteilung besteht aus einem Team hochqualifizierter Ingenieure, aber was noch wichtiger ist, Bikern wie Du und ich. Ihre Bike-Leidenschaft spiegelt sich in jedem einzelnen Teil ihrer Arbeit wider. Alles beginnt mit einer Skizze - dem allerersten Schritt eines langen Entwicklungsprozesses. Im Anschluss setzen unsere Ingenieure ihre Arbeit am Computer fort, wo sie mit Hilfe modernster 3-D Modellierungssoftware Bikes entwerfen, die sich durch geringes Gewicht und größte Steifigkeit und Effizienz auszeichnen. Danach werden die Prototypen auf unseren Prüfständen den härtesten und genauesten Tests unterzogen, um Deine Sicherheit zu gewährleisten. In der Endphase verlässt der Prototyp das Prüflabor und wird unter realen Rennbedingungen von unserem Expect RIOT Team, das aus unseren Ingenieuren besteht, und natürlich auch von unserem GHOST Factory Racing Team auf Herz und Nieren getestet. Das verstehen wir unter German Bicycle Technology!




RIOT link

ENG

The innovative and patent-pending RIOT-Link not only represents the new benchmark in the bicycle industry, it is a revolution in terms of rear suspension. It provides a completely new experience on the trail, because the RIOT-Link system allows you to ride faster than you ever did before, and the unprecedented control makes every ride safer! Technically speaking, the RIOT-Link is a mechanical system using a floating shock that is compressed from both sides. The continuous interaction of upper and lower rocker is the key to the RIOT-Link's ultimate kinematics performance. While the upper rocker controls the first 80% of the travel efficiently, the lower RIOT-Rocker progressively takes over as travel progresses, and provides optimum bottom-out protection during the last 20% of travel. This unique combination results in a whole new performance level.

GER

Das von Grund auf neu entwickelte und zum Patent angemeldete RIOT-Link setzt nicht nur neue Maßstäbe in der Fahrradindustrie, sondern ist sogar eine Revolution in Sachen Hinterradfederung. Die Erfahrung auf dem Trail ist eine vollkommen neue, weil dir das RIOT-Link-System erlaubt, schneller als je zuvor zu fahren. Die überragende Kontrolle, die es bietet, macht jede Fahrt sicherer! Technisch betrachtet arbeitet das RIOT-Link-System mit einem schwimmend aufgehängten „Floating-Federbein“, das von beiden Seiten angesteuert wird. Das kontinuierliche Zusammenspiel von oberem und unterem Rocker ist entscheidend für die Kinematik-Performance des RIOT-Link. Während der obere Rocker maßgeblich für die Kontrolle der ersten 80 % des Federwegs verantwortlich ist, gewinnt der untenliegende RIOT Rocker mit zunehmendem Federweg Einfluss und stellt auf den letzten 20 % des Federwegs optimalen Durchschlagschutz bereit. Das Ergebnis dieser einzigartigen Kombination ist ein völlig neues Leistungsniveau.



MORE INFO: www.ghost-bikes.com/riot



E:i SHOCK



ENG

The multiple award-winning E:i shock is entering its second generation. A new, more powerful battery, improved and more reliable software, and an attractive new design distinguish the system's second generation. Your rear shock will automatically and independently adapt to all riding situations. In this way it is possible to perfectly combine propulsion, traction and comfort.

SUSPENSION FORK SENSORS

Two sensors determine the optimum shock position according to the fork acceleration.

BOTTOM BRACKET SENSOR

Provides information regarding pedal movement.

INTELLIGENT COMPUTER

The computer processes all data and transmits the perfect settings to the shock.

AUTOMATIC SHOCK SETTING

1 Open: when pedals are not being rotated, and during large impacts

2 Platform: as soon as the pedals are being moved and terrain is uneven

3 Lock: as soon as pedals are being moved and terrain is even

POWERFUL BATTERY

A newly redesigned, powerful battery provides the energy for long-lasting riding fun.

GER

Das mehrfach preisgekrönte E:i Shock geht nun in die zweite Generation. Ein neuer, leistungsfähiger Akku, eine bessere und zuverlässiger Software und ein neues, ansprechendes Design zeichnen das System in der zweiten Generation aus. So passt sich dein Hinterraddämpfer automatisch an jeden Fahrzustand selbstständig an. Vortrieb, Traktion und Komfort lassen sich somit perfekt vereinen.

FEDERGABELSENSOREN

Zwei Sensoren bestimmen anhand der Gabel-Beschleunigung, welche Dämpferposition optimal ist.

TRETLAGERSENSOR

Er liefert die Information, ob getreten wird oder nicht.

INTELLIGENTER COMPUTER

Der Computer verwertet alle Daten und gibt die richtigen Einstellungen an den Dämpfer weiter.

AUTOMATISCHE DÄMPFEREINSTELLUNG

1 Open: wenn nicht getreten wird und bei großen Schlägen

2 Platform: sobald getreten wird und der Boden ungleichmäßig ist

3 Lock: sobald getreten wird und der Boden eben ist

LEISTUNGSFÄHIGER AKKU

Ein leistungsfähiger Akku in neuem Design stellt die Energie für langanhaltenden Fahrspaß zur Verfügung.



E – HYBRIDE

ENG

Our E-HybRIDE series has been redesigned from scratch. Our Pedelecs are equipped with the latest Bosch motors in order to guarantee largest possible range and reliability. All models which are designed for athletic use feature top-class Bosch Performance motors and batteries - at an unbeatable price. The highlight of our E-HybRIDEs is the ultra-lightweight TERU 10 LC with carbon frame, premium components and a low weight of only 16.9 kg.

GER

Unsere neuen E-HybRIDE Modelle sind von Grund auf neu konstruiert worden. Wir stattet unsere Pedelecs mit den neusten Bosch Motoren aus, um dir die größte Reichweite und Zuverlässigkeit zu garantieren. In allen Modellen, die für den sportlichen Einsatz gedacht sind, werden die high-class Bosch Performance Motoren und Akkus verbaut und das zu einem unschlagbaren Preis. Das Highlight unter unseren E-HybRIDEs ist das ultraleichte TERU 10 LC mit Karbonrahmen, besten Komponenten und einem Gewicht von nur 16,9 kg.



BIKE SIZING

ENG

GHOST introduced a new sizing concept in order to provide maximum user friendliness. Our new sizes range from XS to XL. All you need to know is your height and thanks to the table below, you'll find the perfect size in no time.

MEN

BODY HEIGHT KÖRPERGRÖÙE	135	140	145	150	155	160	165	170	175	180	185	190	195
FRAME SIZE RAHMENGROÙE	XXS		XS		S		M		L		XL		

WOMEN

BODY HEIGHT KÖRPERGRÖÙE	135	140	145	150	155	160	165	170	175	180	185	190
FRAME SIZE RAHMENGROÙE		XS		S		M		L		XL		

KIDS

BODY HEIGHT KÖRPERGRÖÙE	90	95	100	105	110	115	120	125	130	135
FRAME SIZE RAHMENGROÙE	12" KIDDY	12"		16"			20"		24"	
AGE ALTER	3		4				6			8

COCKPIT SETUP

ENG

The brakes should be mounted relatively far inside. That way, your index finger can apply the most pressure on the brake lever. It is also important that your forearm forms a straight line with your index finger and that your wrist is not bent. For more tips on how to set up your bike and advice on riding technique, check out our video series with riding technique coach Kurt Exenberger.

GER

Die Bremsen sollten relativ weit innen montiert werden. So bekommst du mit deinem Zeigefinger die meiste Kraft auf den Bremshebel. Wichtig ist auch, dass dein Unterarm mit deinem Zeigefinger eine gerade Linie bildet und im Handgelenk kein Knick entsteht. Für mehr Tipps zur richtigen Bikeeinstellung und Fahrtechniktipps schau dir unsere Videoreihe mit Fahrradtechniktrainer Kurt Exenberger an.

RIDING TECHNIQUE VIDEOS


www.youtube.com/GHOSTBikesGmbH



CORRECT POSITION

ENG


POSITION 1: With the crank at the lowest position, ensure your knee is slightly bent so that you can still put strong pressure on the pedals. Your index finger should be aligned with your forearms when braking. Avoid a bend in your wrist.



INCORRECT POSITION


ENG

POSITION 2: The saddle is too high and the brake levers are adjusted too low. Effective pedaling is impossible, because you have to rock back and forth on the saddle, which causes saddle sores. Your hands might also get numb in this situation.



ENG

POSITION 3: The saddle is too low and the brake levers are adjusted too high. The result is that you waste a lot of energy while pedaling and your hands might get numb.



SUSPENSION

ENG SET YOUR SUSPENSION

STEP 1: setting the SAG

SAG - also called negative travel - describes the amount of travel which the fork and shock get compressed by due to the rider's weight. SAG is required in order to guarantee road grip even when the terrain becomes uneven and when you hit potholes, for example. In order to correctly set the SAG, you must make sure that both the fork and shock are unblocked. A rubber ring on the fork and shock helps you determine the SAG. In case no rubber ring is assembled on the piston rod of the fork or shock you can alternatively mount a cable tie on it. Get on your bike and assume the standing riding position. Bounce several times, then after reassuming the sitting position, push the ring or cable tie against the seal. After getting off the bike carefully, you can determine the SAG by the position of the ring or cable tie. Set the air pressure with a shock pump so that the fork has 20% of SAG and the shock 25% (30% for the RIOT LC and RIOT LT).

Tip:

Adjust to a SAG of 25% on the fork and 30% on the shock for a more comfortable ride.

STEP 2: setting the rebound

After an impact, the shock and the fork have to move back to their original position in a controlled way and at a perfectly regulated speed. Rebound controls the speed at which the fork extends after compressing. Please refer to the owner's manual to find out exactly how to adjust the rebound speed on the respective fork or shock.

Tip:

Decrease the rebound speed for more control on fast downhills.

Increase the rebound speed for a smooth ride in rough terrain.

GER

FAHRWERKSEINSTELLUNG

SCHRITT 1: Die SAG-Einstellung

SAG - auch als Negativfederweg bezeichnet - beschreibt den Federweg, den Gabel und Dämpfer unter der Belastung durch das Fahrergewicht eintauchen. Der SAG ist nötig, um auch bei Fahrbahnunebenheiten wie z. B. Schlaglöchern den Fahrbahnkontakt zu gewährleisten. Um den SAG richtig einzustellen zu können, vergewisserst du dich zuvor, dass Gabel und Dämpfer nicht blockiert sind. Ein Gummiring an Gabel und Dämpfer helfen dir, den SAG zu bestimmen. Falls kein Gummiring auf der Kolbenstange von Gabel oder Dämpfer montiert ist, kann alternativ ein Kabelbinder daran befestigt werden. Dann begibst du dich auf dein Bike und nimmst die stehende Fahrposition ein. Nach mehrmaligem Wippen und Einnehmen der Sitzposition schiebst du den Gummiring oder Kabelbinder gegen die Dichtung. Steige vorsichtig ab und stelle anhand der Position des Gummirings oder Kabelbinders den SAG fest. Mit einer Dämpfer-Pumpe wird der Luftdruck in Gabel und Dämpfer so eingestellt, dass die Gabel 20 % und der Dämpfer 25 % (30 % bei RIOT LC und RIOT LT) SAG bereitstellen.

Tipp:

Für mehr Fahrkomfort stellst du den Luftdruck auf 25% SAG an der Gabel und 30 % am Dämpfer ein.

SCHRITT 2: Die Rebound-Einstellung [Rebound = Zugstufe]:

Nachdem ein Fahrbahnstoß verarbeitet wurde, müssen sich Gabel und Dämpfer kontrolliert und wohldosierter Geschwindigkeit in die Ausgangsposition zurückbewegen. Diese Ausfedergeschwindigkeit regelt der Rebound. Wie der Rebound an der Gabel oder am Dämpfer genau einstellt, wird in der betreffenden Bedienungsanleitung beschrieben.

Tipp:

Reduziere die Ausfedergeschwindigkeit für mehr Kontrolle auf schnellen Downhills.
Erhöhe die Ausfedergeschwindigkeit für eine ruhiges Fahrwerk in ruppigem Gelände.

1.



2.



TECHNOLOGY

BOGEY ROLL

The rear suspension of DH bikes is designed with a high pivot to absorb impacts with maximum control. The addition of the bogey roll guarantees optimum chain guidance and high performance while pedaling.

Das Design der Hinterrad-Federung der DH-Bikes zeichnet sich durch einen hohen Schwingendrehpunkt aus, wodurch Schläge mit maximaler Kontrolle absorbiert werden können. Die zusätzliche Bogey Roll sorgt für optimale Kettenführung und bestmögliche Performance auch beim Pedalieren!

BOSCH DRIVE

This electric drive unit delivers outstanding quality, performance and durability in the most practical designs. The easy to remove rechargeable battery pack and clean synoptic display provide a user-friendly experience and guarantee flawless performance.

Dieser Elektro-Antrieb garantiert hervorragende Qualität, Leistungsfähigkeit und Langlebigkeit in praktischem Design. Der aufladbare Akku-Pack ist leicht abnehmbar und das saubere synoptische Display ist extrem benutzerfreundlich und garantiert einwandfreie Funktion.

COMPOSITE BUSHINGS

Innovative lightweight composite bushings with hard anodized aluminum axles are responsible for a very low amount of friction. Maintenance free composite bushings also guarantee a very long lifetime and good stiffness for the suspension system.

Innovative, superleichte Kompositlager mit harteloxierten Aluminiumachsen sorgen für minimale Reibung. Die wartungsfreien Kompositlager garantieren zudem eine sehr lange Lebensdauer und hohe Steifigkeit für das Federungssystem.

DISCONNECT BRAKE MOUNT

Innovative connection of rear brake directly onto the X12 axle. This solution lowers weight, releases stress from rear triangle and does not require a screw thread in the frame for assembling the caliper.

Innovative, direkte Verbindung der Hinterradbremse mit der X12 Achse. Durch diese technische Lösung wird Gewicht reduziert und ein Teil der Kräfte von den Sitzstrebren entkoppelt. Außerdem ist kein Gewinde im Rahmen für den Einbau des Bremssattels notwendig.

E:i SHOCK

Our multiple award-winning Electronic intelligent system reads the terrain through fork and cadence sensors and automatically adjusts the shock to lock/semi-open/open mode. Your rear shock will automatically and independently adapt to all riding situations to perfectly combine propulsion, traction and comfort.

Das mehrfach preisgekrönte Electronic intelligent System liest das Gelände mit Gabel- und Kadenzsensoren und stellt die Federung automatisch auf lock/semi-open/open Modus ein. Die Hinterradfederung passt sich automatisch und selbstständig an jeden Fahrzustand an, um Vortrieb, Traktion und Komfort perfekt zu kombinieren.

FOUR BAR LINKAGE

Proven for years, this reliable suspension system uses an advanced principle where braking forces don't influence the suspension performance. It guarantees maximum pedal efficiency and traction both up and down the hill.

Seit Jahren bewährt - diese verlässliche Hinterradfederung arbeitet nach einem fortschrittlichem Prinzip, bei dem die Bremskräfte die Federungsfunktion nicht beeinflussen. So sind maximale Tritteffizienz und Traktion garantiert - bergauf und bergab.

TECHNOLOGIE

HYDROFORMED ALUMINUM

The hydroforming process optimizes every area of the frame for best stiffness and optimized force flow. On top of that, it provides freedom for creative tube designs.

Der Hydroforming Prozess erzielt bestmögliche Steifigkeit und optimalen Kraftfluss für jedes einzelne Rahmensegment. So haben wir Freiheit für kreatives Rohrdesign.

ISCG

The International Standard Chain Guide is a standardized 3-point system allowing the mounting of chain guides directly to the bottom bracket area. Mounting chain guides no longer requires disassembly of the bottom bracket!

Der International Standard Chain Guide ist eine genormte 3-Punkt-Befestigung von Kettenführungen direkt am Tretlagergehäuse. Bei der Montage von Kettenführungen muss das Tretlager nicht mehr ein- oder ausgebaut werden.

LC - LIGHTWEIGHT CARBON

Stiff, strong and made with precision. Our carbon process is optimized by HM fiber layer build-up on every spot of the frame and provides the best performance/weight ratio.

Steif, stark und gefertigt mit Präzision. Unser Karbon-Prozess wird durch HM Faser Schichtaufbau an jedem Rahmenpunkt optimiert und bietet bestmögliches Leistungs-Gewicht-Verhältnis.

RIOT-LINK

The innovative and patent pending RIOT-link suspension system represents the new benchmark in the bicycle industry. RIOT-link is a mechanical system using a full floating shock that is compressed from both sides. All in one - the system offers higher pedal efficiency, matchless sensitivity through the first 80% of the travel and high progressivity during the last 20% of the travel, making it impossible to bottom out.

Das von Grund auf neu entwickelte und zum Patent angemeldete RIOT-Link ist der neue Maßstab in der Fahrradindustrie. RIOT-Link ist ein mechanisches System mit einem schwimmend aufgehängten Federbein, das von beiden Seiten angesteuert wird. All in one - das System bietet bessere Antriebsneutralität, beispielloses Ansprechverhalten auf den ersten 80% des Federwegs und hohe Progressivität auf den letzten 20%. Durchschläge werden so verhindert.

ULC - ULTRA LIGHTWEIGHT CARBON

The precise manufacturing process utilizes the strongest UHM carbon fibers available. The material distribution is optimized to reduce the amount required, resulting in ultimate stiffness and minimum weight.

Im präzisen Fertigungsprozess kommen die stärksten UHM Karbonfasern zum Einsatz. Durch eine optimierte Materialverteilung erreichen wir maximale Steifigkeit bei weniger Materialverbrauch und damit minimalem Gewicht.

X12 AXLE

The hub axle clamps tightly into the rear triangle under great axial tension making the whole system very light and yet super stiff.

Die Nabenchase wird unter großer axialem Spannung fest in den Hinterbau geklemmt, wodurch am ganzen System viel Gewicht gespart werden kann und hohe Steifigkeit erzielt wird.

XC TEAM

ENG

South Africa, Canada, Australia, USA, Germany. The racetracks around the globe are the toughest test rigs available. In addition to numerous lab tests, the ladies of the GHOST Factory Racing Team and their know-how deliver valuable feedback, and are a substantial part of the continuous development process.

Two-time XC Eliminator World Champion Alexandra Engen, 2009 Overall World Cup Winner Lisi Osl and Kathrin Leumann are joined by Junior World Cup winner Greta Weithaler wearing the GHOST Factory Racing Team colors proudly since last year.

There is a reason why the GHOST athletes have their bikes beside them when they stand on the podiums of the world: Olympic Gold, World Cup victories, World Champion titles, overall World Cup victories, European Champion titles, countless National Champion titles, overall Bundesliga victories. Our success story underlines the performance of our bikes and will be continued.

GER

Südafrika, Kanada, Australien, USA, Deutschland. Die härtesten Prüfstände sind die Rennstrecken rund um den Globus. Neben zahlreichen Labortests liefern die Ladys des GHOST Factory Racing Teams mit ihrem Know-how wertvolles Feedback und sind damit Teil des ständigen Entwicklungsprozesses.

Neben Doppelweltmeisterin im XC Eliminator Alexandra Engen, Gesamtweltcupsiegerin 2009 Lisi Osl und Kathrin Leumann startet seit vergangenem Jahr auch Juniorenweltcupsiegerin Greta Weithaler in den Farben des GHOST Factory Racing Teams.

Am Ende stehen die GHOST Athletinnen nicht ohne Grund zusammen mit ihren Bikes immer wieder auf den Podesten dieser Welt: Olympisches Gold, Weltcupseige, Weltmeistertitel, Weltcupgesamtsiege, Europameistertitel, unzählige nationale Meistertitel, Bundesliga gesamtsiege. Die Erfolgsgeschichte unterstreicht die Leistungsfähigkeit unserer Bikes und wird Jahr für Jahr fortgeschrieben.



GRAVITY RIDERS



TOMAS SLAVÍK

2014, 2010 4X WORLD CHAMPION

ENG

Tomas Slavík is the exceptional Four Cross rider from the Czech Republic. He controls his 4X bike like nobody else, and was able to win almost everything there was to win in the 2014 season. His biggest dream, though, came true when he won the 4X World Championship in Leogang. We salute the King of 4X and are looking forward to many more successful years by his side.

GER

Tomas Slavík, der Ausnahme-Fourcrosser aus Tschechien. Er beherrscht sein 4X-Bike wie kein anderer und konnte so in der Saison 2014 fast alles gewinnen, was es zu gewinnen gab. Sein großer Traum ging jedoch mit dem Sieg bei der 4X-Weltmeisterschaft in Leogang in Erfüllung. Wir verneigen uns vor dem King of 4X und freuen uns auf weitere erfolgreiche Jahre an unserer Seite.



MARCUS KLAUSMANN

15X DH GERMAN CHAMPION

ENG

Marcus Klausmann - the German Downhill legend. 15 German Champion titles speak for themselves. But he has not only been riding Downhill bikes anymore. He has taken a real liking to the new RIOT LT and was able to attract quite some attention with it at several enduro races. Marcus puts our bicycles through the acid test. His years of experience and feedback help us build the best bikes for you.

GER

Marcus Klausmann, die deutsche Downhill-Legende. 15 Deutsche Meistertitel sprechen für sich. Doch längst ist er nicht mehr nur auf dem Downhillbike unterwegs. Besonders das neue RIOT LT hat es ihm angetan und er konnte damit auch bei einigen Endurorennen auf sich aufmerksam machen. Marcus testet unsere Bikes auf Herz und Nieren. Nur durch seine jahrelange Erfahrung und sein Feedback können wir für dich die besten Bikes bauen.



JOHANNES FISCHBACH

2014 DH GERMAN CHAMPION

ENG

Johannes "Fischl" Fischbach is currently the uncontested number one in the German Downhill circus, and is always up for a top result at the World Cup competitions. The young guy from Pleußen, Bayern has been riding on GHOST since the very beginning of his career and has shaken up the 4X scene at first and is now doing the same to the world of Downhill.

GER

Johannes "Fischl" Fischbach ist zurzeit die absolute Nummer eins im deutschen Downhillzirkus und bei den Weltcups immer für ein Topresultat gut. Seit Beginn seiner Karriere fährt der junge Pleußener auf GHOST und hat damit zuerst die 4X-Szene und jetzt die Downhillszene ordentlich aufgemischt.

NEW NAMING

ENG

Since we have completely redesigned almost all of our products, it was time to give our bikes a new identity - through a new name.

GER

Da wir beinahe alle unsere Produkte grundlegend überarbeitet haben, war es an der Zeit, unseren Bikes mit neuen Namen eine eigene Identität zu verleihen.

NAME	CATEGORY	SUSPENSION	TRAVEL F / R	WHEELSIZE	FRAME
SONA	MTB MAN	HARDTAIL	100	26	ALU
KATO / KATO PRO	MTB MAN	HARDTAIL	120	27,5	ALU
TACANA / TACANA PRO	MTB MAN	HARDTAIL	100	29	ALU
HTX	MTB MAN	HARDTAIL	100	29	LC
KATO FS	MTB MAN	FULLY	130 / 130	27,5	ALU
AMR	MTB MAN	FULLY	100-110 / 100	29	LC / ALU
AMR LT	MTB MAN	FULLY	130 / 120	29	LC / ALU
CAGUA	MTB MAN	FULLY	160 / 150	27,5	ALU
NORTHSHORE	MTB MAN	FULLY	180 / 180	26	ALU
DH	MTB MAN	FULLY	200 / 200	26	ALU
RIOT	MTB MAN	FULLY	130 / 130	27,5	LC
RIOT LT	MTB MAN	FULLY	150 / 130	27,5	LC
NILA	MTB UNISEX	HARDTAIL	100	27,5	LC
LAWU	MTB WOMAN	HARDTAIL	100	26	ALU
LANAO / LANAO PRO	MTB WOMAN	HARDTAIL	100	27,5	ALU
LANAO FS	MTB WOMAN	FULLY	130 / 120	27,5	ALU
THE HOOD / THE HOOD PRO	4X / SLOPESTYLE	HARDTAIL	100	26	ALU
THE HOOD FS	4X / SLOPESTYLE	FULLY	100 / 100	26	ALU
PANAMAO	TREKKING	HARDTAIL	60	28	ALU
PANAMAO X	CROSS	HARDTAIL	60	28	ALU
PANAMAO C	CITY	HARDTAIL	RIGID	28	ALU
NIVOLET	ROAD	HARDTAIL	RIGID	28	ULC / LC / ALU
SPEEDLINE	ROAD	HARDTAIL	RIGID	28	ALU
POWERKID	KID	HARDTAIL	50 / RIGID	12 / 16 / 20 / 24	ALU
TERU	MTB E-HYBRIDE	HARDTAIL	100-120	27,5	LC / ALU
TERU FS	MTB E-HYBRIDE	FULLY	130 / 120	29	ALU
TERU FS LT	MTB E-HYBRIDE	FULLY	150 / 140	27,5	ALU
ANDASOL	TREKKING E-HYBRIDE	HARDTAIL	60	28	ALU
ANDASOL X	CROSS E-HYBRIDE	HARDTAIL	60	28	ALU

Codes: **FS** - Fully Suspension, **LT** - Long Travel, **LC** - Lightweight Carbon, **ULC** - Ultralightweight Carbon, **X** - Cross, **C** - City/Urban, **ALU** - Aluminium



BIKE ANATOMY

- FRAME SIZE RAHMENHÖHE
- WEIGHT GEWICHT
- ENGINE MOTOR
- BATTERY BATTERIE





2015



GHOST
GERMAN BICYCLE TECHNOLOGY

FULLY

FULLY





RIOT

ONE BIKE. ALL THE MOUNTAIN!

ENG

We designed our multiple award-winning RIOT 9 with one goal in mind: taking you anywhere you want to go. The enormous potential of our patent-pending RIOT-Link offers perfectly efficient propulsion and optimum control on both high-speed sections and gnarly trails. In addition to the RIOT-Link, other features include unique disconnect brake mount, internal cable routing, carbon protectors at key locations and proven X12 thru-axle mount. Expect RIOT!

GER

Unser vielfach preisgekröntes RIOT 9 haben wir so konstruiert, dass es dich überall hinbringt. Das enorme Potenzial unseres zum Patent angemeldeten RIOT-Links bringt dir perfekte Antriebsneutralität und ermöglicht optimale Kontrolle sowohl in Highspeed-Passagen als auch auf den verwinkeltesten Trails. Neben dem RIOT-Link gibt es noch weitere Features wie den neuartigen Disconnect Brake Mount, interne Kabelführung, Karbonschutzfolie an den entscheidenden Stellen und eine neuartige X12 Steckachsenaufnahme. Expect RIOT!



RIOT 9



- BLACK / RED / GREY
- △ Riot 27.5 UHM/HM Carbon
- Fox 32 Float FIT Factory CTD Kashima 130 mm 15 mm thru-axle
- Fox Float CTD BV LV Kashima 130 mm
- Shimano XTR Plus 11-Speed
- Shimano XTR 36-26
- Shimano XTR Trail Disc 180 mm SM-RT86
- 11,2 kg



RIOT 7



- BLACK / GREEN / GREY
- △ Riot 27.5 UHM/HM Carbon
- Fox 32 Float FIT Performance CTD 130 mm
15 mm thru-axle
- Fox Float CTD BV LV 130 mm
- Shimano XT Plus 10-Speed
- Shimano XT 38-24
- Shimano XT Disc 180 mm SM-RT76
- 11,9 kg

RIOT 5



- BLACK / BLUE / GREY
- △ Riot 27.5 UHM/HM Carbon
- Fox 32 Float O/C Evolution CTD 130 mm
15 mm thru-axle
- Fox Float CTD BV LV 130 mm
- Shimano XT Plus 10-Speed
- Shimano SLX 38-24
- Shimano Deore Disc 180 mm
- 12,3 kg

RIOT LT

MORE TRAVEL. MORE RIOT!

ENG

Expect more RIOT! On the ascent, the new RIOT LT combines perfectly efficient and straightforward propulsion, lateral stiffness and outstanding traction - guaranteed by the patent-pending RIOT-Link. Highest possible stability and control on even the most difficult trails are given. 150 mm of travel in the front and 130 mm in the rear feels significantly more because of the clever combination of the RockShox Pike fork, the new specially tuned CaneCreek Inline Shock and the RIOT-Link. If you are looking for a bike which is up for anything - and more - the RIOT LT is perfect for you.

GER

Expect more RIOT! Das neue RIOT LT vereint perfekte Antriebsneutralität, Seitensteifigkeit und Traktion bergauf, die durch den zum Patent angemeldeten RIOT-Link gewährleistet werden. Höchste Stabilität und Kontrolle auch auf den schwierigsten Trails sind garantiert. 150 mm Federweg vorne und 130 mm am Heck fühlen sich durch die Kombination aus RockShox Pike Gabel, dem neuen speziell eingestellten CaneCreek Inline Shock und dem RIOT-Link nach deutlich mehr an. Wenn du ein Bike suchst, das alles mitmacht und noch mehr, dann fährst du mit dem RIOT LT genau richtig.

27,5"



RIOT LT 10



- RED / BLACK / DARK RED / GREY
- △ Riot 27.5 UHM/HM Carbon
- Rock Shox Pike RCT3 Dual Air 150 mm/120 mm 15 mm thru-axle
- Cane Creek Double Barrel Inline 130 mm
- Sram XX1 11-Speed
- Race Face Next SL 34
- Sram X0 Disc 180 mm
- 11,2 kg



RIOT LT 8

- GREEN / BLACK / DARK GREEN / GREY
- △ Riot 27.5 UHM/HM Carbon
- Fox 34 Talas FIT Performance CTD 150/120 mm 15 mm thru-axle
- Cane Creek Double Barrel Inline 130 mm
- ☒ Shimano XT Plus 10-Speed
- ☒ Shimano XT 38-24
- ☒ Shimano XT Disc 180 mm SM-RT76
- 12,4 kg



RIOT LT 6

- BLUE / BLACK / DARK BLUE / GREY
- △ Riot 27.5 UHM/HM Carbon
- Fox 34 Talas O/C Evolution CTD 150/120 mm 15 mm thru-axle
- Cane Creek Double Barrel Inline 130 mm
- ☒ Shimano XT Plus 10-Speed
- ☒ Shimano SLX 38-24
- ☒ Shimano Deore Disc 180 mm
- 12,7 kg





AMR

ENG

Our perennial favorite: the AMR. Its name stands for the epitome of the classic allrounders and, at the same time is the full-suspension bike of choice for our XC professional team. Featuring the E:i shock and a lightweight carbon frame, it is ideal for marathons on the weekend or athletic spins after work.

GER

Unser Dauerbrenner: AMR. Ein Name als Inbegriff für den Allrounder schlechthin und gleichzeitig die vollgefedeerte Alternative für unser XC Profiteam. Mit E:i Shock und leichtem Karbonrahmen ideal für den Marathon am Wochenende oder die sportliche Tour am Feierabend.

29"



AMR 10⁺ E:i



● RED / BLACK / WHITE

△ AMR 29 HM carbon / aluminium

■ Rock Shox SID XX World Cup
100 mm Pushloc 15 mm thru-axle

■ Rock Shox Monarch E:i Shock 100 mm

■ Sram XX1 11-Speed

■ Sram XX1 34

● Avid XX Disc 180 mm

■ 10,7 kg

AMR 10

- RED / BLACK / WHITE
- △ AMR 29 HM carbon / aluminium
- Rock Shox SID XX World Cup 100 mm Pushloc 15 mm thru-axle
- Fox Float CTD BV SV Kashima 100 mm
- Sram XX1 11-Speed
- Sram XX1 34
- Avid XX Disc 180 mm
- 10,2 kg



AMR 7

- WHITE / BLACK / GREY
- △ AMR 29 HM carbon / aluminium
- Fox 32 Float O/C Evolution CTD 110 mm 15 mm thru-axle
- Fox Float CTD BV SV 100 mm
- Shimano XT Plus 10-Speed
- Shimano XT 38-24
- Shimano XT Disc 180 mm SM-RT64
- 12,5 kg





AMR LT

ENG

The AMR LT: our all-time favorite with more travel. The proven allrounder is your perfect bike for crossing the Alps, a marathon on the weekend, or to just fire up your friends on your home trail. The 130 mm Fox fork and the 120 mm Fox shock, both with Kashima coating, add extra loads of riding fun to this bike.

GER

Das AMR LT: unsere Dauerbrenner mit mehr Federweg. Der bewährte Allrounder ist dein perfektes Bike für die nächste Alpenüberquerung, den Marathon am Wochenende, oder einfach nur um deinen Freunden auf der Husrunde ordentlich einzuhiezen. Die 130 mm Fox Gabel und der 120 mm Fox Dämpfer, beide mit Kashima Coating, verleihen diesem Bike noch das Extra an Fahrspaß.

29"



AMR LT 9 XTR



- RED / BLACK / WHITE
- △ AMR LT 29 HM carbon / aluminium
- Fox 32 Float FIT Factory CTD Kashima 130 mm 15 mm thru-axle
- Fox Float CTD BV SV Kashima 120 mm
- Shimano XTR Plus 11-Speed
- Shimano XTR 36-26
- Shimano XTR Trail Disc 180 mm SM-RT86
- 11,7 kg

AMR LT 8



- BLACK / WHITE / LIME GREEN
- △ AMR LT 29 HM carbon / aluminium
- Fox 32 Float FIT Performance CTD
130 mm 15 mm thru-axle
- Fox Float CTD BV SV 120 mm
- Shimano XT Plus 10-Speed
- Shimano XT 38-24
- Shimano XT Disc 180 mm SM-RT64
- 12,4 kg

AMR LT 7



- WHITE / BLACK / RED
- △ AMR LT 29 aluminium
- Fox 32 Float FIT Performance CTD
130 mm 15 mm thru-axle
- Fox Float CTD BV SV 120 mm
- Shimano XT Plus 10-Speed
- Shimano XT 38-24
- Shimano XT Disc 180 mm SM-RT64
- 13,3 kg

AMR LT 6



- BLACK / WHITE / GREY
- △ AMR LT 29 HM carbon / aluminium
- Fox 32 Float O/C Evolution CTD
130 mm 15 mm thru-axle
- Fox Float CTD XV 120 mm
- Shimano XT Plus 10-Speed
- Shimano XT 38-24
- Shimano Deore Disc 180 mm
- 12,7 kg





AMR LT 3



- CYAN / DARK BLUE / RED
- △ AMR LT 29 aluminium
- ─ Fox 32 Float O/C Evolution CTD 130 mm 15 mm thru-axle
- ─ Fox Float CTD XV 120 mm
- ─ Shimano XT 10-Speed
- ─ Shimano Deore 38-24
- ─ Shimano Deore Disc 180 mm
- ─ 13,8 kg

AMR LT 5



- LIME GREEN / BLACK / WHITE
- △ AMR LT 29 aluminium
- ─ Fox 32 Float O/C Evolution CTD 130 mm 15 mm thru-axle
- ─ Fox Float CTD XV 120 mm
- ─ Shimano XT Plus 10-Speed
- ─ Shimano SLX 38-24
- ─ Shimano Deore Disc 180 mm
- ─ 13,4 kg

AMR LT 2



- BLACK / WHITE / RED
- △ AMR LT 29 aluminium
- ─ Rock Shox Sektor 130 mm 15 mm thru-axle
- ─ X-Fusion O2 RL 120 mm
- ─ Shimano XT 10-Speed
- ─ Shimano Deore 38-24
- ─ Shimano 396 Disc 180 mm
- ─ 13,9 kg



KATO FS

ENG

The KATO FS series is the most economical way to enjoy GHOST full-suspension technology. Its numerous highlights include a 27.5" wheelset and many technical features borrowed from its big brothers including revolutionary E:i Shock technology.

GER

Die KATO FS Serie ist die günstigste Möglichkeit in den Genuss der GHOST Fullsuspension-Technologie zu kommen. Mit 27,5" Laufrädern und vielen Anleihen der größeren Brüder ist es bereits mit vielen technischen Highlights wie E:i Shock ausgestattet.



KATO FS 8



- RED / WHITE
- △ Kato FS 27.5 aluminum
- Fox 32 Float FIT Performance CTD 130 mm 15 mm thru-axle
- Fox Float CTD XV 120 mm
- Shimano XT Plus 10-Speed
- Shimano XT 40-30-22
- Shimano XT Disc 180 mm SM-RT86
- 12,7 kg

KATO FS 7 E:i

- BLACK / LIME GREEN / WHITE
- △ Kato FS 27.5 aluminium
- Fox 32 Float O/C Evolution CTD 130 mm
- Rock Shox Monarch E:i Shock 120 mm
- Shimano XT Plus 10-Speed
- Shimano XT 40-30-22
- Shimano XT Disc 180 mm SM-RT64
- 13.5 kg



KATO FS 7

- BLACK / LIME GREEN / WHITE
- △ Kato FS 27.5 aluminium
- Fox 32 Float O/C Evolution CTD 130 mm
- Fox Float CTD XV 120 mm
- Shimano XT Plus 10-Speed
- Shimano XT 40-30-22
- Shimano XT Disc 180 mm SM-RT64
- 13,1 kg



KATO FS 7

- DARK BLUE / WHITE / RED
- △ Kato FS 27.5 aluminium
- Fox 32 Float O/C Evolution CTD 130 mm
- Fox Float CTD XV 120 mm
- Shimano XT Plus 10-Speed
- Shimano XT 40-30-22
- Shimano XT Disc 180 mm SM-RT64
- 13,1 kg



KATO FS 5



- WHITE / BLACK
- △ Kato FS 27.5 aluminium
- Fox 32 Float O/C Evolution CTD 130 mm
- Fox Float CTD XV 120 mm
- Shimano XT Plus 10-Speed
- Shimano Deore 40-30-22
- Shimano Deore Disc 180 mm
- 13,4 kg

KATO FS 2



- BLACK / RED / GREY
- △ Kato FS 27.5 aluminium
- RST Aerial Air RLO 130 mm
- X-Fusion O2 RL 120 mm
- Shimano Alivio 9-Speed
- Shimano FC-M371 44-32-22
- Tektro ACC 001 Disc 160 mm
- 14,9 kg

KATO FS 3



- BLACK / LIME GREEN / GREY
- △ Kato FS 27.5 aluminium
- RST First GTRL Air RLO 130 mm
- X-Fusion O2 RL 120 mm
- Shimano XT 10-Speed
- Shimano Deore 40-30-22
- Shimano 396 Disc 180 mm
- 13,4 kg





CAGUA

ENG

The CAGUA has established itself as the "showcase enduro". We completely redesigned the geometry and kinematics, and were able to reduce the weight of the frame by 10% through weight optimization. A low center of gravity, slack steering angle, tapered head tube, 155mm of travel and 27.5" wheels. These characteristics make the Cagua ready to ride up and down the volcano that inspired its name.

GER

Das CAGUA hat sich als Vorzeigenduro etabliert. Wir haben die Geometrie und auch die Kinematik komplett überarbeitet und konnten durch spezielle Gewichtsoptimierung 10 % beim Rahmengewicht einsparen. Niedriger Schwerpunkt, flacher Lenkwinkel, tapered Headtube, 155 mm Federweg und mit 27,5" Laufrädern ausgestattet ist das Cagua bereit für den Ritt auf dem namensgebenden Vulkan.



CAGUA 9

● BLACK/RED/DARK GREY

△ Cagua 27.5 aluminium

○ Fox 34 Talas FIT Factory CTD Kashima 160 / 120 mm 15 mm thru-axle

○ Fox Float CTD BV SV XV Kashima Trail Adjust 155 mm

○ Sram XX1 11-Speed

○ Sram XX1 34

○ Shimano Saint Disc 203 / 180 mm SM-RT86

■ 13,4 kg



CAGUA 5



- LIME GREEN / GREEN / BLACK
- △ Cagua 27.5 aluminium
- Fox 34 Talas O/C Evolution CTD 160/120 mm 15 mm thru-axle
- Shimano XT Plus 10-Speed
- ✖ Shimano XT 38-24
- ◎ Shimano XT Disc 203/180 mm SM-RT64
- 14,0 kg

CAGUA 4



- BLACK / WHITE / DARK GREY
- △ Cagua 27.5 aluminium
- Fox 34 Talas O/C Evolution CTD 160/120 mm 15 mm thru-axle
- X-Fusion O2 RCX 155 mm
- ✖ Shimano XT Plus 10-Speed
- ✖ Shimano XT 38-24
- ◎ Shimano SLX Disc 203/180 mm
- 14,2 kg





THE HOOD FS

ENG

Tomas Slavik - two-time World Champion, World Cup winner and multiple Czech Champion. In cooperation with the best Four Cross rider in the world, we redesigned our entire 4X / Slopestyle range. For the first time, we also offer a full-suspension for the most challenging tracks. The HOOD FS features the proven, efficient GHOST rear kinematics without any pedal backlash. This way, you won't lose any precious time at the start and can score big time in the rough sections.

GER

Tomas Slavik - zweifacher Weltmeister, Weltcup-Sieger und mehrmaliger tschechischer Meister. In Zusammenarbeit mit dem besten Fourcrosser der Welt haben wir unsere komplette 4X / Slopestyle Palette überarbeitet. Erstmals bieten wir dir für die schwierigsten Strecken auch ein Fullsuspension an. The HOOD FS ist mit der bewährten antriebsneutralen GHOST-Hinterbaukinematik ausgestattet. So verlierst du am Start keine Zeit und kannst gleichzeitig in den groben Passagen punkten.

26"



THE HOOD FS

- RAW / RED / BLUE / GREY
- △ The Hood FS aluminium
- Rock Shox Reba RL 100 mm Pushloc 15 mm thru-axle
- Rock Shox Monarch RL 100 mm
- Sram XO Type 2 10-Speed
- Truvativ Descendant 36
- Sram Guide R 180/160 mm
- 11,5 kg





DH

NORTHSORE

ENG

The chassis, combining 200 mm of fully active travel with perfectly efficient propulsion has been proven World Cup worthy by Germany's Downhill superstars Johannes Fischbach and Marcus Klausmann. The bogey roll uses the advantages of a higher pivot to optimize responsiveness and thus eliminates all interfering drive-train influences.

GER

Das durch Deutschlands Downhill-Superstars Johannes Fischbach und Marcus Klausmann Weltcup-erprobte Fahrwerk verbindet 200 mm voll aktiven Federweg mit optimaler Antriebsneutralität. Die Bogey Roll nutzt die Vorteile im Ansprechverhalten durch den hohen Drehpunkt und eliminiert dabei alle störenden Antriebseinflüsse.

ENG

The name says it all. The robust aluminum frame can sustain and easily handle the greatest stress loads. A Fox suspension chassis provides best possible performance and steadfast components deliver the rest. Voilá: the absolutely perfect park bike!

GER

Bei unserem GHOST Northshore ist der Name Programm. Der stabile Alurahmen hält auch größten Belastungen locker stand. Dazu ein Fox Fahrwerk für beste Performance und standfeste Anbauteile. Fertig ist das perfekte Park Bike!

26"

26"



DH 9



● DARK BLUE / RED / WHITE

△ DH aluminium

Rock Shox Boxxer Team 200 mm
20 mm thru-axle

Cane Creek Double Barrel 200 mm

Shimano Saint 10-Speed

Shimano Saint 38

Shimano Saint Disc 203/180 mm
SM-RT86

16,8

DH 7

- LIME GREEN / GREEN / BLACK
- △ DH aluminium
- Rock Shox Boxxer RC 200 mm 20 mm thru-axle
- Fox DHX RC2 200 mm
- Sram X9 10-Speed
- Truvativ Hussefelt 38
- Shimano Deore Disc 203/180 mm
- 17,2 kg



NORTHSORE

- BLUE / LIME GREEN / DARK BLUE
- △ Northshore aluminium
- Fox 36 Float FIT RC2 Factory 180 mm 20 mm thru-axle
- Fox VAN RC 180 mm
- Shimano ZEE 10-Speed
- Truvativ Hussefelt 38
- Shimano Deore Disc 203/180 mm
- 16,9 kg





HARDTAIL



HTX

ENG

Competition, tension, adrenalin, sweat, victory. Our HTX models have been able to win nearly all competitions and titles. Olympic Gold, Overall World Cup victory, World Champion title, World Cup victories: almost every weekend, a new successful achievement gets added to the list. When the world's top riders battle it out, it's all about the details - perfect geometry, well-balanced riding characteristics, optimum equipment, and every gram of weight. Thanks to the input of our professional riders and our experience, MountainBIKE magazine crowned our HTX as THE best hardtail ever in 2014.

GER

Wettkampf, Anspannung, Adrenalin, Schweiß, Sieg. Beinahe alle Rennen und Titel konnten unsere HTX-Modelle bereits gewinnen. Olympiasieg, Weltcupgesamtsieg, Weltmeistertitel, Weltcupsiege und fast jedes Wochenende kommt ein neuer Erfolg dazu. Beim Kampf an der Weltpitze geht es um Details - die perfekte Geometrie, ausbalanciertes Fahrverhalten, ideale Ausstattung, die letzten Gramm. Nicht umsonst führte der Input unserer Rennfahrer und unsere Erfahrung dazu, dass das MountainBIKE Magazin 2014 unser HTX zum besten Hardtail überhaupt gekürt hat.

29"



HTX 10



- RED / WHITE / DARK RED
- △ HTX 29 UHM Carbon MIMS AFT SCL
- Rock Shox SID XX World Cup 100 mm PushLoc
- ☒ Sram XX1 11-Speed
- ☒ Sram XX1 34
- ☒ Avid XX Disc 180/160 mm
- 8,4 kg

HTX 9



- WHITE / RED / BLACK / GREY
- △ HTX 29 HM Carbon MIMS AFT SCL
- ㄇ Fox 32 Float FIT Factory CTD Remote Kashima 100 mm 15 mm thru-axle
- ㄭ Shimano XTR Plus 11-Speed
- ㄪ Shimano XTR 36-26
- ㄮ Shimano XTR Race Disc 180/160 mm
- ㄤ 9,4 kg

HTX 7



- BLACK / RED / WHITE
- △ HTX 29 HM Carbon MIMS AFT SCL
- ㄇ Rock Shox Reba RL Solo Air 100 mm Pushloc 15 mm thru-axle
- ㄭ Sram X0 10-Speed
- ㄪ Race Face Turbine Basic 36-22
- ㄮ Sram Guide R 180/160 mm
- ㄤ 10,2 kg

HTX 8



- BLACK / WHITE / RED/BLUE
- △ HTX 29 HM Carbon MIMS AFT SCL
- ㄇ Rock Shox SID RL 100 mm Pushloc 15 mm thru-axle
- ㄭ Sram X01 11-Speed
- ㄪ Race Face Turbine 34
- ㄮ Sram XO Disc 180/160 mm
- ㄤ 9,7 kg

HTX 5



- BLACK / RED / WHITE
- △ HTX 29 HM Carbon MIMS AFT SCL
- ㄇ Fox 32 Float O/C Evolution CTD Remote 100 mm
- ㄭ Shimano XT 10-Speed
- ㄪ Shimano XT 40-30-22
- ㄮ Shimano XT Disc 180/160 mm SM-RT64
- ㄤ 10,8 kg



HTX 5



- BLACK / GREEN / WHITE
- △ HTX 29 HM Carbon MIMS AFT SCL
- ¶ Fox 32 Float O/C Evolution CTD Remote 100 mm
- ↗ Shimano XT 10-Speed
- ✖ Shimano XT 40-30-22
- ◐ Shimano XT Disc 180/160 mm SM-RT64
- 10,8 kg

HTX 3



- WHITE / BLACK
- △ HTX 29 HM Carbon MIMS AFT SCL
- ¶ RST First TRL Air 100 mm
- ↗ Shimano XT 10-Speed
- ✖ Shimano SLX 40-30-22
- ◐ Shimano 396 Disc 180/160 mm
- 11,5 kg



NILA

ENG

The agility provided by the 27.5" wheels, and the featherweight carbon frame offer all the features of our World Champion HTX bike - inspired by our Pro riders and adapted to the demands of ambitious mountain bikers. This is our new playful XC weapon, which offers highest possible performance to shorter riders as well.

GER

Die Agilität von 27,5" Laufrädern und dazu der federleichte Karbonrahmen mit allen Features unseres Weltmeisterbikes HTX, inspiriert von unseren Rennfahrerinnen, angepasst an die Ansprüche ambitionierter Mountainbiker. Das ist unsere neue, verspielte XC-Waffe, die auch kleineren Fahrern höchste Performance bietet.

27.5"



NILA 7.0



● BLACK / RED / ORANGE / WHITE

△ Nila 27.5 HM carbon

▲ Rock Shox Reba RL Solo Air 100 mm
Poploc 15 mm thru-axle

◆ Sram X0 10-Speed

◆ Race Face Turbine Basic 36-22

◆ Sram Guide R 180/160 mm

■ 10,2 kg



NILA 5



- WHITE / RED / GREY / BLACK
- △ Nila 27.5 HM carbon
- ─ Fox 32 Float O/C Evolution CTD Remote 100 mm
- ↗ Shimano XT 10-Speed
- ↙ Shimano XT 38-24
- ◐ Shimano XT Disc 180/160 mm SM-RT64
- 10,7 kg

NILA 3



- BLUE / LIME GREEN / LIGHT BLUE
- △ Nila 27.5 HM carbon
- ─ SR Suntour Raidon XC RL-R Air 100 mm
- ↗ Shimano XT 10-Speed
- ↙ Shimano SLX 40-30-22
- ◐ Shimano 396 Disc 180/160 mm
- 11,3 kg



TACANA

ENG

With our Tacana by your side, you are ready to take on new challenges. The 29" wheelset and reliable components combine to deliver the needed bonus of smooth riding characteristics for your athletic workout after a day in the office or lengthy weekend trails. Plus, this gives you the chance to enjoy the flow of a singletrack after conquering a mountain peak.

GER

Mit unserem Tacana bist du bestens gerüstet für neue Herausforderungen. Ob sportliche Feierabendrunde oder ausgedehnte Wochenendtour: 29" Laufräder vereint mit zuverlässigen Komponenten bieten ein Extra an Laufruhe, so dass du nach erfolgreicher Gipfelstürmung auch flowige Singletails genießen kannst.

29"



TACANA PRO 8



- DARK GREY / ORANGE
- △ Tacana Pro 29 aluminium
- ▶ Fox 32 Float O/C Evolution CTD Remote 100 mm
- ↗ Shimano XT 10-Speed
- ✖ Shimano XT 40-30-22
- ⌚ Shimano XT Disc 180 mm SM-RT64
- 11,3 kg



TACANA PRO 6



- WHITE / BLACK
- △ Tacana Pro 29 aluminium
- Fox 32 Float O/C Evolution CTD Remote 100 mm
- Shimano XT 10-Speed
- Shimano XT 40-30-22
- Shimano Deore Disc 180 mm
- 11,4 kg

TACANA 7



- LIME GREEN / GREEN / DARK GREEN
- △ Tacana 29 aluminium
- Rock Shox 30 Gold Solo Air Poploc 100 mm
- Shimano XT 10-Speed
- Shimano Deore 40-30-22
- Shimano 355 Disc 180 mm
- 12,7 kg

TACANA 7



- BLACK / RED / WHITE
- △ Tacana 29 aluminium
- Rock Shox 30 Gold Solo Air Poploc 100 mm
- Shimano XT 10-Speed
- Shimano Deore 40-30-22
- Shimano 355 Disc 180 mm
- 12,7 kg

TACANA 5



- BLACK / LIME GREEN / GREY
- △ Tacana 29 aluminium
- SR Suntour Raidon XC-RL-R 100 mm
- Shimano XT 10-Speed
- Shimano FC-M523 40-30-22
- Shimano 355 Disc 160 mm
- 12,9 kg

TACANA 4



- WHITE / BLACK / RED
- △ Tacana 29 aluminium
- Rock Shox XC 28 Poploc 100 mm
- Shimano XT 9-Speed
- Shimano FC-M4000 40-30-22
- Shimano 355 Disc 160 mm
- 13,9 kg

TACANA 3



- RED / BLUE
- △ Tacana 29 aluminium
- SR Suntour XCR RL-R 100 mm
- Shimano Deore 9-Speed
- Shimano FC-M371 44-32-22
- Shimano 355 Disc 160 mm
- 14,0 kg

TACANA 4



- DARK BLUE / ORANGE
- △ Tacana 29 aluminium
- Rock Shox XC 28 Poploc 100 mm
- Shimano XT 9-Speed
- Shimano FC-M4000 40-30-22
- Shimano 355 Disc 160 mm
- 13,9 kg

TACANA 3



- BLACK / RED / WHITE
- △ Tacana 29 aluminium
- SR Suntour XCR RL-R 100 mm
- Shimano Deore 9-Speed
- Shimano FC-M371 44-32-22
- Shimano 355 Disc 160 mm
- 14,0 kg



TACANA 2



- CYAN / RED / DARK BLUE
- △ Tacana 29 aluminium
- SR Suntour XCM RL-DS 100 mm
- ☒ Shimano Acera 8-Speed
- ☒ Shimano FC-M171 42-34-24
- ☒ Tektro ACC 001 Disc 160 mm
- 14,2 kg

TACANA 2



- BLACK / WHITE
- △ Tacana 29 aluminium
- SR Suntour XCM RL-DS 100 mm
- ☒ Shimano Acera 8-Speed
- ☒ Shimano FC-M171 42-34-24
- ☒ Tektro ACC 001 Disc 160 mm
- 14,2 kg



KATO

ENG

The Kato has been especially designed for you to have fun with your buddies on your home trail. The short chainstays and 27.5" wheelset make it extremely agile and nimble. The components were carefully selected in order to create a bike as maintenance-free as possible. At this point, there is only one thing left to say: Enjoy your ride!

GER

Das Kato ist für dich konstruiert worden, um auf deinen Heimtrails mit deinen Kumpels einfach nur Spaß zu haben. Durch die kurzen Kettenstreiben und die 27,5" Laufräder verhält sich das Kato extrem agil und wendig. Auch die Komponenten wurden so gewählt, dass ein möglichst wartungsfreies Bike entsteht. An dieser Stelle bleibt nur noch zu sagen: Viel Spaß auf deinen Trails!



KATO PRO 8

- DARK GREY / ORANGE
- △ Kato Pro 27.5 aluminium
- Rock Shox Reba RL Solo Air 120 mm Pushloc 15 mm thru-axle
- ▲ Shimano XT Plus 10-Speed
- ◆ Shimano XT 38-24
- ◎ Shimano XT Disc 180 mm SM-RT64
- 11,4 kg



KATO PRO 6



- WHITE / BLACK
- △ Kato Pro 27.5 aluminium
- Rock Shox Reba RL Solo Air 120 mm Pushloc 15 mm thru-axle
- ◆ Shimano XT Plus 10-Speed
- ◆ Race Face Ride 36-22
- Shimano 396 Disc 180 mm
- 11,6 kg

KATO 5



- BLUE / LIME GREEN / DARK BLUE
- △ Kato 27.5 aluminium
- SR Suntour XCR Air RL-R 120 mm
- ◆ Shimano XT 10-Speed
- Shimano FC-M523 40-30-22
- Shimano 355 Disc 160 mm
- 13,0 kg

KATO 7



- LIME GREEN / GREEN / DARK GREEN
- △ Kato 27.5 aluminium
- Rock Shox 30 Gold RL 120 mm
- ◆ Shimano XT 10-Speed
- Shimano Deore 40-30-22
- Shimano 355 Disc 180/160 mm
- 12,2 kg

KATO 5



- BLACK / LIME GREEN / GREY
- △ Kato 27.5 aluminium
- SR Suntour XCR Air RL-R 120 mm
- ◆ Shimano XT 10-Speed
- Shimano FC-M523 40-30-22
- Shimano 355 Disc 160 mm
- 13,0 kg

KATO 4



- WHITE / BLACK / RED
- △ Kato 27.5 aluminium
- SR Suntour XCR Air RL-R 120 mm
- ▲ Shimano XT 9-Speed
- ◆ Shimano FC-M4000 40-30-22
- Shimano 355 Disc 160 mm
- 13,6 kg

KATO 3



- BLACK / RED / WHITE
- △ Kato 27.5 aluminium
- RST Blaze RLO 120 mm
- ▲ Shimano Alivio 9-Speed
- ◆ Shimano FC-M371 44-32-22
- Shimano 355 Disc 160 mm
- 13,9 kg



KATO 3



- RED / BLUE
- △ Kato 27.5 aluminium
- RST Blaze RLO 120 mm
- ▲ Shimano Alivio 9-Speed
- ◆ Shimano FC-M371 44-32-22
- Shimano 355 Disc 160 mm
- 13,9 kg

SONA

ENG

The SONA models offer everything you need to enter into the mountain bike sport. The bikes are thought out down to the last little detail and feature mounts for mudguards, kickstands or luggage racks for example. The 26" wheel size has proven itself over decades and, in combination with the solid components, means riding fun for any size wallet. The low top tubes ensure solid and robust frames with no compromises.

GER

Die SONA-Modelle bieten alles, was man zum Einstieg in den MTB-Sport braucht. Die Bikes sind bis ins kleinste Detail durchdacht und zum Beispiel mit Aufnahmen für Schutzbleche, Ständer oder Gepäckträger ausgestattet. Die 26" Laufradgröße hat sich über Jahrzehnte bewährt und bedeutet zusammen mit den soliden Komponenten Fahrspaß für jeden Geldbeutel. Dabei wurden keine Abstriche bei der Stabilität gemacht. Die tiefgezogenen Oberrohre bedeuten stabile und robuste Rahmen ohne Kompromisse.

26"



SONA 3



- BLACK / WHITE / RED
- △ Sona aluminium
- RST Gila MLO 100 mm
- ♪ Shimano Altus 8-Speed
- ✖ Shimano FC-M171 42-34-24
- ◎ Tektro ACC 001 Disc 160 mm
- 12,8 kg

SONA 3



- LIME GREEN / GREEN / DARK GREEN
- △ Sona aluminium
- RST Gila MLO 100 mm
- ▲ Shimano Altus 8-Speed
- ✖ Shimano FC-M171 42-34-24
- ◎ Tektro ACC 001 Disc 160 mm
- 12,8 kg

SONA 2



- BLUE / LIME GREEN / DARK BLUE
- △ Sona aluminium
- SR Suntour XCT 100 mm
- ▲ Shimano Altus 8-Speed
- ✖ Shimano FC-M171 42-34-24
- ◎ Shimano mech. Disc BR-M375 160 mm
- 13,3 kg

SONA 2



- WHITE / BLACK / RED
- △ Sona aluminium
- SR Suntour XCT 100 mm
- ▲ Shimano Altus 8-Speed
- ✖ Shimano FC-M171 42-34-24
- ◎ Shimano mech. Disc BR-M375 160 mm
- 13,3 kg





THE HOOD

THE HOOD

ENG

"Riders ready, watch the gate" and the winner is - Tomas Slavik on The Hood! Our new 4X hardtail was completely redesigned in order to meet the demands of superstar and World Champion Tomas Slavik. New geometry, hydro-formed frame, ground welded seams, extremely high stiffness, stability, and low weight. This is how our engineers created a new weapon for Tomas and, naturally, for you.

GER

"Riders ready, watch the gate" and the winner is - Tomas Slavik auf dem The Hood! Unser neues 4X Hardtail wurde von Grund auf neu konstruiert, um den hohen Ansprüchen von Superstar und Weltmeister Tomas Slavik gerecht zu werden. Neue Geometrie, hydroformed Rahmen, verschliffene Schweißnähte, extreme Steifigkeit, Stabilität, geringes Gewicht. Damit haben unsere Ingenieure eine neue Waffe für Tomas und natürlich für dich geschaffen.

26"



THE HOOD PRO

* ALSO AVAILABLE AS FRAME ONLY
RAHMEN EINZELN ERHALT LICH



- RAW / RED / BLUE / GREY
- △ The Hood Pro aluminium
- Rock Shox Reba RL 100 mm Pushloc 15 mm thru-axle
- Sram X0 Type 2 10-Speed
- Truvativ Descendant 36
- Sram Guide R 180/160 mm
- 10,8 kg

THE HOOD



- DARK PETROL / BLACK / WHITE
- ↗ The Hood aluminium
- ↑ RST Dirt T 100 mm
- ↘ Shimano Acera 8-Speed
- ↙ Shimano FC-M171 42-34-24
- ◎ Tektro ACC 001 Disc 160 mm
- 13,7 kg



THE HOOD



- WHITE / LIME GREEN / GREEN
- ↗ The Hood aluminium
- ↑ RST Dirt T 100 mm
- ↘ Shimano Acera 8-Speed
- ↙ Shimano FC-M171 42-34-24
- ◎ Tektro ACC 001 Disc 160 mm
- 13,7 kg



MISS

MISS



131



LANAO FS

ENG

Girl power at its finest. Thanks to the invaluable experience of our women-only GHOST Factory Racing Team, and probably the only female R&D engineer in the bike business, Tina Kutschki, we redesigned all our Miss models and adapted them to your needs. The Lanao FS features top-quality parts and, with its 27.5" wheelset and 130 mm of travel in the front and 120 mm in the back, it is up for every single one of your adventures. For girls by girls - this is our new Miss series.

GER

Frauenpower auf ganzer Linie. Mit den Erfahrungen aus unserem reinen Damen GHOST Factory Racing Team und der wahrscheinlich einzigen weiblichen R&D-Ingenieurin im Bike-Business, Tina Kutschki, haben wir alle unsere Miss-Modelle überarbeitet und an deine Bedürfnisse angepasst. Das Lanao FS ist mit hochwertigen Teilen ausgestattet und mit seinen 27,5" Laufrädern und 130 mm Federweg vorne und 120 mm hinten bereit für jedes deiner Abenteuer. For girls by girls - das ist unsere neue Miss-Linie.

27,5"



LANAO FS 7

- GREY / WHITE / PURPLE / DARK GREY
- △ Lanao FS 27.5 aluminium
- Fox 32 Float O/C Evolution CTD 130 mm
- Fox Float CTD XV 120 mm
- ☒ Shimano XT 10-Speed
- ☒ Shimano XT 40-30-22
- ☒ Shimano XT Disc 180 mm SM-RT64
- 13,0 kg



LANAO FS4



- DARK PETROL / WHITE / PETROL
- △ Lanao FS 27.5 aluminium
- Fox 32 Float O/C Evolution CTD 130 mm
- X-Fusion O2 RL 120 mm
- Shimano XT 10-Speed
- Shimano Deore 40-30-22
- Shimano 396 Disc 180 mm
- 13.6 kg

LANAO FS2



- WHITE / TURQUOISE / ORANGE
- △ Lanao FS 27.5 aluminium
- RST Aerial Air RLO 130 mm
- X-Fusion O2 RL 120 mm
- Shimano Alivio 9-Speed
- Shimano FC-M371 44-32-22
- Tektro ACC 001 Disc 160 mm
- 14.8 kg

GERMAN BICYCLE TECHNOLOGY





LANAO

ENG

Engineer Tina thought of something new for our new Miss hardtail. The special Miss Shape top tube results in a low stand-over height, which guarantees your safety in any situation. We selected 27.5" wheels for the hardtail as well because they make sure that you remain stable even at top speeds, while still making it through corners. This Miss bike simply makes you feel self-confident. Check out this latest fashion accessory in 10 colour variations.

GER

Bei unserem neuen Miss Hardtail hat sich Ingenieurin Tina etwas Neues einfallen lassen. Das spezielle Miss Shape Oberrohr bringt geringe Überstandshöhe, was für dich Sicherheit in jeder Situation bedeutet. Auch beim Hardtail werden 27,5" Laufräder verbaut, mit denen du bei hohen Geschwindigkeiten stabil bleibst, aber auch bei Spitzkehren noch ohne Probleme die Kurve kratzt. Dieses Miss Bike macht dich einfach selbstbewusst und ist in 10 Farbvarianten erhältlich.

27,5"



LANAO PRO 8

MISS

● BLACK / LIGHT PETROL / PETROL

△ Lanao Pro 27.5 aluminium

■ Rock Shox Reba RL Solo Air Pushloc 100 mm

▲ Shimano XT 10-Speed

◆ Shimano XT 40-30-22

◎ Shimano XT Disc 180 mm SM-RT64

■ 11,7 kg



LANAO PRO 6



- LIGHT BLUE / LIME GREEN / DARK BLUE
- △ Lanao Pro 27.5 aluminium
- ㄇ Rock Shox Reba RL Solo Air Pushloc 100 mm
- ㄭ Shimano XT 10-Speed
- ㄮ Shimano XT 40-30-22
- ㄯ Shimano 396 Disc 180 mm
- ㄤ 12,1 kg

LANAO 5



- DARK PETROL / PETROL / ORANGE
- △ Lanao 27.5 aluminium
- ㄇ SR Suntour Raidon XC RL-R 100 mm
- ㄭ Shimano XT 10-Speed
- ㄮ Shimano FC-M523 40-30-22
- ㄯ Shimano 355 Disc 160 mm
- ㄤ 13,4 kg

LANAO 7



- GREY / PURPLE / WHITE
- △ Lanao 27.5 aluminium
- ㄇ Rock Shox 30 Gold Solo Air Poploc 100 mm
- ㄭ Shimano XT 10-Speed
- ㄮ Shimano Deore 40-30-22
- ㄯ Shimano 355 Disc 160 mm
- ㄤ 12,2 kg



LANAO 4



- COPPER / PETROL / WHITE
- △ Lanao 27.5 aluminium
- SR Suntour XCR Air RL-R 100 mm
- Shimano XT 9-Speed
- Shimano FC-M4000 40-30-22
- Shimano 355 Disc 160 mm
- 13,5 kg

LANAO 3



- WHITE / PETROL / LIGHT PETROL
- △ Lanao 27.5 aluminium
- SR Suntour XCR RL-R 100 mm
- Shimano Deore 9-Speed
- Shimano FC-M371 44-32-22
- Shimano 355 Disc 160 mm
- 14,0 kg

LANAO 4



- WHITE / TURQUOISE / ORANGE
- △ Lanao 27.5 aluminium
- SR Suntour XCR Air RL-R 100 mm
- Shimano XT 9-Speed
- Shimano FC-M4000 40-30-22
- Shimano 355 Disc 160 mm
- 13,5 kg

LANAO 3



- ORANGE / PETROL / DARK PETROL
- △ Lanao 27.5 aluminium
- SR Suntour XCR RL-R 100 mm
- Shimano Deore 9-Speed
- Shimano FC-M371 44-32-22
- Shimano 355 Disc 160 mm
- 14,0 kg

LANAO 2

- LIGHT GREY / BLUE / WHITE
- △ Lanao 27.5 aluminium
- ◐ SR Suntour XCM RL-DS 100 mm
- ☒ Shimano Acera 8-Speed
- ☒ Shimano FC-M171 42-34-24
- ☒ Tektro ACC 001 Disc 160 mm
- 14,1 kg



LANAO 2

- PURPLE / WHITE / MAGENTA / CYAN
- △ Lanao 27.5 aluminium
- ◐ SR Suntour XCM RL-DS 100 mm
- ☒ Shimano Acera 8-Speed
- ☒ Shimano FC-M171 42-34-24
- ☒ Tektro ACC 001 Disc 160 mm
- 14,1 kg





NILA

ENG

The 27.5" wheelset combines the running smoothness of 29" wheelsets and the agility of 26" wheels. The extremely lightweight carbon frame comes with all of the features of our HTX LC World Champion bike. It was inspired by our professional riders and tuned to the needs of ambitious mountain bikers. This is our new XC weapon, which offers highest possible performance for shorter riders as well.

GER

Die 27,5" Laufräder vereinen die Laufruhe von 29" Laufrädern und die Agilität von 26" Laufrädern, dazu der federleichte Karbonrahmen mit allen Features unseres Weltmeisterbikes HTX LC, inspiriert von unseren Rennfahrerinnen und Fahrern, angepasst an die Ansprüche ambitionierter Mountainbiker. Das ist unsere neue XC-Waffe, die auch kleineren Fahrerinnen höchste Performance bietet.

27,5"



NILA 7



● BLACK / RED / ORANGE / WHITE

↗ Nila 27.5 HM carbon

↑ Rock Shox Reba RL Solo Air 100 mm
Poploc 15 mm thru-axle

↗ Sram X0 10-Speed

↗ Race Face Turbine Basic 36-22

↗ Sram Guide R 180/160 mm

↙ 10,2 kg



NILA 5

- WHITE / RED / GREY / BLACK
- △ Nila 27.5 HM carbon
- Fox 32 Float O/C Evolution CTD Remote 100 mm
- ☒ Shimano XT 10-Speed
- ☒ Shimano XT 38-24
- ☒ Shimano XT Disc 180/160 mm SM-RT64
- 10,7 kg



NILA 3

- BLUE/LIME GREEN/LIGHT BLUE
- △ Nila 27.5 HM carbon
- SR Suntour Raidon XC RL-R Air 100 mm
- ☒ Shimano XT 10-Speed
- ☒ Shimano SLX 40-30-22
- ☒ Shimano 396 Disc 180/160 mm
- 11,3 kg





LAWU

ENG

Appealing design, Miss shape top tube and components especially tuned to meet ladies needs. The economical line of our Miss bikes offers you everything you need to cycle. Leave your every-day life behind you and enjoy the time on your bike.

GER

Ansprechendes Design, Miss Shape Oberrohr und speziell auf deine Bedürfnisse angepasste Komponenten. Auch die günstige Linie unserer Miss Bikes bietet dir alles, was du zum Biken brauchst. Lass den Alltag hinter dir und genieße die Zeit auf deinem Bike.

26"



LAWU 3

- GREY / PURPLE / DARK GREY
- △ Lawu aluminium
- RST Gila MLO 100 mm
- ▲ Shimano Altus 8-Speed
- ◆ Shimano FC-M171 42-34-24
- Tektro ACC 001 Disc 160 mm
- 12,8 kg



LAWU 3



- WHITE / BLACK / PETROL
- △ Lawu aluminium
- RST Gila MLO 100 mm
- Shimano Altus 8-Speed
- Shimano FC-M171 42-34-24
- Tektro ACC 001 Disc 160 mm
- 12,8 kg

LAWU 2



- PETROL / ORANGE / DARK PETROL
- △ Lawu aluminium
- SR Suntour XCT 100 mm
- Shimano Altus 8-Speed
- Shimano FC-M171 42-34-24
- Shimano mech. Disc BR-M375 160 mm
- 13,3 kg

LAWU 2



- WHITE / PINK / PALE PINK
- △ Lawu aluminium
- SR Suntour XCT 100 mm
- Shimano Altus 8-Speed
- Shimano FC-M171 42-34-24
- Shimano mech. Disc BR-M375 160 mm
- 13,3 kg



E-HYBRIDE

E-HYBRIDE





TERU FS

ENG

Our Allmountain Fully among the E-bikes. To ride the Teru FS means unlimited riding fun off-road, guaranteed by 130 mm of travel in the front and 120 mm in the rear. The 29" wheels ensure your safety at any speed, and since you are perfectly assisted by the new Bosch motor with performance drive and longer battery life, you can easily add another trail to your tour.

GER

Unser Allmountain Fully unter den E-Bikes. Das Teru FS zu fahren bedeutet uneingeschränkten Fahrspaß im Gelände durch 130 mm Federweg vorne und 120 mm am Heck. Die 29" Laufräder geben dir Sicherheit bei jedem Tempo, und da du perfekt vom neuen Bosch Motor mit Performance-Antrieb und längerer Akkulaufzeit unterstützt wirst, kannst du bei deinen Touren ganz leicht noch einen weiteren Trail mitnehmen.

29"



TERU FS 9



- BLACK / LIGHT PETROL / GREEN / WHITE
- ↗ Teru FS 29 aluminium
- ─ Fox 32 Float FIT Performance CTD 130 mm 15 mm thru-axle
- ─ Fox Float CTD BV SV 120 mm
- ─ Shimano XT Plus 10-Speed
- ─ Lasco Alu Single 15
- ─ Shimano XT Disc 180 mm SM-RT81
- ─ 20,80 kg
- ─ BOSCH PERFORMANCE 250 WATT MAX. 60 NM
- ─ BOSCH PERFORMANCE LITHIUM-IONEN 400 WH

TERU FS 7



- BLACK / WHITE / CYAN/RED
- △ Teru FS 29 aluminium
- Fox 32 Float O/C Evolution CTD 130 mm 15 mm thru-axle
- Fox Float CTD XV 120 mm
- Shimano XT Plus 10-Speed
- Lasco Alu Single 15
- Shimano Deore Disc 180 mm
- 21,00 kg
- BOSCH PERFORMANCE 250 WATT MAX. 60 NM
- BOSCH PERFORMANCE LITHIUM-IONEN 400 WH

TERU FS 5



- WHITE / CYAN / GREEN / BLACK
- △ Teru FS 29 aluminium
- Rock Shox Sektor Solor Air 130 mm 15 mm thru-axle
- Rock Shox Monarch RL 120 mm
- Shimano Deore Plus 10-Speed
- Lasco Alu Single 15
- Shimano 396 Disc 180 mm
- 21,30 kg
- BOSCH PERFORMANCE 250 WATT MAX. 60 NM
- BOSCH PERFORMANCE LITHIUM-IONEN 400 WH





TERU FS LT

ENG

Our Long Travel Fully among the E-bikes. To ride the Teru FS LT means unlimited riding fun off-road, guaranteed by 150 mm of travel in the front and 140 mm in the rear. The 27.5" wheels make sure that you remain stable even at top speeds, while still making it through tight corners.

GER

Unser Longtravel Fully unter den E-Bikes. Das Teru FS LT zu fahren bedeutet uneingeschränkten Fahrspaß im Gelände durch 150 mm Federweg vorne und 140 mm am Heck. Die 27,5" Laufräder, mit denen du bei hohen Geschwindigkeiten stabil bleibst, aber auch bei Spitzkehren noch ohne Probleme die Kurve kratzt, geben dir Sicherheit bei jedem Tempo.

27,5"



TERU FS LT 10



NYON PERFORMANCE ALL IN ONE E-BIKE COMPUTER
Available as optional accessory
Optional wählbar



- BLACK / LIGHT PETROL / GREEN / WHITE
- ↗ Teru FS 27.5 aluminium
- ↗ Fox 34 Talas FIT Performance CTD 150/120 mm 15 mm thru-axle
- ↗ Fox Float CTD BV SV XV 140 mm
- ↗ Shimano XTR Plus 11-Speed
- ↗ Lasco Ali Single 15
- ↗ Shimano XT Disc 203/180 mm SM-RT64M
- 21,9 kg
- BOSCH PERFORMANCE 250 WATT MAX. 60 NM
- BOSCH PERFORMANCE LITHIUM-IONEN 400 WH

TERU FS LT 6

- BLACK / WHITE / CYAN / RED
- △ Teru FS 27.5 aluminium
- ▲ Rock Shox Pike RC Solo Air 150 mm 15 mm thru-axle
- Fox Float CTD BV XV 140 mm
- ▢ Shimano XT Plus 10-Speed
- ▢ Lasco Alu Single 15
- ▢ Shimano Deore Disc 203/180 mm
- ▢ 22,6 kg
- ▢ BOSCH PERFORMANCE 250 WATT MAX. 60 NM
- ▢ BOSCH PERFORMANCE LITHIUM-IONEN 400 WH





TERU

ENG

Sporting a sensationally low weight of 16.9 kg, our ultra-featherweight Teru LC sets a new benchmark among the E-Bike class. Its one-of-a-kind design, in combination with an extremely stiff carbon frame, distinguishes the Teru as a true mountainbike without compromise, with plenty of "extra" in propulsion. Equipped with top-quality parts, they make climbing any mountain a piece of cake. Our Teru models come in ladies and mens versions, both with Bosch Performance drive and a 27.5" wheelset, featuring all the characteristics of a true mountain bike.

GER

Mit einem sagenhaften Gewicht von nur 16,9 kg setzt unser Ultraleichtgewicht Teru LC neue Maßstäbe unter den E-Bikes. Unverwechselbares Design in Verbindung mit einem extrem steifen Karbonrahmen machen es zu einem kompromisslosen Mountainbike mit dem „Mehr“ an Vortrieb. Ausgestattet mit hochwertigsten Parts wirst du jeden Berg mit Leichtigkeit erklimmen. Egal ob Damen- oder Herrenvariante - unsere Teru Modelle mit Bosch Performance Antrieb und 27,5“ Laufrädern bieten dir alle Eigenschaften eines echten Mountainbikes.

27,5"



TERU 10



NYON PERFORMANCE ALL IN ONE E-BIKE COMPUTER
Available as optional accessory
Optional wählbar



- BLACK / LIGHT PETROL / GREEN / WHITE
- ↗ Teru 27.5 carbon
Fox 32 Float FIT Factory CTD
Kashima 100 mm 15 mm thru-axle
- ↘ Shimano XTR Plus 11-Speed
- ↙ Lasco Alu Single 15
- ⌚ Shimano XTR Trail Disc 180 mm SM-RT86
- 🔋 16.9 kg
- ☀ BOSCH PERFORMANCE 250 WATT MAX. 60 NM
- BOSCH PERFORMANCE LITHIUM-IONEN 400 WH

TERU 9



- BLACK / WHITE / CYAN / RED
- ↗ Teru 27.5 carbon
- Fox 32 Float D/C Evolution CTD Remote 100 mm 15 mm thru-axle
- ↘ Shimano XT Plus 10-Speed
- ↙ Lasco Alu Single 15
- ⌚ Shimano XT Disc 180 mm SM-RT76
- 🔋 17,8 kg
- ⚡ BOSCH PERFORMANCE 250 WATT MAX. 60 NM
- 🔋 BOSCH PERFORMANCE LITHIUM-IONEN 400 WH



TERU 8



- BLACK / LIGHT PETROL / GREEN / WHITE
- ↗ Teru 27.5 aluminium
- Rock Shox Reba RL Solo Air 120 mm Pushloc 15 mm thru-axle
- ↘ Shimano XT Plus 10-Speed
- ↙ Lasco Alu Single 15
- ⌚ Shimano XT Disc 180 mm SM-RT64
- 🔋 18,8 kg
- ⚡ BOSCH PERFORMANCE 250 WATT MAX. 60 NM
- 🔋 BOSCH PERFORMANCE LITHIUM-IONEN 400 WH

TERU 8 LADY



- BLACK / LIGHT PETROL / GREEN / WHITE
- ↗ Teru Lady 27.5 aluminium
- Rock Shox Reba RL Solo Air 120 mm Pushloc 15 mm thru-axle
- ↘ Shimano XT Plus 10-Speed
- ↙ Lasco Alu Single 15
- ⌚ Shimano XT Disc 180 mm SM-RT64
- 🔋 18,8 kg
- ⚡ BOSCH PERFORMANCE 250 WATT MAX. 60 NM
- 🔋 BOSCH PERFORMANCE LITHIUM-IONEN 400 WH

TERU 6



- BLACK / WHITE / CYAN / RED
- ↗ Teru 27.5 aluminium
- ─ Rock Shox Recon Gold Solo Air 120 mm Poploc 15 mm thru-axle
- ↘ Shimano XT Plus 10-Speed
- ─ Lasco Alu Single 15
- ─ Shimano 506 Disc 180 mm
- ─ 19,6 kg
- ─ BOSCH PERFORMANCE 250 WATT MAX. 60 NM
- ─ BOSCH PERFORMANCE LITHIUM-IONEN 400 WH

TERU 4



- WHITE / CYAN / GREEN / BLACK
- ↗ Teru 27.5 aluminium
- ─ SR Suntour XCR LO 120 mm
- ↘ Shimano Deore 9-Speed
- ─ Lasco Alu Single 15
- ─ Tektro ACC 001 Disc 180 mm
- ─ 20,1 kg
- ─ BOSCH PERFORMANCE 250 WATT MAX. 60 NM
- ─ BOSCH PERFORMANCE LITHIUM-IONEN 400 WH

TERU 6 LADY



- BLACK / WHITE / CYAN / RED
- ↗ Teru Lady 27.5 aluminium
- ─ Rock Shox Recon Gold Solo Air 120 mm Poploc 15 mm thru-axle
- ↘ Shimano XT Plus 10-Speed
- ─ Lasco Alu Single 15
- ─ Shimano 506 Disc 180 mm
- ─ 19,6 kg
- ─ BOSCH PERFORMANCE 250 WATT MAX. 60 NM
- ─ BOSCH PERFORMANCE LITHIUM-IONEN 400 WH

TERU 4 LADY



- WHITE / CYAN / GREEN / BLACK
- ↗ Teru Lady 27.5 aluminium
- ─ SR Suntour XCR LO 120 mm
- ↘ Shimano Deore 9-Speed
- ─ Lasco Alu Single 15
- ─ Tektro ACC 001 Disc 180 mm
- ─ 20,1 kg
- ─ BOSCH PERFORMANCE 250 WATT MAX. 60 NM
- ─ BOSCH PERFORMANCE LITHIUM-IONEN 400 WH



ANDASOL X

ENG

An elegant hydro-formed aluminum frame together with the latest generation of Bosch motors form the most important elements of the purist Andasol X series. To enhance your riding fun, this athletic model was reduced to under 20 kg.

GER

Ein eleganter Hydroforming-Aluminiumrahmen zusammen mit der neuesten Generation von Bosch Antrieben bildet das Herzstück der puristischen Andasol X-Serie. Das sportive Modell ist für deinen Fahrspaß auf unter 20 kg reduziert.

28"



ANDASOL X 9



- BLACK/WHITE/CYAN/RED
- ▷ Andasol X Man aluminium
- ─ RST ViV Air RL 60 mm
- ─ Shimano XT 10-Speed
- ─ Lasco Alu Single 18
- ─ Shimano XT Disc 180 mm SM-RT64
- ─ 19.5 kg
- BOSCH PERFORMANCE 250 WATT MAX. 60 NM
- ─ BOSCH PERFORMANCE LITHIUM-IONEN 400 WH

ANDASOL X 9 LADY



- BLACK / WHITE / CYAN / RED
- △ Andasol X Lady aluminium
- ─ RST ViV Air RL 60 mm
- ─ Shimano XT 10-Speed
- ─ Lasco Alu Single 18
- ─ Shimano XT Disc 180 mm
SM-RT64
- ─ 19,5 kg
- ─ BOSCH PERFORMANCE
250 WATT MAX. 60 NM
- ─ BOSCH PERFORMANCE
LITHIUM-IONEN 400 WH

ANDASOL X 7



- WHITE / LIGHT PETROL / GREY / BLACK
- △ Andasol X Man aluminium
- ─ SR Suntour NEX-E25 DS LO 63 mm
- ─ Shimano XT 10-Speed
- ─ Lasco Alu Single 18
- ─ Shimano Deore Disc 180 mm
- ─ 20,1 kg
- ─ BOSCH PERFORMANCE
250 WATT MAX. 60 NM
- ─ BOSCH PERFORMANCE
LITHIUM-IONEN 400 WH

ANDASOL X 7 LADY



- WHITE / LIGHT PETROL / GREY / BLACK
- △ Andasol X Lady aluminium
- ─ SR Suntour NEX-E25 DS LO 63 mm
- ─ Shimano XT 10-Speed
- ─ Lasco Alu Single 18
- ─ Shimano Deore Disc 180 mm
- ─ 20,1 kg
- ─ BOSCH PERFORMANCE 250 WATT MAX. 60 NM
- ─ BOSCH PERFORMANCE LITHIUM-IONEN 400 WH

ANDASOL X 5



- DARK GREY / WHITE / LIME GREEN / BLACK
- ↗ Andasol X Man aluminium
- ↑ RST Nova TnL 60 mm
- ↗ Shimano Deore 9-Speed
- ↙ Lasco Alu Single 18
- ↗ Tektro ACC 001 Disc 180 mm
- ↙ 20,3 kg
- ↗ BOSCH PERFORMANCE 250 WATT MAX. 60 NM
- ↗ BOSCH PERFORMANCE LITHIUM-IONEN 400 WH

ANDASOL X 5 LADY



- DARK GREY / WHITE / LIME GREEN / BLACK
- ↗ Andasol X Lady aluminium
- ↑ RST Nova TnL 60 mm
- ↗ Shimano Deore 9-Speed
- ↙ Lasco Alu Single 18
- ↗ Tektro ACC 001 Disc 180 mm
- ↙ 20,3 kg
- ↗ BOSCH PERFORMANCE 250 WATT MAX. 60 NM
- ↗ BOSCH PERFORMANCE LITHIUM-IONEN 400 WH





ANDASOL

ENG

Whether you choose the classic diamond frame or the Wave version for comfortable step-through, the Andasol series combines functionality with elegant design. It sets the standard for high flexibility, performance and electric mobility for all. The proven drives and suspension systems open up an entirely new mode of transportation allowing you to enjoy nature effortlessly. Commuters can combine a relaxed ride to work with their daily workout routine and get the shopping done on the way home as an additional bonus. Environmentally friendly and inconspicuous, yet anything but boring.

GER

Egal ob klassischer Diamantrahmen oder die Wave Ausführung für den bequemen Einstieg - die Andasol Serie vereint Funktionalität mit elegantem Design. Andasol ist der Inbegriff für hohe Flexibilität, Leistungsfähigkeit und Elektromobilität für alle. Die bewährten Antriebe und Federungen ermöglichen eine völlig neue Art der Fortbewegung. Mühelos und bequem die Natur genießen. Als Pendler entspannt den Arbeitsweg mit der alltäglichen Bewegung verbinden und auf dem Heimweg noch den Einkauf erledigen. Umweltfreundlich und unauffällig, aber alles andere als langweilig.

28"



ANDASOL 9



- BLACK / WHITE / CYAN / ORANGE
- ↗ Andasol Man aluminium
- ─ RST Vogue Air TNL LO 60 mm
- ◆ Gates COX 22T Bosch
- Shimano XT Disc 180 mm SM-RT66/67
- 23.2 kg
- BOSCH PERFORMANCE 250 WATT MAX. 50 NM
- BOSCH PERFORMANCE LITHIUM-IONEN 400 WH

ANDASOL 9 LADY



- WHITE / BLACK / CYAN / ORANGE
- ↗ Andasol Lady aluminium
- ─ RST Vogue Air TNL LO 60 mm
- ─ Gates CDX 22T Bosch
- ─ Shimano XT Disc 180 mm SM-RT66/67
- ─ 23,2 kg
- ─ BOSCH PERFORMANCE 250 WATT MAX. 50 NM
- ─ BOSCH PERFORMANCE LITHIUM-IONEN 400 WH

ANDASOL 6



- BLACK / WHITE / CYAN / RED
- ↗ Andasol Man aluminium
- ─ SR Suntour NEX-E25 DS LO 63 mm
- ─ Shimano XT 10-Speed
- ─ Lasco Alu Single 18
- ─ Shimano 396 Disc 180 mm
- ─ 22,6 kg
- ─ BOSCH PERFORMANCE 250 WATT MAX. 60 NM
- ─ BOSCH PERFORMANCE LITHIUM-IONEN 400 WH

ANDASOL 9 WAVE



- WHITE / BLACK / CYAN / ORANGE
- ↗ Andasol Wave aluminium
- ─ RST Vogue Air TNL LO 60 mm
- ─ Lasco Alu Single 15
- ─ Shimano XT Disc 180 mm SM-RT66/67
- ─ 25,9 kg
- ─ BOSCH ACTIVE 250 WATT MAX. 48 NM
- ─ BOSCH ACTIVE LITHIUM-IONEN 400 WH

ANDASOL 6 LADY



- BLACK / WHITE / CYAN / RED
- ↗ Andasol Lady aluminium
- ─ SR Suntour NEX-E25 DS LO 63 mm
- ─ Shimano XT 10-Speed
- ─ Lasco Alu Single 18
- ─ Shimano 396 Disc 180 mm
- ─ 22,6 kg
- ─ BOSCH PERFORMANCE 250 WATT MAX. 60 NM
- ─ BOSCH PERFORMANCE LITHIUM-IONEN 400 WH

ANDASOL 5



- BLACK / GREY / WHITE / RED
- ↗ Andasol Man aluminium
- ↑ SR Suntour NEX-E25 DS LO 63 mm
- ↙ Lasco Alu Single 18
- 🕒 Shimano 355 Disc 180 mm
- 🔋 24,4 kg
- ✳️ BOSCH ACTIVE 250 WATT MAX. 48 NM
- 🔋 BOSCH ACTIVE LITHIUM-IONEN 400 WH

ANDASOL 5 WAVE



- BLACK / GREY / WHITE / RED
- ↗ Andasol Wave aluminium
- ↑ SR Suntour NEX-E25 DS LO 63 mm
- ↙ Lasco Alu Single 18
- 🕒 Shimano 355 Disc 180 mm
- 🔋 24,9 kg
- ✳️ BOSCH ACTIVE 250 WATT MAX. 48 NM
- 🔋 BOSCH ACTIVE LITHIUM-IONEN 400 WH

ANDASOL 5 LADY



- BLACK / GREY / WHITE / RED
- ↗ Andasol Lady aluminium
- ↑ SR Suntour NEX-E25 DS LO 63 mm
- ↙ Lasco Alu Single 18
- 🕒 Shimano 355 Disc 180 mm
- 🔋 24,4 kg
- ✳️ BOSCH ACTIVE 250 WATT MAX. 48 NM
- 🔋 BOSCH ACTIVE LITHIUM-IONEN 400 WH



ANDASOL 4



- DARK GREY / WHITE / LIME GREEN / BLACK
- ↗ Andasol Man aluminium
- ↑ RST Nova TnL 60 mm
- ↗ Shimano Deore 9-Speed
- ↙ Lasco Alu Single 18
- ↗ Tektro ACC 001 Disc 180 mm
- 22,8 kg
- BOSCH ACTIVE 250 WATT MAX. 48 NM
- BOSCH ACTIVE LITHIUM-IONEN 400 WH

ANDASOL 4 LADY



- DARK GREY / WHITE / LIME GREEN / BLACK
- ↗ Andasol Lady aluminium
- ↑ RST Nova TnL 60 mm
- ↗ Shimano Deore 9-Speed
- ↙ Lasco Alu Single 18
- ↗ Tektro ACC 001 Disc 180 mm
- 22,8 kg
- BOSCH ACTIVE 250 WATT MAX. 48 NM
- BOSCH ACTIVE LITHIUM-IONEN 400 WH



CROSS & TREKKING





PANAMAO X

ENG

The Panamao X line offers the most universal platform for those who want to experience a lot while having only one bicycle. On the road, they glide along at almost road bikes' speed, while off-road they offer the comfort, stability and puncture protection of a mountain bike. The seating position is well-balanced and suitable for a Sunday spin or a quick ride after work. The ideal combination for the spontaneous detour onto the next single trail.

GER

Die Panamao X Line bietet die wohl universellste Plattform für all diejenigen, die mit einem einzigen Bike eine Menge erleben wollen. Auf der Straße gleiten sie beinahe mit der Geschwindigkeit eines Rennrades, auf Waldwegen bieten sie den Komfort, die Stabilität und die Pannensicherheit eines Mountainbikes. Die Sitzposition ist ausgewogen und somit sowohl für den Sonntagsausflug als auch für die Feierabendrunde geeignet. Die ideale Kombination für den spontanen Abstecher auf den nächsten Waldweg.

28"



PANAMAO X 8



- DARK GREY / WHITE / RED
- △ Panamao X aluminium
- RST VIV Air RL 60 mm
- Shimano XT 10-Speed
- Shimano XT 48-36-26
- Shimano XT Disc 180 mm SM-RT64
- 12,3 kg



PANAMAO X 8 LADY



- WHITE / GREY / RED
- △ Panamao X Lady aluminium
- RST VIV Air RL 60 mm
- ◆ Shimano XT 10-Speed
- ▲ Shimano XT 48-36-26
- Shimano XT Disc 180 mm SM-RT64
- 12,5 kg

PANAMAO X 7



- BLACK / LIME GREEN / WHITE
- △ Panamao X aluminium
- RST VIV Air RL 60 mm
- ◆ Shimano XT 10-Speed
- ▲ Shimano XT 48-36-26
- Shimano 396 Disc 180 mm
- 12,5 kg



PANAMAO X 7 LADY



- WHITE / LIME GREEN / BLACK
- △ Panamao X Lady aluminium
- RST VIV Air RL 60 mm
- ◆ Shimano XT 10-Speed
- ▲ Shimano XT 48-36-26
- Shimano 396 Disc 180 mm
- 12,7 kg

PANAMAO X 6



- COPPER / WHITE / BLUE
- △ Panamao X aluminium
- SR Suntour NCX RL AIR 63 mm
- Shimano XT 10-Speed
- Shimano FC-T551 48-36-26
- Shimano 396 Disc 180 mm
- 12,7 kg

PANAMAO X 5



- BLACK / WHITE / GREY
- △ Panamao X aluminium
- SR Suntour NEX RL 63 mm
- Shimano XT 9-Speed
- Shimano FC-T4010 48-36-26
- Shimano 355 Disc 160 mm
- 13,0 kg

PANAMAO X 6 LADY



- COPPER / WHITE / BLUE
- △ Panamao X Lady aluminium
- SR Suntour NCX RL AIR 63 mm
- Shimano XT 10-Speed
- Shimano FC-T551 48-36-26
- Shimano 396 Disc 180 mm
- 12,9 kg

PANAMAO X 5 LADY



- WHITE / GREY / BLACK
- △ Panamao X Lady aluminium
- SR Suntour NEX RL 63mm
- Shimano XT 9-Speed
- Shimano FC-T4010 48-36-26
- Shimano 355 Disc 160 mm
- 13,2 kg

PANAMAO X 4



- DARK GREY / WHITE / LIME GREEN
- △ Panamao X aluminium
- RST Nova MLO 60 mm
- ◆ Shimano Deore 9-Speed
- ▲ Shimano FC-T4010 48-36-26
- ◎ Shimano 355 Disc 160 mm
- 13,2 kg

PANAMAO X 3



- BLACK / WHITE / RED
- △ Panamao X aluminium
- RST Nova MLO 60 mm
- ◆ Shimano Altus 8-Speed
- ▲ Shimano FC-M171 48-38-28
- ◎ Tektro ACC 001 Disc 160 mm
- 13,3 kg

PANAMAO X 4 LADY



- DARK GREY / WHITE / LIME GREEN
- △ Panamao X Lady aluminium
- RST Nova MLO 60 mm
- ◆ Shimano Deore 9-Speed
- ▲ Shimano FC-T4010 48-36-26
- ◎ Shimano 355 Disc 160 mm
- 13,4 kg

PANAMAO X 3 LADY



- WHITE / BLACK / RED
- △ Panamao X Lady aluminium
- RST Nova MLO 60 mm
- ◆ Shimano Altus 8-Speed
- ▲ Shimano FC-M171 48-38-28
- ◎ Tektro ACC 001 Disc 160 mm
- 13,6 kg

PANAMAO X 2



- BLACK / WHITE / CYAN
- ↗ Panamao X aluminium
- 做人 RST Neon T 60 mm
- ↘ Shimano Acera 8-Speed
- ↙ Shimano FC-M131 48-38-28
- 环 Tektro 855 AL V-Brake
- 12,5 kg



PANAMAO X 2 LADY



- WHITE / BLACK / CYAN
- ↗ Panamao X Lady aluminium
- 做人 RST Neon T 60 mm
- ↘ Shimano Acera 8-Speed
- ↙ Shimano FC-M131 48-38-28
- 环 Tektro 855 AL V-Brake
- 12,8 kg





PANAMAO

ENG

Our Allrounders. Their high-quality equipment guarantees years of use for every-day and leisure rides. Thanks to being fully equipped with light systems and mudguards, they are suitable for every-day use without limitations. It doesn't matter whether you take your bicycle on a long journey or whether you just want to relax and get to work safely. Our Panamao bikes are real allrounders and are well equipped for any situation!

GER

Unsere Allrounder. Ihre hochwertige Ausstattung garantiert jahrelangen Einsatz in Alltag und Freizeit. Dank Vollausrüstung mit Licht und Schutzblechen sind sie uneingeschränkt alltagstauglich. Egal, ob du auf weite Reise mit deinem Rad gehst oder einfach nur sicher und entspannt zur Arbeit kommen willst. Unsere Panamao-Linie: wahre Allrounder und für alle Fälle bestens gerüstet!

28"



- BLACK / WHITE / GREY
- △ Panamao C aluminium
- GHOST Rigid Fork
- ✖ Truvativ Firex Single 38
- ⌚ Shimano XT Disc 180/160 mm SM-RT64
- 15,2 kg



PANAMAO C 5

- BLACK / COPPER / WHITE
- △ Panamao C aluminium
- GHOST Rigid Fork
- ✖ Truvativ E400 Single 38
- ◎ Shimano 355 Disc 160 mm
- 15,8 kg

PANAMAO 6

- COPPER / WHITE / GREY
- △ Panamao Man aluminium
- RST Vogue AIR TNL LO 60 mm
- ✖ Shimano XT 9-Speed
- ✖ Shimano FC-M591 48-36-26
- ◎ Shimano Alivio Disc 160 mm
- 15,7 kg

PANAMAO 7

- BLACK / WHITE / GREY
- △ Panamao Man aluminium
- RST Vogue AIR TNL LO 60 mm
- ✖ Shimano XT 10-Speed
- ✖ Shimano XT 48-36-26
- ◎ Shimano Deore Disc 180 mm
- 15,4 kg

PANAMAO 6 LADY

- COPPER / WHITE / BLUE
- △ Panamao Lady aluminium
- RST Vogue AIR TNL LO 60 mm
- ✖ Shimano XT 9-Speed
- ✖ Shimano FC-M591 48-36-26
- ◎ Shimano Alivio Disc 160 mm
- 15,7 kg

PANAMAO 5



- BLACK / COPPER / WHITE
- ↗ Panamao Man aluminium
- ↑ RST Nova TnL 60 mm
- ↙ Shimano Deore 9-Speed
- ↙ Shimano FC-M371 48-36-26
- ↙ Shimano 355 Disc 160 mm
- 16,2 kg

PANAMAO 5 WAVE



- BLACK / COPPER / WHITE
- ↗ Panamao Wave aluminium
- ↑ RST Nova TnL 60 mm
- ↙ Shimano Deore 9-Speed
- ↙ Shimano FC-M371 48-36-26
- ↙ Shimano 355 Disc 160 mm
- 16,4 kg

PANAMAO 5 LADY



- BLACK / COPPER / WHITE
- ↗ Panamao Lady aluminium
- ↑ RST Nova TnL 60 mm
- ↙ Shimano Deore 9-Speed
- ↙ Shimano FC-M371 48-36-26
- ↙ Shimano 355 Disc 160 mm
- 16,2 kg



PANAMAO 4



- BLACK / WHITE / CYAN
- △ Panamao Man aluminium
- SR Suntour CR-8V 50 mm 700C
- ✖ Lasco Alu Single 38
- ◎ Tektro 855 AL V-Brake
- 16,4 kg

PANAMAO 4 WAVE



- MINT / WHITE / COPPER
- △ Panamao Wave aluminium
- SR Suntour CR-8V 50 mm 700C
- ✖ Lasco Alu Single 38
- ◎ Tektro 855 AL V-Brake
- 16,4 kg

PANAMAO 4 LADY



- MINT / WHITE / COPPER
- △ Panamao Lady aluminium
- SR Suntour CR-8V 50 mm 700C
- ✖ Lasco Alu Single 38
- ◎ Tektro 855 AL V-Brake
- 16,4 kg



PANAMAO 3



- GREY / DARK GREY / GREEN
- ↗ Panamao Man aluminium
- ↑ RST Neon MLO 60 mm
- ↙ Shimano Alivio 9-Speed
- ↙ Shimano FC-M371 48-36-26
- ↙ Shimano BR-T4000 V-Brake
- 15,4 kg

PANAMAO 3 WAVE



- GREY / DARK GREY / GREEN
- ↗ Panamao Wave aluminium
- ↑ RST Neon MLO 60 mm
- ↙ Shimano Alivio 9-Speed
- ↙ Shimano FC-M371 48-36-26
- ↙ Shimano BR-T4000 V-Brake
- 15,7 kg

PANAMAO 3 LADY



- GREY / DARK GREY / GREEN
- ↗ Panamao Lady aluminium
- ↑ RST Neon MLO 60 mm
- ↙ Shimano Alivio 9-Speed
- ↙ Shimano FC-M371 48-36-26
- ↙ Shimano BR-T4000 V-Brake
- 15,4 kg



PANAMAO 2



- BLACK / WHITE / RED
- ↗ Panamao Man aluminium
- ↑ RST Neon T 60 mm
- ↗ Shimano Altus 8-Speed
- ↗ Shimano FC-M171 48-38-28
- ↗ Tekro 855 AL V-Brake
- 15,6 kg

PANAMAO 2 WAVE



- WHITE / BLACK / RED
- ↗ Panamao Wave aluminium
- ↑ RST Neon T 60 mm
- ↗ Shimano Altus 8-Speed
- ↗ Shimano FC-M171 48-38-28
- ↗ Tektro 855 AL V-Brake
- 16,1 kg

PANAMAO 2 LADY



- WHITE / BLACK / RED
- ↗ Panamao Lady aluminium
- ↑ RST Neon T 60 mm
- ↗ Shimano Altus 8-Speed
- ↗ Shimano FC-M171 48-38-28
- ↗ Tekro 855 AL V-Brake
- 15,6 kg



ROAD

ROAD



NIVOLET

ENG

The Colle del Nivolet is known as one of the Alps' real adventures among road cyclists. With an elevation of 2600 m, it belongs among the ten highest paved Alpine passes. A relaxed, yet athletic seating position ensures rapid acceleration on the uphill and agile and stable handling on the downhill. Our top model Nivolet 9 LC offers power transmission free of loss without compromising riding comfort, lateral stiffness or stability, and all that in an ultra lightweight carbon 880 g frame. This is how you will triumph at the Colle del Nivolet with ease.

GER

Der Colle del Nivolet ist unter Rennradfahrern als eines der wahren Abenteuer in den Alpen bekannt. Mit über 2600 m gehört er zu den zehn höchsten asphaltierten Alpenpässen. Eine entspannte und dennoch sportliche Sitzposition bedeuten rasante Beschleunigung bergauf und ein agiles und stabiles Handling bergab. Unser Topmodel Nivolet 9 LC bietet verlustfreie Kraftübertragung, ohne dabei auf Fahrkomfort verzichten zu müssen, Seitensteifigkeit, Stabilität und das alles bei einem ultra leichten Rahmengewicht von nur 880 g. So wirst du mit Leichtigkeit den Colle del Nivolet bezwingen.

28"



NIVOLET 9



-  BLACK / RED / DARK GREY
-  Nivolet UHM carbon CGR
-  CG Carbon
-  Shimano Dura Ace 11-Speed
-  Shimano Dura Ace 50-34
-  Shimano Dura Ace
-  6,4 kg

NIVOLET 8



- BLACK / LIME GREEN / WHITE
- △ Nivolet HM carbon ACR
- CG Carbon
- ◆ Shimano Ultegra Di2 11-Speed
- ▲ Shimano Ultegra 50-34
- ◎ Shimano R785 Disc 160/140 mm
- 7,7 kg

NIVOLET 6



- BLACK / LIME GREEN / WHITE
- △ Nivolet HM carbon ACR
- CG Carbon
- ◆ Shimano Ultegra Di2 11-Speed
- ▲ Shimano Ultegra 50-34
- ◎ Shimano Ultegra
- 7,3 kg

NIVOLET 7



- WHITE / RED / BLACK
- △ Nivolet HM carbon ACR
- CG Carbon
- ◆ Sram Force 11-Speed
- ▲ Sram Force 50-34
- ◎ Sram Force
- 7,2 kg

NIVOLET 5



- BLACK / WHITE
- △ Nivolet HM carbon ACR
- CG Carbon
- ◆ Shimano Ultegra 11-Speed
- ▲ Shimano 105 50-34
- ◎ Shimano 105
- 7,7 kg

NIVOLET 5



- WHITE / LIME GREEN / BLACK
- ↗ Nivolet HM carbon ACR
- ↑ CG Carbon
- ↘ Shimano Ultegra 11-Speed
- ✖ Shimano 105 50-34
- ◎ Shimano 105
- 7,7 kg

NIVOLET 4



- WHITE / BLACK
- ↗ Nivolet HM carbon ACR
- ↑ CG Carbon
- ↘ Shimano 105 11-Speed
- ✖ Shimano FC-RS500 50-34
- ◎ Shimano BR-R451
- 7,9 kg

ROAD

NIVOLET 2



- WHITE / BLACK / RED
- ↗ Nivolet aluminium
- ↑ CG Carbon
- ↘ Shimano Tiagra 10-Speed
- ✖ Shimano Tiagra 50-39-30
- ◎ Shimano Tiagra
- 8,7 kg

237



SPEEDLINE

ENG

The Speedline models are the ideal companions for the necessary commute to the office or for the show-off run in the city. They combine every-day suitability with style and thus are considered universal talents.

GER

Die Speedline-Modelle sind der ideale Begleiter für den notwendigen Weg ins Büro oder aber zum Schaulaufen in der City. Sie vereinen Alltagstauglichkeit mit Style und gelten damit als Universaltalente.

28"



SPEEDLINE 4



- BLACK / WHITE
- △ Speedline aluminium
- GHOST Rigid Fork
- ♪ Shimano Ultegra 10-Speed
- ◎ Shimano 105 50-34
- ◎ Shimano Deore Disc 180/160 mm
- 10,5 kg

ROAD

241

SPEEDLINE 3



- COPPER / BLACK
- △ Speedline aluminium
- ghost GHOST Rigid Fork
- ghost Shimano Ultegra 10-Speed
- key FSA Gossamer Mega Exo 50-34
- cog Shimano 396 Disc 180/160 mm
- weight 10,8 kg

SPEEDLINE 2



- WHITE / BLACK
- △ Speedline aluminium
- ghost RST RF-M7
- ghost Shimano Tiagra 10-Speed
- key Shimano Tiagra 50-34
- cog Shimano BR-T4000 V-Brake
- weight 10,1 kg

POWERKID

POWERKID



POWERKID

ENG

Pushing the pedals yourself is one of the first steps on the way to growing up. Kids are curious, test their limits, and want to discover their surroundings and increase their radius of action. The world seems huge and adventures abound - that's why a reliable bicycle, which guarantees maximum quality and most importantly safety, becomes even more crucial. To make it even more fun for the kids, we optimized the frames and created the lightest bikes in the history of the Powerkid series.

GER

Selbst in die Pedale zu treten ist einer der ersten Schritte auf dem Weg zum Erwachsenwerden. Kinder sind neugierig, sie testen Grenzen aus, wollen die Umgebung erkunden und ihren Aktionsradius erweitern. Die Welt scheint riesig, die Abenteuer unbegrenzt - umso wichtiger ist ein zuverlässiges Rad, das ein Maximum an Qualität und vor allem Sicherheit bietet. Um den Fahrspaß der Kids zu erhöhen, haben wir die Rahmen optimiert und dadurch die leichtesten Bikes in der Geschichte der Powerkidserie geschaffen.

12" 16" 20" 24"



POWERKID 24 DISC



- BLACK / RED / GREY
- ▷ Powerkid 24 aluminium
- ─ RST Capa T 50 mm
- Shimano Tourney 8-Speed
- ✖ Lasco Alu Triple 42-34-24
- ◎ Tektro ACC 002 Disc 160 mm
- 11,6 kg

POWERKID 24 DISC



- WHITE / PINK / PALE PINK
- ▷ Powerkid 24 aluminium
- ─ RST Capa T 50 mm
- Shimano Tourney 8-Speed
- ✖ Lasco Alu Triple 42-34-24
- ◎ Tektro ACC 002 Disc 160 mm
- 11,6 kg

POWERKID 24



- BLUE / GREEN / LIGHT BLUE
- △ Powerkid 24 aluminium
- RST Capa T 50 mm
- Shimano Tourney 8-Speed
- Lasco Alu Triple 42-34-24
- Tektro V-Brake
- 11,1 kg

POWERKID 20



- DARK BLUE / BLUE / RED
- △ Powerkid 20 aluminium
- RST Capa T 50 mm
- Shimano Tourney 7-Speed
- Lasco Alu Single 36
- Tektro V-Brake
- 9,6 kg

POWERKID 24



- GREEN / LIME GREEN / DARK GREEN
- △ Powerkid 24 aluminium
- RST Capa T 50 mm
- Shimano Tourney 8-Speed
- Lasco Alu Triple 42-34-24
- Tektro V-Brake
- 11,1 kg

POWERKID 20



- BLACK / RED
- △ Powerkid 20 aluminium
- RST Capa T 50 mm
- Shimano Tourney 7-Speed
- Lasco Alu Single 36
- Tektro V-Brake
- 9,6 kg

POWERKID 20



- LIME GREEN / BLUE
- ▷ Powerkid 20 aluminium
- RST Capa T 50 mm
- ☒ Shimano Tourney 7-Speed
- ☒ Lasco Alu Single 36
- ☒ Tektro V-Brake
- 9,6 kg

POWERKID 20 RIGID



- BLACK / RED
- ▷ Powerkid 20 aluminium
- GHOST Rigid
- ☒ Shimano Tourney 7-Speed
- ☒ Lasco Alu Single 36
- ☒ Tektro V-Brake
- 9,3 kg

POWERKID 20



- WHITE / PINK / PALE PINK
- ▷ Powerkid 20 aluminium
- RST Capa T 50 mm
- ☒ Shimano Tourney 7-Speed
- ☒ Lasco Alu Single 36
- ☒ Tektro V-Brake
- 9,6 kg

POWERKID 20 RIGID



- WHITE / PINK / PALE PINK
- ▷ Powerkid 20 aluminium
- GHOST Rigid
- ☒ Shimano Tourney 7-Speed
- ☒ Lasco Alu Single 36
- ☒ Tektro V-Brake
- 9,3 kg

POWERKID 16 BOY



- RED
- △ Powerkid 16 aluminium
- Steel
- JM
- Front: V-Brake, Rear: back pedal brake
- 9,8 kg

POWERKID 16 GIRL



- WHITE
- △ Powerkid 16 aluminium
- Steel
- JM
- Front: V-Brake, Rear: back pedal brake
- 9,8 kg

POWERKID 16 BOY



- GREEN/BLUE
- △ Powerkid 16 aluminium
- Steel
- JM
- Front: V-Brake, Rear: back pedal brake
- 9,8 kg

POWERKID 16 GIRL



- PINK
- △ Powerkid 16 aluminium
- Steel
- JM
- Front: V-Brake, Rear: back pedal brake
- 9,8 kg

POWERKID 12



- GREEN
- △ Powerkid 12 aluminium
- Steel
- JM
- Front: V-Brake, Rear: back pedal brake
- 7,9 kg

POWERKID 12



- PURPLE
- △ Powerkid 12 aluminium
- Steel
- JM
- Front: V-Brake, Rear: back pedal brake
- 7,9 kg

POWERKIDDY 12



- GREEN
- △ Powerkiddy 12 aluminium
- Steel
- 4,8 kg

POWERKIDDY 12



- PURPLE
- △ Powerkiddy 12 aluminium
- Steel
- 4,8 kg

EBS



EBS AMR



NIVOLET EBS

28"



- WHITE/BLACK/LIME GREEN
- △ Nivolet UHM carbon CGR
- CG Carbon
- ◆ Shimano Ultegra 11-Speed
- ✖ Shimano Ultegra 50-34
- ◎ Shimano Ultegra
- 6,9 kg

AMR EBS

27.5"



- WHITE/BLACK/LIME GREEN
- △ AMR 27.5 aluminium
- Fox 32 Float O/C Evolution CTD 130 mm 15 mm thru-axle
- ◆ Fox Float CTD XV 120 mm
- ◆ Shimano XT Plus 10-Speed
- ✖ Shimano SLX 42-32-24
- ◎ Shimano Deore Disc 180 mm
- 13,6 kg

NILA EBS

27.5"



- WHITE/LIME GREEN/BLACK
- △ Nila 27.5 HM carbon
- Fox 32 Float O/C Evolution CTD Remote 100 mm
- ◆ Shimano XT 10-Speed
- ✖ Shimano Deore 40-30-22
- ◎ Shimano Deore Disc 180/160 mm
- 11,2 kg

KATO EBS

27.5"



- WHITE/BLACK/LIME GREEN
- △ Kato 27.5 aluminium
- Fox 32 Float O/C Evolution CTD Remote 120 mm
- ◆ Shimano XT 10-Speed
- ✖ Shimano XT 40-30-22
- ◎ Shimano Deore Disc 180 mm
- 12,0 kg

GEAR & APPAREL



MEN'S

RACE LINE

JERSEY SHORT



ART. NR.	DESCRIPTION	SIZE
15058	JERSEY SHORT RED / BLACK	S
15059	JERSEY SHORT RED / BLACK	M
15060	JERSEY SHORT RED / BLACK	L
15061	JERSEY SHORT RED / BLACK	XL
15062	JERSEY SHORT RED / BLACK	XXL
15063	JERSEY SHORT RED / BLACK	XXXL

RACE LINE

JERSEY LONG



ART. NR.	DESCRIPTION	SIZE
15070	JERSEY LONG RED / BLACK	S
15071	JERSEY LONG RED / BLACK	M
15072	JERSEY LONG RED / BLACK	L
15073	JERSEY LONG RED / BLACK	XL
15074	JERSEY LONG RED / BLACK	XXL
15075	JERSEY LONG RED / BLACK	XXXL

JERSEY SHORT



15064	JERSEY SHORT BLUE / BLACK	S
15065	JERSEY SHORT BLUE / BLACK	M
15066	JERSEY SHORT BLUE / BLACK	L
15067	JERSEY SHORT BLUE / BLACK	XL
15068	JERSEY SHORT BLUE / BLACK	XXL
15069	JERSEY SHORT BLUE / BLACK	XXXL



JERSEY LONG

15076	JERSEY LONG BLUE / BLACK	S
15077	JERSEY LONG BLUE / BLACK	M
15078	JERSEY LONG BLUE / BLACK	L
15079	JERSEY LONG BLUE / BLACK	XL
15080	JERSEY LONG BLUE / BLACK	XXL
15081	JERSEY LONG BLUE / BLACK	XXXL

JERSEY SHORT



14213	JERSEY SHORT „REGULAR FIT“ BLACK	S
14214	JERSEY SHORT „REGULAR FIT“ BLACK	M
14215	JERSEY SHORT „REGULAR FIT“ BLACK	L
14216	JERSEY SHORT „REGULAR FIT“ BLACK	XL
14217	JERSEY SHORT „REGULAR FIT“ BLACK	XXL
14218	JERSEY SHORT „REGULAR FIT“ BLACK	XXXL



BIB SHORTS

15132	BIB SHORTS BLACK / RED	S
15133	BIB SHORTS BLACK / RED	M
15134	BIB SHORTS BLACK / RED	L
15135	BIB SHORTS BLACK / RED	XL
15136	BIB SHORTS BLACK / RED	XXL
15137	BIB SHORTS BLACK / RED	XXXL

MEN'S



RACE LINE

BIB TIGHT

ART. NR.	DESCRIPTION	SIZE
15331	BIB TIGHT BLACK	S
15332	BIB TIGHT BLACK	M
15333	BIB TIGHT BLACK	L
15334	BIB TIGHT BLACK	XL
15335	BIB TIGHT BLACK	XXL
15336	BIB TIGHT BLACK	XXXL



WIND JACKET

15187	WIND JACKET RED / BLACK	S
15188	WIND JACKET RED / BLACK	M
15189	WIND JACKET RED / BLACK	L
15190	WIND JACKET RED / BLACK	XL
15191	WIND JACKET RED / BLACK	XXL
15192	WIND JACKET RED / BLACK	XXXL



WIND JACKET

15193	WIND JACKET BLUE / BLACK	S
15194	WIND JACKET BLUE / BLACK	M
15195	WIND JACKET BLUE / BLACK	L
15196	WIND JACKET BLUE / BLACK	XL
15197	WIND JACKET BLUE / BLACK	XXL
15198	WIND JACKET BLUE / BLACK	XXXL



RACE LINE

WINTER JACKET

ART. NR.	DESCRIPTION	SIZE
15199	WINTER JACKET RED / BLACK	S
15200	WINTER JACKET RED / BLACK	M
15201	WINTER JACKET RED / BLACK	L
15202	WINTER JACKET RED / BLACK	XL
15203	WINTER JACKET RED / BLACK	XXL
15204	WINTER JACKET RED / BLACK	XXXL



WINTER JACKET

15205	WINTER JACKET BLUE / BLACK	S
15206	WINTER JACKET BLUE / BLACK	M
15207	WINTER JACKET BLUE / BLACK	L
15208	WINTER JACKET BLUE / BLACK	XL
15209	WINTER JACKET BLUE / BLACK	XXL
15210	WINTER JACKET BLUE / BLACK	XXXL



TEAM JERSEY

15362	TEAM JERSEY RED/WHITE	S
15363	TEAM JERSEY RED/WHITE	M
15364	TEAM JERSEY RED/WHITE	L
15365	TEAM JERSEY RED/WHITE	XL
15366	TEAM JERSEY RED/WHITE	XXL
15367	TEAM JERSEY RED/WHITE	XXXL

TEAM BIB SHORTS

15368	TEAM BIB SHORTS RED/WHITE	S
15369	TEAM BIB SHORTS RED/WHITE	M
15370	TEAM BIB SHORTS RED/WHITE	L
15371	TEAM BIB SHORTS RED/WHITE	XL
15372	TEAM BIB SHORTS RED/WHITE	XXL
15373	TEAM BIB SHORTS RED/WHITE	XXXL

MEN'S



ALLMOUNTAIN LINE

AM JERSEY SHORT

ART. NR.	DESCRIPTION	SIZE
15102	AM JERSEY SHORT GREEN / BLUE	S
15103	AM JERSEY SHORT GREEN / BLUE	M
15104	AM JERSEY SHORT GREEN / BLUE	L
15105	AM JERSEY SHORT GREEN / BLUE	XL
15106	AM JERSEY SHORT GREEN / BLUE	XXL
15107	AM JERSEY SHORT GREEN / BLUE	XXXL



ALLMOUNTAIN LINE

AM JERSEY LONG

ART. NR.	DESCRIPTION	SIZE
15114	AM JERSEY LONG GREEN / BLUE	S
15115	AM JERSEY LONG GREEN / BLUE	M
15116	AM JERSEY LONG GREEN / BLUE	L
15117	AM JERSEY LONG GREEN / BLUE	XL
15118	AM JERSEY LONG GREEN / BLUE	XXL
15119	AM JERSEY LONG GREEN / BLUE	XXXL



AM JERSEY SHORT

15108	AM JERSEY SHORT RED / BLUE	S
15109	AM JERSEY SHORT RED / BLUE	M
15110	AM JERSEY SHORT RED / BLUE	L
15111	AM JERSEY SHORT RED / BLUE	XL
15112	AM JERSEY SHORT RED / BLUE	XXL
15113	AM JERSEY SHORT RED / BLUE	XXXL



AM JERSEY LONG

15120	AM JERSEY LONG RED / BLUE	S
15121	AM JERSEY LONG RED / BLUE	M
15122	AM JERSEY LONG RED / BLUE	L
15123	AM JERSEY LONG RED / BLUE	XL
15124	AM JERSEY LONG RED / BLUE	XXL
15125	AM JERSEY LONG RED / BLUE	XXXL



AM JERSEY LONG

15337	AM JERSEY RIOT LONG BLACK / WHITE	S
15338	AM JERSEY RIOT LONG BLACK / WHITE	M
15339	AM JERSEY RIOT LONG BLACK / WHITE	L
15340	AM JERSEY RIOT LONG BLACK / WHITE	XL
15341	AM JERSEY RIOT LONG BLACK / WHITE	XXL
15342	AM JERSEY RIOT LONG BLACK / WHITE	XXXL

MEN'S



ALL MOUNTAIN LINE

AM SHORTS

ART. NR.	DESCRIPTION	SIZE
15153	AM SHORTS MAN GREEN	S
15154	AM SHORTS MAN GREEN	M
15155	AM SHORTS MAN GREEN	L
15156	AM SHORTS MAN GREEN	XL
15157	AM SHORTS MAN GREEN	XXL



AM SHORTS

15148	AM SHORTS MAN BLUE	S
15149	AM SHORTS MAN BLUE	M
15150	AM SHORTS MAN BLUE	L
15151	AM SHORTS MAN BLUE	XL
15152	AM SHORTS MAN BLUE	XXL



AM SHORTS

15158	AM SHORTS MAN BLACK	S
15159	AM SHORTS MAN BLACK	M
15160	AM SHORTS MAN BLACK	L
15161	AM SHORTS MAN BLACK	XL
15162	AM SHORTS MAN BLACK	XXL

WOMEN'S



RACE LINE

JERSEY SHORT

ART. NR.	DESCRIPTION	SIZE
15082	JERSEY LADY SHORT GREEN / BLUE	XS
15083	JERSEY LADY SHORT GREEN / BLUE	S
15084	JERSEY LADY SHORT GREEN / BLUE	M
15085	JERSEY LADY SHORT GREEN / BLUE	L
15086	JERSEY LADY SHORT GREEN / BLUE	XL



JERSEY SHORT

15087	JERSEY LADY SHORT RED / BLUE	XS
15088	JERSEY LADY SHORT RED / BLUE	S
15089	JERSEY LADY SHORT RED / BLUE	M
15090	JERSEY LADY SHORT RED / BLUE	L
15091	JERSEY LADY SHORT RED / BLUE	XL



JERSEY LONG

15092	JERSEY LADY LONG GREEN / BLUE	XS
15093	JERSEY LADY LONG GREEN / BLUE	S
15094	JERSEY LADY LONG GREEN / BLUE	M
15095	JERSEY LADY LONG GREEN / BLUE	L
15096	JERSEY LADY LONG GREEN / BLUE	XL

WOMEN'S



RACE LINE

JERSEY LONG

ART. NR.	DESCRIPTION	SIZE
15097	JERSEY LADY LONG RED / BLUE	XS
15098	JERSEY LADY LONG RED / BLUE	S
15099	JERSEY LADY LONG RED / BLUE	M
15100	JERSEY LADY LONG RED / BLUE	L
15101	JERSEY LADY LONG RED / BLUE	XL



SHORTS

15143	SHORTS LADY WHITE / BLUE	XS
15144	SHORTS LADY WHITE / BLUE	S
15145	SHORTS LADY WHITE / BLUE	M
15146	SHORTS LADY WHITE / BLUE	L
15147	SHORTS LADY WHITE / BLUE	XL



SHORTS

15138	SHORTS LADY WHITE / RED	XS
15139	SHORTS LADY WHITE / RED	S
15140	SHORTS LADY WHITE / RED	M
15141	SHORTS LADY WHITE / RED	L
15142	SHORTS LADY WHITE / RED	XL


WOMEN'S



RACE LINE

TEAM JERSEY

ART. NR.	DESCRIPTION	SIZE
15362	TEAM JERSEY RED/WHITE	S
15363	TEAM JERSEY RED/WHITE	M
15364	TEAM JERSEY RED/WHITE	L
15365	TEAM JERSEY RED/WHITE	XL
15366	TEAM JERSEY RED/WHITE	XXL
15367	TEAM JERSEY RED/WHITE	XXXL



TEAM BIB SHORTS

15368	TEAM BIB SHORTS RED/WHITE	S
15369	TEAM BIB SHORTS RED/WHITE	M
15370	TEAM BIB SHORTS RED/WHITE	L
15371	TEAM BIB SHORTS RED/WHITE	XL
15372	TEAM BIB SHORTS RED/WHITE	XXL
15373	TEAM BIB SHORTS RED/WHITE	XXXL

WOMEN'S

ALL MOUNTAIN LINE

AM SHORTS



ART. NR.	DESCRIPTION	SIZE
15168	AM SHORTS LADY GREEN	XS
15169	AM SHORTS LADY GREEN	S
15170	AM SHORTS LADY GREEN	M
15171	AM SHORTS LADY GREEN	L
15172	AM SHORTS LADY GREEN	XL



AM SHORTS

15163	AM SHORTS LADY BLUE	XS
15164	AM SHORTS LADY BLUE	S
15165	AM SHORTS LADY BLUE	M
15166	AM SHORTS LADY BLUE	L
15167	AM SHORTS LADY BLUE	XL



KID'S



CYCLING WEAR

JERSEY BOY SHORT

ART. NR.	DESCRIPTION	SIZE
14219	JERSEY BOY SHORT BLACK / RED	128
14220	JERSEY BOY SHORT BLACK/RED	140
14221	JERSEY BOY SHORT BLACK / RED	152
14222	JERSEY BOY SHORT BLACK / GREEN	128
14223	JERSEY BOY SHORT BLACK / GREEN	140
14224	JERSEY BOY SHORT BLACK / GREEN	152

AM JERSEY BOY SHORT

14363	AM JERSEY KIDS SHORT BLACK / WHITE / RED	128
14364	AM JERSEY KIDS SHORT BLACK / WHITE / RED	140
14365	AM JERSEY KIDS SHORT BLACK / WHITE / RED	152
14366	AM JERSEY KIDS SHORT BLACK / BLUE / GREEN	128
14367	AM JERSEY KIDS SHORT BLACK / BLUE / GREEN	140
14368	AM JERSEY KIDS SHORT BLACK / BLUE / GREEN	152

SHORTS BOY

14252	SHORTS BOY BLACK / RED	128
14253	SHORTS BOY BLACK / RED	140
14254	SHORTS BOY BLACK / RED	152
14255	SHORTS BOY BLACK / GREEN	128
14256	SHORTS BOY BLACK / GREEN	140
14257	SHORTS BOY BLACK / GREEN	152



KID'S



CYCLING WEAR

JERSEY MISSY SHORT

ART. NR.	DESCRIPTION	SIZE
14274	JERSEY MISSY SHORT MINT	128
14275	JERSEY MISSY SHORT MINT	140
14276	JERSEY MISSY SHORT MINT	152
14277	JERSEY MISSY SHORT WATERFALL	128
14278	JERSEY MISSY SHORT WATERFALL	140
14279	JERSEY MISSY SHORT WATERFALL	152

SHORTS MISSY

14300	SHORTS MISSY MINT / BROWN	128
14301	SHORTS MISSY MINT / BROWN	140
14302	SHORTS MISSY MINT / BROWN	152
14303	SHORTS MISSY WATERFALL / GREY	128
14304	SHORTS MISSY WATERFALL / GREY	140
14305	SHORTS MISSY WATERFALL / GREY	152



KIDS HELMET

14052	HELMET KIDS GREEN	47-50 CM
14051	HELMET KIDS WHITE	47-50 CM

LEISURE CYCLING WEAR

T-SHIRT RIOT



ART. NR.	DESCRIPTION	SIZE
15211	T-SHIRT RIOT BLUE	S
15212	T-SHIRT RIOT BLUE	M
15213	T-SHIRT RIOT BLUE	L
15214	T-SHIRT RIOT BLUE	XL
15215	T-SHIRT RIOT BLUE	XXL



LEISURE CYCLING WEAR

T-SHIRT RIOT

ART. NR.	DESCRIPTION	SIZE
15241	T-SHIRT RIOT WHITE	S
15242	T-SHIRT RIOT WHITE	M
15243	T-SHIRT RIOT WHITE	L
15244	T-SHIRT RIOT WHITE	XL
15245	T-SHIRT RIOT WHITE	XXL



T-SHIRT RIOT

15216	T-SHIRT RIOT GREEN	S
15217	T-SHIRT RIOT GREEN	M
15218	T-SHIRT RIOT GREEN	L
15219	T-SHIRT RIOT GREEN	XL
15220	T-SHIRT RIOT GREEN	XXL



T-SHIRT RIOT

15221	T-SHIRT RIOT RED	S
15222	T-SHIRT RIOT RED	M
15223	T-SHIRT RIOT RED	L
15224	T-SHIRT RIOT RED	XL
15225	T-SHIRT RIOT RED	XXL



T-SHIRT DOUBLE G

15231	T-SHIRT DOUBLE G BLUE	S
15232	T-SHIRT DOUBLE G BLUE	M
15233	T-SHIRT DOUBLE G BLUE	L
15234	T-SHIRT DOUBLE G BLUE	XL
15235	T-SHIRT DOUBLE G BLUE	XXL

LEISURE CYCLING WEAR

T-SHIRT DOUBLE G



ART. NR.	DESCRIPTION	SIZE
15236	T-SHIRT DOUBLE G LIME GREEN	S
15237	T-SHIRT DOUBLE G LIME GREEN	M
15238	T-SHIRT DOUBLE G LIME GREEN	L
15239	T-SHIRT DOUBLE G LIME GREEN	XL
15240	T-SHIRT DOUBLE G LIME GREEN	XXL

LEISURE CYCLING WEAR

SOFTSHELL JACKET MAN



ART. NR.	DESCRIPTION	SIZE
15257	SOFTSHELL JACKET MAN RED / BLACK	S
15258	SOFTSHELL JACKET MAN RED / BLACK	M
15259	SOFTSHELL JACKET MAN RED / BLACK	L
15260	SOFTSHELL JACKET MAN RED / BLACK	XL
15261	SOFTSHELL JACKET MAN RED / BLACK	XXL

SOFTSHELL JACKET LADY

15262	SOFTSHELL JACKET LADY RED / BLACK	XXS
15263	SOFTSHELL JACKET LADY RED / BLACK	XS
15264	SOFTSHELL JACKET LADY RED / BLACK	S
15265	SOFTSHELL JACKET LADY RED / BLACK	M
15266	SOFTSHELL JACKET LADY RED / BLACK	L
15267	SOFTSHELL JACKET LADY RED / BLACK	XL

SOFTSHELL JACKET MAN



15246	SOFTSHELL JACKET MAN BLUE / GREEN	S
15247	SOFTSHELL JACKET MAN BLUE / GREEN	M
15248	SOFTSHELL JACKET MAN BLUE / GREEN	L
15249	SOFTSHELL JACKET MAN BLUE / GREEN	XL
15250	SOFTSHELL JACKET MAN BLUE / GREEN	XXL

SOFTSHELL JACKET LADY

15251	SOFTSHELL JACKET LADY BLUE / GREEN	XXS
15252	SOFTSHELL JACKET LADY BLUE / GREEN	XS
15253	SOFTSHELL JACKET LADY BLUE / GREEN	S
15254	SOFTSHELL JACKET LADY BLUE / GREEN	M
15255	SOFTSHELL JACKET LADY BLUE / GREEN	L
15256	SOFTSHELL JACKET LADY BLUE / GREEN	XL



FLEECE JACKET MAN

15268	FLEECE JACKET MAN BLUE	S
15269	FLEECE JACKET MAN BLUE	M
15270	FLEECE JACKET MAN BLUE	L
15271	FLEECE JACKET MAN BLUE	XL
15272	FLEECE JACKET MAN BLUE	XXL

FLEECE JACKET LADY

15273	FLEECE JACKET LADY BLUE	XXS
15274	FLEECE JACKET LADY BLUE	XS
15275	FLEECE JACKET LADY BLUE	S
15276	FLEECE JACKET LADY BLUE	M
15277	FLEECE JACKET LADY BLUE	L
15278	FLEECE JACKET LADY BLUE	XL

LEISURE CYCLING WEAR



FLEECE JACKET MAN

ART. NR.	DESCRIPTION	SIZE
15279	FLEECE JACKET MAN BLACK	S
15280	FLEECE JACKET MAN BLACK	M
15281	FLEECE JACKET MAN BLACK	L
15282	FLEECE JACKET MAN BLACK	XL
15283	FLEECE JACKET MAN BLACK	XXL



HOODY

15290	HOODY BLUE	S
15291	HOODY BLUE	M
15292	HOODY BLUE	L
15293	HOODY BLUE	XL
15294	HOODY BLUE	XXL



HOODY

15295	HOODY BLACK	S
15296	HOODY BLACK	M
15297	HOODY BLACK	L
15298	HOODY BLACK	XL
15299	HOODY BLACK	XXL



SPORTS CYCLING WEAR

GLOVES SHORT



ART. NR.	DESCRIPTION	SIZE
15000	GLOVES SHORT BLACK	S
15001	GLOVES SHORT BLACK	M
15002	GLOVES SHORT BLACK	L
15003	GLOVES SHORT BLACK	XL
15004	GLOVES SHORT BLACK	XXL



GLOVES SHORT



15005	GLOVES SHORT LIME GREEN	S
15006	GLOVES SHORT LIME GREEN	M
15007	GLOVES SHORT LIME GREEN	L
15008	GLOVES SHORT LIME GREEN	XL
15009	GLOVES SHORT LIME GREEN	XXL



GLOVES SHORT



15010	GLOVES SHORT RED	S
15011	GLOVES SHORT RED	M
15012	GLOVES SHORT RED	L
15013	GLOVES SHORT RED	XL
15014	GLOVES SHORT RED	XXL



GLOVES SHORT



14129	GLOVES SHORT BLACK / GREEN	S
14130	GLOVES SHORT BLACK / GREEN	M
14131	GLOVES SHORT BLACK / GREEN	L
14132	GLOVES SHORT BLACK / GREEN	XL
14133	GLOVES SHORT BLACK / GREEN	XXL



SPORTS CYCLING WEAR

AM GLOVES

ART. NR.	DESCRIPTION	SIZE
15015	AM GLOVES RED / BLACK	S
15016	AM GLOVES RED / BLACK	M
15017	AM GLOVES RED / BLACK	L
15018	AM GLOVES RED / BLACK	XL
15019	AM GLOVES RED / BLACK	XXL

15020	AM GLOVES LIME GREEN / BLUE	S
15021	AM GLOVES LIME GREEN / BLUE	M
15022	AM GLOVES LIME GREEN / BLUE	L
15023	AM GLOVES LIME GREEN / BLUE	XL
15024	AM GLOVES LIME GREEN / BLUE	XXL

15025	AM GLOVES BLUE / RED	S
15026	AM GLOVES BLUE / RED	M
15027	AM GLOVES BLUE / RED	L
15028	AM GLOVES BLUE / RED	XL
15029	AM GLOVES BLUE / RED	XXL

MUFFLER

15050	MUFFLER RED / BLUE	-
15052	MUFFLER BLUE / GREEN	-
15051	MUFFLER RIOT	-
14010	MUFFLER RED	-
14011	MUFFLER BLACK	-



SPORTS CYCLING WEAR

LEG WARMERS



ARM WARMERS



SHOE COVER



HELMET



ART. NR.	DESCRIPTION	SIZE
101210	LEG WARMERS BLACK	XS
101211	LEG WARMERS BLACK	S
101212	LEG WARMERS BLACK	M

101205	ARM WARMERS BLACK	XS
101206	ARM WARMERS BLACK	S
101207	ARM WARMERS BLACK	M

101215	SHOE COVER BLACK WINDTEX	38/39
101216	SHOE COVER BLACK WINDTEX	40/41
101217	SHOE COVER BLACK WINDTEX	42/43
101218	SHOE COVER BLACK WINDTEX	44/45

15301	HELMET CLASSIC EDITION WHITE / BLACK / LIME GREEN	53-59 CM
15302	HELMET CLASSIC EDITION WHITE / BLACK / LIME GREEN	59-61 CM
15303	HELMET CLASSIC EDITION BLACK / GREY / RED / CYAN	53-59 CM
15304	HELMET CLASSIC EDITION BLACK / GREY / RED / CYAN	59-61 CM

SPORTS CYCLING WEAR

SOX



ART. NR.	DESCRIPTION	SIZE
15343	SOX LONG BLACK	35-38
15344	SOX LONG BLACK	39-42
15345	SOX LONG BLACK	43-45
15346	SOX LONG BLACK	46-48

15351	SOX SHORT BLACK	35-38
15352	SOX SHORT BLACK	39-42
15353	SOX SHORT BLACK	43-45
15354	SOX SHORT BLACK	46-48

SOX

15347	SOX LONG BLUE	35-38
15348	SOX LONG BLUE	39-42
15349	SOX LONG BLUE	43-45
15350	SOX LONG BLUE	46-48
15355	SOX SHORT BLUE	35-38
15356	SOX SHORT BLUE	39-42
15357	SOX SHORT BLUE	43-45
15358	SOX SHORT BLUE	46-48

SOX

14002	SOX SHORT WHITE	35-38
14003	SOX SHORT WHITE	39-42
14004	SOX SHORT WHITE	43-45
14005	SOX SHORT WHITE	46-48

SOX

14006	SOX SHORT BLACK	35-38
14007	SOX SHORT BLACK	39-42
14008	SOX SHORT BLACK	43-45
14009	SOX SHORT BLACK	46-48

ACCESSORIES

BEANIE



ART. NR.	DESCRIPTION	SIZE
15053	BEANIE BLUE	



15054	BEANIE JAQUARD WHITE
-------	----------------------



15300	BEANIE GREY
-------	-------------



15055	BEANIE JAQUARD BLUE
-------	---------------------



CAP

15057	CAP BLACK / GREEN
-------	-------------------



CAP

15056	CAP BLACK / RED
-------	-----------------

ACCESSORIES

SADDLEBAG



ART. NR.	DESCRIPTION	SIZE
14436	BIKE SADDLEBAG SMALL BLACK	0,5 L
14437	BIKE SADDLEBAG BIG BLACK	1,0 L + 0,2 L



WATER BOTTLE

15361	WATER BOTTLE WHITE / GREEN / BLUE	0,75 L
15360	WATER BOTTLE WHITE / BLUE / RED	0,75 L



14097	WATER BOTTLE BLACK / RED	0,75 L
14098	WATER BOTTLE BLACK / LIME GREEN	0,75 L
14096	WATER BOTTLE CLEAR / BLACK	0,75 L
14099	WATER BOTTLE CLEAR / BLACK	0,5 L



CUP

14001	CUP WHITE
-------	-----------



BEACH CHAIR

14448	BEACH CHAIR
-------	-------------



TOOL

15359	BIKEHAND FOLDING TOOL
-------	-----------------------

ACCESSORIES

BIKE BACKPACK



ART. NR.	DESCRIPTION	SIZE
15329	BIKE BACKPACK BLACK / GREEN	12 L
15330	BIKE BACKPACK BLACK	12 L
14048	BIKE BACKPACK GREY / RED	12 L



14049	BIKE BACKPACK RED / GREY	20 L
-------	--------------------------	------



TRAVEL BAG

14045	TRAVEL BAG BIG RED / WHITE	95L
14046	TRAVEL BAG SMALL RED / WHITE	40L+5L



TOILETRY BAG

14047	TOILETRY BAG RED / WHITE	
-------	--------------------------	--

ACCESSORIES

WING BANNER



ART. NR.	DESCRIPTION	SIZE
14450	WING BANNER DOUBLE G	80X280CM
14474	WING BANNER GHOST	80X280CM

CANOPY STEEL



101296	CANOPY STEEL WITHOUT SIDEWALL RED	3MX3M
--------	-----------------------------------	-------



SIDEWALL

101300	SIDEWALL	3MX3M
--------	----------	-------



BANNER

101299	BANNER SMALL RED / WHITE	0,65X2,5M
101301	BANNER BIG RED / WHITE	0,85X3,5M



UMBRELLA

14012	UMBRELLA	
-------	----------	--


AFTERMARKET

HANDLEBAR



ART. NR.	DESCRIPTION
14142	RIZER HANDLEBAR LIGHT HBRB 12 RIZE 15 BACK 9° LENGTH 740 MM WITH CUTTING LINES (720-700-680) BLACK WITH WHITE STICKER
14143	RIZER HANDLEBAR LIGHT HBRB 22 RIZE 10 BACK 9° LENGTH 720 MM WITH CUTTING LINES (700-680) BLACK WITH WHITE STICKER
14144	FLAT HANDLEBAR LIGHT HBFB 12 RIZE 0 BACK 9° LENGTH 720 MM WITH CUTTING LINES (700-680) BLACK WITH WHITE STICKER
15030	RIZER HANDLEBAR LIGHT HBRB 22 RIZE 10 BACK 9° LENGTH 740 MM WITH CUTTING LINES (720-700) ANODIZED MATT RED: GHOST LOGO
15031	RIZER HANDLEBAR LIGHT HBRB 22 RIZE 10 BACK 9° LENGTH 740 MM WITH CUTTING LINES (720-700) ANODIZED MATT BLUE: GHOST LOGO
15032	RIZER HANDLEBAR LIGHT HBRB 22 RIZE 10 BACK 9° LENGTH 740 MM WITH CUTTING LINES (720-700) ANODIZED MATT GREEN: GHOST LOGO

WATER BOTTLE CAGE



14089	WATER BOTTLE CAGE BLACK/RED PLASTIC
14090	WATER BOTTLE CAGE BLACK/GREEN PLASTIC
14091	WATER BOTTLE CAGE WHITE/GREY PLASTIC
14108	WATER BOTTLE CAGE BLACK/GREY PLASTIC



AFTERMARKET

WATER BOTTLE CAGE

ART. NR.	DESCRIPTION
15037	WATER BOTTLE CAGE RIOT BLUE PLASTIC
15038	WATER BOTTLE CAGE RIOT GREEN PLASTIC
15039	WATER BOTTLE CAGE RIOT RED PLASTIC
15048	WATER BOTTLE CAGE BLACK MATT WITH WHITE GHOST LOGO CD-75F ED MATT BLK

KICK STAND

14161	KICK STAND CENTER YCA-51 FITS 16"-24" COLOR: BLACK
14162	KICK STAND CENTER SW-MA008J FITS 26" - 28 " COLOR: BLACK
15036	KICK STAND REAR 40 MM W/ STAINLESS BOLTS FINI



PROTECTOR

14092	CHAINSTAY PROTECTOR SIZE SMALL BLACK
14093	CHAINSTAY PROTECTOR SIZE MEDIUM BLACK
14094	CHAINSTAY PROTECTOR SIZE LARGE BLACK

AFTERMARKET

GRIPS



ART. NR.	DESCRIPTION
14057	GRIP WITH END PLUGS WITHOUT FIXING SCREW BLACK/GREY
14059	GRIP WITH END PLUGS WITHOUT FIXING SCREW BLACK/GREEN
14060	GRIP WITH END PLUGS WITHOUT FIXING SCREW BLACK/WHITE
14061	GRIP WITH END PLUGS WITHOUT FIXING SCREW BLACK/RED



14063	GRIP WITH END PLUGS W FIXING SCREWS BLACK/GREY
14066	GRIP WITH END PLUGS W FIXING SCREWS BLACK/GREEN
14065	GRIP WITH END PLUGS W FIXING SCREWS BLACK/WHITE
14064	GRIP WITH END PLUGS W FIXING SCREWS BLACK/RED



15042	GRIP RIOT W FIXING SCREW VLG-1532D2-L1 GREEN
15043	GRIP RIOT W FIXING SCREW VLG-1532D2-L1 BLUE
15044	GRIP RIOT W FIXING SCREW VLG-1532D2-L1 RED
15045	GRIP RIOT W FIXING SCREW VLG-1532D2-L1 BLACK




GRIPS

ART. NR.	DESCRIPTION
15046	ERGO GRIP W FIXING SCREW VLG-1389D3 BLACK/WHITE
15047	ERGO GRIP W FIXING SCREW VLG-1389D3 WHITE/BLACK



HANDLEBAR TAPE

14067	RACE HANDLEBAR TAPE BLACK/WHITE
14068	RACE HANDLEBAR TAPE WHITE/BLACK



PROTECTION STICKER

15041	PROTECTION KIT CLEAR
-------	----------------------



15040	RIOT PROTECTION STICKER BLACK/CARBON
-------	--------------------------------------

AFTERMARKET

HEADSET




ART. NR.	DESCRIPTION
14102	HEADSET PT-F2A HEADSET ALLOY, HEAVY DUTY 1.5INCH / 1-1/8INCH STEERER, 28.6X49.6X30, ALLOY TOP COVER, W/AL7075 CROWN RACE, BLK, W/O LOGO, W/O COMPRESSOR, INCL CAP, STARNUT AND GHOST LOGO, 2012
14103	HEADSET PT-F-11 HEADSET ALLOY AL6061T6, 1-1/8INCH TAPERED 1.5INCH / TAPERED STEERER, 28.6XID44XID55X39.8, ALLOY TOP COVER, W/AL7075 CROWN RACE, BLK, W/O LOGO, W/O COMPRESSOR, INCL CAP, STARNUT AND GHOST LOGO, 2012
14104	PRESTINE PT-F-11BHS REDUCER HEADSET STEEL, 1-1/8INCH TAPERED 1.5INCH / 1-1/8INCH STEERER, 28.6XID44XID55X30, ALLOY TOP COVER, W/CROWN RACE, BLK, W/O LOGO, W/O COMPRESSOR, INCL CAP, STARNUT AND GHOST LOGO, 2012
14105	PRESTINE PT-F-11BH HEADSET STEEL, 1-1/8INCH TAPERED 1.5INCH / TAPERED STEERER, 28.6XID44XID55X39.8, ALLOY TOP COVER, W/CROWN RACE, BLK, W/O LOGO, W/O COMPRESSOR, INCL CAP, STARNUT AND GHOST LOGO, 2012
14106	HEADSET PT-1806H HEADSET STEEL, 1-1/8INCH, 28.6XID44XID44X30, ALLOY TOP COVER, W/CROWN RACE, BLK, W/O LOGO, W/O COMPRESSOR, INCL CAP, STARNUT AND GHOST LOGO, 2012
14107	PT-F-11S REDUCER HEADSET ALLOY AL6061T6, 1-1/8INCH TAPERED 1.5INCH / 1-1/8INCH STEERER, 28.6XID44XID55X30, ALLOY TOP COVER, W/AL7075 CROWN RACE, BLK, W/O LOGO, W/O COMPRESSOR, INCL CAP, STARNUT AND GHOST LOGO, 2012

SEATPOST



14145	SEATPOST 717 SUPER LIGHT 31.6 400 MM BLACK WITH WHITE STICKER
14146	SEATPOST 717 SUPER LIGHT 27.2 400 MM BLACK WITH WHITE STICKER
14147	SEATPOST QTS-P02 LECTOR SUPER LIGHT 31.6 400 MM UD BLACK WITH WHITE STICKER
14148	SEATPOST QTS-P02 LECTOR SUPER LIGHT 27.2 400 MM UD BLACK WITH WHITE STICKER



AFTERMARKET

SADDLE

ART. NR.	DESCRIPTION
14085	SADDLE COMFORT LADY VL-4212 BLACK/GREY
14086	SADDLE COMFORT LADY VL-4212 WHITE/GREY
14159	SADDLE COMFORT MAN VL-1535 BLACK/GREY
14160	SADDLE COMFORT MAN VL-1535 WHITE/GREY


STEM



14134	STEM 60 MM GH1 LIGHT D1 31.8 MM +/-7° BLACK WITH WHITE STICKER
14135	STEM 80 MM GH1 LIGHT D1 31.8 MM +/-7° BLACK WITH WHITE STICKER
14136	STEM 100 MM GH1 LIGHT D1 31.8 MM +/-7° BLACK WITH WHITE STICKER
14137	STEM 60 MM AS-029 LIGHT D1 31.8 MM +/-7° BLACK WITH WHITE STICKER
14138	STEM 80 MM AS-029 LIGHT D1 31.8 MM +/-7° BLACK WITH WHITE STICKER
14139	STEM 100 MM AS-029 LIGHT D1 31.8 MM +/-7° BLACK WITH WHITE STICKER
15033	RIOT GH3 STEM, 1 1/8 INCH, EXT. 50 MM
15034	RIOT GH3 STEM, 1 1/8 INCH, EXT. 60 MM
15035	RIOT GH3 STEM, 1 1/8 INCH, EXT. 70 MM



GEOMETRY



A	FRAME SIZE RAHMENHÖHE	M	WHEELBASE RADSTAND
B	TOP TUBE LENGTH OBERROHRLÄNGE	N	BB DROP TRETLAGERABSUNKUNG
C	REACH REACH	O	STAND OVER HEIGHT ÜBERSTANDSHÖHE
D	STACK STACK	P	STEM LENGTH VORBAULÄNGE
E	HEADTUBE LENGTH STEUERROHRLÄNGE	Q	EFFECTIVE COCKPIT LENGTH EFFEKTIVE COCKPILTÄNGE
F	CHAINSTAY LENGTH KETTENSTREBENLÄNGE	R	CRANK LENGTH KURBELLÄNGE
G	SEATTUBE ANGLE SITZROHRWINKEL	S	MIN. INSEAM MIN. SCHRITTLÄNGE
H	HEADTUBE ANGLE LENKWINKEL	T	MAX. INSEAM MAX. SCHRITTLÄNGE
J	SEAT POST DIAMETER SATTELSTÜTZENDURCHMESSER	U	MIN. SADDLE HEIGHT MIN. SATTELHÖHE
K	FRONT DERAILLEUR CLAMP UMWERFERFMASS	V	MAX. SADDLE HEIGHT MAX. SATTELHÖHE
L	SHOCK LENGTH FEDERELEMENT EINBAULÄNGE	W	HANDLEBAR WIDTH LENKERBREITE

THE HOOD		
M	M PRO	M FS
A	380	340
B	580	580
C	400	395
D	565	560
E	115	115
F	430	425
G	72°	71.5°
H	69°	68°
J	31.6	31.6
K	34.9	x
L	x	x
M	1080	1075
N	-12	-23
O	670	635
P	60	40
Q	640	580

GEOMETRY

GEOMETRY

DH		
S	M	L
40	40	40
A 400	400	400
B 585	610	635
C 385	410	435
D 600	600	600
E 120	120	120
F 445	445	445
G 61°	61°	61°
H 63°	63°	63°
J 34.9	34.9	34.9
K x	x	x
L 267	267	267
M 1180	1205	1230
N 0	0	0
O 725	725	725
P 50	50	50
Q 635	660	685

NORTHSORE		
S	M	L
41	41	41
A 410	410	410
B 550	570	590
C 390	410	430
D 605	605	605
E 120	120	120
F 430	430	430
G 58,5°	58,5°	58,5°
H 65°	65°	65°
J 34,9	34,9	34,9
K x	x	x
L 241	241	241
M 1145	1165	1185
N 0	0	0
O 745	745	745
P 60	60	60
Q 610	630	650

RIOT				
XS 40 15"	S 44 17,5"	M 48 19"	L 52 20,5"	XL 56 22"
A 400	440	480	520	560
B 570	585	610	635	650
C 405	420	440	465	475
D 575	580	590	600	610
E 100	110	120	130	140
F 430	430	430	430	430
G 74°	74°	74°	74°	74°
H 68°	68°	68°	68°	68°
J 31,6	31,6	31,6	31,6	31,6
K x	x	x	x	x
L 190	190	190	190	190
M 1105	1120	1145	1170	1190
N -12	-12	-12	-12	-12
O 700	715	735	760	775
P 60	60	60	70	70
Q 630	645	670	705	720

RIOT LT				
XS 40 15"	S 44 17,5"	M 48 19"	L 52 20,5"	XL 56 22"
A 400	440	480	520	560
B 570	590	612,5	640	655
C 395	410	425	450	460
D 580	590	600	610	620
E 100	110	120	130	140
F 430	430	430	430	430
G 73°	73°	73°	73°	73°
H 67°	67°	67°	67°	67°
J 31,6	31,6	31,6	31,6	31,6
K x	x	x	x	x
L 190	190	190	190	190
M 1115	1130	1155	1182,5	1197,5
N -3	-3	-3	-3	-3
O 720	735	755	780	795
P 50	60	60	70	70
Q 620	650	672,5	710	725

AMREBS (27,5)				
XS 40 15"	S 44 17,5"	M 48 19"	L 52 20,5"	XL 56 22"
A 400	440	480	520	560
B 570	585	600	620	640
C 390	405	420	440	460
D 585	585	595	595	595
E 110	110	120	120	120
F 430	430	430	430	430
G 73°	73°	73°	73°	73°
H 68°	68°	68°	68°	68°
J 31,6	31,6	31,6	31,6	31,6
K x	x	x	x	x
L 200	200	200	200	200
M 1100	1115	1130	1150	1170
N -15	-15	-15	-15	-15
O 725	750	765	780	805
P 60	60	70	70	80
Q 630	645	670	690	720

CAGUA				
XS 40 16"	S 44 17,5"	M 48 19"	L 52 20,5"	XL 56 22"
A 400	440	480	520	560
B 580	590	600	610	620
C 400	410	420	430	440
D 620	620	620	630	630
E 125	125	125	135	135
F 430	430	430	430	430
G 74°	74°	74°	74°	74°
H 67°	67°	67°	67°	67°
J 31,6	31,6	31,6	31,6	31,6
K x	x	x	x	x
L 216	216	216	216	216
M 1140	1150	1160	1170	1180
N -10	-10	-10	-10	-10
O 715	745	765	790	805
P 60	60	60	70	70
Q 640	650	660	680	690

AMR29				
XS 40 16"	S 44 17,5"	M 48 19"	L 52 20,5"	XL 56 22"
A 400	440	480	520	560
B 570	590	610	630	650
C 395	415	430	450	470
D 610	610	620	620	620
E 110	110	120	120	120
F 440	440	440	440	440
G 74°	74°	74°	74°	74°
H 69,5°	69,5°	69,5°	69,5°	69,5°
J 31,6	31,6	31,6	31,6	31,6
K x	x	x	x	x
L 190	190	190	190	190
M 1090	1110	1135	1155	1175
N -45	-45	-45	-45	-45
O 705	740	760	780	805
P 60	70	80	90	100
Q 630	660	690	720	750

AMR29 LT				
XS 40 16"	S 44 17,5"	M 48 19"	L 52 20,5"	XL 56 22"
A 400	440	480	520	560
B 575	595	615	635	655
C 390	410	425	450	470
D 615	615	625	625	625
E 110	110	120	120	120
F 440	440	440	440	440
G 73,5°	73,5°	73,5°	73,5°	73,5°
H 69°	69°	69°	69°	69°
J 31,6	31,6	31,6	31,6	31,6
K x	x	x	x	x
L 200	200	200	200	200
M 1105	1125	1142,5	1165	1185
N -32	-32	-32	-32	-32
O 750	750	760	780	805
P 60	60	70	80	90
Q 635	655	685	715	745

GEOMETRY

GEOMETRY

LANAO FS				
	S 40 16"	M 44 17,5"	L 48 19"	XL 52 20,5"
A	380	420	460	500
B	555	570	585	600
C	375	390	400	415
D	585	595	605	610
E	110	120	130	140
F	435	435	435	435
G	73°	73°	73°	73°
H	69°	69°	69°	69°
J	31,6	31,6	31,6	31,6
K	x	x	x	x
L	200	200	200	200
M	1075	1090	1105	1120
N	-10	-10	-10	-10
O	705	705	705	735
P	60	70	80	90
Q	615	640	665	690

HTX				
	XS 40 16"	S 44 17,5"	M 48 19"	L 52 20,5"
A	400	440	480	520
B	580	590	600	610
C	385	395	405	415
D	630	630	630	640
E	110	110	110	120
F	435	435	435	440
G	73°	73°	73°	73°
H	69°	69°	69°	69°
J	27,2	27,2	27,2	27,2
K	x	x	x	x
L	x	x	x	x
M	1080	1090	1100	1115
N	-70	-70	-70	-70
O	675	700	725	760
P	60	70	80	90
Q	640	660	680	700

KATO PRO 6,8				
	XS 40 15,5"	S 44 17,5"	M 48 19"	L 52 20,5"
A	380	420	460	500
B	570	585	600	620
C	390	400	415	435
D	590	600	600	610
E	100	110	110	120
F	420	420	420	420
G	73°	73°	73°	73°
H	68°	68°	68°	68°
J	31,6	31,6	31,6	31,6
K	x	x	x	x
L	x	x	x	x
M	1075	1095	1105	1130
N	-41	-41	-41	-41
O	685	700	745	765
P	60	70	80	90
Q	630	655	680	710

SONA 2-3				
	XXS 34 13,5"	S 40 15,5"	M 44 17,5"	L 52 19"
A	340	380	420	460
B	560	570	580	595
C	390	395	400	415
D	575	585	595	595
E	115	125	135	135
F	425	425	425	425
G	73,5°	73,5°	73,5°	73,5°
H	71°	71°	71°	71°
J	31,6	31,6	31,6	31,6
K	34,9	34,9	34,9	34,9
L	x	x	x	x
M	1040	1050	1060	1070
N	-35	-35	-35	-35
O	610	650	685	700
P	60	60	75	75
Q	620	630	650	670

KATO FS				
	XS 40 16"	S 44 17,5"	M 48 19"	L 52 20,5"
A	400	440	480	520
B	570	585	600	620
C	390	405	415	435
D	580	590	600	610
E	110	120	130	140
F	435	435	435	435
G	73°	73°	73°	73°
H	68°	68°	68°	68°
J	31,6	31,6	31,6	31,6
K	x	x	x	x
L	200	200	200	200
M	1100	1115	1130	1150
N	-10	-10	-10	-10
O	715	735	760	780
P	60	70	80	90
Q	630	655	680	710

KATO 3,4,5,7,EBS				
	XS 40 15,5"	S 44 17,5"	M 48 19"	L 52 22"
A	380	420	460	500
B	570	585	600	640
C	390	400	415	450
D	595	600	610	630
E	100	110	120	140
F	435	435	435	435
G	73°	73°	73°	73°
H	68°	68°	68°	68°
J	31,6	31,6	31,6	31,6
K	34,9	34,9	34,9	34,9
L	x	x	x	x
M	1090	1110	1125	1145
N	-41	-41	-41	-41
O	680	695	725	760
P	60	70	80	90
Q	630	655	680	710

NILA				
	XS 34 16"	S 40 17,5"	M 44 19"	L 48 20,5"
A	340	400	440	480
B	550	570	585	595
C	380	400	415	425
D	595	600	600	600
E	100	110	110	110
F	425	425	425	425
G	74°	74°	74°	74°
H	69°	69°	69°	69°
J	27,2	27,2	27,2	27,2
K	x	x	x	x
L	x	x	x	x
M	1055	1070	1095	1105
N	-56	-56	-56	-56
O	645	675	690	710
P	60	70	80	90
Q	610	640	665	685

LAWU 2-3				
	XS 34 13,5"	S 40 15,5"	M 44 17,5"	L 52 19"
A	340	380	420	460
B	550	560	570	590
C	380	385	390	405
D	575	585	595	595
E	115	125	135	135
F	425	425	425	425
G	73,5°	73,5°	73,5°	73,5°
H	71°	71°	71°	71°
J	31,6	31,6	31,6	31,6
K	34,9	34,9	34,9	34,9
L	x	x	x	x
M	1030	1040	1050	1065
N	-35	-35	-35	-35
O	615	645	660	690
P	60	60	75	75
Q	610	620	645	665

GEOMETRY

GEOMETRY

TACANA 2,3,4					
	XS 40 15,5"	S 44 17,5"	M 48 19"	L 52 20,5"	XL 56 22"
A	380	420	460	500	540
B	570	585	600	610	620
C	380	395	405	410	420
D	620	630	640	645	655
E	100	110	120	130	140
F	445	445	445	445	445
G	73°	73°	73°	73°	73°
H	70°	70°	70°	70°	70°
J	31,6	31,6	31,6	31,6	31,6
K	34,9	34,9	34,9	34,9	34,9
L	x	x	x	x	x
M	1075	1090	1105	1115	1125
N	-65	-65	-65	-65	-65
O	685	695	725	760	790
P	60	70	80	90	100
Q	630	655	680	700	720

TACANA 5,7					
	XS 40 15,5"	S 44 17,5"	M 48 19"	L 52 20,5"	XL 56 22"
A	380	420	460	500	540
B	580	595	610	620	630
C	390	405	415	420	430
D	620	630	640	645	655
E	100	110	120	130	140
F	445	445	445	445	445
G	73°	73°	73°	73°	73°
H	70°	70°	70°	70°	70°
J	31,6	31,6	31,6	31,6	31,6
K	34,9	34,9	34,9	34,9	34,9
L	x	x	x	x	x
M	1085	1100	1115	1125	1135
N	-65	-65	-65	-65	-65
O	690	695	730	760	795
P	60	70	80	90	100
Q	640	665	690	710	730

LANAO 2,3,4					
	XS 34 13,5"	S 40 15,5"	M 44 17,5"	L 48 19"	XL 52 20,5"
A	340	380	420	460	500
B	545	560	575	585	595
C	365	380	390	400	405
D	590	590	600	610	615
E	110	110	120	130	140
F	435	435	435	435	435
G	73°	73°	73°	73°	73°
H	70°	70°	70°	70°	70°
J	31,6	31,6	31,6	31,6	31,6
K	34,9	34,9	34,9	34,9	34,9
L	x	x	x	x	x
M	1045	1060	1075	1090	1100
N	-40	-40	-40	-40	-40
O	630	630	660	690	725
P	60	70	80	90	100
Q	605	630	655	675	695

SPEEDLINE				
	S 49	M 53	L 57	XL 61
A	470	510	550	590
B	580	590	605	615
C	410	415	420	420
D	570	580	610	640
E	165	175	205	240
F	440	440	445	445
G	73°	73°	73°	73°
H	70,5°	70,5°	71°	71°
J	31,6	31,6	31,6	31,6
K	34,9	34,9	34,9	34,9
L	x	x	x	x
M	1075	1085	1100	1110
N	-55	-55	-55	-55
O	705	745	785	820
P	80	90	100	100
Q	660	680	705	715

TACANA PRO 6,8					
	XS 40 15,5"	S 44 17,5"	M 48 19"	L 52 20,5"	XL 56 22"
A	380	420	460	500	540
B	580	595	610	620	630
C	395	407,5	420	425	435
D	605	615	625	635	645
E	90	100	110	120	130
F	430	430	430	430	430
G	73°	73°	73°	73°	73°
H	69°	69°	69°	69°	69°
J	31,6	31,6	31,6	31,6	31,6
K	x	x	x	x	x
L	x	x	x	x	x
M	1080	1095	1100	1125	1135
N	-65	-65	-65	-65	-65
O	685	695	725	760	795
P	60	70	80	90	100
Q	640	665	690	710	730

LANAO 5,6,7,8					
	XS 34 13,5"	S 40 15,5"	M 44 17,5"	L 48 19"	XL 52 20,5"
A	340	380	420	460	500
B	545	560	575	585	595
C	370	380	390	400	405
D	580	590	600	610	620
E	100	110	120	130	140
F	435	435	435	435	435
G	73°	73°	73°	73°	73°
H	70°	70°	70°	70°	70°
J	31,6	31,6	31,6	31,6	31,6
K	34,9	34,9	34,9	34,9	34,9
L	x	x	x	x	x
M	1045	1060	1075	1090	1100
N	-40	-40	-40	-40	-40
O	630	635	670	700	735
P	60	70	80	90	100
Q	605	630	655	675	695

POWERKID				
	24"	20"	16"	12"
A	320	270	230	180
B	485	440	380	315
C	x	x	x	x
D	x	x	x	x
E	100	110	100	100
F	415	355	315	240
G	73°	73,5°	73°	73°
H	71°	73,5°	71°	71°
J	31,6	27,2	27,2	27,2
K	34,9	x	x	x
L	x	x	x	x
M	955	840	725	595
N	-40	-20	200	160
O	550	470	395	340
P	60	60	30	30
Q	545	500	410	345
R	152	140	115	90
S	555	485	410	350
T	755	605	470	400

POWERKIDDY				
	12"			
A	165			
B	300			
C	x			
D	x			
E	60			
F	295			
G	72°			
H	72°			
J	27,2			
K	x			
L	x			
M	563			
N	x			
O	350			
P	35			
Q	335			
U	365			
V	430			

GEOMETRY

GEOMETRY

NIVOLET 8 DISC					
	XS 47	S 50	M 53	L 56	XL 59
A	460	490	520	550	580
B	518	531	546	56	585
C	375	375	375	385	390
D	515	535	555	575	595
E	120	140	160	180	200
F	415	415	415	415	415
G	74,5°	74°	73°	72,5°	72°
H	71,5°	72°	72,5°	73°	73°
J	27,2	27,2	27,2	27,2	27,2
K	34,9	34,9	34,9	34,9	34,9
L	x	x	x	x	x
M	980	984	982	994	1008
N	-67	-67	-67	-67	-67
O	675	700	730	760	785
P	80	90	100	110	120
Q	600	620	645	675	705
R	170	170	172,5	172,5	175
W	420	420	420	440	440

NIVOLET 2					
	XS 47	S 50	M 53	L 56	XL 58
A	460	490	520	550	580
B	518	531	546	566	585
C	375	380	375	385	390
D	515	535	555	575	595
E	120	140	160	180	200
F	412	412	412	412	412
G	74,5°	74°	73°	73°	72°
H	71,5°	72°	72,5°	72,5°	73°
J	27,2	27,2	27,2	27,2	27,2
K	31,8	31,8	31,8	31,8	31,8
L	x	x	x	x	x
M	977	981	982	991	1005
N	-67	-67	-67	-67	-67
O	695	720	745	775	800
P	80	90	100	110	120
Q	600	620	646	675	705
R	170	170	170	172,5	175
W	420	420	440	440	440

NIVOLET 4, 5, 6, 7					
	XS 47	S 50	M 53	L 56	XL 59
A	460	490	520	550	580
B	520	530	546	565	585
C	375	380	375	385	390
D	515	535	555	575	595
E	120	140	160	180	200
F	412	412	412	412	412
G	74,5°	74°	73°	72,5°	72°
H	71,5°	72°	72,5°	73°	73°
J	27,2	27,2	27,2	27,2	27,2
K	34,9	34,9	34,9	34,9	34,9
L	x	x	x	x	x
M	977	981	982	991	1005
N	-67	-67	-67	-67	-67
O	675	700	730	760	785
P	80	90	100	110	120
Q	600	620	645	675	705
R	170	170	172,5	175	175
W	420	420	440	440	440

NIVOLET 9 LC, EBS					
	XS 45	S 48	M 51	L 54	XL 58
A	450	480	510	540	580
B	509	518	530	545	575
C	365	365	375	375	390
D	500	505	530	552,5	590
E	105	110	130	150	185
F	405	405	405	405	405
G	74°	73,5°	73,5°	73°	72,5°
H	70°	70,5°	72°	73°	73,5°
J	27,2	27,2	27,2	27,2	27,2
K	x	x	x	x	x
L	x	x	x	x	x
M	968	968	969	969	988
N	-68	-68	-68	-68	-68
O	685	710	720	760	790
P	80	90	100	110	120
Q	590	610	630	655	695
R	170	170	172,5	172,5	175
W	420	420	420	440	440

PANAMA X 2-4 LADY					
	XS 40	S 44	M 48	L 52	
A	400	440	480	520	
B	550	560	570	580	
C	x	x	x	x	
D	x	x	x	x	
E	130	130	140	160	
F	440	440	440	440	
G	73°	73°	73°	73°	
H	70,5°	70,5°	70,5°	70,5°	
J	31,6	31,6	31,6	31,6	
K	34,9	34,9	34,9	34,9	
L	x	x	x	x	
M	1050	1055	1070	1075	
N	-55	-55	-55	-55	
O	590	590	595	605	
P	60	75	75	90	
Q	610	635	645	670	

PANAMA X 5-8 MAN					
	XS 45	S 49	M 53	L 57	XL 61
A	450	490	530	570	610
B	570	580	590	605	615
C	x	x	x	x	x
D	x	x	x	x	x
E	135	145	155	175	175
F	440	440	440	440	440
G	73°	73°	73°	73°	73°
H	70,5°	70,5°	70,5°	71°	71°
J	27,2	27,2	27,2	27,2	27,2
K	31,8	31,8	31,8	31,8	31,8
L	x	x	x	x	x
M	1065	1075	1085	1095	1105
N	-55	-55	-55	-55	-55
O	700	735	775	810	850
P	60	70	80	90	105
Q	630	650	670	695	715

PANAMA X 2-4 MAN					
	XS 45	S 49	M 53	L 57	XL 61
A	450	490	530	570	610
B	570	580	590	605	615
C	x	x	x	x	x
D	x	x	x	x	x
E	135	145	155	175	175
F	440	440	440	440	440
G	73°	73°	73°	73°	73°
H	70,5°	70,5°	70,5°	71°	71°
J	31,6	31,6	31,6	31,6	31,6
K	34,9	34,9	34,9	34,9	34,9
L	x	x	x	x	x
M	1065	1075	1085	1095	1105
N	-55	-55	-55	-55	-55
O	700	735	775	810	850
P	60	75	75	90	105
Q	630	655	665	695	720

PANAMA 2-3 MAN					
	XS 45"	S 49	M 53	L 57	XL 61
A	450	490	530	570	610
B	580	590	600	605	615
C	x	x	x	x	x
D	x	x	x	x	x
E	145	155	155	175	175
F	460	460	460	460	460
G	73°	73°	73°	73°	73°
H	69,5°	69,5°	69,5°	69,5°	69,5°
J	31,6	31,6	31,6	31,6	31,6
K	34,9	34,9	34,9	34,9	34,9
L	x	x	x	x	x
M	1105	1115	1125	1135	1145
N	-55	-55	-55	-55	-55
O	705	740	775	815	850
P	90	90	90	110	110
Q	670	680	690	720	730

GEOMETRY

GEOMETRY

PANAMAO 2-3 LADY				
	XS 40	S 44	M 48	L 52
A	400	440	480	520
B	560	565	580	585
C	x	x	x	x
D	x	x	x	x
E	135	145	145	155
F	460	460	460	460
G	73°	73°	73°	73°
H	69,5°	69,5°	69,5°	69,5°
J	31,6	31,6	31,6	31,6
K	34,9	34,9	34,9	34,9
L	x	x	x	x
M	1085	1095	1105	1115
N	-55	-55	-55	-55
O	525	525	525	525
P	90	90	90	90
Q	650	660	670	680

PANAMAO 4 LADY				
	XS 40	S 44	M 48	L 52
A	400	440	480	520
B	560	565	580	585
C	x	x	x	x
D	x	x	x	x
E	165	175	175	185
F	460	460	460	460
G	73°	73°	73°	73°
H	69,5°	69,5°	69,5°	69,5°
J	31,6	31,6	31,6	31,6
K	34,9	34,9	34,9	34,9
L	x	x	x	x
M	1085	1095	1105	1115
N	-55	-55	-55	-55
O	525	525	535	545
P	90	90	90	90
Q	650	660	670	680

PANAMAO 4 WAVE				
	XS 40	S 44	M 48	L 52
A	400	440	480	520
B	560	565	580	585
C	x	x	x	x
D	x	x	x	x
E	175	175	175	185
F	460	460	460	460
G	73°	73°	73°	73°
H	69,5°	69,5°	69,5°	69,5°
J	31,6	31,6	31,6	31,6
K	34,9	34,9	34,9	34,9
L	x	x	x	x
M	1085	1095	1105	1115
N	-55	-55	-55	-55
O	445	445	445	445
P	90	90	90	90
Q	650	660	670	680

PANAMAO C 5-7 MAN				
	XS 45	S 49	M 53	L 57
A	450	490	530	570
B	580	585	600	605
C	x	x	x	x
D	x	x	x	x
E	145	155	155	175
F	460	460	460	460
G	73°	73°	73°	73°
H	69,5°	69,5°	69,5°	69,5°
J	31,8	31,8	31,8	31,8
K	31,8	31,8	31,8	31,8
L	x	x	x	x
M	1105	1115	1125	1135
N	-55	-55	-55	-55
O	705	740	775	815
P	60	70	80	90
Q	640	660	680	695

PANAMAO 2-3 WAVE				
	XS 40	S 44	M 48	L 52
A	400	440	480	520
B	560	565	580	585
C	x	x	x	x
D	x	x	x	x
E	145	145	145	155
F	460	460	460	460
G	73°	73°	73°	73°
H	69,5°	69,5°	69,5°	69,5°
J	31,6	31,6	31,6	31,6
K	34,9	34,9	34,9	34,9
L	x	x	x	x
M	1090	1095	1105	1115
N	-55	-55	-55	-55
O	445	445	445	445
P	90	90	90	90
Q	650	660	670	680

PANAMAO 4 MAN				
	XS 45	S 49	M 53	L 57
A	450	490	530	570
B	580	585	600	605
C	x	x	x	x
D	x	x	x	x
E	175	185	185	205
F	460	460	460	460
G	73°	73°	73°	73°
H	69,5°	69,5°	69,5°	69,5°
J	31,6	31,6	31,6	31,6
K	34,9	34,9	34,9	34,9
L	x	x	x	x
M	1105	1115	1125	1135
N	-55	-55	-55	-55
O	700	740	775	815
P	90	90	90	110
Q	670	680	690	715

PANAMAO C 5-7 LADY				
	XS 40	S 44	M 48	L 52
A	400	440	480	520
B	560	565	580	585
C	x	x	x	x
D	x	x	x	x
E	135	145	145	155
F	460	460	460	460
G	73°	73°	73°	73°
H	69,5°	69,5°	69,5°	69,5°
J	27,2	27,2	27,2	27,2
K	31,8	31,8	31,8	31,8
L	x	x	x	x
M	1085	1095	1105	1115
N	-55	-55	-55	-55
O	525	525	525	525
P	60	60	75	90
Q	620	630	655	680

TERU 9, 10 LC				
	S 44 17,5"	M 48 19"	L 52 20,5"	
A	430	480	530	
B	575	595	615	
C	405	425	440	
D	600	600	610	
E	110	110	120	
F	475	475	475	
G	74°	74°	74°	
H	69°	69°	69°	
J	27,2	27,2	27,2	
K	x	x	x	
L	x	x	x	
M	1130	1150	1170	
N	-56	-56		
O	695	720	750	
P	70	80	90	
Q	645	675	705	

GEOMETRY

GEOMETRY

TERU 4-8 MAN		
S 44	M 48	L 52
		17,5" 20,5"
A	420	460
B	585	600
C	400	415
D	600	610
E	110	120
F	465	465
G	73°	73°
H	68°	68°
J	31,6	31,6
K	x	x
L	x	x
M	1135	1150
N	-41	-41
O	695	730
P	70	80
Q	655	680

TERU FS		
S 44	M 48	L 52
A	440	480
B	590	610
C	410	425
D	615	625
E	110	120
F	500	500
G	73,5°	73,5°
H	69°	69°
J	31,5	31,5
K	x	x
L	200	200
M	1180	1200
N	-32	-32
O	740	755
P	70	80
Q	660	690

PANAMAOC 5-7 MAN [STARRGABEL]				
	X5 45	S 49	M 53	L 57
A	450	490	530	570
B	570	575	590	595
C	x	x	x	x
D	x	x	x	x
E	155	165	165	195
F	460	460	460	460
G	73°	73°	73°	73°
H	70,5°	70,5°	70,5°	70,5°
J	27,2	27,2	27,2	27,2
K	31,8	31,8	31,8	31,8
L	x	x	x	x
M	1075	1085	1100	1105
N	-70	-70	-70	-70
O	690	730	765	805
P	60	70	80	90
Q	630	645	670	685

ANDASOL - ANDASOL X LADY		
S 43	M 47	L 51
A	430	470
B	560	570
C	372,5	380
D	615	625
E	130	140
F	465	465
G	73°	73°
H	69,5°	69,5°
J	27,2	27,2
K	x	x
L	x	x
M	1095	1105
N	-55	-55
O	610	602,5
P	60	70
Q	620	640

TERU FS LT		
S 44	M 48	L 52
A	440	480
B	585	600
C	410	420
D	620	625
E	120	130
F	485	485
G	74°	74°
H	67,5°	67,5°
J	31,6	31,6
K	x	x
L	216	216
M	1185	1200
N	-13	-13
O	750	760
P	70	80
Q	655	680

TERU 4-8 LADY		
S 44	M 48	L 52
	17,5" 19"	20,5"
A	400	420
B	560	575
C	380	390
D	590	597,5
E	110	120
F	465	465
G	73°	73°
H	70°	70°
J	31,6	31,6
K	x	x
L	x	x
M	1090	1105
N	-40	-40
O	670	670
P	60	70
Q	620	645

ANDASOL - ANDASOL WAVE	
S 48	M 51
A	475
B	590
C	400
D	665
E	180
F	525
G	74°
H	69,5°
J	27,2
K	x
L	x
M	1200
N	-55
O	430
P	90
Q	680

ANDASOL - ANDASOL X MAN		
S 49	M 53	L 57
A	490	530
B	580	595
C	385	400
D	630	340
E	145	155
F	465	465
G	73°	73°
H	69,5°	69,5°
J	27,5	27,2
K	x	x
L	x	x
M	1115	1130
N	-55	-55
O	750	785
P	70	80
Q	650	675

MODEL

TYPE OF USE / EINSATZBEREICH

	ROAD STRAEE	PAVED PATHS	BEFESTIGTE WEGE	CROSS-COUNTRY	ALL MOUNTAIN TOUR	ALL MOUNTAIN TRAIL	ENDURO	FREERIDE	DOWNHILL	DIRT	SPORTS PARK	JUMPS SPRUNGE
SONA, KATO, KATO PRO, TACANA, TACANA PRO, LAWU, LANAQ, LANAQ PRO, POWERKID	X*	X	X	-	-	-	-	-	-	-	-	-
HTX, NILA, NILA EBS	X*	X	X	-	-	-	-	-	-	-	-	-
AMR, LANAQ FS, KATO FS	X*	X	X	X	-	-	-	-	-	-	-	-
AMR LT, RIOT	X*	X	X	X	X	-	-	-	-	-	-	-
CAGUA, RIOT LT	X*	X	X	X	X	X	-	-	-	-	-	-
NORTHSHORE	X*	X	X	X	X	X	X	-	-	X	X	
DOWNSHILL (DH)	X*	X	X	X	X	X	X	X	X	-	X	X
THE HOOD, THE HOOD FS, THE HOOD PRO	X*	X	-	-	-	-	-	-	-	X	X	X
NIVOLET, SPEEDLINE	X*	-	-	-	-	-	-	-	-	-	-	-
PANAMAO, PANAMAO C, PANAMAO WAVE	X	X	-	-	-	-	-	-	-	-	-	-
PANAMAO X	X*	X	-	-	-	-	-	-	-	-	-	-

SYMBOL MEANING / BEDEUTUNG

X ALLOWED / ERLAUBT

- NOT ALLOWED / NICHT ERLAUBT

X* On public roads only allowed with additional equipment regulated by law.
Auf öffentlichen Straßen und Wegen nur erlaubt mit gesetzlich vorgeschriebener Zusatzausrüstung.

CRASH REPLACEMENT

You can claim our frame crash replacement service if an accident or fall causes such damage to a GHOST frame that continued riding is impossible. Contact the GHOST service department for detailed information.

BICYCLE WEIGHT

Bicycle weight (approximately) is based on smallest frame size without water bottle cage and pedals. Weights of supplied components subject to change.

MAX. ALLOWED TOTAL WEIGHT*
MAX. ZULÄSSIGES GESEMTGEWICHT*

Trekking, E-HyBRIDE	140 kg
MTB, Downhill, Northshore, 4X, Cross, Speedline, Race	120 kg
Powerkid 24	100 kg
Powerkid 20	80 kg
Powerkid 16, 12	50 kg
Powerkiddy 12	25 kg

UNFALL ERSATZ

Sollte ein GHOST Rahmen nach einem Unfall oder Sturz so beschädigt sein, dass dieser nicht mehr fahrbar ist, kann unser Rahmen Unfall Ersatz Service in Anspruch genommen werden. Bitte kontaktieren Sie die GHOST Service Abteilung für nähere Informationen.

FAHRRAD GEWICHT

Alle Gewichtsangaben sind ca. Angaben bei kleinsten Rahmenöhe ohne Flaschenhalter und Pedale. Gewichtsänderungen seitens unserer Zuliefererfirmen können nicht berücksichtigt werden.

* ADDITIONAL INFORMATION REGARDING MAXIMUM ALLOWABLE WEIGHT:

Please also note wheel set and rim manufacturer tuning restrictions!

* HINWEIS ZUM ZULÄSSIGEN GESEMTGEWICHT:

Beachten Sie unbedingt auch Einschränkungen des Laufrad- bzw. Felgenherstellers Tuning!

TYPE OF USE

DESCRIPTION	DEFINITION
ROAD	Paved asphalt routes
HARDENED ROADS	Routes with hard ground like sand, broken rock or similar (e.g. forest roads, country roads)
CROSS-COUNTRY	Terrain includes roads, forest-, country-, broken rock roads, several climbs and small downhills. Roads with loose stones, roots, swells, stones, landings, etc..
ALL MOUNTAIN	Roads with loose stones, roots, swells, stones, landings, etc.. The more suspension travel on the bike, the rougher the terrain in which the bikes can be ridden. The riding quality on downhills in difficult terrain becomes more and more important. Uphill, sophisticated chassis construction ensures that the quality of riding characteristics is maintained at a high level. This is less important when you get towards the Freeride category. The bikes are constructed according to the more extreme riding conditions.
ENDURO	
FREERIDE	
DOWNHILL	High Speed downhills in rough terrain, loose stones, high roots, jumps and landings are defining this range of use.
DIRT	Trails constructed only for this kind of bicycles (BMX-trails)
SPORTSPARK	Trails allocated for Freeride, Downhill, Dirt
JUMPS	NOTE: These bikes are made to handle jumps, but these are always taken at your own risk. We strongly recommend attending relevant riding-technique workshops to get a feel for what category of bike can handle what kind of jump. Adequate skill and experience are required for the use of this sports equipment!

BEZEICHNUNG DEFINITION

STRAE	Asphaltierte Wege
BEFESTIGTE WEGE	Wege mit festem Untergrund wie Sand, Schotter oder ähnlichem (z.B. Forststraße, Feldweg)
CROSS-COUNTRY	Gelände beinhaltet Straßen, Forst-, Feld-, Kies-, Schotter-, Waldwege, mehrere Steigungen und Abfahrten
ALL MOUNTAIN	Wege mit losem Untergrund, Wurzeln, Schwämmen, Steinen, Absätzen etc. Mit zunehmendem Federweg wird das Gelände, in dem die Räder bewegt werden, auch zunehmend größer. Die Fahreigenschaften bergab in schwierigem Gelände stehen mehr und mehr im Vordergrund. Die Qualität der Fahreigenschaften bergauf wird durch ausgestülpelte Fahrwerke hoch gehalten, verliert aber spätestens bei der Kategorie Freeride an Bedeutung. Die Räder sind den extremeren Fahrumständen entsprechend konstruktiv angepasst.
ENDURO	
FREERIDE	
DOWNHILL	Hohes Tempo bergab in groben Gelände, loses Gestein, hohe Wurzeln, Sprünge und Absätze definieren diesen Einsatzbereich
DIRT	Extra für diese Art von Fahrrad angelegte Strecken (BMX-Strecken)
SPORTSPARK	Für Freeride, Downhill, Dirt extra ausgewiesenes Gelände
SPRUNGE	HINWEIS: Das Ausführen von Sprüngen ist mit diesen Rädern grundsätzlich zulässig, geschieht jedoch auf eigene Gefahr. Besuchen Sie entsprechende Fahrttechnikseminare, um ein Gefühl dafür zu entwickeln, welche Sprünge mit dem jeweiligen Rad möglich sind. Entsprechendes Können und Erfahrung sind die Voraussetzung für den Gebrauch dieser Sportgeräte!

IMPRINT

ENG

OUTDOOR PHOTOS

Jan Kasl

STUDIO PHOTOS

Majo Lukac

THANKS TO

All employees of GHOST-Bikes – to each one of you in our unique company who was a part of this long and sometimes difficult development process of our 2015 products which we now proudly present. Thanks to Kurt Exenberger and the Bike Academy for their support. Special thanks to our models Max Foidl, Elias Tranninger, Tomas Slavik, Silke Kraus, Stephan Gütner, Felix Wiesbauer, Petr Mühlhans, Dana-Elena Schweika, Greta Weithaler and Sabi.

We are not liable for errors, changes or misprints. Images might not represent the original.

Under certain circumstances, not all of the products shown in this catalogue might be available in all regions. Please contact your local GHOST dealer for more information.

GER

OUTDOOR FOTOS

Jan Kasl

STUDIO FOTOS

Majo Lukac

DANK AN

Alle Mitarbeiter von GHOST-Bikes – jeden Einzelnen in unserer einmaligen Firma, der ein Teil dieses langen und manchmal auch harten Entwicklungsprozesses der 2015er-Produkte war, die wir nun mit Stolz präsentieren. Danke an Kurt Exenberger und Bike Academy für Ihre Unterstützung. Besonderer Dank geht an unsere Fotomodelle Max Foidl, Elias Tranninger, Tomas Slavik, Silke Kraus, Stephan Gütner, Felix Wiesbauer, Petr Mühlhans, Dana-Elena Schweika, Greta Weithaler und Sabi.

Irrtümer, Änderungen und Druckfehler vorbehalten. Bilder können vom Original abweichen.

Unter Umständen sind nicht alle in diesem Katalog gezeigten Produkte in allen Regionen erhältlich, bitte kontaktieren Sie dazu Ihren örtlichen GHOST-Händler.

GHOST-Bikes GmbH

An der Tongrube 3
D-95652 Waldsassen
Germany

TEL: +49 (9632) 9255-0
FAX: +49 (9632) 9255-16
EMAIL: info@ghost-bikes.de

Member of Accell Group

WWW.GHOST-BIKES.COM