

Table of compatible electric heating elements for different types of hot water storage tanks



Type of hot water storage tank	Art. No.	Installed in sleeve connection								Installed in flange connection Flange cover and seal required** 1 - DN 110 2 - DN 180								Installed in flange connection								Installed in flange connection Flange adapter required*** r - DN 110/DN 180											
		EEHR								EEHR								EFHR								EFHR											
		2,0	2,5	3,0	3,8	4,5	6,0	7,5	9,0	2,0	2,5	3,0	3,8	4,5	6,0	7,5	9,0	4,0	6,0	8,0	10	16	19	25	35	4,0	6,0	8,0	10	16	19	25	35				
9126474	9126475	9126476	9126477	9126478	9126479	9126480	9126481	9126474	9126475	9126476	9126477	9126478	9126479	9126480	9126481	9116314	9116315	9116316	9116317	9116501	9116502	9115569	9126720	9116314	9116315	9116316	9116317	9116501	9116502	9115569	9126720						
Storatherm Heat Mini																																					
H 25	7352520	✓	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
H 50	7352530	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
H 100	7352550	✓	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
H 150	7352560	✓	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
H 200	7352570	✓	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
Storatherm Heat																																					
H 300/R	7783600	✓	✓	✓	✓	✓	✓	x	x	1	1	1	1	1	1	1	x	x	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x		
H 500/R	7783800	✓	✓	✓	✓	✓	✓	x	x	1	1	1	1	1	1	1	x	x	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x		
H 800/R	7784005	✓	✓	✓	✓	✓	✓	x	x	1	1	1	1	1	1	1	x	x	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x		
H 1000/R	7784205	✓	✓	✓	✓	✓	✓	x	x	1	1	1	1	1	1	1	x	x	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x		
H 1500/R	7784400	✓	✓	✓	✓	✓	✓	✓	✓	1	1	1	1	1	1	1	1	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
H 2000/R	7784600	✓	✓	✓	✓	✓	✓	✓	✓	1	1	1	1	1	1	1	1	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
H 3000/R	7788200	✓*	✓*	✓*	✓*	✓*	✓*	✓*	✓*	1	1	1	1	1	1	1	1	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
H 4000/R	7788500	✓*	✓*	✓*	✓*	✓*	✓*	✓*	✓*	1	1	1	1	1	1	1	1	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
H 5000/R	7788800	✓*	✓*	✓*	✓*	✓*	✓*	✓*	✓*	1	1	1	1	1	1	1	1	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
HF																																					
HF 300_C	7839100	✓	✓	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
HF 500_C	7839200	✓	✓	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
HF 800_C	7839300	✓	✓	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
HF 1000_C	7839400	✓	✓	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
HF 1500_C	7839500	✓	✓	✓	✓	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
HF 2000_C	7839600	✓	✓	✓	✓	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
HF/R_C																																					
HF 300/R_C	7842000	✓	✓	✓	✓	✓	✓	x	x	1	1	1	1	1	1	1	x	x	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x		
HF 500/R_C	7842100	✓	✓	✓	✓	✓	✓	x	x	1	1	1	1	1	1	1	x	x	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x		
HF 800/R_C	7842200	✓	✓	✓	✓	✓	✓	x	x	1	1	1	1	1	1	1	x	x	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x		
HF 1000/R_C	7842300	✓	✓	✓	✓	✓	✓	x	x	1	1	1	1	1	1	1	x	x	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x		
HF 1500/R_C	7842400	✓	✓	✓	✓	✓	✓	✓	✓	1	1	1	1	1	1	1	1	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
HF 2000/R_C	7842500	✓	✓	✓	✓	✓	✓	✓	✓	1	1	1	1	1	1	1	1	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
H																																					
H 300/1	7783700	✓	✓	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
H 500/1	7783900	✓	✓	✓	✓	✓	✓	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
H 800/1	7784115	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
H 1000/1	7784315	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
H 1500/1	7784500	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
H 2000/1	7784700	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
H 3000/1	7788300	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
H 4000/1	7788600	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		
H 5000/1	7788900	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		

* A 2" to 1½" reducer is required for the sleeve

