


step 2

Follow these instructions to build and attach your steel frame shelves.



wall steel frame shelving

Things you need to know


- All cabinets will need to be attached to the wall using a minimum of 8 gauge 65mm screws if you have a stud wall. If your wall is concrete, brick or another surface ask your hardware specialist for advice on the right fixing method.
- Make sure you leave plumbing and electrical work to qualified trades people. Never try this yourself.
- Make sure you always use safety gear like a mask, ear muffs and glasses when using tools.
- If you have any questions, contact us on:
Australia: **1800 666 078** Monday to Friday between 8:00am and 6:00pm AEST, New Zealand: **0800 522 663** Monday to Friday between 8:00am and 5:00pm NZST or email: **info@kaboodlegroup.com.au**.



Hardware included



Tools you will need

To put your kaboodle steel frame shelving together you will need the following tools.





B	C
	
12mm bolt	32mm tek screw

assembling frame

1.

Slide all horizontal support rails on to frame ends.




Note: The middle rail brackets are not in the centre of the frame end - this is so that the wall frame will line up with the slim frame if used together. Ensure the rail brackets on each frame end align before installing.

Note: If the frame is being installed underneath a wall cabinet or bulkhead, the top rails can be flipped upside down so that the shelf support can be screwed through as a fixing point.

wall steel frame shelving

2.




Use bolts provided to assemble the frame.

Note: Ensure frame is assembled square as there can be some play in the joins.


joining frames

1.



If you are using 2 or more steel frames in a run, join them together before mounting to the wall. On a perfectly flat and level surface, clamp the units together and mark out 4 drill points on the cross bars of the frame end. Use a 3.5mm HSS (steel drilling) drill bit to drill through one frame end and halfway into the tube of the adjoining frame end.


2.




Use four 32mm tek screws provided to secure frames together. **WARNING:** Screws are provided to keep frames aligned and will not support significant weight. Be careful lifting and moving joined frames.

fixing frame to wall

1.




Use a stud finder to locate and mark the centre point of any stud that will be behind the frame. 2 studs are required to secure the frame, or one stud and a secure cabinet or wall to fix to sideways.



Use a stand or mounting rail to sit the frame in position and mark the location of the stud on all rear support rails.


Ensure the frame is sitting square and level while doing this to avoid installing the frame crooked.

3.




Use a 4.5mm HSS (steel drilling) drill bit to drill through the centre of each support rail in the marked locations of each stud.

4.



Sit the frame in position **ensuring it is still square and level**, and use the holes in the support rails to mark the wall.


Remove the frame and drill holes into the studs in the marked locations using a 3.5mm drill bit to a depth of 50mm.



wall steel frame shelving


installing shelves

5.




Screw the frame into the wall studs using the 70mm screws provided.

Ensure the frame is fixed securely and is square and level.



Note: If the frame adjoins another cabinet or a side wall - mark and pre-drill the frame prior to wall mounting, then once the frame is fixed to the rear wall fasten to the adjoining cabinet or side wall using either the 70mm (wall fixing) or 32mm (cabinet) wood screws provided.

1.



Once your frame is fixed securely in place, insert the shelves to complete the unit.

Note: You can replace the provided shelves with other 16 or 18mm thick shelves of suitable material. To match the finish of your kaboodle doors, purchase multi-purpose panels in the same colour through the kaboodle cut service.

Caring for your kaboodle parts and accessories

Looking after your cabinets is really easy and with the right care and maintenance they will last you for many years. Just follow these simple steps and if you need any more information you can contact us on **1800 666 078** Monday to Friday between 8:00am and 6:00pm AEST or email: info@kaboodlegroup.com.au.

Hinges, runners and other parts and accessories should be kept dry at all times.

To keep the mechanisms performing at their best, regularly wipe them with a dry cloth removing any dust and grime that may build up.

We offer a dedicated customer service line for advice or any questions you may have on kaboodle products.

Call customer service on:
Australia: **1800 666 078** Monday to Friday between 8.00am and 6.00pm AEST

New Zealand: **0800 522 663** Monday to Friday between 8.00am and 5.00pm NZST or email: info@kaboodlegroup.com.au

