


step 2

Follow these instructions to install your parts and accessories.



 **kaboodle**
KITCHEN


hanging kitchen storage - 6 piece kit

installation guide

Things you need to know


- The maximum load rating for this product is total 5kg
- The maximum load of weight supported by this product will vary depending on the material of the wall where it is fixed to.
- Consider the wall material where you are installing the product. You may require different types of fixing parts.
- Items from W-50554 can be mixed with items from W-50555 and vice versa
- If you have any questions, contact us on:
Australia: **1800 666 078** Monday to Friday between 8:00am and 6:00pm AEST, New Zealand: **0800 522 663** Monday to Friday between 8:00am and 5:00pm NZST or email: **info@kaboodlegroup.com.au**.

Hardware included



Tools you will need

To put your kaboodle hanging kitchen storage together you will need the following tools.







W-50554

plan + select + create + enjoy!

Ver. 1.5 | p. 1



step 2

hardware key

A	B	C	D
			
accessory screw	wall bracket	35mm wall screw	wall plug

kaboodle
KITCHEN

hanging kitchen storage to install into the wall





step 1.

Use the two accessory screws to fix the wall brackets to the end of the rail.

step 2.

Mark out and pre-drill four holes on the wall using the assembled rail as per the diagram above. Use the level to make sure rail is straight




step 3.

Using an 8mm drill bit, pre drill the marked out holes to a depth of 40mm. Insert the 4 wall plugs into the holes.

step 4.


Align the assembled rail with the pre-drilled holes and using the wall screws, fix the rail to the wall.

hanging kitchen storage to install under the cabinet




step 1.

Use the two accessory screws to fix the wall brackets to the end of the rail.




step 2.

Mark out and pre-drill 4 holes on under the wall cabinet using the assembled rail as per the diagram and dimensions above.
Note: dimensions are measured starting at the front edge of the cabinet



step 3.

Using an 2.5mm drill bit pre-drill the marked out holes to a depth of 3mm



step 4.

Align the assembled rail with the pre-drill holes and using the cabinet screws, fix the product to the cabinet.

Caring for your kaboodle parts and accessories

Looking after your cabinets is really easy and with the right care and maintenance they will last you for many years. Just follow these simple steps and if you need any more information you can contact us: Australia: **1800 666 078** Monday to Friday between 8:00am and 6:00pm AEST. New Zealand: **0800 522 663** Monday to Friday between 8:00am and 5:00pm NZST or email: **info@kaboodlegroup.com.au**.

Hinges, runners and other parts and accessories should be kept dry at all times.

To keep the mechanisms performing at their best, regularly wipe them with a dry cloth removing any dust and grime that may build up.

We offer a dedicated customer service line for advice or any questions you may have on kaboodle products.

Call customer service on:
Australia: **1800 666 078** Monday to Friday between 8:00am and 6:00pm AEST

New Zealand: **0800 522 663** Monday to Friday between 8:00am and 5:00pm NZST or email: **info@kaboodlegroup.com.au**

