Specification | Fiche | EU Label | UK Label

Product Specification

Product Code: TCIMVG-0250LFC

Item Description: 250L SOL TWIN HG STANDARD C

C

- Manufactured from high grade Duplex stainless steel
- Fitted with Branded Quality Components
- Heatpump (High Recovery) & Solar Ready




Capacity	Brand	ERP Type	Item Category Code	Product Group
250 L	CYCLONE	IndirectUnvented	Stainless	CYCLONE

Product Specification

Actual capacity (Ltr)	231	**Thermal insulation**	
Unit weight empty (kg)	70	**Cylinder material**	
Unit weight full (kg)	318	**Outer casing**	
No immersions	1	**Coil material**	
Immersion spec	3KW@230V	**Foam thickness**	
Max mains water pressure (Bar)	10	**Operating temp** (C)	
Operating pressure (Bar)	7	**Safety valve temp** (C)	
Tested to standard	BS EN 12897:2016	**Warranty terms** (Year)	
No heat exchangers	2	**Heat loss**	
Coil 1 rating (kW)	21	**Coil 2 rating** (kW)	
Coil 1 surface area (m^2)	.67	**Coil 2 surface area** (m^2)	
Coil 1 max prim pressure (Bar)	3.5	**Coil 2 max prim pressure** (Bar)	
Coil 1 resistance (Bar)	.05	**Coil 2 resistance** (Bar)	

Dimensions

A (mm)	1815
B (mm)	540
C (mm)	196
D (mm)	1271
E (mm)	576
F (mm)	406
G (mm)	1531
I (mm)	606



Click or scan here to view the product page:

Blanchards
Dublin