

DE NORA GreenChrome™

De Nora GreenChrome™ anodes were specially developed for environmentally responsible trivalent chromium plating systems.



DE NORA
Dare. Develop. Deliver.

Features & Benefits

GreenChrome™ dimensionally stable anodes are compatible with major chemistries and are available in a variety of complex structures in solid sheet or mesh material.

GreenChrome™ anodes are dimensionally stable, highly conductive and offer a titanium metal structure.

Titanium structure based anodes are lighter for ease of installation and removal.

A DSA® anode provides more throwing power for hard to reach areas.

Anode structures can be refurbished to reduce costs.


A stable metallic structure provides uniform current distribution and therefore more uniform plating over the life of the anode.

Anode pricing developed at time of sale to provide a cost based on current precious metal pricing.

GreenChrome™ anodes can replace hazardous lead based anodes to eliminate an environmental and health and safety hazard.



Chrome plated faucet



Automotive wheel

Applications



All trivalent
chromium
applications



Interior
and/or exterior
automotive trim



Wire racks



Plating on
plastics



Faucets



Shopping carts
and others



Plating metal
on parts such
as cell phones



Motorcycle
trim



Motorcycle trim

Contact us

marketing@denora.com



Get in touch

www.denora.com

Discover more



De Nora GreenChrome
DNT 073.1 SEP/2026

De Nora reserves the right to modify the data in this document at any time and without notice. Any reproduction, even partial, is prohibited.



DE NORA
Dare. Develop. Deliver.