



FLEXIBLE WATERPROOFING



SAFETY DATA SHEET – BASECRETE XTREME

C6: PORTLAND CEMENT BASED CONCRETE PRODUCTS

01

PRODUCT IDENTIFICATION

Manufacturer:

Basecrete Technologies LLC
8255 Consumer Ct,
Sarasota, FL 34240
OCT-21 | SDS C6

Emergency Telephone Number:

(941) 312-5142

Information Telephone Number:

(941) 312-5142

02

HAZARD IDENTIFICATION

Hazard-Determining Components of Labeling:

Silica, Portland cement.

2.1 Classification of the Substance or Mixture:

Carcinogen – Category 1A

Skin Corrosion – Category 1B

Skin Sensitization – Category 1B

Specific Target Organ Toxicity Repeat Exposure – Category 1

Specific Target Organ Toxicity Single Exposure – Category 3

2.2.A Signal Word:

DANGER!

2.2.B Hazard Statements:

May cause cancer through chronic inhalation; Causes severe skin burns and serious eye damage;

May cause an allergic skin reaction; Causes damage to lungs through prolonged or repeated inhalation; May cause respiratory irritation.

HAZARD IDENTIFICATION (cont'd)

2.2.C Pictograms:



2.2.D Precautionary Statements:

Do not handle until all safety precautions have been read and understood.

Wear impervious gloves, such as nitrile. Wear eye protection, and protective clothing. Do not eat, drink or smoke when using this product.

Wash thoroughly after handling.

Use only in a well-ventilated area. Do not breathe dust.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If on skin (or hair): Remove immediately all contaminated clothing and wash before re-use. Rinse skin or hair with water. If significant skin irritation or rash occurs: get medical advice or attention.

Immediately seek medical advice or attention if symptoms are significant or persist.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/containers in accordance with all regulations.

2.3 Additional Information:

Precautions must be observed because burns occur with little warning – little heat is sensed.

2.3.A HNOC – Hazards Not Otherwise Classified:

Not applicable.

HAZARD IDENTIFICATION (cont'd)

2.3.B Unknown Acute Toxicity:

None

2.3.C WHMIS Classification:

Class D2B – Skin/Eye Irritant

Class D2A – Chronic Toxic Effects – Carcinogen

Class E – Corrosive Material

2.3.D Label Elements According to WHMIS:

Hazard Symbols:



Signal Word:

DANGER!

HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components:	CAS No.	% by Weight
Sand, Silica, Quartz	14808-60-7	40–70*
Portland Cement	65997 15 1	10–30*

*The concentrations ranges are provided due to batch-to-batch variability.

None of the constituents of this material are of unknown toxicity.

FIRST AID MEASURES

4.1 Description of the First-aid Measures:

General Information:

After Inhalation:

Remove person to fresh air. If breathing is difficult, administer oxygen. If not breathing, give artificial respiration. In case of unconsciousness, place patient stably in side position for transportation.

After Skin Contact:

Wash skin with cool water and pH-neutral soap or a mild detergent. If significant skin irritation or rash occurs: get medical advice or attention.

After Eye Contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

After Swallowing:

Do not induce vomiting. If conscious, have the victim drink plenty of water and call a physician immediately. Never give anything by mouth to an unconscious person.

4.2 Most Important Symptoms/Effects, Acute And Delayed:

Inhalation:

May cause respiratory tract irritation. Causes damage to organs through prolonged or repeated inhalation. This product contains crystalline silica. Prolonged or repeated inhalation of respirable silica from this product can cause silicosis.

Skin Contact:

Causes skin irritation. Handling can cause dry skin, discomfort, irritation, and dermatitis. May cause sensitization by skin contact. Product becomes extremely alkaline when exposed to moisture, and can cause alkali burns and affect the mucous membranes. Precautions must be observed because burns occur with little warning – little heat is sensed.

Eye Contact:

Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Ingestion:

May be harmful if swallowed. Ingestion may cause discomfort and/or distress, nausea or vomiting.

4.3 Indication of Immediate Medical Attention and Special Treatment Needed:

Immediately seek medical advice or attention if symptoms are significant or persist.

FIRE FIGHTING MEASURES

5.1 Flammability of the Product:

Non-flammable and non-combustible.

5.2 Suitable Extinguishing Agents:

Treat for surrounding material.

5.3 Special hazards arising from the substance or mixture:

None.

5.3.A Products of Combustion:

None.

5.3.B Explosion Hazards in Presence of Various Substances:

Non-explosive in presence of shocks.

ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, Protective Equipment And Emergency Procedures:

Wear personal protective equipment (See section 8). Keep unprotected persons away.

6.2 Methods and Material for Containment and Cleaning Up:

Do not allow to enter sewers/ surface or ground water. Dispose of unwanted materials and containers properly in accordance with all regulations.

PRECAUTIONS FOR SAFE HANDLING AND STORAGE

7.1 Handling:

Precautions For Safe Handling:

Ensure good ventilation/exhaustion at the workplace. DO NOT BREATHE DUST. In dusty environments, the use of an OSHA, MSHA or NIOSH approved respirator and tight fitting goggles is recommended. Wear appropriate PPE (See section 8). Do not mix with other chemical products, except as indicated by the manufacturer. Do not get in eyes, on skin or clothing. Good housekeeping is important to prevent accumulation of dust.

PRECAUTIONS FOR SAFE HANDLING AND STORAGE (cont'd)

7.2 Storage:

Requirements to be Met by Storerooms and Receptacles:

No special requirements.

Information About Storage in One Common Storage Facility:

Not required.

Further Information About Storage Conditions:

Keep out of the reach of children. Keep container tightly closed and prevent exposure to humidity.

Do not allow water to contact the product until time of use to preserve product utility.

EXPOSURE CONTROL MEASURES / PERSONAL PROTECTION

8.1 Components with Limit Values that Require Monitoring at the Workplace:

Hazardous Components	CAS No.	PEL (OSHA) mg/M³	TLV (ACGIH) mg/M³
Silica Sand, Crystalline	14808-60-7	0.1	0.025 (resp)
Portland Cement	65997-15-1	5 (resp); 15 (total)	10 (resp)

8.2 Exposure Controls:

Use ventilation adequate to keep exposures below recommended exposure limits.

8.3 General Protective and Hygienic Measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

8.3.A Personal Protective Equipment:

Protection of Hands:

Wear gloves of adequate length to offer appropriate skin protection from splashes. Nitrile, Butyl and PVC gloves have been found to offer adequate protection for incidental contact. Precautions must be observed because burns occur with little warning – little heat is sensed.

Eye Protection:

Wear approved eye protection properly fitted dust- or splash-proof chemical safety glasses.

Respiratory Protection:

A NIOSH-approved dust mask or filtering face piece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional, following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).

PHYSICAL/CHEMICAL CHARACTERISTICS

Appearance:

Form:

Granular solid.

Color:

White, Gray to Dark Grey color.

Odor:

None.

pH-Value at 20°C (68 °F):

13 (10%).

Boiling Point/Boiling Range:

Not applicable.

Flash Point:

Not applicable.

Auto Igniting:

Product is not self-igniting.

Vapor Pressure at 21°C (70°F):

Not available.

Density at 25°C (77 °F):

2.6 to 3.15.

Solubility in / Miscibility with Water:

Insoluble.

VOC Content:

0 g/L VOC.

STABILITY AND REACTIVITY

10.1 Reactivity:

No dangerous reaction known under conditions of normal use.

10.2 Chemical Stability:

Stable under normal storage conditions. Keep in dry storage.

10.3 Possibility of Hazardous Reaction:

No dangerous reaction known under conditions of normal use.

10.4 Thermal Decomposition / Conditions to be Avoided:

No decomposition if used according to specifications.

10.5 Incompatible Materials:

Contact of silica with powerful oxidizing agents such as fluorine, chlorine trifluoride, manganese trioxide, or oxygen difluoride may cause fires.

10.6 Hazardous Decomposition or By-products:

Silica will dissolve in Hydrofluoric Acid and produce a corrosive gas – silicon tetrafluoride.

TOXICOLOGICAL INFORMATION

11.1 Exposure Routes:

Skin contact, skin adsorption, eye contact, inhalation, or ingestion.

11.2 Symptoms Related to Physical/Chemical/Toxicological Characteristics:

Inhalation:

May cause respiratory tract irritation. Causes damage to organs through prolonged or repeated exposure. This product contains crystalline silica. Prolonged or repeated inhalation of respirable silica from this product can cause silicosis.

Skin Contact:

Causes skin irritation. Handling can cause dry skin, discomfort, irritation, and dermatitis. May cause sensitization by skin contact. Product becomes extremely alkaline when exposed to moisture, and can cause alkali burns and affect the mucous membranes.

Eye Contact:

Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.

Ingestion:

Harmful if swallowed. Ingestion may cause discomfort and/or distress, nausea or vomiting.

11.3 Delayed, Immediate and Chronic Effects of Short-Term and Long-Term Exposure:

Short Term:

Skin Corrosion/Irritation: Causes severe skin burns.

Serious Eye Damage/ Irritation: Causes severe eye damage.

Respiratory Sensitization: Not available.

Skin Sensitization: May cause an allergic skin reaction.

Specific Target Organ Toxicity-Single Exposure: (Category 3) may cause respiratory irritation.

Aspiration Hazard: Not available.

Long Term:

Carcinogenicity: May cause cancer through chronic inhalation.

Germ Cell Mutagenicity: Not available.

Reproductive Toxicity: Not available.

Specific Target Organ Toxicity – Repeated Exposure: (Category 1) Causes damage to lungs through prolonged/repeated exposure.

Synergistic/Antagonistic Effects: Not available.

ECOLOGICAL INFORMATION

12.1 Ecotoxicity:

May cause long-term adverse effects to the aquatic environment. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or un-neutralized

12.2 Persistence and Degradability:

No further relevant information available.

12.3 Bioaccumulative Potential:

No further relevant information available.

12.4 Mobility in Soil:

No further relevant information available.

12.5 Other Adverse Effects:

No further relevant information available.

DISPOSAL CONSIDERATIONS

13.1 Waste Disposal Method:

The packaging and material may be land filled; however, material should be covered to minimize generation of airborne dust. This product is not classified as a hazardous waste under the authority of the RCRA (40CFR 261) or CERCLA (40CFR 117&302). Disposal must be made in accordance with local, state and federal regulations.

13.2 Other Disposal Considerations Uncleaned Packaging:

Recommendation: Disposal must be made in accordance with local, state and federal regulations.

Recommended cleansing agent: Water, if necessary with cleansing agents.

TRANSPORT INFORMATION

	DOT (U.S.)	TDG (Canada)
UN-Number	Not Regulated	Not Regulated
UN Proper Shipping Name	Not Regulated	Not Regulated
Transport Hazard Class(es)	Not Regulated	Not Regulated
Packing Group (if applicable)	Not Regulated	Not Regulated

14.1 Environmental Hazards:

Not available.

14.2 Transport in Bulk According to Annex II of Marpol 73/78 and the IBC Code:

Not available.

14.3 Special Precautions for User:

Do not handle until all safety precautions have been read and understood.

OTHER REGULATORY INFORMATION

15.1 Safety, Health and Environmental Regulations/Legislations Specific for the Chemical:

Canada WHMIS Classification: Considered to be a hazardous material under the Hazardous Products Act as defined by the Controlled Products Regulations and subject to the requirements of Health Canada's Workplace Hazardous Material Information (WHMIS). This document complies with the WHMIS requirements of the Hazardous Products Act (HPA) and the CPR.

15.2 US Federal Information:

SARA 302/311/312/313 Components: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302, 311, 312 or 313.

RCRA: Crystalline silica (quartz) is not classified as a hazardous waste under the Resource Conservation and Recovery Act, or its regulations, 40 CFR §261 et seq.

CERCLA: Crystalline silica (quartz) is not classified as a hazardous substance under regulations of the Comprehensive Environmental Response Compensation and Liability Act (CERCLA), 40 CFR §302.

OTHER REGULATORY INFORMATION (cont'd)

15.2 US Federal Information (cont'd)

Emergency Planning and Community Right to Know Act (SARA Title III): Crystalline silica (quartz) is not an extremely hazardous substance under Section 302 and is not a toxic chemical subject to the requirements of Section 313.

FDA: Silica is included in the list of substances that may be included in coatings used in food contact surfaces, 21 CFR §175.300(b)(3)(xxvi).

NTP: Respirable crystalline silica, primarily quartz dusts occurring in industrial and occupational settings, is classified as *Known to be a Human Carcinogen*.

OSHA Carcinogen: Crystalline silica (quartz) is not listed.

15.3 State Right to Know Laws California Prop. 65

Components:

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

California Inhalation Reference Exposure Level (REL): California established a chronic REL of 3 μ g for silica (crystalline, respirable). A chronic REL is an airborne level of a substance at or below which no adverse health effects are anticipated in individuals indefinitely exposed to the substance at that level.



Massachusetts Toxic Use Reduction Act: Silica, crystalline (respirable size, <10 microns) is "toxic" for purposes of the Massachusetts Toxic Use Reduction Act.

15.4 Global Inventories:

DSL: All components of this product are on the Canadian DSL list.

TSCA No.: Crystalline silica (quartz) appears on the EPA TSCA inventory under the CAS No. 14808-60-7. All constituents are listed in the TSCA inventory.

15.5 NFPA Ratings:



OTHER INFORMATION

Last Updated:

October 06, 2021

NOTE:

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to silica contained in our products.

Prepared by:

Basecrete Technologies LLC

(941) 312-5142



FLEXIBLE WATERPROOFING



SAFETY DATA SHEET – FIBERGLASS MESH

ACCORDING TO THE OSHA HAZARD COMMUNICATION STANDARD

01

PRODUCT IDENTIFICATION

Manufacturer:

Basecrete Technologies LLC
8255 Consumer Ct,
Sarasota, FL 34240
Revision Date: 05/28/2024

Emergency Telephone Number:

(941) 312-5142

Information Telephone Number:

(941) 312-5142

02

HAZARD IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard**(29 CFR 1910.1200):**

Combustible dust.

GHS Label Elements – Signal Word:

WARNING.

Hazard Statements:

If small particles are generated during further processing, handling or by other means, may form combustible dust concentrations in air.

Additional Labeling:

There are no ingredients with unknown acute toxicity used in a mixture at a concentration $\geq 1\%$.

Other Hazards:

None known.

COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures:

Components:

No hazardous ingredients.

FIRST AID MEASURES

Components:

No hazardous ingredients.

General Advice:

No hazards which require special first aid measures.

If Inhaled:

Move to fresh air.

In Case of Skin Contact:

Take off contaminated clothing and shoes immediately; Wash off with soap and plenty of water.

In Case of Eye Contact:

Flush eyes with water as a precaution; Remove contact lenses; Keep eye wide open while rinsing.

If Swallowed:

Clean mouth with water and drink afterwards plenty of water; Do not induce vomiting without medical advice; Do not give milk or alcoholic beverages; Never give anything by mouth to an unconscious person.

Most Important Symptoms and Effects, Both Acute and Delayed:

No known significant effects or hazards; No information available.

Notes to Physician:

Treat symptomatically.

FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

FIRE-FIGHTING MEASURES (cont'd)

Further Information:

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special Protective Equipment for Fire-Fighters:

In the event of fire, wear self-contained breathing apparatus.

ACCIDENTAL RELEASE MEASURES

Environmental Precautions:

Local authorities should be advised if significant spillages cannot be contained.

Methods and Materials for Containment and Cleaning Up:

Keep in suitable, closed containers for disposal.

HANDLING AND STORAGE

Advice on Protection Against Fire and Explosion:

Normal measures for preventive fire protection.

Advice on Safe Handling:

For personal protection see section 8. No special handling advice required. Follow standard hygiene measures when handling chemical products.

Conditions for Safe Storage:

Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.

Materials to Avoid:

No special restrictions on storage with other products.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with Workplace Control Parameters:

Contains no substances with occupational exposure limit values.

Particles of Nuisance Dust:

FORM OF EXPOSURE	VALUE TYPE	CONTROL PARAMETERS	BASIS
Total dust	TWA	15 mg/m ³	OSHA Z-3
Respirable fraction	TWA	5 mg/m ³	OSHA Z-3

Ingredients with Workplace Control Parameters:

Contains no substances with occupational exposure limit values.

Particles of Nuisance Dust:

FORM OF EXPOSURE	VALUE TYPE	CONTROL PARAMETERS	BASIS
Total dust	TWA	15 mg/m ³	OSHA Z-3
Respirable fraction	TWA	5 mg/m ³	OSHA Z-3

Engineering Measures:

Use of adequate ventilation should be sufficient to control worker exposure to airborne contaminants. If the use of this product generates dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Personal Protective Equipment:

Respiratory Protection:

Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. The filter class for the respirator must be suitable for the maximum expected contaminant concentration (gas/vapor/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-contained breathing apparatus must be used.

Hand Protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

EXPOSURE CONTROLS/PERSONAL PROTECTION (cont'd)

Eye Protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.

Skin and Body Protection:

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

Hygiene Measures:

Wash hands before breaks and immediately after handling the product. Remove contaminated clothing and protective equipment before entering eating areas. Avoid breathing dust.

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Fibers.

Color:

Clear, gray, white.

Odor:

Odorless.

Odor Threshold:

No data available.

pH:

Not applicable.

Melting Point/Range /Freezing Point:

No data available.

Boiling point/boiling range:

No data available.

Flash point:

721 °F / 383 °C

Evaporation Rate:

No data available.

Flammability (Solid, Gas):

May form combustible dust concentrations in air during processing, handling or other means.

Upper Explosion Limit /

Upper Flammability Limit:

No data available.

Lower Explosion Limit /

Lower Flammability Limit:

No data available.

Vapor Pressure:

No data available.

Relative Vapor Density:

No data available.

Density:

0.91 g/cm³

PHYSICAL AND CHEMICAL PROPERTIES (cont'd)

Solubility(ies):

Water Solubility:

Negligible.

Solubility in Other Solvents:

No data available.

Partition coefficient:

n-octanol/water:

No data available.

Autoignition Temperature:

759 °F / 404 °C

Decomposition Temperature:

No data available.

Viscosity:

Viscosity, Dynamic:

No data available.

Viscosity, Kinematic:

Not applicable.

Explosive Properties:

No data available.

Oxidizing Properties:

No data available.

Volatile Organic Compounds (VOC) Content:

Not applicable.

STABILITY AND REACTIVITY

Reactivity:

No dangerous reaction known under conditions of normal use.

Chemical Stability:

The product is chemically stable.

Possibility of Hazardous Reactions:

Stable under recommended storage conditions.

Conditions to Avoid:

No data available.

Incompatible Materials:

No data available.

Hazardous Decomposition Products:

No decomposition if stored and applied as directed.

TOXICOLOGICAL INFORMATION

Skin corrosion/irritation:

Not classified due to lack of data.

Serious eye damage/eye irritation:

Not classified due to lack of data.

Respiratory or Skin Sensitization:

Skin Sensitization:

Not classified due to lack of data.

Respiratory Sensitization:

Not classified due to lack of data.

Germ Cell Mutagenicity:

Not classified due to lack of data.

Carcinogenicity:

Not classified due to lack of data.

IARC:

Not applicable.

OSHA:

Not applicable.

NTP

Not applicable.

Reproductive Toxicity:

Not classified due to lack of data.

STOT-Single Exposure:

Not classified due to lack of data.

STOT-Repeated Exposure:

Not classified due to lack of data.

Aspiration Toxicity:

Not classified due to lack of data.

ECOLOGICAL INFORMATION

Ecotoxicity:

No data available.

Persistence and Degradability:

No data available.

Bioaccumulative Potential:

No data available.

Mobility in Soil:

No data available.

Other Adverse Effects:

Product:

Additional ecological information:

Do not empty into drains; dispose of this material and its container in a safe way.

DISPOSAL CONSIDERATIONS

Disposal Methods:

Waste from Residues:

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Contaminated Packaging:

Empty containers should be taken to an approved waste handling site for recycling or disposal.

TRANSPORT INFORMATION

International Regulations:

IATA-DGR:

Not regulated as a dangerous good.

Domestic Regulation:

49 CFR:

Not regulated as a dangerous good.

IMDG-Code:

Not regulated as a dangerous good.

REGULATORY INFORMATION

TSCA List:

All chemical substances in this product are either listed as active on the TSCA Inventory or are in compliance with a TSCA Inventory exemption. No substances are subject to a Significant New Use Rule. No substances are subject to TSCA 12(b) export notification requirements.

CERCLA Reportable Quantity:

Listed substances in the product are at low enough levels to not be expected to exceed the RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity:

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity:

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards:

Combustible dust.

REGULATORY INFORMATION (cont'd)

SARA 313:

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act:

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

California Prop. 65:

 **WARNING:** This product can expose you to chemicals including n-hexane, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

OTHER INFORMATION

Full Text of Other Abbreviations:

OSHA Z-3:

USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts.

OSHA Z-3 / TWA:

8-hour time weighted average.

Notes to Reader:

The information contained in this Safety Data Sheet applies only to the actual Basecrete Technologies LLC (Basecrete) product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Basecrete product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Basecrete believes to be reliable as of the date hereof. Prior to each use of any Basecrete product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Safety Data Sheet for each Basecrete product, which are available at web site and/or telephone number listed in Section 1 of this SDS.

BASECRETE MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. BASECRETE SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.