



## Steel Seal™ Washing machine

W31056RLW

**Energy efficiency class: A**

**Logic**

**Series 3**

**Loading capacity: 10.5 kg**

**1600 rpm**

**Number of programmes: 21**

**Installation: Freestanding**



### Programs

- Programmes: Standard cotton, Time program, Mix/synthetic, Wool/hand wash, Delicates, White laundry, Colored laundry, Outerwear
- Special washing programs: Quick Pro, SportWash, Eco 40–60 °C, Steam refresh
- Special functions: Drum cleaning, Spin, Drain, Rinse
- Wi-Fi washing programs: Jeans, Waterproof clothing, Down, Beddings / Towels, Shirts / Blouses
- Modes: Normal - No changes to the program, Green - Saves water and energy. Program time slightly longer, Speed mode - More water and energy used to ensure a clean laundry in shorter time

### Additional options

- Temperature range: Cold - 90 °C
- Spin speed setting: Adjustable
- Max spin speed: 1600 rpm
- Delayed start: Up to 24 hours
- Settings: Prewash, No spin, High water level, Super rinse, Small load option, Steam disinfection, Add clothes, Delayed Start

### Construction and performance

- Door sealing: Steel Seal™ - Hygienic sealing without rubber bellow
- Quattro Construction™: Yes, 2.0 Professional suspension with motorized door lock to minimize noise and vibrations
- Outer drum: Stainless Steel
- Inner drum: Stainless Steel
- Counter weight material: Cast iron
- Counterweight: 17 kg
- Active Drum™ - Ensure a gentle yet effective washing cycle: Yes
- Max +/- 1 °C temperature variation: Yes
- Drum size: 68 l
- Door hinge placement: Left
- Door opening diameter: 310 mm
- Door maximum opening angle: 110 °
- Motor: Long life and quiet brushless motor
- Shortest program time: 20 min

### Use and flexibility

- Easy Close door: Yes
- Easy door opening: Yes
- Door lock: Motorized
- Stop flap for Liquid detergent: Yes
- Automatic detergent drawer cleaning: Time remaining indicator
- Load Light™ - Illumination of the drum: No
- Automatic dosing system: Yes, with detergent and fabric conditioner
- Dose assist: Yes
- Wifi: Yes
- ConnectLife: Monitoring and control in the palm of your hand: ConnectLife
- Bluetooth: Yes

- Included accessory: Adapter for water connection 1, Discharge hose bow

#### **Interaction and control**

- Remaining time indication: Yes
- Type of display: LCD
- Transparent door cover/Double glass door: No
- Number of programmes: 21
- Create own program: Yes
- Available languages in control unit: Swedish, Slovenian, Slovak, Russian, Polish, Norwegian, Dutch, Latvian, Lithuanian, Japanese, Italian, Croatian, French, Finnish, Estonian, Spanish, English, German, Danish, Czech, AU English, Portuguese, Serbian, Ukrainian, US English

#### **Design and integration**

- Main colour of product: White
- Easy mounting of ASKO dryer on top of the washers: Yes
- Loading type: Front load
- Adjustable feet: 10 mm

#### **Safety and maintenance**

- Waterproof bottom plate with leakage detection: Yes
- Maximized water inlet time: Yes
- Aqua safe system: Yes, with bottom sensor
- Water inlet hose: Reinforced rubber hose
- Drain system: Anti Block™ - Self-cleaning drain pump
- Overflow protection: Yes
- Emergency door opening function: Yes
- Child lock on display: Yes
- Unbalance detection - Protects the washer against harmful vibrations: Yes
- Draining capacity: 20 l/min
- Overheat protection: For motor and electronics

#### **Technical data**


- Loading capacity: 10.5 kg
- Plug type: Euro
- Connected load: 2200 W
- Voltage (V): 220-240 V
- Number of phases: 1
- Fuse: 10 A
- Frequency: 50 Hz
- Heater power: 2000 W
- Net weight: 94 kg
- Energy efficiency class: A
- Energy consumption per cycle for the Eco program 40-60 °C: 0.388 kWh
- Energy label program time: 232 min
- Noise spinning class: A
- Spinning performance class: A
- Water consumption per cycle for the Eco program 40-60 °C: 37 l
- Remaining moisture content 1/1: 44 %
- Water connection: Size 3/4" - Can be connected to cold water
- Power consumption in off-mode: 0.49 W
- Consumption in standby mode: 0.49 W
- ISO 14001 certified manufacturing: Yes

#### **Dimensions**

- Width: 595 mm
- Height: 850 mm
- Depth: 626 mm
- Depth with door open: 1068 mm
- Length of electrical cord: 2100 mm
- Length inlet hose: 150 cm
- Length outlet hose: 160 cm

#### **Logistic information**

- Packaging width: 636 mm
- Packaging height: 920 mm
- Packaging depth: 712 mm
- Gross weight: 97.3 kg
- Weight of packaging: 3.3 kg
- Product code: 745863
- EAN code: 3838782958847



WM7696 line Cold water

