



DFI8447D

Fully integrated dishwasher

General description

Turbo Combi Drying™ ensures dry dishes with fan assisted evacuation of moisture in combination with Auto Door Opening.
 Product line: Logic
 Installation: Fully integrated
 Number of baskets: 3
 Number of place settings (label): 14 place settings
 Top tray: Dividable and removable baskets in top rack; With telescopic rails; Handle; No logotype
 Upper basket type: Premium - Basket wiring in steel, fixed pin rows and foldable wine shelves.
 Lower basket type: Premium - Basket wiring in steel, fixed pin rows and removable cutlery basket.
 Removable cutlery basket for easy loading and unloading

Construction & Performance

- Aqua Detect™ - Instant recognition of any leakage in the motor compartment.
- Stand-by water protection - Leakage detection when machine is off.
- Anti Block™ - Self cleaning drain pump.
- Hidden heater
- No need to rinse the dishes thanks to Super Cleaning System™
- Automatic water-softener for better washing performance
- Number of spray arms: 3
- Number of spray zones: 9
- Automatic door opening



Use & flexibility

- Number of place settings (label): 14 place settings
- Number of baskets: 3
- Top tray: Dividable and removable baskets in top rack; With telescopic rails; Handle; No logotype
- Upper basket type: Premium - Basket wiring in steel, fixed pin rows and foldable wine shelves.
- Upper basket system: Easy height adjustable with lever
- Guide rails with ball bearings
- Lower basket type: Premium - Basket wiring in steel, fixed pin rows and removable cutlery basket.
- Small distance between the basket threads - makes loading easy and prevents small items to fall through.
- Removable cutlery basket for easy loading and unloading
- Required inlet water pressure: 0,03-1 MPa

Interaction & Control

- Type of display: LCD display
- Ability to create own programmes: Memory programme
- Number of programs: 9
- Number of options: 6
- Status Light™ - Visual indication of the dishwashing progress.
- Time remaining indicator: Time remaining indicator
- Wash end indication: Displayed with sound and light
- Available languages in control unit: CZ, DA, DE, EN, ES, EE, FI, FR, HR, IT, JP, LT, LV, NL, NO, PL, PT, RU, SK, SL, SV

Programs

- 9 programmes: Quick; Intensive; Eco; Hygiene; Time program; Rinse & hold; Universal; Self cleaning; Anti odour
- Delayed start: Possible to delay up to 24 hours
- Speed mode - The program time is shortened. More energy is used.
- Night mode - Lower noise level. The program time is extended.
- Selfcleaning programme
- Super Rinse™ - Two extra rinses.

Design & integration

- From the front adjustable door spring
- From front adjustable rear foot
- Velcro strips for easy mounting and adjustment of the separate custom door
- Integrated anti-siphon - Prevents spontaneous in- and outlet of water and simplifies elevated installation
- Min. niche width: 600 mm
- Min. niche height: 820 mm
- Depth (incl. wall spacing): 557 mm
- Height setting: 74 mm

Safety & Maintenance

- Kid Safe™ - Lockable controls
- Indication of low level of rinse-aid: Notification in display

- Salt refill indicator: Salt refill indicator

Technical data

- Size 3/4" - Can be connected to hot or cold water
- Max. temperature of incoming water: 70 °C
- Noise level: 42 dB(A)re 1 pW
- Duration of Eco programme: 245 min
- Energy consumption per cycle for the Eco program 40-60°C : 0,54 kWh
- Water consumption per cycle for the Eco program: 9,6 l
- Consumption in standby mode: 0,49 W
- Energy class: A
- Plug type: Euro
- Connected load: 1900 W
- Number of phases: 1
- Fuse: 10 amp
- Frequency: 50 Hz
- Required inlet water pressure: 0,03-1 MPa
- Net weight: 34,7 kg
- Noise class: B
- Energy efficiency index (EEI): 31,8 %
- Cleaning performance: 1,121
- Drying performance: 1,061
- Start delay: 3,99 W
- Energy consumption per 100 cycles: 54 kWh


Dimensions

- Width: 597 mm
- Height: 818 mm
- Depth: 557 mm
- Maximum product height: 892 mm
- Length electrical cord: 1500 mm
- Depth with door open: 1154 mm
- Length inlet hose: 175 cm
- Length outlet hose: 150 cm

Logistic information

- Packaging width: 640 mm
 - Packaging height: 880 mm
 - Packaging depth: 665 mm
 - Gross weight: 37,2 kg
 - Product code: 744769
 - EAN code: 3838782884597
 - Market: Domestic
 - Range: Logic
-

Measurements: millimetres



DW60 hybrid SI dishwasher

