



Steel Seal™ Washing machine

W4086C.S/3

Energy efficiency class: A

Logic

Loading capacity: 8 kg

1600 rpm

Number of programmes: 23

Installation: Freestanding



Programs

- Programmes: Jeans, Everyday wash, Wool/hand wash, Mix/synthetic, Quick, Time program, Easy Care, Standard cotton, Heavy
- Special washing programs: Bedding, Quick Pro, Steam refresh, Shirts, Allergy program Synthetics, Auto, Dark wash, Hygiene, Allergy program Cotton, Eco 40–60 °C
- Special functions: Drum cleaning, Spin, Drain, Rinse
- Modes: Normal - No changes to the program, Green - Saves water and energy. Program time slightly longer, Allergy mode - Adds extra water and program time to ensure a well rinsed load, Speed mode - More water and energy used to ensure a clean laundry in shorter time, Intensive mode - Improved cleaning with more water and energy. Temperature is kept at high level for longer

Additional options

- Temperature range: Cold - 90 °C
- Spin speed setting: Adjustable
- Max spin speed: 1600 rpm
- Delayed start: 30 min to 24 hours
- Settings: Super rinse, High water level, No spin, Prewash

Construction and performance

- Door sealing: Steel Seal™ - Hygienic sealing without rubber bellow
- Quattro Construction™: Yes
- Outer drum: Stainless Steel
- Inner drum: Stainless Steel
- Counter weight material: Cast iron
- Counterweight: 10.4 kg
- Active Drum™ - Ensure a gentle yet effective washing cycle: Yes
- Max +/- 1 °C temperature variation: Yes
- Drum size: 60 l
- Door hinge placement: Left
- Door opening diameter: 310 mm
- Door maximum opening angle: 110 °
- Motor: Long life and quiet brushless motor

Use and flexibility

- Easy Close door: Yes
- Door lock: Electronic
- Stop flap for Liquid detergent: Yes
- Automatic detergent drawer cleaning: No
- Load Light™ - Illumination of the drum: No
- Dose assist: Yes
- Wifi: No

Interaction and control

- Remaining time indication: Yes
- Type of display: LCD display
- Transparent door cover/Double glass door: Transparent door cover

- Number of programmes: 23
- Create own program: Yes
- Available languages in control unit: Chinese simplified, Chinese traditional, Swedish, Slovenian, Slovak, Russian, Polish, Norwegian, Dutch, Latvian, Lithuanian, Japanese, Italian, Croatian, French, Finnish, Estonian, Spanish, English, German, Danish, Czech

Design and integration

- Main colour of product: Colour of brushed stainless steel
- Easy mounting of ASKO dryer on top of the washers: Yes
- Loading type: Front load
- Adjustable feet: 10 mm

Safety and maintenance

- Waterproof bottom plate with leakage detection: Yes
- Maximized water inlet time: Yes
- Water inlet hose: Yes
- Drain system: Anti Block™ - Self-cleaning drain pump
- Overflow protection: Yes
- Emergency door opening function: Yes
- Child lock on display: Yes
- Unbalance detection - Protects the washer against harmful vibrations: Yes
- Draining capacity: 20 l/min
- Overheat protection: For motor and electronics

Technical data

- Loading capacity: 8 kg
- Plug type: Euro
- Connected load: 2200 W
- Voltage (V): 220-240 V
- Number of phases: 1
- Fuse: 10 A
- Frequency: 50 Hz
- Heater power: 2000 W
- Net weight: 75.5 kg
- Energy efficiency class: A
- Energy consumption per cycle for the Eco program 40-60 °C: 0.472 kWh
- Energy label program time: 199 min
- Noise spinning class: B
- Spinning performance class: A
- Water consumption per cycle for the Eco program 40-60 °C: 48 l
- Remaining moisture content 1/1: 44 %
- Water connection: Size 3/4" - Can be connected to cold water
- Power consumption in off-mode: 0.3 W
- Consumption in standby mode: 0.3 W
- ISO 14001 certified manufacturing: Yes

Dimensions

- Width: 595 mm
- Height: 850 mm
- Depth: 585 mm
- Depth with door open: 942 mm
- Length of electrical cord: 2100 mm
- Length inlet hose: 150 cm
- Length outlet hose: 160 cm

Logistic information

- Packaging width: 640 mm
- Packaging height: 920 mm
- Packaging depth: 661 mm
- Gross weight: 78.7 kg
- Weight of packaging: 3.2 kg
- Product code: 741651
- EAN code: 3838782659102

