



V-ZUG Ltd

Industriestrasse 66, P.O.Box, 6302 Zug/Switzerland

Phone +41 58 767 67 67

info@vzug.com, www.vzug.com

Brochure AdoraDish V6000 with OptiLift



Selected product

- Article no.: 4112500007
- EAN code: 7630029451618
- Type: AS6T-41125
- Product category: Dishwasher
- Standard width: 60 cm
- Size: Large capacity
- Front design: Fully integratable
- Handle: without
- All connections (water and electric): 1.5 m





Details AdoraDish V6000

Compliant to regulation

- (EU) Nr. 2019/2017

Design

- Type: AS6T-41125
- Product category: Dishwasher
- Standard width: 60 cm
- Size: Large capacity
- Front design: Fully integratable
- Handle: without
- All connections (water and electric): 1.5 m

Dimensions

- Niche height: 851 mm
- Max. niche height: 967 mm
- Niche width: 600 mm
- Max. niche width: 600 mm
- Niche depth: 580 mm
- Appliance height: 845 mm
- Max. appliance height: 961 mm
- Appliance width: 596 mm
- Appliance depth: 550 mm
- Depth of appliance when door is open: 1222 mm
- Appliance depth including distance to wall: 580 mm
- Empty weight: 61 kg

Display and operation

- Display: LCD
- Controls: TouchControl
- Number of languages in display: 11
- Languages in display: de, fr, it, en, es, nl, he, ru, tr, uk, zh
- FunctionLight
- Lighting: LED
- Number of lights: 4

Energy

- Automatic shut-off consumption with network switched on: 0.9 W
- Lowest water consumption for automatic programme: 5.0 l
- Consumption when off: 0 W
- Noise emission class: A
- Energy efficiency index: 43.3
- Energy efficiency class: C
- Energy consumption of standard cleaning cycle (SPEC): 1.675 kWh
- Energy consumption per 100 cycles: 73.0 kWh
- Energy consumption of standard cleaning cycle: 0.725 kWh
- Water consumption per standard cycle: 6.7 l
- Type of connection (1): 230 V~
- Frequency (1): 50 Hz
- Connected loads (1): 3.2 kW
- Fuse protection (1): 16 A
- Plug type: Schuko 16A
- Connection cable: 1.5 m
- Water pressure: 1-10 bar



Dishwasher features

- Pull-out cutlery drawer: SoftSlide
- Pull-out upper basket: SoftSlide with SoftClose
- Cutlery drawer: ergoPlus cutlery drawer with SoftSlide
- Click-in
- Capacity standard place settings: 13
- OptiLift
- Premium Swiss Quality
- Duration of Sprint programme: 20 min
- EcoManagement
- Additional row for glasses
- Multiflex zone
- Multiple hight adjustable upper basket
- Special function hot water connection
- salt / rinse aid refill indicator
- Aquastop
- EcoStandby
- Small cutlery basket
- Programmes: 12
- Turbidity sensor
- Adjustable height: 116 mm
- Technology: Conventional
- Salt consumption per wash: 5.4 g
- Easy prong extension
- Installation in tall unit

Nicht sichtbare Attribute

- Rinsing water storage tank

Functions

- Automatic rinse agent dosage
- OptiStart
- Water hardness control
- OptiLift
- Sprint programme
- Automatic programme
- SteamFinish
- Silent programme
- Daily-short
- Party programme
- Hygiene programme
- Glass programme
- Intensive
- Fondue/raclette programme
- All-in-1 option
- Pre-rinse
- Energy saving
- Eco programme
- MachineCare programme
- Part load
- Childproof lock

Additional data

- Noise output: 38.0 dB(A)
- Programme duration of standard cleaning cycle: 6.5 h
- Pressure hose G 3/4: 1.55 m
- Feature level: 5

Service and interfaces

- Frequency range: 2,4 GHz
- WLAN as standard: 802.11 b/g/n
- Interface: WLAN and Bluetooth