

Tegelolie Designtegels

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
Reference number: 7680.0_01_CLP
Issue date: 2017/04/25 Revision date: 2023/05/01 Supersedes version of: 2015/01/22 Version: 6.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Name : Tegelolie Designtegels
Product code : 7680.0_68012WO75
Type of product : Detergent
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use, Consumer use
Industrial/Professional use spec : A.I.S.E. Guidance on Detergents Safe Use Mixture Information (SUMI):
<https://www.aise.eu/our-activities/regulatory-context/reach/safe-use-information-for-end-users.aspx>
Use of the substance/mixture : The data given here is based on the product properties as mentioned in section 1.1. and is provided on the assumption, that the product will be used in the manner and for the purposes for which the manufacturer indicates.
Use of the substance/mixture : Protective film
Function or use category : Impregnation agents

Title	Use descriptors
Professional uses; Brushing after trigger spraying or brushing with tools	SU22, PC35, PROC10, ERC8a, AISE SPERC 8a.1.a.v2
Professional uses; Manual application	SU22, PC35, PROC19, ERC8a, AISE SPERC 8a.1.a.v2
Consumer use of polishes	SU21, PC31, ERC8a

Full text of use descriptors: see section 16

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Azule B.V.
Duurstedelaan 1
NL 3525 AM Utrecht
Nederland
T +31 (0) 85 3001111
info@designtegels.nl

1.4. Emergency telephone number

Emergency number : See Section 1.3; Only during office hours

Country	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
Malta	Medicines & Poisons Info Office	Mater Dei Hospital Msida MSD 2090 Msida	+356 2545 6508	

Tegelolie Designtegels

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226
Specific target organ toxicity – Single exposure, Category 3, H336
Narcosis
Specific target organ toxicity – Repeated exposure, Category 1 H372
Aspiration hazard, Category 1 H304
Hazardous to the aquatic environment – Chronic Hazard, H411
Category 2
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes damage to organs through prolonged or repeated exposure.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP)

: Danger

Contains

: C9-12 ALKANE/ISOALKANE/CYCLOALKANE/AROMATIC HYDROCARBONS

Hazard statements (CLP)

: H226 - Flammable liquid and vapour.
H304 - May be fatal if swallowed and enters airways.
H336 - May cause drowsiness or dizziness.
H372 - Causes damage to organs (nervous system) through prolonged or repeated exposure.
H411 - Toxic to aquatic life with long lasting effects.
P102 - Keep out of reach of children.
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261 - Avoid breathing vapours.
P271 - Use only outdoors or in a well-ventilated area.
P273 - Avoid release to the environment.
P280 - Wear protective gloves.
P301+P310+P331 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. Do NOT induce vomiting.
P312 - Call a POISON CENTRE or doctor if you feel unwell.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P405 - Store locked up.
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
EUH066 - Repeated exposure may cause skin dryness or cracking.

EUH-statements

Intended for general public

Child-resistant fastening

: Applicable

Tactile warning

: Applicable

Tegelolie Designtegels

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Nordic countries regulation

Denmark

MAL code : 00-6 (Executive Order No. 301 from 1993)

2.3. Other hazards

Other hazards which do not result in classification : Caution : Materials such as cleaning rags, paper wipes and protective clothing, which are contaminated with the product may spontaneously self-ignite some hours later. To avoid the risks of fires, all contaminated materials should be washed out well with warm soapy water before disposal. The information in this section applies to the undiluted product.

Contains no PBT and/or vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclicalcanes, (2-25 % aromatics) (INCI: C9-12 ALKANE/ISOALKANE/CYCLOALKANE/AROMATIC HYDROCARBONS)	EC-No.: 919-446-0 REACH-no: 01-2119458049-33	≥ 30	Flam. Liq. 3, H226 STOT SE 3, H336 STOT RE 1, H372 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash skin with mild soap and water. Repeated exposure may cause skin dryness or cracking. Wash contaminated clothing before reuse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: May cause drowsiness or dizziness. Difficulty in breathing. Giddiness. Cough. Soar throat. Nausea.
Symptoms/effects after skin contact	: Repeated dermal contact with material can lead to defatting of the skin. Repeated exposure may cause skin dryness or cracking. Redness, pain.
Symptoms/effects after eye contact	: Slight eye irritant upon direct contact. Redness, pain.
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways. Risk of lung oedema. Dizziness, headaches, nausea. Abdominal pain. Diarrhea. Vomiting.

Tegelolie Designtegels

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour. Vapours are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapours. Materials such as cleaning rags, paper wipes and protective clothing, which are contaminated with the product may spontaneously self-ignite some hours later. To avoid the risks of fires, all contaminated materials should be washed out well with warm soapy water before disposal.
Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Concerning personal protective equipment to use, see section 8. Material spilled on hard surface can present a serious slipping/falling hazard.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel. Do not breathe dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Avoid breathing dust/fume/gas/mist/vapours/spray.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Do not flush into surface water. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling : Do not breathe vapours.
Hygiene measures : Do not eat, drink or smoke when using this product.

Tegelolie Designtegels

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment.
Storage conditions	: Keep only in the original container in a cool, well ventilated place. Keep container tightly closed. Protect from freezing. Store locked up.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Tegelolie Designtegels	
DNEL/DMEL (additional information)	
See http	//www.dguv.de/ifa/de/gestis/limit_values/index.jsp: Information on ingredients.
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclicalcanes, (2-25 % aromatics)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	44 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	330 mg/m ³
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	26 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	71 mg/m ³
Long-term - systemic effects, dermal	26 mg/kg bodyweight/day

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid contact with skin, eyes and clothing. Avoid all unnecessary exposure. Hand protection. Gloves. Eye protection. eye protection.

Tegelolie Designtegels

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Wear eye/face protection. Chemical goggles or safety glasses. Standard. ISO 16321-1. Eye protection should only be necessary where liquid could be splashed or sprayed

8.2.2.2. Skin protection

Skin and body protection:

If repeated skin contact or contamination of clothing is likely, protective clothing should be worn. Repeated dermal contact with material can lead to defatting of the skin.

Hand protection:

protective gloves. Chemical resistant gloves (according to European standard NF ISO 374-1 or equivalent). By prolonged exposure : Reusable gloves. Short term exposure. If there is a risk of liquid being splashed : Disposable gloves / Reusable gloves. Time of penetration is to be checked with the glove producer

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	6 (> 480 minutes)	>0.35 mm (NBR); >0.7 mm (HNBR)		EN 374-3
Disposable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	2 (> 30 minutes)	> 0.1 mm		EN 374-3

8.2.2.3. Respiratory protection

Respiratory protection:

Use only where ventilation can control exposures within occupational exposure standard(s). Ensure adequate ventilation, especially in confined areas. Mechanical ventilation is recommended. In the event of insufficient ventilation: Carry out operations in the open/under local exhaust/ventilation or with respiratory protection. Gas mask with filter type. Type A - High-boiling (>65 °C) organic compounds. Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. [In case of inadequate ventilation] wear respiratory protection.

Respiratory protection			
Device	Filter type	Condition	Standard
Gas mask	Type A - High-boiling (>65 °C) organic compounds	Vapour protection	EN 141

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use. The information in this section applies to the undiluted product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Yellow. brown.
Odour	: characteristic.
Odour threshold	: Not available

Tegelolie Designtegels

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: 39 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not applicable
Viscosity, kinematic	: Not available
Viscosity, dynamic	: (visc. Sec.Dincup 4, 23°C)
Solubility	: Material insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: 0,82 g/cm ³ (20°C)
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content : VOC content g/l (EU / CH): 469.1 / 469.1

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture. The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Thermal decomposition generates : fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Tegelolie Designtegels

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclicalcanes, (2-25 % aromatics)	
LD50 oral rat	> 5000 mg/kg
LD50 oral	> 15000 mg/kg
LD50 dermal rabbit	> 3400 mg/kg
LC50 Inhalation - Rat	> 13,1 mg/l/4h

Skin corrosion/irritation	: Not classified pH: Not applicable
Additional information	: Repeated exposure may cause skin dryness or cracking.
Serious eye damage/irritation	: Not classified pH: Not applicable
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: May cause drowsiness or dizziness.

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclicalcanes, (2-25 % aromatics)	
NOAEL (oral, rat)	1056 mg/kg bodyweight
NOAEC (inhalation, rat, vapour)	1970 mg/l
STOT-single exposure	May cause drowsiness or dizziness.

STOT-repeated exposure	: Causes damage to organs (nervous system) through prolonged or repeated exposure.
Additional information	: Based on available data, the classification criteria are not met

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclicalcanes, (2-25 % aromatics)	
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard	: May be fatal if swallowed and enters airways.
-------------------	---

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclicalcanes, (2-25 % aromatics)	
Viscosity, kinematic	1,75 (1 – 2,5) mm²/s

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met,With the product as such no toxicological tests have been done. According to the criteria of art. 3 from (EC) Nr. 1272/2008 [CLP] this product is classified as mentioned in section 2. Components that are toxic are mentioned in section 3.
---	--

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: With the product as such no ecological tests have been done. According to the criteria of art. 3 from (EC) Nr. 1272/2008 [CLP] this product is classified concerning the environment as mentioned in section 2. Components that are dangerous to the environment are mentioned in section 3.
Ecology - water	: Toxic to aquatic life with long lasting effects.

Tegelolie Designtegels

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclicalcanes, (2-25 % aromatics)	
LC50 - Fish [1]	10 – 30 mg/l (96h, Oncorhynchus mykiss)
EC50 - Crustacea [1]	10 – 22 mg/l (48h)
EC50 72h - Algae [1]	4,6 – 10 mg/l (72h, Pseudokirchneriella subcapitata)

12.2. Persistence and degradability

Tegelolie Designtegels	
Persistence and degradability	May cause long-term adverse effects in the environment.
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclicalcanes, (2-25 % aromatics)	
Persistence and degradability	Readily biodegradable.

12.3. Bioaccumulative potential

Tegelolie Designtegels	
Bioaccumulative potential	Not established.
Hydrocarbons, C9-C12, n-alkanes, isoalkanes, cyclicalcanes, (2-25 % aromatics)	
Partition coefficient n-octanol/water (Log Pow)	3,7 – 6,7

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties : See Section 2.3.

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: This material and its container must be disposed of in a safe way, and as per local legislation. Product as it is : Chemical refuse, Dispose as hazardous waste. Empty containers can be dumped after cleaning according to local legislation. Recycling is preferred to disposal or incineration. Empty the packaging completely prior to disposal. Wash away remainder with plenty of water.
Additional information	: Handle empty containers with care because residual vapours are flammable.
Ecological information	: Avoid release to the environment. Hazardous waste due to toxicity.
European List of Waste (LoW, EC 2000/532)	: 20 01 99 - other fractions not otherwise specified

Tegelolie Designtegels

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not regulated for transport				
UN 3295	UN 3295	UN 3295	UN 3295	UN 3295
14.2. UN proper shipping name				
HYDROCARBONS, LIQUID, N.O.S.	HYDROCARBONS, LIQUID, N.O.S.	Hydrocarbons, liquid, n.o.s.	HYDROCARBONS, LIQUID, N.O.S.	HYDROCARBONS, LIQUID, N.O.S.
14.3. Transport hazard class(es)				
3	3	3	3	3
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: F1
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBF
Vehicle for tank carriage	: FL
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Operation (ADR)	: S2
Hazard identification number (Kemler No.)	: 30
Orange plates	: 30 3295
Tunnel restriction code (ADR)	: D/E
EAC code	: 3YE

Transport by sea

Special provisions (IMDG)	: 223
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01

Tegelolie Designtegels

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: A
MFAG-No	: 127

Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3, A224
ERG code (IATA)	: 3L

Inland waterway transport

Classification code (ADN)	: F1
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Carriage permitted (ADN)	: T
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	: F1
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions (RID)	: TP1, TP29
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE4
Hazard identification number (RID)	: 30

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

Tegelolie Designtegels

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

VOC Directive (2004/42)

VOC content : VOC content g/l (EU / CH): 469.1 / 469.1

Detergent Regulation (648/2004)

Labelling of contents	
Component	%
aliphatic hydrocarbons	≥30%

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1).
Chemicals Prohibition Ordinance (ChemVerbotsV) : This product is subject to ChemVerbotsV Annex 2 Entry 1. The following requirements must be observed: authorization requirement (according to § 6 paragraph 1 sentence 1), basic requirements for carrying out the delivery (according to § 8 paragraph 1, 3 and 4), identification and documentation (according to § 9 paragraph 1 to 3) and exclusion of the shipping route (according to § 10).
Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

ABM category : B(2) - toxic for aquatic organisms
SZW-lijst van kankerverwekkende stoffen : None of the components are listed
SZW-lijst van mutagene stoffen : None of the components are listed
SZW-lijst van reprotoxische stoffen – Borstvoeding : None of the components are listed
SZW-lijst van reprotoxische stoffen – Vruchtbaarheid : None of the components are listed
SZW-lijst van reprotoxische stoffen – Ontwikkeling : None of the components are listed

Denmark

MAL code : 00-6 (Executive Order No. 301 from 1993)
Class for fire hazard : Class II-1
Store unit : 5 liter
Classification remarks : R10 <H226;H304;H336;H372;H411>; Emergency management guidelines for the storage of flammable liquids must be followed
Danish National Regulations : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

Tegelolie Designtegels

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Raw materials information section 3.

See <http://esis.jrc.ec.europa.eu/index.php?PGM=dat> : Information on ingredients.

Health hazards

See Section 2 & 3 & 11.

Physical hazards

See Section 2 & 10.

Environmental hazards

See Section 2 & 3 & 12.

SECTION 16: Other information

Indication of changes

Section	Changed item	Change	Comments
	Revision date	Modified	
	Version	Modified	Minor
	Safety Data Sheet	Modified	SDS EU format according to COMMISSION REGULATION (EU) 2020/878
1.2	Industrial/Professional use spec	Added	
2.2	Labelling according to Regulation (EC) No. 1272/2008 [CLP]	Modified	Minor
2.3	Other hazards	Modified	
3	Composition/information on ingredients	Modified	
6.1	General measures	Modified	
8.2	Personal protective equipment	Modified	
11.2.	Adverse health effects caused by endocrine disrupting properties	Added	
12.6	Adverse effects on the environment caused by endocrine disrupting properties	Added	
15.1	Waterbezwaarlijkheid (Water hazard class)	Removed	
15.1	ABM category	Modified	
16	Abbreviations and acronyms	Modified	
16	Data sources	Modified	

Tegelolie Designtegels

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:	
	ABM: Algemene Bepoortings Methodiek (NL) / ADR: Accord Européen relatif au transport international des marchandises dangereuses par route) / ALG: Allergen / AQTX: Aquatic Toxicity / Atm: Atmosphere (unit of pressure) / bw: bodyweight / C: Ceiling / CAR:\Carcinogenic Effects / CAS No: Chemical Abstracts Service Number (see ACS – American Chemical Society) / CMRs: Carcinogenic, Mutagenic or toxic to Reproduction (substances) / CSR: Chemical Safety Report / Cc (cm3): Cubic Centimeter / DNEL: Derived No-Effect Level / EC50: half maximal effective concentration / ED50: Effective Dose 50 / ET50: Exposure Time 50 / I.V.: Intravenous / Kg: Kilogram / LC: Lethal Concentration / LC50: Median Lethal Concentration / LCLO: Lowest Lethal Airborne Concentration Tested (see also LC50, LD50) / LD: Lethal Dose / LD50: Median Lethal Dose LDLO: Lowest Lethal Dose Tested (see also LC50, LD50) / MAC: Maximum Allowable Concentration / MAK: Maximale Arbeitsplatz-Konzentration (Germany, Maximum Workplace Concentration, see OEL) / MSDS: Material Safety Data Sheet / NOAEL: No Observed Adverse Effect Level / NOEL: No Observable Effect Level / OEL: Occupational Exposure Limits / PBTs: Persistent, Bioaccumulative and Toxic substances / PEC: Predicted Environmental Concentration / PNEC: Predicted No-Effect Concentration / REACH: Registration, Evaluation, Authorisation and Restriction of Chemical substances / STEL: Short-Term Exposure Limit / STEV: Short-Term Exposure Value / STP: Sewage Treatment Plant TLM: Threshold Limit, Median / TLV-C: Threshold Limit Value-Ceiling / TLV®: Threshold Limit Value / TWA: Time-Weighted Average / WGK: Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act) / g/gms: Grams / kJ/mol: Kilojoules per mole / kPa: KiloPascal (unit of pressure) / m3: Cubic Meter / mg: Milligram / ml: Milliliter / ml Hg: Milliliters of Mercury / n.o.s.: Not Otherwise Specified / nm: nanometer / ppb: Parts Per Billion / pph: parts per hundred (= percent) / ppm: Parts Per Million / ppt: parts per trillion / vPvBs: Very Persistent and Very Bioaccumulative substances
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
DPD	Dangerous Preparations Directive 1999/45/EC
DSD	Dangerous Substances Directive 67/548/EEC
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
STP	Sewage treatment plant

Tegelolie Designtegels

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:	
TLM	Median Tolerance Limit
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

Data sources	: Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Regulation (EC) No. 648/2004 of 31 March 2004 on detergents.
Other information	: None. DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

Full text of H- and EUH-statements:	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
EUH066	Repeated exposure may cause skin dryness or cracking.
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H372	Causes damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Full text of use descriptors	
AISE SPERC 8a.1.a.v2	Wide Dispersive Use in 'Down the Drain' cleaning and maintenance products (Consumers and Professionals)
ERC8a	Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)
PC31	Polishes and wax blends
PC35	Washing and cleaning products
PROC10	Roller application or brushing
PROC19	Manual activities involving hand contact
SU21	Consumer uses: Private households (= general public = consumers)
SU22	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.