

SIEVERT®

IMITATED
SINCE 1882

THERMOWELD

**NEXT GENERATION WELDING.
SIMPLIFIED.**






NEXT GENERATION WELDING. SIMPLIFIED.

Thermoweld is designed for professional roofers who require reliable, consistent welding without unnecessary complexity. It delivers next generation performance by focusing on what matters most on the roof: control, precision and ease of use.

Free from apps, connectivity, and unnecessary digital features, every function serves a clear and practical purpose allowing consistent, professional welding seams with minimal effort on thermoplastic roofing membranes such as PVC/TPO, as well as bitumen. Designed in Sweden and manufactured in Switzerland, Thermoweld brings membrane welding back to what it should be: simple, reliable and effective.



VOLTAGE
400/230 V








FREQUENCY
50/60 HZ

EFFECT
5 500/4 600 W

TEMP
20-620 °C

SPEED
0,5-14 M/MIN

FEATURES

-  Temperature Adjustment
-  Speed Adjustment
-  Brushless Motor
-  LED Lights
-  Detachable Weights
-  Air Flow Adjustment
-  Adjustable Handle



Swedish design,
Swiss quality

TECHNICAL DATA

Art. No.	299401/299430	299601/299630	299501/299530
Applications	PE, PVC, TPO, ECB, EPDM, CSPE	Bitumen	Bitumen
Nozzle Width (mm)	40	90	90
Welding Width (mm)	40	80	100
Voltage (V)	400/230	400/230	400/230
Effect (W)	5 500/4 600	5 500/4 600	5 500/4 600
Temperature Range (°C)	20-620	20-620	20-620
Air Flow (L/min)	250-500	250-500	250-500
Speed (M/min)	0,5-14	0,5-14	0,5-14
Cord Length (m)	5	5	5
Plug Type	CEE 16A/Schuko R3 16A	CEE 16A/Schuko R3 16A	CEE 16A/Schuko R3 16A
Fuse Rating	16A/16A	16A/16A	16A/16A
Noise Level (dB)	78	78	78
Weight (kg)	42	42	42
Dimensions (mm)	610x410x320	610x410x320	610x410x320
Protection Class	I	I	I

■ ■ ■ INNOVATED
■ ■ ■ IN SWEDEN

SIEVERT[®]

©Sievert AB. All rights reserved. Sievert is a registered trademark of Sievert AB.
Sievert AB and its partners reserve the right for any misprints.



[sievert_official](#)



[Sievert AB](#)



[sievert.se](#)