

Room Overview - Hall 1 - World Health Summit

This document is an overview of general information, the technical infrastructure and the equipment of the World Health Summit session room *Hall 1*.

Please visit our [program](#) to see every session in this room.

General Information

Session format of the room *Hall 1*: **Panel Discussion (PD)**

Our Panel Discussions allow for a multi-stakeholder debate on some of the most pressing global health challenges. Ministers, parliamentarians, representatives from civil society and business discuss with experts from all sectors what are the most important obstacles and solutions towards a healthier and fairer world.

Participant capacity on-site of room *Hall 1*: **300 PAX**

Technical Infrastructure & Equipment Information

In the **speaker area** of room *Hall 1*:

- A speaker's lectern on the right side of the stage with one gooseneck microphone and a digital display on the front side. The display will show the name of the current speaker at the lectern and the WHS logo. A presentation laptop will also be provided and placed on the lectern.
- Optional seating for up to six speakers, with a side table, nameplate, and gooseneck microphone provided for each speaker. Alternatively, up to two headset or two handheld microphones can be provided. Two additional handheld microphones will be provided for audience questions.
- If the panel is larger than the designated number of speaker seats, the additional speakers will have a seat reserved in the front row and they will then be able to step up to the lectern to speak.
- The speakers will sit in front of a WHS branded stage back wall.
- Two projection screens, each measuring 3.65 m high and 2.10 m wide, are positioned on either side of the stage. Two preview monitors are placed on the floor facing the speakers.
- Polls (via Slido) and Q&A can be integrated into your session through the WHS App. The Q&A feature allows on-site participants to submit questions via the app, while polls enable the moderator or chair to pose questions to the audience during the session. Poll results are displayed on the session screens, allowing both on-site and online participants to view the responses. If you would like to use either or both features, please indicate this in the Run of Show document. Poll questions should be sent to programteam@worldhealthsummit.org at least three weeks before the World Health Summit. For sessions using polls and/or Q&A, one iPad will be provided for the moderator or chair. A second iPad can be made available to someone assisting the moderator or chair with monitoring audience questions and poll responses. Please note that this person must be designated by the co-host, moderator, or chair.
- A countdown clock will be visible to everyone on stage to help with timekeeping.
- The staircase to enter the stage is in the middle.

In the **audience area** of room *Hall 1*:


- Theater seating for up to 300 participants. The seats will be distributed on a first come first serve basis and reservations will not be possible. There is no guarantee of attending every session due to capacity limitations.
- The production crew will sit at the right side of the stage. This area is not accessible for participants.
- The conference language of the World Health Summit is English. Interpretation equipment will not be provided for participants. Video messages in other languages require English subtitles.

Disclaimer: Please be advised that the WHS organizing team reserves the right to make changes to the current setup. Individual requests for changes to the room setup or technical equipment can only be considered to a limited extent. The WHS organizing team will not provide contact details of technicians or sequence directors.

Impressions



Floor Plan



HALL 1
FLOOR PLAN
300 PAX



Lectern



Preview Monitor



Projection Area



Projector Screen



Back Wall