

Flanschplatten für ProLine



Adjustable Gland Plates are used to seal the bottom of the ProLine frame. Solid, vented and shielded Gland Plates are available. Solid and filtered gland plates include covers that are gasketed to maintain Type 12 enclosure requirements. All installation hardware is included. Solid Gland Plate and EMC Gland Plate are accessories to 100-mm Solid Base, 100-mm/200-mm Plinth Base, Mobile Base and Transportation Base. These gland plates can be used without a base if casters, levelers or frame feet are installed. EMC Gland Plate maintains a Type 1 rating.

MERKMALE

Solid Gland Plate and EMC Gland Plate are accessories to 100- mm Solid Base, 100-mm/200-mm Plinth Base, Mobile Base and Transportation Base. These gland plates can be used without a base if casters, levelers or frame feet are installed.

Solid Gland Plate: the Solid Gland Plate can be used with all ProLine subpanels or rack angles. The gland plate consists of a base mounting surface and two adjustable foam-gasketed plates that permit cable entry. The plate can be rotated 180 degrees for front or rear cable entry.

EMC Gland Plate: This gland plate can be used with subpanels or rack angles. Gland plate consists of a base mounting surface and two adjustable gland plates (both have a conductive coating) with conductive fabric-over-foam gasket for cable entry.

Filtered (Vented) Gland Plate: Filtered Gland Plate is used only in conjunction with Vented Plinth Base Covers. The plate can be used with all ProLine subpanels or rack angles. It consists of a mounting base, three adjustable plates for cable entry, a filter and filter retaining rails. Manufactured from 16 gauge steel and finished with RAL 7035 textured light-gray polyester powder paint. Replacement filters available. EMC Gland Plate maintains a Type 1 rating.

All hardware included

SPEZIFIKATIONEN

Dicke: 1.9mm
Farbe: Hellgrau
Farbcode: RAL 7035

Table 1/3

Katalognummer	Material	Passend für Rahmenbreite	Passend für Rahmentiefe	Oberfläche
PGP86	Baustahl	800mm	600mm	Pulverbeschichtet
PGPV78	Baustahl	700mm	800mm	Pulverbeschichtet
PGPV89	Baustahl	800mm	900mm	Pulverbeschichtet
PGP65AHF	Baustahl	600mm	500mm	Verzinkt
PGP89	Baustahl	800mm	900mm	Pulverbeschichtet
PGPV85	Baustahl	800mm	500mm	Pulverbeschichtet
PGP64AHF	Baustahl	600mm	400mm	Verzinkt
PGP79	Baustahl	700mm	900mm	Pulverbeschichtet
PGP104	Baustahl	1000mm	400mm	Pulverbeschichtet
PGP85	Baustahl	800mm	500mm	Pulverbeschichtet
PGP105	Baustahl	1000mm	500mm	Pulverbeschichtet
PGP46	Baustahl	400mm	600mm	Pulverbeschichtet
PGP45	Baustahl	400mm	500mm	Pulverbeschichtet
PGP105AHF	Baustahl	1000mm	500mm	Verzinkt
PGPV88	Baustahl	800mm	800mm	Pulverbeschichtet
PGP108AHF	Baustahl	1000mm	800mm	Verzinkt
PGPV106	Baustahl	1000mm	600mm	Pulverbeschichtet
PGP188	Baustahl	1800mm	800mm	Pulverbeschichtet
PGP186	Baustahl	1800mm	600mm	Pulverbeschichtet
PGP124	Baustahl	1200mm	400mm	Pulverbeschichtet

Table 2/3

Katalognummer	Material	Passend für Rahmenbreite	Passend für Rahmentiefe	Oberfläche
PGP88	Baustahl	800mm	800mm	Pulverbeschichtet
PGP185	Baustahl	1800mm	500mm	Pulverbeschichtet
PGP125	Baustahl	1200mm	500mm	Pulverbeschichtet
PGP168	Baustahl	1600mm	800mm	Pulverbeschichtet
PGPV86	Baustahl	800mm	600mm	Pulverbeschichtet
PGPV64	Baustahl	600mm	400mm	Pulverbeschichtet
PGP166	Baustahl	1600mm	600mm	Pulverbeschichtet
PGP126	Baustahl	1200mm	600mm	Pulverbeschichtet

Katalognummer	Material	Passend für Rahmenbreite	Passend für Rahmentiefe	Oberfläche
PGP165	Baustahl	1600mm	500mm	Pulverbeschichtet
PGP128	Baustahl	1200mm	800mm	Pulverbeschichtet
PGP164	Baustahl	1600mm	400mm	Pulverbeschichtet
PGP64	Baustahl	600mm	400mm	Pulverbeschichtet
PGP89AHF	Baustahl	800mm	900mm	Verzinkt
PGPV166	Baustahl	1600mm	600mm	Pulverbeschichtet
PGPV165	Baustahl	1600mm	500mm	Pulverbeschichtet
PGP84	Baustahl	800mm	400mm	Pulverbeschichtet
PGP108	Baustahl	1000mm	800mm	Pulverbeschichtet
PGP66	Baustahl	600mm	600mm	Pulverbeschichtet
PGPV128	Baustahl	1200mm	800mm	Pulverbeschichtet
PGPV126	Baustahl	1200mm	600mm	Pulverbeschichtet

Table 3/3

Katalognummer	Material	Passend für Rahmenbreite	Passend für Rahmentiefe	Oberfläche
PGPV65	Baustahl	600mm	500mm	Pulverbeschichtet
PGPV125	Baustahl	1200mm	500mm	Pulverbeschichtet
PGPV108	Baustahl	1000mm	800mm	Pulverbeschichtet
PGPV66	Baustahl	600mm	600mm	Pulverbeschichtet
PGP66AHF	Baustahl	600mm	600mm	Verzinkt
PGP65	Baustahl	600mm	500mm	Pulverbeschichtet
PGP88AHF	Baustahl	800mm	800mm	Verzinkt
PGP79AHF	Baustahl	700mm	900mm	Verzinkt
PGPV68	Baustahl	600mm	800mm	Pulverbeschichtet
PGP68	Baustahl	600mm	800mm	Pulverbeschichtet
PGP106	Baustahl	1000mm	600mm	Pulverbeschichtet
PGP68AHF	Baustahl	600mm	800mm	Verzinkt
PGP78	Baustahl	700mm	800mm	Pulverbeschichtet
PGP78AHF	Baustahl	700mm	800mm	Verzinkt
PGPV76	Baustahl	700mm	600mm	Pulverbeschichtet

WARNUNG

nVent-Produkte müssen in Übereinstimmung mit den Produktinformationsblättern und dem Schulungsmaterial von nVent installiert und verwendet werden. Informationsblätter sind verfügbar unter www.nVent.com sowie bei Ihrem nVent-Kundendienstvertreter. Unsachgemäße Installation, Missbrauch, Fehlanwendung oder andere Handlungen im Widerspruch zu den Anweisungen und Warnungen von nVent können zu Fehlfunktionen, Anlagenschäden, schwerer Körperverletzung sowie zum Tod führen und/oder haben die Annullierung der Garantie zur Folge.



Unser starkes markenportfolio:

CADDY ERICO HOFFMAN ILSCO SCHROFF TRACHTE

©2026 nVent. Alle Marken und Logos von nVent sind Eigentum der nVent Services GmbH oder ihrer Tochtergesellschaften oder durch sie lizenziert. Alle übrigen Marken sind Eigentum ihrer jeweiligen Inhaber. nVent behält sich das Recht vor, ohne Vorankündigung Änderungen vorzunehmen.

Dieses Dokument ist systemgeneriert.