



ELECTRICAL  
ACCESSORIES  
**EXPORT**  
**2025**

**simon**



ELECTRICAL  
ACCESSORIES  
**EXPORT**  
**2025**





## CABLE REELS AND EXTENSION CORDS

Simon cable reels and extension cords are categorised according to domestic, professional or outdoor use.

Extension cords are essential products for various electrical installations.

### CABLE REELS



3-4 Sockets  
16 A 230 V~



1.4 m-40 m



IP20 IP55



Overload  
protection



USB

Professional

With USB

Domestic

### EXTENSION CORDS



2-4 Sockets  
16 A 230 V~



1.4 m-10 m



ON - OFF



IP44

Expert

Basic

Professional



## Professional solutions



20 m-40 m



3 Sockets  
16 A 230 V~



IP55



25 m-50 m



4 Sockets  
16 A 230 V~



Overload  
protection

### Professional cable reel 3 sockets

**IP55:** for indoor and outdoor use. Protected against dust deposits and water jets from any angle. Ideal for indoor areas or outdoor locations with limited exposure to water.

It allows you to charge various electronic devices at the same time thanks to its three Schuko sockets protected by a cover.

### Professional cable reel 4 sockets

**Overvoltage protection** All cable reels come complete with a system to prevent overheating and include a reset.



**Extension of electrical sockets:** thanks to its 40 m 3G1.5 cable, you can connect all those devices that are further away from the wall sockets.

## Basic solutions



### Cable reels with USB


### Domestic cable reels





## Cable reels with USB

This 5-metre and 10-metre domestic cable reel with two USB ports and three sockets in black and grey are specially designed to prevent overheating.

The Simon cable reel has a cable cross-section of 3G1.5 mm<sup>2</sup> and is equipped with a safety reset.



## Expert Solutions



1.4 m



4 Sockets  
16 A 230 V~



On-Off

Ergonomically designed and compact extension cord with multiple fixation possibilities provide excellent comfort. It incorporates a practical magnet system so you can place the product on metal surfaces, a hook so you can hang it anywhere you like and a tripod screw so you can fasten it in place.

**On/off switch:** allows you to switch off all sockets simultaneously and avoid extra or unnecessary energy consumption.





10 m



2 Sockets  
16 A 230 V~



On-Off

Allows you to increase the number of sockets available so you can connect different power tools at once.

For garage, garden or workshop areas.  
With built-in cable rewind.



# Cable Reels and Extension Cords

## CABLE REELS

### PROFESSIONAL



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>EX922501</b>	Black/red	Professional cable reel 3 sockets 16 A 250, 20 m H05RR-F 3G1.5 mm <sup>2</sup>	8412852980379	B	1
<b>EX922601</b>		Professional cable reel 3 sockets 16 A 250, 40 m H05RR-F 3G1.5 mm <sup>2</sup>	8412852980386	B	1
<b>EX922701</b>		Professional cable reel 3 sockets 16 A 230, 15 m H07RN-F, 3G2.5 mm <sup>2</sup>	8412852982083	B	1
<b>EX922801</b>		Professional cable reel 3 sockets 16 A 230, 30 m H07RN-F, 3G2.5 mm <sup>2</sup>	8412852982090	B	1

- Overvoltage protection
- Max. power 3680 W
- IP55



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>EX562582</b>	Black	Professional cable reel 4 sockets 16 A 250 A, 25 m H05VV-F 3G1.5 mm <sup>2</sup>	8412852562582	B	1
<b>EX562599</b>		Professional cable reel 4 sockets 16 A 250 A, 50 m H05VV-F 3G1.5 mm <sup>2</sup>	8412852562599	B	1

- With safety reset

### DOMESTIC WITH USB



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>EX924301</b>	Black/grey	Cable reel with USB 3 sockets 16 A 250 A, 5 m H05VV-F 3G1.5 mm <sup>2</sup> , 2 A Ports	8412852980355	B	4
<b>EX924401</b>		Cable reel with USB 3 sockets 16 A 250 A, 10 m H05VV-F 3G1, 5 mm <sup>2</sup> , 2 A Ports	8412852980362	B	4

- With wall fixation
- Overvoltage protection
- Max. 3680 W
- IP20

### DOMESTIC





ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>EX921401</b>	Black/grey	Domestic cable reel 4 sockets 16 A 230A, 10 m H05AA-F, 3G1.5 mm <sup>2</sup>	8412852980331	B	4
<b>EX921501</b>		Domestic cable reel 4 sockets 16 A 230 A, 15 m H05AA-F, 3G1.5 mm <sup>2</sup>	8412852980348	B	4


- Overvoltage protection
- Max. 3680 W
- IP20

## EXTENSION CORDS


### EXPERT EXTENSION CORDS

	ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
	<b>PL428201</b>	Black/blue	Expert extension cord 4 sockets 16 A 230 V, 1.4 m H07RN-F 3G1.5 mm <sup>2</sup>	8412852966533	H	4
			<ul style="list-style-type: none"> <li>• ON/OFF switch</li> <li>• Multiple installation: with hook, magnet and hole for tripod use.</li> <li>• Max. power 3680 W</li> <li>• <b>IP44</b></li> </ul>			
	<b>PL728241</b>	Black/blue	Wall-mounted extension cord 2 sockets 16 A 230 V, 10 m H05RR-F 3G1.5 mm <sup>2</sup>	8412852966526	H	2
			<ul style="list-style-type: none"> <li>• Cable management system</li> <li>• Wall bracket for easy installation</li> <li>• Cable: Includes plug</li> <li>• Max. power 3680 W</li> <li>• <b>IP44</b></li> </ul>			


### BASIC EXTENSION CORDS WITH EARTH CONTACT 3G1.5

	ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
	<b>PL166209</b>	White	Extension cord 16 A 250 V, 2 m H05VV-F 3G1.5 mm <sup>2</sup>	8412852166209	H	8
	<b>PL166216</b>	Black	Extension cord 16 A 250 V, 2 m H05VV-F 3G1.5 mm <sup>2</sup>	8412852166216	H	8
	<b>PL167305</b>	White	Extension cord 16 A 250 V, 3 m H05VV-F 3G1.5 mm <sup>2</sup>	8412852167305	H	8
	<b>PL166711</b>	Black	Extension cord 16 A 250 V, 3 m H05VV-F 3G1.5 mm <sup>2</sup>	8412852166711	H	8
	<b>PL165103</b>	White	Extension cord 16 A 250 V, 5 m H05VV-F 3G1.5 mm <sup>2</sup>	8412852165103	H	8
	<b>PL165110</b>	Black	Extension cord 16 A 250 V, 5 m H05VV-F 3G1.5 mm <sup>2</sup>	8412852165110	H	8


### BASIC EXTENSION CORDS WITHOUT EARTH CONTACT 2X1

	ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
	<b>PL160306</b>	White	Extension cord 10 A 250 V, 2 m H05VVH2-F, 2X1 mm <sup>2</sup>	8412852160306	H	6
	<b>PL162415</b>	Black	Extension cord 10 A 250 V, 2 m H05VVH2-F, 2X1 mm <sup>2</sup>	8412852162416	H	6
	<b>PL160405</b>	White	Extension cord 10 A 250 V, 3 m H05VVH2-F, 2X1 mm <sup>2</sup>	8412852160405	H	6
	<b>PL162515</b>	Black	Extension cord 10 A 250 V, 3 m H05VVH2-F, 2X1 mm <sup>2</sup>	8412852162515	H	6
	<b>PL160801</b>	White	Extension cord 10 A 250 V, 5 m H05VVH2-F, 2X1 mm <sup>2</sup>	8412852160801	H	6
	<b>PL162713</b>	Black	Extension cord 10 A 250 V, 5 m H05VVH2-F, 2X1 mm <sup>2</sup>	8412852162713	H	6

### PROFESSIONAL EXTENSION CORDS 3G2.5 IP44


	ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
	<b>PL122401</b>	White	Pro Extension cord H07RN-F, 3G2.5 10 m IP44	8412852982854	B	4
	<b>PL122501</b>	Black	Pro Extension cord H07RN-F, 3G2.5 20 m IP44	8412852982861	B	2





## MULTIPLE SOCKETS

Simon presents a wide range of multiple sockets that adapt to all kinds of needs, uses and particular interests, both in the domestic sphere and for public or professional environments.



Fast  
Charge



Easy to remove  
Easy Pull

Multifix multiple sockets


Premium multiple sockets

Extra-power

Multiple sockets with fixation

Standard multiple sockets

Basic Line multiple sockets



## Multifix



Multiply your sockets by 4 with this 16 A multiple socket with earth contact. It offers three types of installation, flush-mounted in a junction box, fixed to the wall with screws or surface-mounted. You can **add any length of cable** necessary to perfect your installation.

### Premium multiple sockets



4-6 Sockets  
16 A

Separate  
socket

1.4 m

### Premium multiple sockets with USB



3-5 Sockets  
16 A

x1 USB-A

x1 USB-C

1.4 m

## Multifix with USB



Multiply your sockets by 3 + 2 USB connectors (Type A + Type C). For all types of environments: at home, in the office or for more demanding workspaces. It provides **faster and more efficient charging** by adapting the intensity to the device's battery needs. Avoid overheating.

The Simon 4- and 6-socket multiple sockets have an integrated side plug with easy-pull system for easy removal. Furthermore, the final socket has additional space to ensure maximum comfort.



Delta Mención  
Premios ADI 2024




### Foot switch

Foot switch for switching on all sockets of the multiple socket at the same time.

The Simon 3- and 5-socket multiple sockets with 2 USB-A+C incorporate an **extra-flat plug with easy-pull system** for easy removal using a nylon strap and a convenient illuminated foot switch. It has a 1.4 metre cable and a cable tidy for better cable management underneath.





## Combiball

Our range of USB solutions meets all your charging needs, so your electronic devices can stay fully charged at home, using technologies such as **SmartCharge** and **FastCharge** that help charging to be as efficient as possible. This avoids unnecessary overheating and maximises battery capacity and durability.



3 Sockets  
16 A



2 USB-C +  
2 USB-A



On - Off



Child  
protection

The Combiball multiple sockets boast a innovative design. They feature 3 x 16 A sockets, 2 x USB-C and 2 x USB-A 2.4 A fast charging sockets, an ON/OFF switch and child protection, as well as an optional induction charger for charging devices wirelessly.

We also offer a model with inductive charging.

## Extra-power Multiple Sockets

Simon presents a wide range of multiple sockets that adapt to all kinds of needs, uses and particular interests, both in the domestic sphere and for public or professional environments.



2-6 Sockets  
16 A



2-3 USB-A



On - Off



1.5 m



# Multiple sockets

## MULTIFIX MULTIPLE SOCKETS

### MULTIFIX



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>BM140209</b>	White	Multifix socket 3 sockets with foot switch, 16 A 250 V, without cable	8412852140209	HB	6
<b>BM140100</b>	Black	Multifix socket 3 sockets with foot switch, 16 A 250 V, without cable	8412852140100	HB	6
<b>BM140803</b>	White	Multifix socket 6 sockets with foot switch, 16 A 250 V, without cable	8412852140803	HB	6
<b>BM140308</b>	Black	Multifix socket 6 sockets with foot switch, 16 A 250 V, without cable	8412852140308	HB	6



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>BM140407</b>	White	Multifix socket multiplier, 16 A 250 V, without cable	8412852140407	H	6



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>BM150109</b>	White	Cable Multifix 3G1 2 m	8412852150109	H	8
<b>BM150307</b>	Black	Cable Multifix 3G1 2 m	8412852150307	H	8
<b>BM150208</b>	White	Cable Multifix 3G1.53 m	8412852150208	H	8
<b>BM150406</b>	Black	Cable Multifix 3G1.53 m	8412852150406	H	8

### MULTIFIX WITH USB



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>BM513301</b>	White	Multifix socket multiplier, 3 sockets + 2 USB (A+C) QC, 18 W 5 V-3 A, 16 A	8412852980065	HB	4



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>BM514201</b>	White	Multifix socket 2 sockets + 2 USB (A+C) QC, 18 W 5 V-3 A, 16 A	8412852980027	HB	4
<b>BM514501</b>	White	Multifix socket 5 sockets + 2 USB (A+C) QC, 18 W 5 V-3 A, 16 A	8412852980041	HB	4

## PREMIUM MULTIPLE SOCKETS

### PREMIUM MULTIPLE SOCKETS



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>BM712401</b>	Black/white	Multiple socket 4 sockets 16 A, 1.4 m 3G1.5 mm <sup>2</sup>	8412852953748	H	6
<b>BM712601</b>	Black/white	Multiple socket 6 sockets 16 A, 1.4 m 3G1.5 mm <sup>2</sup>	8412852953755	H	6

### PREMIUM MULTIPLE SOCKETS WITH USB



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>BM716301</b>	Black/white	Multiple socket 3 sockets 16 A + 1 USB-A + 1 USB-C, 1.4 m	8412852959054	H	4
<b>BM716501</b>		Multiple socket 5 sockets 16 A + 1 USB-A + 1 USB-C, 1.4 m	8412852959061	H	4

## EXTRA-POWER



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>BM539218</b>	Black/aluminium	Protective extra-power socket 4 sockets, 1.5 m H05VV-F 3G1.5 mm <sup>2</sup>	8412852539218	H	4
<b>BM539225</b>		Protective extra-power socket 6 sockets, 1.5 m H05VV-F 3G1.5 mm <sup>2</sup>	8412852539225	H	4
<b>BM539232</b>		Protective extra-power socket 8 sockets, 1.5 m H05VV-F 3G1.5 mm <sup>2</sup>	8412852539232	H	4
<b>BM539249</b>		Protective extra-power socket 10 sockets, 1.5 m H05VV-F 3G1.5 mm <sup>2</sup>	8412852539249	H	4
<b>BM726401</b>		Protective extra-power socket 4 sockets + 2 USB-A, 1.5 m H05VV-F 3G1.5 mm <sup>2</sup>	8412852964300	H	4
<b>BM726601</b>		Protective extra-power socket 6 sockets + 2 USB-A, 1.5 m H05VV-F 3G1.5 mm <sup>2</sup>	8412852964317	H	4



- Overvoltage protection
- Overload protection
- With illuminated switch
- Maximum 3680 W power


## MULTIPLE SOCKETS WITH FIXATION





ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>BM516305</b>	White	Combiball multiple socket with 3 sockets + 2 USB-A + 2 USB-C	8412852962559	H	4
<b>BM516306</b>		Combiball multiple socket 3 sockets + 2 USB-A + 2 USB-C inductive charging	8412852962566	H	4

- 4 USB charging ports (2 USB-A + 2 USB-C) 3.4 A 5 VDC 17.0 W
- ON/OFF switch
- 1.4 m cable - 3G 1.5 mm<sup>2</sup>
- Includes anti-slip sticker for added comfort

ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
 <b>BM516303</b>	White	Combiball multiple socket 3 sockets, French socket + 2 USB-A + 2 USB-C	8412852962245	H	4
<b>BM516304</b>		Combiball multiple socket 3 sockets, French socket + 2 USB-A + 2 USB-C with inductive charging	8412852962252	H	4
		<ul style="list-style-type: none"> <li>· 4 USB charging ports (2 USB-A + 2 USB-C) 3.4 A 5 VDC 17.0 W</li> <li>· ON/OFF switch</li> <li>· 1.4 m cable - 3G 1.5 mm<sup>2</sup></li> <li>· Includes anti-slip sticker for added comfort</li> </ul>			French socket

ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
 <b>BM516201</b>	White	Combiflat socket 2 x 16 A sockets + 2 x USB-A + 2 x USB-C, wireless charging	8412852962542	H	4
		<ul style="list-style-type: none"> <li>· 4 USB ports (2 USB-A + 2 USB-C) 3.4 A 5 VDC 17 W</li> <li>· Fast wireless charging 2A 5VDC 10W</li> <li>· With bracket for table fixation</li> <li>· With smartphone holder</li> <li>· Includes 1.4 metre cable</li> </ul>			


ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
 <b>BM526402</b>	Black/aluminium	Socket 4 sockets 16 A + 3 USB-A, 1.5 m 3G1.5 mm <sup>2</sup> , with table fixation	8412852964287	H	4

ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
 <b>BM526401</b>	Black/aluminium	Socket 4 sockets 16 A + 3 USB-A, 1.5 m 3G1.5 mm <sup>2</sup> , rotatable with table fixation	8412852964270	H	4


ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
 <b>BM526201</b>	Black	Socket 2 sockets 16 A + 1 USB-A + 1 USB-C, 1.5 m 3G1.5 mm <sup>2</sup> , with clip for desktop fixation	8412852964263	HB	6

## STANDARD MULTIPLE SOCKETS



### CORDLESS MULTIPLE SOCKETS

ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
 <b>BM713201</b>	White	Socket 2 sockets with earth contact	8412852967868	H	4
<b>BM713301</b>		Socket 3 sockets with earth contact	8412852967875	H	4
<b>BM713402</b>		Socket 4 sockets with earth contact	8412852967882	H	4
<b>BM713601</b>		Socket 6 sockets with earth contact	8412852967899	H	4





### CORDLESS MULTIPLE SOCKETS WITH SWITCH

ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
 <b>BM712302</b>	White	Socket 3 sockets with earth contact, with switch	8412852967783	H	4
<b>BM714401</b>		Socket 4 sockets with earth contact, with switch	8412852967905	H	4
<b>BM714501</b>		Socket 5 sockets with earth contact, with switch	8412852967912	H	4
<b>BM714601</b>		Socket 6 sockets with earth contact, with switch	8412852967929	H	4

## MULTIPLE SOCKETS WITH CABLE


	ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
	<b>BM711201</b>	White	Socket 2 sockets with earth contact, 2 m	8412852967707	H	4
	<b>BM711301</b>		Socket 3 sockets with earth contact, 2 m	8412852967721	H	4
	<b>BM711401</b>		Socket 4 sockets with earth contact, 2 m	8412852967738	H	4
	<b>BM711501</b>		Socket 5 sockets with earth contact, 2 m	8412852967752	H	4
	<b>BM711601</b>		Socket 6 sockets with earth contact, 2 m	8412852967769	H	4
	<b>BM711402</b>	White	Socket 4 sockets with earth contact, square, 2 m	8412852967745	H	4

## MULTIPLE SOCKETS WITH CABLE AND SWITCH


	ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
 	<b>BM712301</b>	White	Socket 3 sockets with earth contact, 2 m, with switch	8412852967776	H	4
	<b>BM712303</b>		Socket 3 sockets with earth contact, 3 m, with switch	8412852967790	H	4
	<b>BM712400</b>		Socket 4 sockets with earth contact, 2 m, with switch	8412852969824	H	4
	<b>BM712402</b>		Socket 4 sockets with earth contact, 3 m, with switch	8412852967806	H	4
	<b>BM712403</b>		Socket 4 sockets with earth contact, 5 m, with switch	8412852967813	H	4
	<b>BM722401</b>	Black	Socket 4 sockets with earth contact, 2 m, with switch	8412852967981	H	4
	<b>BM712501</b>	White	Socket 5 sockets with earth contact, 2 m, with switch	8412852967820	H	4
	<b>BM712503</b>		Socket 5 sockets with earth contact, 3 m, with switch	8412852967837	H	4
	<b>BM712600</b>		Socket 6 sockets with earth contact, 2 m, with switch	8412852969831	H	4
	<b>BM712602</b>		Socket 6 sockets with earth contact, 3 m, with switch	8412852967844	H	4
	<b>BM712603</b>		Socket 6 sockets with earth contact, 5 m, with switch	8412852967851	H	4
	<b>BM722601</b>	Black	Socket 6 sockets with earth contact, 2 m, with switch	8412852967998	H	4
	<b>BM837604</b>	Black/red	Damp-proof socket 5 sockets 16 A 250 V, 1.5 m H05VV-F 3G1.5 mm <sup>2</sup> with cover, with illuminated switch, IP54	8412852837604	H	4

## MULTIPLE SOCKETS BASIC LINE

### MULTIPLE SOCKETS WITH CABLE

	ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
	<b>BM165806</b>	White	Socket 3 sockets with earth contact, 1.5 m H05W-F 3G1 mm <sup>2</sup>	8412852165806	H	6
	<b>BM165905</b>		Socket 4 sockets with earth contact, 1.5 m H05W-F 3G1 mm <sup>2</sup>	8412852165905	H	6
	<b>BM166803</b>		Socket 5 sockets with earth contact, 1.5 m H05W-F 3G1 mm <sup>2</sup>	8412852166803	H	6
	<b>BM170206</b>		Socket 6 sockets with earth contact, 1.5 m H05W-F 3G1 mm <sup>2</sup>	8412852170206	H	6

### MULTIPLE SOCKETS WITH CABLE AND SWITCH


	ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
	<b>BM165707</b>	White	Socket 3 sockets, 1.5 m H05VV-F 3G1 mm <sup>2</sup> , with switch	8412852165707	H	6
	<b>BM124160</b>	Black	Socket 3 sockets, 1.5 m H05W-F 3G1 mm <sup>2</sup> , with switch	8412852124162	H	6
	<b>BM165608</b>	White	Socket 4 sockets, 1.5 m H05W-F 3G1 mm <sup>2</sup> , with switch	8412852165608	H	6
	<b>BM124170</b>	Black	Socket 4 sockets, 1.5 m H05W-F 3G1 mm <sup>2</sup> , with switch	8412852124179	H	6
	<b>BM165509</b>	White	Socket 5 sockets, 1.5 m H05W-F 3G1 mm <sup>2</sup> , with switch	8412852165509	H	6
	<b>BM165400</b>	White	Socket 6 sockets, 1.5 m H05W-F 3G1 mm <sup>2</sup> , with switch	8412852165400	H	6
	<b>BM165417</b>	Black	Socket 6 sockets, 1.5 m H05W-F 3G1 mm <sup>2</sup> , with switch	8412852165417	H	6



BOSCH


Tostadas con aguacate y crema de queso fresco con nueces  
★★★★★ 4.3 (10 reseñas)  
¡Cómpralo hoy! Añadir

simon




## ADAPTORS AND CHARGERS

At Simon, we offer a wide variety of USB solutions for charging all the electronic devices you have at home. We use our mobile phones and tablets every day, so we need to be able to charge them anywhere at any time.



Products with **SmartCharge** technology contain a chip that identifies the mobile device's operating system (Android or Apple) and optimises charging accordingly.



There are two different brands of this technology currently available on the market: **FastCharge** and **PowerDelivery**. This technology enables faster and more efficient charging by adapting the intensity to the need of the device's battery, thus preventing the device from overheating. These technologies are the most widely used by mobile phone manufacturers.



This is becoming increasingly popular among consumers. There are different standards, such as PMA and Qi. The PMA standard allows for larger but less efficient surface loads, while the Qi standard is currently the most efficient standard on the market.

USB adaptors


Adaptors

USB chargers



## USB chargers and adaptors

Charger USB-C fast-charge 20 W max.



x1  
USB-C

Charger 2 USB-A 24 W max.



x2  
USB-A



Combi adaptor  
1 socket 16 A + 1 USB-A  
+ 1 USB-C



1 Socket  
16 A



x1  
USB-A



x1  
USB-C

Combi adaptor  
1 socket 16 A + 1 USB-A +  
1 USB-C French Socket



1 Socket  
16 A



x1  
USB-A



x1  
USB-C



French  
socket





## USB chargers and adaptors

USB-A Adaptor + 16 A socket, with wireless charging



1 Socket  
16 A



x1  
USB-A



10.0 W  
9 VDC  
1.1 A Max.

Adaptor with 3 USB-A + USB-C + lightning plugs



1 Socket  
16 A



x1  
USB-A




0.8 m





USB-C  
Micro USB  
Lightning



Adaptor  
3 USB-A + 1 USB-C  
with bracket



Adaptor  
3 x USB-A with  
fixation



# Adaptors and Chargers

## USB ADAPTORS



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>CL610304</b>	Black/white	Adaptor 3 USB-A + 1 USB-C	8412852962603	H	6

- 4 USB ports (3 USB-A + 1 USB-C) 4.8 A 5 VDC 24.0 W
- With smartphone holder



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>CL610305</b>	Black/white	Adaptor 1 16 A socket, 3 USB connector + 1 USB-A connector	8412852962610	H	6

- 1 USB-A port 2.4 A 5 VDC 12.0 W
- 3 USB connectors (type C, micro USB and Lightning) 2.4 A 5 VDC 12.0 W
- Maximum total power 3.1 A 5 VDC 15.5 W
- 1 socket 16 A 250 V
- Cable can be rolled up and extended up to 80 cm



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>CL520301</b>	Black/white	Adaptor 3 USB-A with fixation	8412852962597	H	6

- 3 USB-A ports with maximum power of 3.1 A 5 VDC 15.5 W
- Charging via USB Type-C (Charger not included)
- 1.5 m cable
- With 4 types of fixation: using screws, adhesive tape, flexible holder or magnet



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>CL610307</b>	Black/white	USB-A Adaptor + 16 A socket, with wireless charging	8412852962634	H	6

- 1 USB port A 2.4 A 5 VDC 12.0 W
- Wireless charging 1.1 A 9 VDC 10 W
- With stand to support the smartphone during charging



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>CL610306</b>	White	Adaptor combi 1 x 16 A socket + 1 x USB-A + 1 x USB-C	8412852962627	H	6

- 1 socket 16 A 250 V
- 2 USB ports (1 USB-A + 1 USB-C)
- Fast Charge max. 30 W



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>CL610312</b>	White	Adaptor combi 1 socket 16 A + 1 USB-A + 1 USB-C French socket	8412852982434	H	6

- 1 socket 16 A 250 V
- 2 USB ports (1 USB-A + 1 USB-C)
- Fast Charge max. 30 W



French socket



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>CL610303</b>	Black/white	USB-A Adaptor + 16 A socket, with wireless charging	8412852962238	H	6



French socket

## ADAPTORS



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>CL418605</b>	White	Adaptor 2 front sockets 16 A	8412852418605	H	12



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>CL418803</b>	White	Adaptor 2 side sockets 16 A 250 V	8412852418803	H	12



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>CL418308</b>	White	Adaptor 3 side sockets 16 A 250 V	8412852418308	H	12
<b>CL418315</b>	Black		8412852418315	H	12



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>CL418902</b>	White	Adaptor 3 front sockets 16 A	8412852418902	H	12

## USB CHARGERS



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>CL510303</b>	White	Charger USB-C fast-charge 20 W max.	8412852963129	H	6


- 1 USB-C port 5 VDC 3 A 15 W / 9 VDC 2.2 A 20 W / 12 VDC 1.7 A 20 W
- Fast Charge Max. 20 W



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>CL510305</b>	White/grey	Charger 2 USB-A 24 W max.	8412852963143	H	6

- 2 USB-A ports 4.8 A 5 VDC 24 W
- Right-angled charger





## MOBILE BASES AND PLUGS

Simon offers you a wide collection of plugs and mobile bases, tailored to all needs and styles. Available in white or black, our plugs and bases provide a more personalised decorative finish, because design matters too.

Furthermore, we produce our plugs and bases using only the highest quality materials, such as PVC and rubber, to guarantee greater resistance and safety. We also have sockets for industrial use, offering reliable and durable solutions for professional applications.



Premium plugs and mobile bases


Plugs

Mobile bases

Rubber plugs and bases



## Premium plugs and mobile bases



Simon's extra-flat plug in a two-tone black and white finish is the perfect solution for narrow spaces and behind furniture or appliances. Designed to take up as little space as possible, it has a 10 A side and front outlet and an easy-pull system for easy removal using a nylon strap.

For front mounting, unscrew and drill out the corresponding tab and connect the cables. For side mounting, unscrew, drill out the corresponding tab and connect the two cables.



Plug with front outlet  
16 A 250 V




Plug with side outlet 16 A 250 V



Mobile base  
16 A 250 V

## / TECHNICAL FEATURES

- Voltage 250 V
- Intensity: 16 A
- Front and side cable outlets
- Finishing: Bicolour black and white
- Easy Pull: incorporates a nylon strap for easy and convenient unplugging



Easy to remove  
Easy Pull





Space  
optimisation

# Plugs and mobile bases


## PREMIUM PLUGS AND MOBILE BASES

### PREMIUM PLUGS


	ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
	<b>CL912201</b>	Black/white	16 A 250 V extra-flat plug with front cable outlet	8412852952499	B	14
<b>CL612201</b>			8412852952468	H	10	


	ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
	<b>CL912202</b>	Black/white	Extra-flat plug 16 A 250 V with side cable outlet	8412852952505	B	14
<b>CL612202</b>			8412852952475	H	10	

### PREMIUM MOBILE BASES

	ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
	<b>CL911201</b>	Black/white	Aerial socket 16 A with front cable outlet	8412852953731	B	12
<b>CL611201</b>			8412852953724	H	10	

## PLUGS

	ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
	<b>CL407500</b>	White	Plug with straight outlet and side earth contact 16 A 250 V	8412852407500	H	24
<b>CL407517</b>	Black		8412852407517	H	30	

	ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
	<b>CL407401</b>	White	Plug with side outlet and earth contact 16 A 250 V	8412852407401	H	24

## MOBILE BASES

### MOBILE BASES



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>CL425108</b>	White	Mobile socket 16 A 250 V	8412852425108	H	24
<b>CL425115</b>	Black		8412852425115	H	20

## RUBBER PLUGS AND MOBILE BASES



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>CL807409</b>	White	Rubber plug 16 A 230 V	8412852807409	H	24
<b>CL807416</b>	Black		8412852807416	H	24



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>CL824109</b>	White	Rubber base 16 A 230 V	8412852824109	H	24
<b>CL824116</b>	Black		8412852824116	H	24





## CHARGING CABLES AND MULTIMEDIA ACCESSORIES

Simon presents a wide collection of cables designed to cover all types of charging solutions and internet and multimedia connections.



Audio and video

Telephone



## Audio and Video Cables

For TV

In our catalogue, you'll find male and female TV connectors, as well as distributors and adaptors so you can use either option. We also have TV antenna connectors and much more besides.

For the computer


Our HDMI cables are fully compatible with both TVs and computer monitors. You can also find Ethernet cables and many more products to equip your PC or Mac.

### HDMI + HDMI cable



1 HDMI

### USB-A + lightning cable




1 USB  
2.4 A



x1  
lightning




1 m



## Telephone cables

Our range of USB cables meets all your charging needs, so your electronic devices can stay fully charged at home, using technologies such as Smart Charge or Fast Charge that help make charging as efficient as possible. This avoids unnecessary overheating and maximises battery capacity and durability.

USB-C + USB-C 3.1 cable



x1  
USB-C  
input



1 m

3.1 USB-A + USB-C cable



USB-A



x1  
USB-C  
input



1 m

USB-A + micro USB-A cable



USB-A



micro  
USB-A



1.5 m



# Charging cables and multimedia accessories

## AUDIO AND VIDEO



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>MU222215</b>	Black	HDMI 2.0 cable A - A 1.5 m  · 3840 x 2160 pixels · Audio frequency: 1536 KHz · Maximum transfer rate: 18 Gbps	8412852954769	SB	6

## TELEPHONE



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>MU100101</b>	White	Lightning - USB-A cable  · USB 2.0 version · Data upload and synchronisation · Maximum transfer rate: 10 Gbps · Cable length: 1 m	8412852954721	HB	6



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>MU112201</b>	Black	USB 2.0 A - micro USB cable  · USB 2.0 version · Maximum power 5 V · Data upload and synchronisation · Maximum transfer rate: 480 Mbps · Cable length: 1 m	8412852954738	HB	6



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>MU143201</b>	Black	Cable USB 3.1 USB-C - USB-C  · USB 3.1 Gen2 version · Maximum power 20 V · Data upload and synchronisation · Maximum transfer rate: 10 Gbps · Wiring length: 1 m	8412852954745	HB	6



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>MU133201</b>	Black	Cable USB 3.1 USB-A - USB-C  · USB 3.1 Gen2 version · Maximum power 20 V · Data upload and synchronisation · Maximum transfer rate: 10 Gbps · Cable length: 1 m	8412852954752	HB	6



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>MU264103</b>	White	Ethernet RJ45 CAT6 cable  · Frequency: 250 Mhz. · Maximum transfer rate: 10 Gbps · Cable length: 3 m	8412852954776	HB	6







## HOME AUTOMATION

### Energy Efficiency and Comfort: Optimisation and Savings

In today's world, **energy efficiency** isn't just an **economic necessity** — it's a commitment to the **environment**.

Our **thermostats** are designed to maximise **energy savings** and avoid standby power, ensuring that you only use the energy you need.



### Thermostats



## Thermostats

**Thermostats are a great way to save energy in your home.** The most advanced models allow you to reduce your total winter energy consumption by up to 50%. By avoiding standby power and automatically adjusting the temperature to your needs, our thermostats ensure a perfect balance between comfort and energy efficiency.



Simon Digital ON/OFF Thermostat



Savings



Easy to install




Comfort



5-year warranty

- Backlit display
- Automatic setpoint temperature adjustment
- Continuous information on ambient temperature
- Boiler operation indicator
- Charge level indicator
- Cool/Heat function, without altering the wiring order





Simon Weekly Programmable Digital Thermostat



Simon Portable Weekly Programmable Digital Thermostat



Savings



Easy to install



Comfort



5-year warranty



Savings



Easy to install



Comfort



5-year warranty

Daily and weekly programme (7x24)  
 Backlit LCD display  
 Automatic setpoint temperature adjustment  
 Different mode options (Comfort, Economy)  
 Charge level indicator  
 Touch buttons  
 Cool/Heat function, without altering the wiring order

Daily and weekly programme (7x24)  
 Backlit LCD display  
 Automatic setpoint temperature adjustment  
 Different mode options (Comfort, Economy)  
 Wireless thermostat-receiver connection  
 Charge level indicator  
 Touch buttons  
 Cool/Heat function, without altering the wiring order



# Home Automation

## THERMOSTATS



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>AF511101</b>	White	Digital On/Off thermostat	8412852967325	HB	1
		<ul style="list-style-type: none"> <li>· Backlit display</li> <li>· Hysteresis adjustment</li> <li>· Temperature probe 5 °C–30 °C</li> <li>· Powered by 2 AAA batteries with charge level indicator</li> <li>· For surface installation</li> <li>· Cool/Heat function</li> <li>· 2-wire connection</li> </ul>			



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>AF511103</b>	White	Digital weekly programmable thermostat	8412852967332	HB	1
		<ul style="list-style-type: none"> <li>· Daily and weekly programmes (7x24)</li> <li>· Various modes (Comfort, Economy)</li> <li>· Sensitive temperature measurement</li> <li>· Hysteresis adjustment</li> <li>· Large backlit LCD</li> <li>· Powered by 2 AAA batteries</li> <li>· For surface installation</li> <li>· Cool/Heat function</li> <li>· 2-wire connection</li> </ul>			



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>AF511104</b>	White	Portable weekly programmable digital thermostat	8412852967349	HB	1
		<ul style="list-style-type: none"> <li>· Daily and weekly programmes (7x24)</li> <li>· Various modes (Comfort, Economy)</li> <li>· Sensitive temperature measurement</li> <li>· Large backlit LCD</li> <li>· Powered by 2 AAA batteries</li> <li>· For surface installation</li> <li>· Cool/Heat function</li> <li>· 2-wire connection</li> </ul>			



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>AF126640</b>	White	Mechanical thermostat for heating 10 A 250 V	8412852126647	H	4
		<ul style="list-style-type: none"> <li>· Control temperature range from 5 °C to 30 °C</li> <li>· Power supply 10 A–250 V resistive</li> <li>· 2-wire connection</li> </ul>			







## HOME LIGHTING

Simon offers efficient lighting solutions with its **Sensor LED Lights** and **LED Floodlights**.

**The Sensor LED Lights** integrate a motion sensor and LED technology, providing energy saving and perfect lighting for various spaces.


On the other hand, Simon's **LED Floodlights** are designed to provide powerful outdoor lighting, ideal for facades, gardens or large areas. Both products stand out for their durability, modern design and low consumption, adapting to different lighting needs.

Sensor LED lights

LED floodlights



## Sensor LED lights range



### Cordless, environmentally friendly and with long battery life

Wireless and powered by rechargeable batteries. You can install these anywhere, with no need for a socket nearby. Ideal for areas without easily accessible electrical installation (wardrobes, vehicles, garden sheds, etc.). They're also very easy to install.

Energy efficiency avoids disposable batteries and reduces both the amount of toxic waste as well as the pollution associated with their disposal for a lower environmental impact.

They don't need to be permanently connected to a power source. With only three to four hours of charging, they can operate autonomously for up to 72 days, significantly reducing energy consumption.

## LED floodlights




For residential and professional use.


The **LED floodlights** offer a unique combination of efficiency, quality and versatility, making them a perfect solution for both domestic and professional environments. Their user friendliness, low maintenance and ability to deliver high quality images make them a preferred choice for those seeking a superior visual experience in any situation.

# Home Lighting


## SENSOR LED LIGHTS



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>IL7152101</b>	White	LED motion sensor light USB circular 0.5 W 35 lm neutral light	841285298144410	HB	5
		<ul style="list-style-type: none"> <li>· With PIR motion sensor and twilight sensor: Distance 2–4.5 m</li> <li>· 3 modes of operation: On/Off/Auto</li> <li>· Cordless operation, with USB-charged battery</li> <li>· Rechargeable lithium battery: 3.7 V 600 m AH</li> <li>· Charge time 3-4 h</li> <li>· Duration 72 days on an average of 10 detections per day</li> </ul>			



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>IL7152102</b>	Aluminium	LED motion sensor light USB 2.5 W 200 lm neutral light	841285298145110	HB	5
		<ul style="list-style-type: none"> <li>· With PIR motion sensor and twilight sensor: Distance 2–4.5 m</li> <li>· 3 modes of operation: On/Off/Auto</li> <li>· Cordless operation, with USB-charged battery</li> <li>· Rechargeable lithium battery: 3.7 V 1800 m AH</li> <li>· Charge time 3-3.5 h</li> <li>· Duration 36 days on an average of 10 detections per day</li> <li>· Magnet holder for fixation</li> </ul>			



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>IL7152103</b>	White	LED motion sensor strip USB 2.5 W 150 lm neutral light	841285298146810	HB	5
		<ul style="list-style-type: none"> <li>· With PIR motion sensor and twilight sensor: Distance 2–5 m</li> <li>· 3 modes of operation: On/Off/Auto</li> <li>· Wireless operation with Micro USB battery</li> <li>· Rechargeable lithium battery: 3.7 V 2000 m AH</li> <li>· Charge time 3-4 h</li> <li>· Duration 36 days on an average of 10 detections per day</li> <li>· Magnet holder for fixation</li> </ul>			

## LED FLOODLIGHTS



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>IL416101</b>	Aluminium	LED floodlight 10 W 900 lm cool light <b>IP65</b>	8412852953977	SB	4
<b>IL416102</b>		LED floodlight 20 W 1800 lm cool light <b>IP65</b>	8412852953984	SB	4
<b>IL416103</b>		LED floodlight 30 W 2700 lm cool light <b>IP65</b>	8412852953991	SB	4
<b>IL416104</b>		LED floodlight 50 W 4500 lm cool light <b>IP65</b>	8412852954011	SB	4
<b>IL416111</b>		LED floodlight 100 W	8412852958422	SB	4

· SMD LED  
 · Light temperature: 6500 K (cool white light)  
 · Cable 3G1 mm H05RN-F 0.3 m  
 · Material: aluminium and glass  
 · Angle of coverage 120°  
 · LED module not replaceable  
 · Power factor 0.9  
 · RA: ≥ 80  
 · Service life: 30,000 hours



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>IL416105</b>	Aluminium	LED floodlight with sensor 10 W 900 lm cool light <b>IP44</b>	8412852954028	SB	4
<b>IL416106</b>		LED floodlight with sensor 30 W 2700 lm cool light <b>IP44</b>	8412852954035	SB	4

· SMD LED  
 · Light temperature: 6500 K (cool white light)  
 · Cable 3G1 mm H05RN-F 0.3 m  
 · Material: aluminium and glass  
 · Angle of coverage 120°  
 · With sensor:  
 - angle: 110°  
 - reach: 0–10 m  
 · Duration on: 15 s to 6 min  
 · LED module not replaceable  
 · Power factor 0.9  
 · RA: ≥ 80  
 · Service life: 30,000 hours



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>IL416107</b>	Yellow/black	LED floodlight with bracket 30 W 2700 lm cool light <b>IP65</b>	8412852954042	SB	4
<b>IL416112</b>		LED floodlight with bracket 50 W 4250 lm cool light <b>IP65</b>	8412852958439	SB	4

· SMD LED  
 · Light temperature: 6500 K (cool white light)  
 · Cable 3G1 H05RN-F 1.5 m with plug  
 · Material: aluminium and glass  
 · Angle of coverage 120°  
 · LED module not replaceable  
 · Power factor 0.9  
 · RA: ≥ 80  
 · Service life: 30,000 hours



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>IL416108</b>	Yellow/black	LED floodlight with tripod 50 W 4500 lm cool light <b>IP65</b>	8412852954059	SB	2
<b>IL416113</b>		LED floodlight 2x50 W with tripod	8412852958446	SB	2

- SMD LED
- Light temperature: 6500 K (cool white light)
- Cable 3G1 H05RN-F 1.5 m with plug
- Material: aluminium and glass
- Angle of coverage 120°
- LED module not replaceable
- Power factor 0.9
- RA: ≥ 80
- Service life: 30,000 hours



ART. NO.	FINISH	DESCRIPTION	EAN	PACK	EU
<b>IL416109</b>	Yellow/black	Rechargeable LED floodlight 20 W with bracket	8412852954066	SB	4





[www.simonelectric.com](http://www.simonelectric.com)



**SIMON BRICO, S.L.**

Sancho de Ávila 66  
08018 Barcelona  
Tel. 651 761 346  
[clientes@simonbrico.es](mailto:clientes@simonbrico.es)

**Visit us at:**

**La Casa de la Llum (Barcelona)**  
Sancho de Ávila, 66  
08018 Barcelona  
Tel. 630 927 001  
[lacasadelallum@simonelectric.com](mailto:lacasadelallum@simonelectric.com)

**La Casa de la Luz (Madrid)**  
Santa Cruz de Marcenado, 1  
28015 Madrid  
Tel. 630 893 497  
[lacasadelaluz@simonelectric.com](mailto:lacasadelaluz@simonelectric.com)