





Simon|82

ONE UNIQUE
COLLECTION
FOUR DIFFERENT
DESIGNS


simon




Simon|82




Simon 82 Nature
-24-




Simon 82 Detail
-34-




Simon 82 Concept
-44-




Simon 82 Classic
-54-



Features
-82-




Recessed boxes
-112-



LIGHT UP EMOTIONS

Emotions transform a place into a specific space. Filling it with nuance and varying light intensities is essential to ensure that we don't just inhabit the space, we experience living in it. Simon.





Nature



Detail



Concept



Simon 82

Simon|82



FOUR SERIES IN ONE

At Simon, we want our collections to be as compatible as possible. This is why we have developed the Simon 82 series to make it easier to renovate rooms. With the Simon 75 or Simon 77 mechanisms, all you need to do is choose the frames and rockers from the S82 Detail, S82 Nature, S82 Concept or S82 series.




Detail



ARCHITECTURAL INTEGRATION

No detail is overlooked when designing our collections, to ensure that they can be adapted to your project, using solutions that integrate into the architecture as an element of the environment, thereby forming part of the interior design and enhancing the attractiveness of both public and private spaces such as homes, workplaces and hospitality spaces.




Nature




MATERIALS, TEXTURES AND COLOURS

A wide range of decorative possibilities, combining natural materials such as wood, stone or glass with metals bearing different treatments, as well glossy or matt finishes and inspiring chromatic ranges.




Concept



Simon|82

TAILORED FEATURES

Computers, televisions and sound systems all form part of our spaces, and we help you connect and charge them. Thermostats, sensors, light and blinds control, all integrated into our collections.




S82



Simon|82

BALANCE AND SIMPLICITY

A timeless design with noble finishes and an extensive range of textures to adapt to each space. Compatible with the most advanced functions that make a space more comfortable




CHANGE THE APPEARANCE KEEP THE MECHANISM

Like trends, spaces also seek to adapt to change. And we, the people who live in them, like to feel up to date.


Make your own combination using any of the designs from the Simon 82 series: Detail, Nature, Concept or S82, without changing the mechanism.





THE MECHANISM

A single gesture that changes everything.




Front view



/ SAFE

The cable is perfectly clamped to avoid loose copper wires.



/ MORE SPACE

45° terminals. Less cable space is needed for installing the mechanism. Greater mobility when placing the mechanism in the recessed box.



/ FRAME HOLDER

Rounded edges to avoid cuts.

/ PRACTICAL

Suitable for entry of rigid or flexible wires.



/ DURABILITY

LED pilot lights, longer-lasting and with lower consumption.

/ HEAVY DUTY

Able to withstand inductive loads.



/ STAND-ALONE TERMINALS

Maximum reliability in installation, the wires are totally isolated. Prevents the first cable from coming out when the second is installed.




/ SILENT


Mechanism with improved touch and press function.

FAST, SAFE AND CONVENIENT INSTALLATION


The only mechanism on the market
that does not require stripping wires.



Installation
50% faster



Insert



Fasten



UPDATE

YOUR SPACE WITH SIMON 82


Update your space and install any of the
Simon 82 series in just three easy steps.

UPDATING PROCESS

/ Step 1

Select the mechanism, either 77 or 75

A wide variety of features
so you can choose the one
that



/ Step 2

Select the Simon 82 series frame



Simon 82 Detail



Simon 82 Nature



Simon 82 Concept



Simon 82




/ Step 3

Choose the rocker or the cover



RENOVATE




YOUR SPACE WITH ANOTHER SIMON 82 SERIES

If you already have a Simon 82, you can upgrade to another 82 series.

RENOVATION PROCESS


These could be the Simon 82 Nature features installed in a room in your house



Simon | 82

Nature





INSPIRED BY THE DETAILS OF NATURE

Its combination of materials makes it unique. From daring, avant-garde frames to the most harmonious and traditional ones. Thanks to their linear design, the originality and quality of the materials, the various combinations possible (glass, stone, wood or metal) and their natural appearance, you can imbue any space with the strength and beauty of nature.

THE COLLECTION

/GLASS

Designed for spaces that need light and brightness, these harmonize perfectly with all decoration styles.



White, white interior



White, white interior



Blue, white interior



Tangerine, white interior



Black, graphite interior



Copper, graphite interior



Grey, graphite interior



Silver, aluminium interior

THE COLLECTION

/WOOD

Harmonizes perfectly with spaces where wood takes centre stage, adding a touch of warmth.



Wenge
Aluminium interior



Oak
Champagne interior



Cherry wood
Champagne interior



Maple
Champagne interior

THE COLLECTION

/STONE

Innovative textures that provide a dash of refinement to interiors requiring restraint and elegance.



Slate, aluminium
interior

THE COLLECTION

/METAL

Elegance and originality. These finishes combine innovation and an attractive appearance to bring a high-tech vibe to the most avant-garde interiors.



Lead
graphite interior



Stainless steel
graphite interior



Matt stainless steel
graphite interior



Matt stainless steel
aluminium interior



Aluminium
aluminium interior



Black stainless steel
aluminium interior

FEATURES

/ MECHANISMS



Switch
2-way switch
Intermediate switch
Push-button switch



Double switch
Double 2-way switch
Double intermediate switch



Light



Card switch

/ SOCKET OUTLETS



German socket outlet



British socket outlet



French socket outlet



Socket outlet with 2 USB chargers

/ TV / RJ / MULTIMEDIA SOCKET OUTLETS



RJ45



TV
TV+SAT



2 X USB 2.0



HDMI V 1.4



Fibre optics



VGA + 3RCA



Double USB charger
2.1A



USB Charger
Type C + Type A



VGA + Mini jack



2RCA + Mini jack



HDMI + USB

/ LIGHT AND COMFORT CONTROL



Timed push-button switch



LED dimmer



Touch dimmer



Double 2-way switch



Presence detector



3-position blinds



IR blinds



Access controls



Digital thermostat



Beacon


/ LON OR KNX INTERFACES




SENSE Standard



SENSE Standard





Nature

Simon | 82

Detail



BECAUSE ONE DETAIL CAN CHANGE EVERYTHING

Simon 82 Detail is inspired by details, by everything that we do not see but which is capable of altering our perception of things. A collection represented by two ranges, original and select, and composed of numerous families. Everything you need to create any space you want and turn any corner into a unique environment with personality.



PLUS X AWARD®

THE COLLECTION

/ ORIGINAL

Clean, light lines with a touch of colour
Whites, graphites and aluminiums
Minimalist design Long-lasting and high-quality finishes.



/ WHITE DETAIL



White detail



White detail warm



Ivory detail

/ COLOUR DETAIL



White, black socket
White, indigo blue socket
White, aquamarine socket
White, pastel pink socket

/ IMAGINE DETAIL



Warm grey polka dots



Aquamarine polka dots



Pastel pink polka dots



White polka dots



Cold grey stars



Black stars



Indigo blue stars

/ PREMIUM DETAIL



Graphite, aluminium socket



White, aluminium socket



/ AIR DETAIL



Graphite, white socket



Aluminium, white/black socket



THE COLLECTION

/SELECT

Noble materials with unique personality.
Sockets made of noble materials: die-cast parts.
Heavy duty and high quality. Natural, PEFC-certified
beechwood Outer frame that protects and sets off the
inner frame next to the rocker. Metals that shine.



/ METAL DETAIL



White, aluminium
socket



White, chrome
socket



White, gold socket



Aluminium, chrome
socket



Graphite,
aluminium socket



Graphite, chrome
socket



Graphite, gold
socket



Ivory Champagne
socket

/ FLUORESCENT DETAIL



Graphite,
fluorescent green
socket



Graphite,
fluorescent pink
socket



Graphite,
fluorescent yellow
socket

/ METALLIC COLOUR DETAIL



Graphite, green
socket



Graphite, purple
socket



Graphite, red
socket



Aluminium, green
socket



Aluminium, purple
socket



Aluminium, red
socket



Aluminium,
graphite socket

/ NATURAL WOOD DETAIL



White, natural
wood socket



Graphite, natural
wood socket



FEATURES

/ MECHANISMS



Switch
2-way switch
Intermediate switch
Push-button switch



Double switch
Double 2-way switch
Double intermediate switch



Light



Card switch

/ SOCKET OUTLETS



Socket outlet
German socket outlet



British socket outlet



French socket outlet



Socket outlet with 2
USB chargers



Double USB charger
2.1A



USB Charger
Type C + Type A

/ TV / RJ / MULTIMEDIA SOCKET OUTLETS



RJ45



TV
TV+SAT



2 X USB 2.0



HDMI V 1.4



Fibre optics



VGA + 3RCA



VGA + Mini jack



2RCA + Mini jack



HDMI + USB

/ LIGHT AND COMFORT CONTROL



Timed push-button switch



LED dimmer



Touch dimmer



2-way switch
2 levels



Presence detector



3-position blinds



IR blinds



Access controls



Digital thermostat



Beacon

/ LON OR KNX INTERFACES



SENSE Standard



SENSE Personal






Detail

Simon | 82

Concept





THE SPIRIT OF THE DESIGN

When you simplify a design down to its most basic shapes, you capture its spirit. You create a design that doesn't stand out in its environment, but blends into it, like it's been there all along. And when you do that, you're designing a concept.

Like the new collection of Simon 82 Concept mechanisms. A collection of straight lines, which blends into any space as if it were an inseparable element. A series with different matt finishes designed to strip the design down to its purest expression.

CONCEPT

/MINIMALISM

Simon 82 Concept is our most minimalist collection. An architectural collection specially designed to blend into the environment, like it's been there all along.



- 1 -

Complete integration between rocker and frame, creating a unique piece

- 2 -

Flat frame to form part of the space

- 3 -

Minimal curvature for a smooth design



- 4 -

Relief in the frame's interior to support the rocker

- 5 -

A ramp improves its integration into the wall


THE COMPOSITION

/ PERSONALIZED

Simon 82 Concept frames are available separately, for their compatibility with 77 and 75 mechanisms, and for the wide variety of modules.



Frames with one to four elements, mounted either horizontally or vertically.



THE COLLECTION

/MONOCOLOUR CONCEPT

The frame and rocker are united to form part of a monocolour environment. The matt finish makes pieces more discreet, making the collection seem like a seamless part of the environment.



White



Aluminium



Titanium



Black

THE COLLECTION

/ BICOLOUR CONCEPT

If a space has two primary colours, the bicolour Concept combination is the best solution to ensure that the frame and the rocker, along with their matt finish, go unnoticed.



Champagne



Grey



Gold

FEATURES

/ MECHANISMS



Switch
2-way switch
Intermediate switch
Push-button switch



Double switch
Double 2-way switch
Double intermediate switch



Lights



Card switch

/ SOCKET OUTLETS



German socket outlet



British socket outlet



French socket outlet



Socket outlet with 2 USB chargers



USB Charger



USB Charger
Type C + Type A

/ TV / RJ / MULTIMEDIA SOCKET OUTLETS



RJ45



TV
TV+SAT



HDMI V 1.4



Fibre-optic
connector


/ LIGHT AND COMFORT CONTROL



LED dimmer



3-position blinds




Blinds push-button
switch

/ LON OR KNX INTERFACES



SENSE Standard



SENSE Personal





Concept

Simon|82





BALANCE AND SIMPLICITY

A timeless design with noble finishes and an extensive range of textures to adapt to each space. Simon 82 is compatible with the most advanced features that make a space more comfortable: light dimming, multimedia and sound; just a small example of its great potential.

THE COLLECTION

Different textures, pure, brushed, and polished metals, wood finishes, soft, sunflower effect, granulated textures, translucent. A wide variety of finishes, allowing a multitude of combinations.



White



White



Grey



Ivory



Matt champagne,
white rocker



Matt champagne,
graphite rocker



Matt champagne,
champagne rocker



Matt aluminium,
aluminium rocker



Matt aluminium,
graphite rocker

FEATURES

/ MECHANISMS



Switch
2-way switch
Intermediate switch
Push-button switch



Double switch
Double 2-way switch
Double intermediate switch



Light



Card switch

/ SOCKET OUTLETS



German socket outlet



British socket outlet



French socket outlet



Socket outlet with 2 USB chargers

/ TV / RJ / MULTIMEDIA SOCKET OUTLETS



RJ45



TV
TV+SAT



2 X USB 2.0



HDMI V 1.4



Fibre optics



VGA + 3RCA



Double USB charger
2.1A



USB Charger
Type C + Type A



VGA + Mini jack



2RCA + Mini jack



HDMI + USB

/ LIGHT AND COMFORT CONTROL



Timed push-button switch



LED dimmer



Touch dimmer



Double 2-way switch



Presence detector



3-position blinds



IR blinds



Access controls



Digital thermostat



Beacon


/ LON OR KNX INTERFACES



SENSE Standard



SENSE Personal





Nature



SIMON 82
A SERIES FULL OF POSSIBILITIES

Simon|82

Nature



/GLASS



/WOOD



/STONE



/METAL

Nature Frames

UNIVERSAL BOX FRAMES

WOOD FINISH

	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	82917-65	Frame 1 el. wenge, aluminium interior		82917-66	Frame 1 el. oak, champagne interior
	82927-65	Frame 2 el. wenge, aluminium interior		82927-66	Frame 2 el. oak champagne interior
	82937-65	Frame 3 el. wenge, aluminium interior		82937-66	Frame 3 el. oak, champagne interior
	82947-65	Frame 4 el. wenge, aluminium interior		82947-66	Frame 4 el. oak, champagne interior

	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	82917-67	Frame 1 el. cherry wood, champagne interior		82917-68	Frame 1 el. maple, champagne interior
	82927-67	Frame 2 el. cherry wood, champagne interior		82927-68	Frame 2 el. maple, champagne interior
	82937-67	Frame 3 el. cherry wood, champagne interior		82937-68	Frame 3 el. maple, champagne interior
	82947-67	Frame 4 el. cherry wood, champagne interior		82947-68	Frame 4 el. maple, champagne interior

METAL FINISH

	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	82817-31	Frame 1 el. matt stainless steel, graphite interior		82817-38	Frame 1 el. lead, graphite interior
	82827-31	Frame 2 el. matt stainless steel, graphite interior		82827-38	Frame 2 el. lead, graphite interior
	82837-31	Frame 3 el. matt stainless steel, graphite interior		82837-38	Frame 3 el. lead, graphite interior
	82847-31	Frame 4 el. matt stainless steel, graphite interior		82847-38	Frame 4 el. lead, graphite interior

	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	82917-34	Frame 1 el. matt stainless steel, aluminium interior		82817-37	Frame 1 el. stainless steel, graphite interior
	82927-34	Frame 2 el. matt stainless steel, aluminium interior		82827-37	Frame 2 el. stainless steel, graphite interior
	82937-34	Frame 3 el. matt stainless steel, aluminium interior		82837-37	Frame 3 el. stainless steel, graphite interior
	82947-34	Frame 4 el. matt stainless steel, aluminium interior		82847-37	Frame 4 el. stainless steel, graphite interior

	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	82917-38	Frame 1 el. black stainless steel, aluminium interior		82917-33	Frame 1 el. aluminium, aluminium interior
	82927-38	Frame 2 el. black stainless steel, aluminium interior		82927-33	Frame 2 el. aluminium, aluminium interior
	82937-38	Frame 3 el. black stainless steel, aluminium interior		82937-33	Frame 3 el. aluminium, aluminium interior
	82947-38	Frame 4 el. black stainless steel, aluminium interior		82947-33	Frame 4 el. aluminium, aluminium interior

GLASS FINISH

	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	82617-60	Frame 1 el. natural glass, white interior		82817-35	Frame 1 el. grey glass, graphite interior
	82627-60	Frame 2 el. natural glass, white interior		82827-35	Frame 2 el. grey glass, graphite interior
	82637-60	Frame 3 el. natural glass, white interior		82837-35	Frame 3 el. grey glass, graphite interior
	82647-60	Frame 4 el. natural glass, white interior		82847-35	Frame 4 el. grey glass, graphite interior

	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	82917-62	Frame 1 el. silver glass, aluminium interior		82617-30	Frame 1 el. white glass, white interior
	82927-62	Frame 2 el. silver glass, aluminium interior		82627-30	Frame 2 el. white glass, white interior
	82937-62	Frame 3 el. silver glass, aluminium interior		82637-30	Frame 3 el. white glass, white interior
	82947-62	Frame 4 el. silver glass, aluminium interior		82647-30	Frame 4 el. white glass, white interior

	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	82617-65	Frame 1 el. tangerine glass, white interior		82617-64	Frame 1 el. blue glass, white interior
	82627-65	Frame 2 el. tangerine glass, white interior		82627-64	Frame 2 el. blue glass, white interior
	82637-65	Frame 3 el. tangerine glass, white interior		82637-64	Frame 3 el. blue glass, white interior
	82647-65	Frame 4 el. tangerine glass, white interior		82647-64	Frame 4 el. blue glass, white interior

	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	82817-32	Frame 1 el. black glass, graphite interior		82817-34	Frame 1 el. copper glass, graphite interior
	82827-32	Frame 2 el. black glass, graphite interior		82827-34	Frame 2 el. copper glass, graphite interior
	82837-32	Frame 3 el. black glass, graphite interior		82837-34	Frame 3 el. copper glass, graphite interior
	82847-32	Frame 4 el. black glass, graphite interior		82847-34	Frame 4 el. copper glass, graphite interior

STONE FINISH

	ART. NO.	DESCRIPTION			
	82917-63	Frame 1 el. slate, aluminium interior			
	82927-63	Frame 2 el. slate, aluminium interior			
	82937-63	Frame 3 el. slate, aluminium interior			
	82947-63	Frame 4 el. slate, aluminium interior			

Simon | 82

Detail



/SELECT



/ ORIGINAL

Original Detail Frames

WHITE ORIGINAL FRAMES

WHITE DETAIL

	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	8200610-030	Frame 1 element white		8200610-029	Frame 1 element warm white
	8200620-030	Frame 2 elements white		8200620-029	Frame 2 elements warm white
	8200630-030	Frame 3 elements white		8200630-029	Frame 3 elements warm white
	8200640-030	Frame 4 elements white		8200640-029	Frame 4 elements warm white

	ART. NO.	DESCRIPTION
	8200610-031	Frame 1 element ivory
	8200620-031	Frame 2 elements ivory
	8200630-031	Frame 3 elements ivory
	8200640-031	Frame 4 elements ivory

COLOUR DETAIL

	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	8200610-200	Frame 1 element white black socket		8200610-201	Frame 1 element white indigo blue socket
	8200620-200	Frame 2 elements white black socket		8200620-201	Frame 2 elements white, indigo blue socket
	8200630-200	Frame 3 elements white, black socket		8200630-201	Frame 3 elements white, indigo blue socket
	8200640-200	Frame 3 elements white, black socket		8200640-201	Frame 4 elements white, indigo blue socket

	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	8200610-202	Frame 1 element white, aquamarine socket		8200610-203	Frame 1 element white, pastel pink socket
	8200620-202	Frame 2 elements white, aquamarine socket		8200620-203	Frame 2 elements white, pastel pink socket
	8200630-202	Frame 2 elements white, aquamarine socket		8200630-203	Frame 3 elements white, pastel pink socket
	8200640-202	Frame 2 elements white, aquamarine socket		8200640-203	Frame 4 elements white, pastel pink socket

PREMIUM DETAIL

	ART. NO.	DESCRIPTION
	8200610-230	Frame 1 element white, aluminium socket
	8200620-230	Frame 2 elements white, aluminium socket
	8200630-230	Frame 2 elements white, aluminium socket
	8200640-230	Frame 2 elements white, aluminium socket

ORIGINAL GRAPHITE FRAMES

PREMIUM DETAIL

ART. NO.	DESCRIPTION
8200610-238	Frame 1 element graphite, aluminium socket
8200620-238	Frame 2 elements graphite, aluminium socket
8200630-238	Frame 3 elements graphite, aluminium socket
8200640-238	Frame 4 elements graphite, aluminium socket



AIR DETAIL

ART. NO.	DESCRIPTION
8200610-038	Frame 1 element graphite, white socket
8200620-038	Frame 2 elements graphite, white socket
8200630-038	Frame 3 elements graphite, white socket
8200640-038	Frame 4 elements graphite, white socket



FRAMES ORIGINAL ALUMINIUM

AIR DETAIL




ART. NO.	DESCRIPTION	ART. NO.	DESCRIPTION
8200610-093	Frame 1 elem. cool aluminium, white socket	8200610-293	Frame 1 elem. cool aluminium, black socket
8200620-093	Frame 2 elem. cool aluminium, white socket	8200620-293	Frame 2 elem. cool aluminium, black socket
8200630-093	Frame 3 elem. cool aluminium, white socket	8200630-293	Frame 3 elem. cool aluminium, black socket
8200640-093	Frame 4 elem. cool aluminium, white socket	8200640-293	Frame 4 elem. cool aluminium, black socket



IMAGINE FRAMES

AIR DETAIL

ART. NO.	DESCRIPTION	ART. NO.	DESCRIPTION
8200610-211	Frame 1 element polka dots warm grey	8200610-212	Frame 1 element polka dots aquamarine
8200620-211	Frame 2 elements polka dots warm grey	8200620-212	Frame 2 elements polka dots aquamarine
8200610-213	Frame 1 element polka dots pastel pink	8200610-210	Frame 1 element polka dots white
8200620-213	Frame 2 elements polka dots pastel pink	8200620-210	Frame 2 elements polka dots white
8200610-223	Frame 1 element stars black	8200610-222	Frame 1 element stars black
8200620-223	Frame 2 elements stars black	8200620-222	Frame 2 elements stars black
8200610-221	Frame 1 element stars indigo blue		
8200620-221	Frame 2 elements stars indigo blue		



Select aluminium Frames

WHITE SELECT FRAMES

METAL DETAIL



ART. NO.	DESCRIPTION
8201610-243	Frame 1 element white, aluminium socket
8201620-243	Frame 2 elements white, aluminium socket
8201630-243	Frame 2 elements white, aluminium socket
8201640-243	Frame 4 elements white, aluminium socket



ART. NO.	DESCRIPTION
8201610-244	Frame 1 element white, chrome socket
8201620-244	Frame 2 elements white chrome socket
8201630-244	Frame 3 elements white chrome socket
8201640-244	Frame 4 elements white, chrome socket



ART. NO.	DESCRIPTION
8201610-245	Frame 1 element white, gold socket
8201620-245	Frame 2 elements white, gold socket
8201630-245	Frame 3 elements white, gold socket
8201640-245	Frame 4 elements white, gold socket

NATURAL WOOD DETAIL



ART. NO.	DESCRIPTION
8201610-270	Frame 1 element white, wood socket
8201620-270	Frame 2 elements white, wood socket
8201630-270	Frame 3 elements white, wood socket
8201640-270	Frame 4 elements white, wood socket



FRAMES SELECT IVORY



DETAIL IVORY METAL



ART. NO.	DESCRIPTION
8201610-248	Frame 1 element ivory, champagne socket
8201620-248	Frame 2 elements ivory, champagne socket
8201630-248	Frame 3 elements ivory, champagne socket
8201640-248	Frame 4 elements ivory, champagne socket

FRAMES SELECT GRAPHITE

METAL DETAIL

	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	8201610-240	Frame 1 element graphite, aluminium socket		8201610-241	Frame 1 element graphite chrome socket
	8201620-240	Frame 2 elements graphite, aluminium socket		8201620-241	Frame 2 elements graphite, chrome socket
	8201630-240	Frame 3 elements graphite, aluminium socket		8201630-241	Frame 3 elements graphite, chrome socket
	8201640-240	Frame 4 elements graphite, aluminium socket		8201640-241	Frame 4 elements graphite, chrome socket

	ART. NO.	DESCRIPTION
	8201610-242	Frame 1 element graphite, gold socket
	8201620-242	Frame 2 elements graphite, gold socket
	8201630-242	Frame 3 elements graphite, gold socket
	8201640-242	Frame 4 elements graphite, gold socket

NATURAL WOOD DETAIL

	ART. NO.	DESCRIPTION	
	8201610-271	Frame 1 elem. graphite, wood socket	
	8201620-271	Frame 2 elem. graphite, wood socket	
	8201630-271	Frame 3 elem. graphite, wood socket	
	8201640-271	Frame 4 elem. graphite, wood socket	

METALLIC COLOUR DETAIL

	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	8201610-250	Frame 1 elem. graphite, green socket		8201610-251	Frame 1 elem. graphite, purple socket
	8201620-250	Frame 2 elem. graphite, green socket		8201620-251	Frame 2 elem. graphite, purple socket
	8201630-250	Frame 3 elem. graphite, green socket		8201630-251	Frame 3 elem. graphite, purple socket
	8201640-250	Frame 4 elem. graphite, green socket		8201640-251	Frame 4 elem. graphite, purple socket

	ART. NO.	DESCRIPTION
	8201610-252	Frame 1 elem. graphite, red socket
	8201620-252	Frame 2 elem. graphite, red socket
	8201630-252	Frame 3 elem. graphite, red socket
	8201640-252	Frame 4 elem. graphite, red socket

FLUORESCENT DETAIL

	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	8201610-260	Frame 1 elem. graphite fluorescent green socket		8201610-261	Frame 1 elem. graphite, fluorescent pink socket
	8201620-260	Frame 2 elem. graphite, fluorescent green socket		8201620-261	Frame 2 elem. graphite fluorescent pink socket
	8201630-260	Frame 3 elem. graphite fluorescent green socket		8201630-261	Frame 3 elem. graphite fluorescent pink socket
	8201640-260	Frame 4 elem. graphite fluorescent green socket		8201640-261	Frame 4 elem. graphite fluorescent pink socket



ART. NO.	DESCRIPTION
8201610-262	Frame 1 elem. graphite, fluorescent yellow socket
8201620-262	Frame 2 elem. graphite fluorescent yellow socket
8201630-262	Frame 3 elem. graphite fluorescent yellow socket
8201640-262	Frame 4 elem. graphite fluorescent yellow socket

FRAMES SELECT ALUMINIUM

METAL DETAIL



ART. NO.	DESCRIPTION
8201610-093	Frame 1 elem. cool aluminium, chrome socket
8201620-093	Frame 2 elem. cool aluminium chrome socket
8201630-093	Frame 3 elem. cool aluminium chrome socket
8201640-093	Frame 4 elem. cool aluminium chrome socket

METALLIC COLOUR DETAIL



ART. NO.	DESCRIPTION
8201610-253	Frame 1 elem. cool aluminium, green socket
8201620-253	Frame 2 elem. cool aluminium green socket
8201630-253	Frame 3 elem. cool aluminium green socket
8201640-253	Frame 4 elem. cool aluminium green socket



ART. NO.	DESCRIPTION
8201610-254	Frame 1 elem. cool aluminium, purple socket
8201620-254	Frame 2 elem. cool aluminium purple socket
8201630-254	Frame 3 elem. cool aluminium purple socket
8201640-254	Frame 4 elem. cool aluminium purple socket



ART. NO.	DESCRIPTION
8201610-255	Frame 1 elem. cool aluminium, red socket
8201620-255	Frame 2 elem. cool aluminium red socket
8201630-255	Frame 3 elem. cool aluminium red socket
8201640-255	Frame 4 elem. cool aluminium red socket



ART. NO.	DESCRIPTION
8201610-293	Frame 1 elem. cool aluminium, graphite socket
8201620-293	Frame 2 elem. cool aluminium graphite socket
8201630-293	Frame 3 elem. cool aluminium graphite socket
8201640-293	Frame 4 elem. cool aluminium graphite socket

Simon|82

Concept

/MONOCOLOUR



/ BICOLOUR

Concept Frames

FRAMES

MATT WHITE



ART. NO.	DESCRIPTION
8200617-090	Frame 1 element matt white
8200627-090	Frame 2 elements matt white
8200637-090	Frame 3 elements matt white
8200647-090	Frame 4 elements matt white

MATT BLACK



ART. NO.	DESCRIPTION
8200617-098	Frame 1 element matt black
8200627-098	Frame 2 elements matt black
8200637-098	Frame 3 elements matt black
8200647-098	Frame 4 elements matt black

GREY



ART. NO.	DESCRIPTION
8200617-092	Frame 1 element grey
8200627-092	Frame 2 elements grey
8200637-092	Frame 3 elements grey
8200647-092	Frame 4 elements grey

TITANIUM



ART. NO.	DESCRIPTION
8200617-096	Frame 1 element titanium
8200627-096	Frame 2 elements titanium
8200637-096	Frame 3 elements titanium
8200647-096	Frame 4 elements titanium

ALUMINIUM



ART. NO.	DESCRIPTION
8200617-093	Frame 1 element aluminium
8200627-093	Frame 2 elements aluminium
8200637-093	Frame 3 elements aluminium
8200647-093	Frame 4 elements aluminium

CHAMPAGNE



ART. NO.	DESCRIPTION
8200617-094	Frame 1 element champagne
8200627-094	Frame 2 elements champagne
8200637-094	Frame 3 elements champagne
8200647-094	Frame 4 elements champagne

GOLD




ART. NO.	DESCRIPTION
8200617-095	Frame 1 element gold
8200627-095	Frame 2 elements gold
8200637-095	Frame 3 elements gold
8200647-095	Frame 4 elements gold

Simon|82



/WHITE



/IVORY



/GRAPHITE



/METAL

Frames

UNIVERSAL BOX FRAMES

WHITE RANGE

	<table><tr><th>ART. NO.</th><th>DESCRIPTION</th></tr><tr><td>82613-37 </td><td>Frame 1 el. translucent red, white interior</td></tr><tr><td>82623-37 </td><td>Frame 2 el. translucent red, white interior</td></tr><tr><td>82633-37 </td><td>Frame 3 el. translucent red, white interior</td></tr><tr><td>82643-37 </td><td>Frame 4 el. translucent red, white interior</td></tr></table>	ART. NO.	DESCRIPTION	82613-37 	Frame 1 el. translucent red, white interior	82623-37 	Frame 2 el. translucent red, white interior	82633-37 	Frame 3 el. translucent red, white interior	82643-37 	Frame 4 el. translucent red, white interior		<table><tr><th>ART. NO.</th><th>DESCRIPTION</th></tr><tr><td>82613-65 </td><td>Frame 1 el. translucent green, white interior</td></tr><tr><td>82623-65 </td><td>Frame 2 el. translucent green, white interior</td></tr><tr><td>82633-65 </td><td>Frame 3 el. translucent green, white interior</td></tr><tr><td>82643-65 </td><td>Frame 4 el. translucent green, white interior</td></tr></table>	ART. NO.	DESCRIPTION	82613-65 	Frame 1 el. translucent green, white interior	82623-65 	Frame 2 el. translucent green, white interior	82633-65 	Frame 3 el. translucent green, white interior	82643-65 	Frame 4 el. translucent green, white interior
ART. NO.	DESCRIPTION																						
82613-37 	Frame 1 el. translucent red, white interior																						
82623-37 	Frame 2 el. translucent red, white interior																						
82633-37 	Frame 3 el. translucent red, white interior																						
82643-37 	Frame 4 el. translucent red, white interior																						
ART. NO.	DESCRIPTION																						
82613-65 	Frame 1 el. translucent green, white interior																						
82623-65 	Frame 2 el. translucent green, white interior																						
82633-65 	Frame 3 el. translucent green, white interior																						
82643-65 	Frame 4 el. translucent green, white interior																						
	<table><tr><th>ART. NO.</th><th>DESCRIPTION</th></tr><tr><td>82613-64 </td><td>Frame 1 el. translucent blue, white interior</td></tr><tr><td>82623-64 </td><td>Frame 2 el. translucent blue, white interior</td></tr><tr><td>82633-64 </td><td>Frame 3 el. translucent blue, white interior</td></tr><tr><td>82643-64 </td><td>Frame 4 el. translucent blue, white interior</td></tr></table>	ART. NO.	DESCRIPTION	82613-64 	Frame 1 el. translucent blue, white interior	82623-64 	Frame 2 el. translucent blue, white interior	82633-64 	Frame 3 el. translucent blue, white interior	82643-64 	Frame 4 el. translucent blue, white interior		<table><tr><th>ART. NO.</th><th>DESCRIPTION</th></tr><tr><td>82610-30</td><td>Frame 1 el. white, white interior</td></tr><tr><td>82620-30</td><td>Frame 2 el. white, white interior</td></tr><tr><td>82630-30</td><td>Frame 3 el. white, white interior</td></tr><tr><td>82640-30</td><td>Frame 4 el. white, white interior</td></tr></table>	ART. NO.	DESCRIPTION	82610-30	Frame 1 el. white, white interior	82620-30	Frame 2 el. white, white interior	82630-30	Frame 3 el. white, white interior	82640-30	Frame 4 el. white, white interior
ART. NO.	DESCRIPTION																						
82613-64 	Frame 1 el. translucent blue, white interior																						
82623-64 	Frame 2 el. translucent blue, white interior																						
82633-64 	Frame 3 el. translucent blue, white interior																						
82643-64 	Frame 4 el. translucent blue, white interior																						
ART. NO.	DESCRIPTION																						
82610-30	Frame 1 el. white, white interior																						
82620-30	Frame 2 el. white, white interior																						
82630-30	Frame 3 el. white, white interior																						
82640-30	Frame 4 el. white, white interior																						
	<table><tr><th>ART. NO.</th><th>DESCRIPTION</th></tr><tr><td>82614-63 </td><td>Frame 1 el. chromed, white interior</td></tr><tr><td>82624-63 </td><td>Frame 2 el. chrome, white interior</td></tr><tr><td>82634-63 </td><td>Frame 3 el. chrome, white interior</td></tr><tr><td>82644-63 </td><td>Frame 4 el. chrome, white interior</td></tr></table>	ART. NO.	DESCRIPTION	82614-63 	Frame 1 el. chromed, white interior	82624-63 	Frame 2 el. chrome, white interior	82634-63 	Frame 3 el. chrome, white interior	82644-63 	Frame 4 el. chrome, white interior		<table><tr><th>ART. NO.</th><th>DESCRIPTION</th></tr><tr><td>82612-62 </td><td>Frame 1 el. yellow, white interior</td></tr><tr><td>82622-62 </td><td>Frame 2 el. yellow, white interior</td></tr><tr><td>82632-62 </td><td>Frame 3 el. yellow, white interior</td></tr><tr><td>82642-62 </td><td>Frame 4 el. yellow, white interior</td></tr></table>	ART. NO.	DESCRIPTION	82612-62 	Frame 1 el. yellow, white interior	82622-62 	Frame 2 el. yellow, white interior	82632-62 	Frame 3 el. yellow, white interior	82642-62 	Frame 4 el. yellow, white interior
ART. NO.	DESCRIPTION																						
82614-63 	Frame 1 el. chromed, white interior																						
82624-63 	Frame 2 el. chrome, white interior																						
82634-63 	Frame 3 el. chrome, white interior																						
82644-63 	Frame 4 el. chrome, white interior																						
ART. NO.	DESCRIPTION																						
82612-62 	Frame 1 el. yellow, white interior																						
82622-62 	Frame 2 el. yellow, white interior																						
82632-62 	Frame 3 el. yellow, white interior																						
82642-62 	Frame 4 el. yellow, white interior																						
	<table><tr><th>ART. NO.</th><th>DESCRIPTION</th></tr><tr><td>82612-64 </td><td>Frame 1 el. navy blue, white interior</td></tr><tr><td>82622-64 </td><td>Frame 2 el. navy blue, white interior</td></tr><tr><td>82632-64 </td><td>Frame 3 el. navy blue, white interior</td></tr><tr><td>82642-64 </td><td>Frame 4 el. navy blue, white interior</td></tr></table>	ART. NO.	DESCRIPTION	82612-64 	Frame 1 el. navy blue, white interior	82622-64 	Frame 2 el. navy blue, white interior	82632-64 	Frame 3 el. navy blue, white interior	82642-64 	Frame 4 el. navy blue, white interior		<table><tr><th>ART. NO.</th><th>DESCRIPTION</th></tr><tr><td>82611-33</td><td>Frame 1 el. grey, white interior</td></tr><tr><td>82621-33</td><td>Frame 2 el. grey, white interior</td></tr><tr><td>82631-33</td><td>Frame 3 el. grey, white interior</td></tr><tr><td>82641-33</td><td>Frame 4 el. grey, white interior</td></tr></table>	ART. NO.	DESCRIPTION	82611-33	Frame 1 el. grey, white interior	82621-33	Frame 2 el. grey, white interior	82631-33	Frame 3 el. grey, white interior	82641-33	Frame 4 el. grey, white interior
ART. NO.	DESCRIPTION																						
82612-64 	Frame 1 el. navy blue, white interior																						
82622-64 	Frame 2 el. navy blue, white interior																						
82632-64 	Frame 3 el. navy blue, white interior																						
82642-64 	Frame 4 el. navy blue, white interior																						
ART. NO.	DESCRIPTION																						
82611-33	Frame 1 el. grey, white interior																						
82621-33	Frame 2 el. grey, white interior																						
82631-33	Frame 3 el. grey, white interior																						
82641-33	Frame 4 el. grey, white interior																						
	<table><tr><th>ART. NO.</th><th>DESCRIPTION</th></tr><tr><td>82611-31 </td><td>Frame 1 el. cream, white interior</td></tr><tr><td>82621-31 </td><td>Frame 2 el. cream, white interior</td></tr><tr><td>82631-31 </td><td>Frame 3 el. cream, white interior</td></tr><tr><td>82641-31 </td><td>Frame 4 el. cream, white interior</td></tr></table>	ART. NO.	DESCRIPTION	82611-31 	Frame 1 el. cream, white interior	82621-31 	Frame 2 el. cream, white interior	82631-31 	Frame 3 el. cream, white interior	82641-31 	Frame 4 el. cream, white interior		<table><tr><th>ART. NO.</th><th>DESCRIPTION</th></tr><tr><td>82611-64 </td><td>Frame 1 el. lilac, white interior</td></tr><tr><td>82621-64 </td><td>Frame 2 el. lilac, white interior</td></tr><tr><td>82631-64 </td><td>Frame 3 el. lilac, white interior</td></tr><tr><td>82641-64 </td><td>Frame 4 el. lilac, white interior</td></tr></table>	ART. NO.	DESCRIPTION	82611-64 	Frame 1 el. lilac, white interior	82621-64 	Frame 2 el. lilac, white interior	82631-64 	Frame 3 el. lilac, white interior	82641-64 	Frame 4 el. lilac, white interior
ART. NO.	DESCRIPTION																						
82611-31 	Frame 1 el. cream, white interior																						
82621-31 	Frame 2 el. cream, white interior																						
82631-31 	Frame 3 el. cream, white interior																						
82641-31 	Frame 4 el. cream, white interior																						
ART. NO.	DESCRIPTION																						
82611-64 	Frame 1 el. lilac, white interior																						
82621-64 	Frame 2 el. lilac, white interior																						
82631-64 	Frame 3 el. lilac, white interior																						
82641-64 	Frame 4 el. lilac, white interior																						
	<table><tr><th>ART. NO.</th><th>DESCRIPTION</th></tr><tr><td>82611-65 </td><td>Frame 1 el. green, white interior</td></tr><tr><td>82621-65 </td><td>Frame 2 el. green, white interior</td></tr><tr><td>82631-65 </td><td>Frame 3 el. green, white interior</td></tr><tr><td>82641-65 </td><td>Frame 4 el. green, white interior</td></tr></table>	ART. NO.	DESCRIPTION	82611-65 	Frame 1 el. green, white interior	82621-65 	Frame 2 el. green, white interior	82631-65 	Frame 3 el. green, white interior	82641-65 	Frame 4 el. green, white interior												
ART. NO.	DESCRIPTION																						
82611-65 	Frame 1 el. green, white interior																						
82621-65 	Frame 2 el. green, white interior																						
82631-65 	Frame 3 el. green, white interior																						
82641-65 	Frame 4 el. green, white interior																						

IVORY RANGE

	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	82710-31	Frame 1 el. ivory, ivory interior		82714-34	Frame 1 el. matt champagne, ivory interior
	82720-31	Frame 2 el. ivory, ivory interior		82724-34	Frame 2 el. matt champagne, ivory interior
	82730-31	Frame 3 el. ivory, ivory interior		82734-34	Frame 3 el. matt champagne, ivory interior
	82740-31	Frame 4 el. ivory, ivory interior		82744-34	Frame 4 el. matt champagne, ivory interior
	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	82714-67 	Frame 1 el. dark steel, ivory interior		82714-66 	Frame 1 el. gold, ivory interior
	82724-67 	Frame 2 el. dark steel, ivory interior		82724-66 	Frame 2 el. gold, ivory interior
	82734-67 	Frame 3 el. dark steel, ivory interior		82734-66 	Frame 3 el. gold, ivory interior
	82744-67 	Frame 4 el. dark steel, ivory interior		82744-66 	Frame 4 el. gold, ivory interior
	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	82711-64 	Frame 1 el. lilac, ivory interior		82715-69 	Frame 1 el. pine, ivory interior
	82721-64 	Frame 2 el. lilac, ivory interior		82725-69 	Frame 2 el. pine, ivory interior
	82731-64 	Frame 3 el. lilac, ivory interior		82735-69 	Frame 3 el. pine, ivory interior
	82741-64 	Frame 4 el. lilac, ivory interior		82745-69 	Frame 4 el. pine, ivory interior
	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	82714-65 	Frame 1 el. green texture, ivory interior		82714-64 	Frame 1 el. metallic blue, ivory interior
	82724-65 	Frame 2 el. green texture, ivory interior		82724-64 	Frame 2 el. metallic blue, ivory interior
	82734-65 	Frame 3 el. green texture, ivory interior		82734-64 	Frame 3 el. metallic blue, ivory interior
	82744-65 	Frame 4 el. green texture, ivory interior		82744-64 	Frame 4 el. metallic blue, interior ivory
	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	82714-60 	Frame 1 el. granite grey, ivory interior		82714-37 	Frame 1 el. metallic maroon, ivory interior
	82724-60 	Frame 2 el. granite grey, ivory interior		82724-37 	Frame 2 el. metallic maroon, ivory interior
	82734-60 	Frame 3 el. granite grey, ivory interior		82734-37 	Frame 3 el. metallic maroon, ivory interior
	82744-60 	Frame 4 el. granite grey, ivory interior		82744-37 	Frame 4 el. metallic maroon, ivory interior

GRAPHITE RANGE

	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	82815-68 	Frame 1 el. walnut root, graphite interior		82815-61 	Frame 1 el. cherry wood, graphite interior
	82825-68 	Frame 2 el. walnut root, graphite interior		82825-61 	Frame 2 el. cherry wood, graphite interior
	82835-68 	Frame 3 el. walnut root, graphite interior		82835-61 	Frame 3 el. cherry wood, graphite interior
	82845-68 	Frame 4 el. walnut root, graphite interior		82845-61 	Frame 4 el. cherry wood, graphite interior
	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	82815-69 	Frame 1 el. pine, graphite interior		82814-66 	Frame 1 el. gold, graphite interior
	82825-69 	Frame 2 el. pine, graphite interior		82824-66 	Frame 2 el. gold, graphite interior
	82835-69 	Frame 3 el. pine, graphite interior		82834-66 	Frame 3 el. gold, graphite interior
	82845-69 	Frame 4 el. pine, graphite interior		82844-66 	Frame 4 el. gold, graphite interior
	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	82814-36 	Frame 1 el. antique copper, graphite interior		82814-67 	Frame 1 el. dark steel, graphite interior
	82824-36 	Frame 2 el. antique copper, graphite interior		82824-67 	Frame 2 el. dark steel, graphite interior
	82834-36 	Frame 3 el. antique copper, graphite interior		82834-67 	Frame 3 el. dark steel, graphite interior
	82844-36 	Frame 4 el. antique copper, graphite interior		82844-67 	Frame 4 el. dark steel, graphite interior

	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	82814-33	Frame 1 el. matt aluminium, graphite interior		82814-34	Frame 1 el. matt champagne, graphite interior
	82824-33	Frame 2 el. matt aluminium, graphite interior		82824-34	Frame 2 el. matt champagne, graphite interior
	82834-33	Frame 3 el. matt aluminium, graphite interior		82834-34	Frame 3 el. matt champagne, graphite interior
	82844-33	Frame 4 el. matt aluminium, graphite interior		82844-34	Frame 4 el. matt champagne, graphite interior

	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	82816-37 	Frame 1 el. sunflower, graphite interior		82814-65 	Frame 1 el. green texture, graphite interior
	82826-37 	Frame 2 el. sunflower, graphite interior		82824-65 	Frame 2 el. green texture, graphite interior
	82836-37 	Frame 3 el. sunflower, graphite interior		82834-65 	Frame 3 el. green texture, graphite interior
	82846-37 	Frame 4 el. sunflower, graphite interior		82844-65 	Frame 4 el. green texture, graphite interior

	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	82814-64 	Frame 1 el. metallic blue, graphite interior		82814-60 	Frame 1 el. granite grey, graphite interior
	82824-64 	Frame 2 el. metallic blue, graphite interior		82824-60 	Frame 2 el. granite grey, graphite interior
	82834-64 	Frame 3 el. metallic blue, graphite interior		82834-60 	Frame 3 el. granite grey, graphite interior
	82844-64 	Frame 4 el. metallic blue, graphite interior		82844-60 	Frame 4 el. granite grey, graphite interior

	ART. NO.	DESCRIPTION			
	82812-32	Frame 1 el. graphite, graphite interior			
	82822-32	Frame 2 el. graphite, graphite interior			
	82832-32	Frame 3 el. graphite, graphite interior			
	82842-32	Frame 4 el. graphite, graphite interior			

METAL RANGE

	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	82914-33	Frame 1 el. matt aluminium, aluminium interior		82914-34	Frame 1 el. matt champagne, champagne interior
	82924-33	Frame 2 el. matt aluminium, aluminium interior		82924-34	Frame 2 el. matt champagne, champagne interior
	82934-33	Frame 3 el. matt aluminium, aluminium interior		82934-34	Frame 3 el. matt champagne, champagne interior
	82944-33	Frame 4 el. matt aluminium, aluminium interior		82944-34	Frame 4 el. matt champagne, champagne interior

	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	82915-68 	Frame 1 el. walnut root, champagne interior		82915-61 	Frame 1 el. cherry wood, champagne interior
	82925-68 	Frame 2 el. walnut root, champagne interior		82925-61 	Frame 2 el. cherry wood, champagne interior
	82935-68 	Frame 3 el. walnut root, champagne interior		82935-61 	Frame 3 el. cherry wood, champagne interior
	82945-68 	Frame 4 el. walnut root, champagne interior		82945-61 	Frame 4 el. cherry wood, champagne interior

LIGHT FRAMES

	ART. NO.	DESCRIPTION		ART. NO.	DESCRIPTION
	82613-30 	Light frame for 1 element, works with: - switches (75101-39) - push-button switches (75150-39) - 2-way switches (75201-39)		82615-30 	Light frame for 1 element, works with: - socket outlets (75431-39, 75432-39, 75464-39 y 75468-39) - card switches (26526-39, 26550-39, 75558-39 y 75559-39)

Mechanisms

SEMI-ASSEMBLED SETS

	ART. NO.	COLOURS	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	8200101	-090 -093 -096 -098 -030 -038	Switch	10 Ax	250V~	Fast
	8200201	-090 -093 -096 -098 -030 -038	2-way switch	10 Ax	250V~	Fast
	8200251	-090 -093 -096 -098 -030 -038	Intermediate switch	10 Ax	250V~	Fast

	ART. NO.	COLOURS	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	8200432	-090 -093 -096 -098 -030 -038	German socket outlet	16 A	250V~	Screw


	ART. NO.	COLOURS	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	8200398	-090 -093 -096 -098 -030 -038	Double switch	10 Ax	250V~	Fast
	8200397	-090 -093 -096 -098 -030 -038	Double 2-way switch	10 Ax	250V~	Fast

SWITCHES


MECHANISMS WITH 1-CLICK TERMINAL CONNECTION

	ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	7700101-039	Single-pole switch	10 Ax	250V~	1 click
	7700201-039	2-way switch	10 Ax	250V~	1 click
	7700251-039	Intermediate switch	10 Ax	250V~	1 click
	7700211-039	Switch - 2-way switch	16 Ax	250V~	1 click
	7700150-039	Push-button switch	10 A	250V~	1 click

+ ROCKER		82010	S82 Detail	-30 -31 -38 -93	+ ROCKER with engraving bell		82017	S82 Detail	-30 -31 -38 -93
			S82 / S82 Nature	-30 -31 -38 -33 -34				S82 / S82 Nature	-30 -31 -38 -33 -34
		8200010	S82 Concept	-090 -096 -098			8200017	S82 Concept	-090 -096 -098


+ ROCKER with sign holder		82063	S82 Detail	-30 -31 -38 -93	+ ROCKER with engraving light		82018	S82 Detail	-30 -31 -38 -93
			S82 / S82 Nature	-30 -31 -38 -33 -34				S82 / S82 Nature	-30 -31 -38 -33 -34


	ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	75152-39	Disconnection push-button switch (pressing opens circuit)	10 A	250V~	Fast
+ ROCKER	82010	S82 Detail -30 -31 -38 -93 S82 / S82 Nature -30 -31 -38 -33 -34			
	8200010	S82 Concept -090 -096 -098			
+ ROCKER with sign holder	82063	S82 Detail -30 -31 -38 -93 S82 / S82 Nature -30 -31 -38 -33 -34			
	82017	S82 Detail -30 -31 -38 -93 S82 / S82 Nature -30 -31 -38 -33 -34			
	8200017	S82 Concept -090 -096 -098			
	82018	S82 Detail -30 -31 -38 -93 S82 / S82 Nature -30 -31 -38 -33 -34			

	ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	75133-39	Double-pole switch	16 AX	250V~	Screw
+ ROCKER	82031	S82 Detail -30 -31 -38 -93 S82 / S82 Nature -30 -31 -38 -33 -34 Only for double-pole switches			

	ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	7500135-039	Double-pole switch	20 AX	250V~	Screw
	7500136-039	Double-pole switch	32 AX		
+ ROCKER	8200024	S82 Detail -30 -31 -38 -93 S82 / S82 Nature -30 -31 -38 -33 -34			

DOUBLE MECHANISMS

	ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	75398-39	Group of 2 switches	10 AX	250V~	Fast
	75397-39	Group of 2 2-way switches	10 AX	250V~	Fast
	75395-39	Group of 2 disconnection push-buttons (pressing opens circuit)	10 A	250V~	Fast
	75396-39	Group of 2 push-button switches (2 inputs + 2 outputs)	10 A	250V~	Fast
	75399-39	Group of 2 push-button switches (1 input + 2 outputs) (For home automation)	10 A	250V~	Fast
+ ROCKER	82026	S82 Detail -30 -31 -38 -93 S82 / S82 Nature -30 -31 -38 -33 -34			
	8200026	S82 Concept -090 -096 -098			

	ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	75301-39	Group of 1 2-way switch and 1 push-button switch "bell"	10 A	250V~	Fast
+ ROCKER	82027	S82 Detail -30 -31 -38 -93 S82 / S82 Nature -30 -31 -38 -33 -34			

	ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	7502251-039	Group of 2 intermediate switches	10 AX	250V~	Fast

+ ROCKER		8202026	S82 Detail	-030 -031 -038 -093	
			S82 / S82 Nature	-030 -031 -038 -033 -034	
		8202126	S82 Concept	-090 -096 -098	

	ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	7500390-039	Group of 3 switches			

+ ROCKER		8230073	S82 Detail	-030 -031 -038 -093	
			S82 / S82 Nature	-030 -031 -038 -033 -034	

MECHANISMS WITH 1-CLICK TERMINAL CONNECTION

	ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	7700160-039	Push-button switch with built-in light indicator	10 Ax	250V~	1 click

+ ROCKER		8200011	S82 Detail	-030 -031 -038 -093	
			S82 / S82 Nature	-030 -031 -038 -033 -034	
		8200111	S82 Concept	-090 -096 -098	
+ ROCKER with light symbol		8200016	S82 Detail	-030 -031 -038 -093	
			S82 / S82 Nature	-030 -031 -038 -033 -034	
			S82 Concept	-090 -093 -096 -098	
+ ROCKER with bell symbol		8200015	S82 Detail	-030 -031 -038 -093	
			S82 / S82 Nature	-030 -031 -038 -033 -034	
+ ROCKER with viewer		8200013	S82 Detail	-030 -031 -038 -093	
			S82 / S82 Nature	-030 -031 -038 -033 -034	

	ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	7700802-064	LED base blue			
	7700802-037	LED base red			


For light indicator/pilot replacement and converting mechanisms to include light


	ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	7700101-039 + 7700802-064	Single-pole switch with light indicator	10 Ax	250V~	1 click
	7700201-039 + 7700802-064	2-way switch with light indicator	10 Ax	250V~	1 click
	7700251-039 + 7700802-064	Intermediate switch with light indicator	10 Ax	250V~	1 click
	7700211-039 + 7700802-064	Switch - 2-way switch with light indicator	16 Ax	250V~	1 click

+ ROCKER		8200011	S82 Detail	-030 -031 -038 -093	
			S82 / S82 Nature	-030 -031 -038 -033 -034	
		8200111	S82 Concept	-090 -096 -098	
+ ROCKER with light symbol		8200016	S82 Detail	-030 -031 -038 -093	
			S82 / S82 Nature	-030 -031 -038 -033 -034	
			S82 Concept	-090 -093 -098 -096	
+ ROCKER with bell symbol		8200015	S82 Detail	-030 -031 -038 -093	
			S82 / S82 Nature	-030 -031 -038 -033 -034	
+ ROCKER with viewer		8200013	S82 Detail	-030 -031 -038 -093	
			S82 / S82 Nature	-030 -031 -038 -033 -034	

	ART. NO.	DESCRIPTION	Power supply	Quick terminal connection
	75552-39	Push-button switch for 24 V with built-in LED, red (for home automation)	24V	Fast
+ ROCKER 	82011	S82 Detail	-30 -31 -38 -93	
		S82 / S82 Nature	-30 -31 -38 -33 -34	
	8200011	S82 Concept	-090 -096 -098	

MECHANISMS WITH PILOT LIGHT

	ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	7700112-039	Switch with built-in pilot light	16 Ax	250V~	1 click
+ ROCKER 	8200011	S82 Detail	-030	-031 -038 -093	
		S82 / S82 Nature	-030	-031 -038 -033 -034	
	8200111	S82 Concept	-090	-096 -098	
	75202-39	2-way switch with built-in pilot light	10 Ax	250V~	Fast
	75212-39	Switch - 2-way switch, with built-in pilot light	16 Ax	250V~	Screw
+ ROCKER 	82011	S82 Detail	-30	-31 -38 -93	
		S82 / S82 Nature	-30	-31 -38 -33 -34	
	8200011	S82 Concept	-090	-096 -098	

 Different viewer options for rocker 8200013	
	Visor white 82972 -30 -31 -32 -33 -34 -35 -36 -37 -38 -39 -60 -61 -62 Visor graphite 82982 -30 -31 -32 -33 -34 -35 -36 -37 -38 -39 -60 -61 -62

Technical
information

LUMINOUS DOUBLE MECHANISMS



ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
75393-39	Double push-button switch with built-in light indicator	10 A	250V~	Fast
75394-39	Double 2-way switch with built-in light indicator	10 Ax	250V~	Fast

+ ROCKER



82025	S82 Detail	-30 -31 -38 -93
	S82 / S82 Nature	-30 -31 -38 -33 -34

SPECIAL MECHANISMS

CARD SWITCHES (Especially for hotel use. Installation in combination with a contactor/relay is recommended. Card size from 45 to 54 mm wide. Vertical insertion)



ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
7500526-039	Switch/2-way switch for card with 1 micro switch with light indicator	10 (1.5) A	250V~	Faston
7500550-039	Switch/2-way switch for card with 2 micro switches with light indicator	10 (1.5) A	250V~	Faston

+COVER



8200078	S82 Detail	-060 -061 -068 -093
	S82 Concept	-090 -093 -096 -098
	S82 / S82 Nature	-060 -061 -068 -063 -064



ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
75558-39	Switch for card with timer with light indicator Timed disconnection, adjustable from 0 sec - 10 min			

+COVER



82078	S82 Detail	-60 -61 -68 -93
	S82 / S82 Nature	-60 -61 -68 -63 -64

ROTARY SWITCHES



ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
75233-39	2-way rotary switch with 4 positions Tabs must be broken off to position in the frame	16A	250V~	Faston

+COVER



82079	S82 Detail	-30 -31 -38 -93
	S82 / S82 Nature	-30 -31 -38 -33 -34

ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
75234-39	2-way rotary switch with 3 positions	16A	250V~	Screw



+COVER

82084	S82 Detail	-30 -31 -38 -93
	S82 / S82 Nature	-30 -31 -38 -33 -34

KEY

ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
7500520-039	Push-button/2-way switch with key (key removable in standby position)	5A	250V~	Faston
7500521-039	2-way switch with key with 2 positions (key removable in both positions)	5A	250V~	Faston
7500522-039	2-way switch with 2-position key with latching (key cannot be removed in terminals 3 and 4)	5A	250V~	Faston
7500523-039	2-way switch with 3-position key			



+COVER

8200057	S82 Detail	-030 -031 -038 -093
	S82 / S82 Nature	-030 -031 -038 -033 -034
	S82 Concept	

PULL-CORD SWITCH

ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
75153-39	Pull-cord push-button switch	10A	250V~	Fast
75203-39	Pull-cord 2-way switch	10Ax	250V~	Screw



+ROCKER

82051	S82 Detail	-30 -31 -38 -93
	S82 / S82 Nature	-30 -31 -38 -33 -34
8200051	S82 Concept	-090 -096 -098

ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
27153 -65 -62	Pull-cord push-button switch	10A	250V~	Fast





+ROCKER



82088	S82 Detail	-30 -31 -93
	S82 / S82 Nature	-30 -31

Socket outlets

SOCKET OUTLETS

SOCKET OUTLETS

	ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	75432-39	German socket outlet, screw terminal connection	16A	250V~	Screw
	82041	S82 Detail	-30 -31 -37 -38 -93		
	8200041	S82 / S82 Nature S82 Concept	-30 -31 -37 -38 -33 -34 -090 -096 -098		
	82090	S82 Detail S82 / S82 Nature With hinged cover With safety device	-30 -31 -38 -93 -30 -31 -38 -33 -34		
	82099	S82 Detail S82 / S82 Nature With hinged cover and LED voltage indicator With safety device	-30 -31 -38 -30 -31 -38 -34		
	ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	75464-39	German socket outlet, fast terminal connection	16A	250V~	Fast
	82041	S82 Detail	-30 -31 -37 -38 -93		
	8200041	S82 / S82 Nature S82 Concept	-30 -31 -37 -38 -33 -34 -090 -096 -098		
	82090	S82 Detail S82 / S82 Nature With hinged cover With safety device	-30 -31 -38 -93 -30 -31 -38 -33 -34		
	82099	S82 Detail S82 / S82 Nature With hinged cover and LED voltage indicator With safety device	-30 -31 -38 -30 -31 -38 -34		
	ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	75431-39	Double-Pole	16A	250V~	Screw
	82041	S82 Detail S82 / S82 Nature With safety device	-30 -31 -38 -93 -30 -31 -38 -33 -34		

	ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	75462-39	Semi-surface mounted, double-pole, with lateral German socket outlet ground connection, screw terminal connection (extra space for cable)	16A	250V~	Screw
+COVER 	82043	S82 Detail -30 -31 -38 -93 S82 / S82 Nature -30 -31 -38 -33 -34 Cover with transparent collar With safety device			
	ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	75458-39	French socket outlet, with prong ground connection	13A	250V~	Screw
+COVER 	82068	S82 Detail -30 -31 -38 -93 S82 / S82 Nature -30 -31 -38 -33 -34			
	ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	75423-39	British socket outlet, BS 1363	13A	250V~	Screw
+COVER 	82045	S82 Detail -30 -31 -38 -93 S82 / S82 Nature -30 -31 -38 -33 -34			
	ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	7500422-039	British socket outlet with switch, BS 1363 and SASO 2203	13A	250V~	Screw
+COVER 	8200046	S82 Detail -030 -031 -038 -093 S82 / S82 Nature -030 -031 -038 -033 -034			
	ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	27439 -30 -31 -38	European-American socket outlet	15-16 A	125/250V ~	Screw
+ ADAPTOR 	82088	S82 Detail -30 -31 -38 -93 S82 / S82 Nature -30 -31 -38 -33 -34			

USB CHARGER



ART. NO.	DESCRIPTION	Max. intensity	Outlet voltage	Power supply	Quick terminal connection
7511096-039	2x USB charger. Allows device charging (mobile phones, smartphones, tablets, etc.)	2.1A	5Vdc	127-230Vac	Screw

+COVER



8221096	S82 Detail	-030 -031 -038 -093
	S82 / S82 Nature	-030 -031 -038 -033 -034
	S82 Concept	-090 -093 -096 -098



ART. NO.	DESCRIPTION	Max. intensity	Outlet voltage	Power supply	Quick terminal connection
7511296-039	Double USB charger C+A QuickCharge 3.1A Charger	3.1A	5-12Vdc	127-230Vac	Screw

+COVER



8201296	S82 Detail	-030 -031 -038 -093
	S82 / S82 Nature	-030 -031 -038 -033 -034
	S82 Concept	-090 -093 -096 -098



ART. NO.	DESCRIPTION	Max. intensity	Outlet voltage	Power supply	Quick terminal connection
7501432-039	German socket outlet with double USB charger 2.1 A	16A (2.1A)	5Vdc	250V- (5Vdc)	Screw

+COVER



8200049	S82 Detail	-030 -031 -038 -093
	S82 / S82 Nature	-030 -031 -038 -033 -034
	S82 Concept	-090 -093 -096 -098


TV/RJ/Multimedia jacks

TV/RJ/MULTIMEDIA JACKS

NON-MODULAR TELEVISION JACKS

	ART. NO.	DESCRIPTION	Quick terminal connection		
			Meets Spanish Common Telecommunications Infrastructures Regulations	TDI Compatible	Screw
	75486-39	R-TV Socket - Single			
	75487-39	R-TV Socket - Intermediate			
	75488-39	R-TV Socket - End Can be used for all series except 44 Aqua and Centralisations			
	82053	S82 Detail	-30 -31 -38 -93		
		S82 / S82 Nature	-30 -31 -38 -33 -34		
	8200053	S82 Concept	-090 -096 -098		

MODULAR SATELLITE TELEVISION JACKS

	ART. NO.	DESCRIPTION	Quick terminal connection		
			Meets Spanish Common Telecommunications Infrastructures Regulations	TDI Compatible	Screw
	75466-69	Single R-TV + SAT socket - Single			
	75467-69	Single R-TV + SAT socket - Intermediate			
	75468-69	Single R-TV + SAT socket - End Can be used for all series			
	82097	S82 Detail	-30 -31 -38 -93		
		S82 / S82 Nature	-30 -31 -38 -33 -34		
	8200097	S82 Concept	-090 -096 -098		

TELEPHONE JACKS

	ART. NO.	DESCRIPTION	Quick terminal connection		
			Meets Spanish Common Telecommunications Infrastructures Regulations		Screw
	75480-30	With 4 pins, for RJ-11 connector			
	75481-30	With 6 pins, for RJ-12 connector			
	82062	S82 Detail	-30 -31 -38 -93		
		S82 / S82 Nature	-30 -31 -38 -33 -34		
	8200062	S82 Concept	-090 -096 -098		

VOICE AND DATA JACKS

CONNECTORS	AMP				SYSTIMAX
	UTP		FTP	TELEPHONE	UTP
	 Category 5e	 Category 6	 Category 5e shielded	 Category 3	 Category 5e
S82 Detail -30 -31 -38 -93 S82/82 Nature -30 -31 -33 -34 -38 S82 Concept -090 -096 -098					
 820005 / 82005	75540-39	75544-39	75541-39	75528-39	75542 -30 -31 -32 -37*
 820006 / 82006	75540-39	75544-39	75541-39	75528-39	75542 -30 -31 -32 -37*

INCLINED ADAPTORS

*For special circuits

CONNECTORS	AMP				SYSTIMAX
	UTP		FTP	TELEPHONE	UTP
					
S82 Detail -30 -31 -38 -93 S82/82 Nature -30 -31 -33 -34 -38					
 82578	75540-39 + 75001-39	75544-39 + 75001-39	75541-39 + 75001-39	75528-39 + 75000-39	75542 -30 -31 -32 -37* + 75002-39
 82579	75540-39 + 75001-39	7544-39 + 75001-39	75541-39 + 75001-39	75528-39 + 75000-39	75542 -30 -31 -32 -37* + 75002-39

MULTIMEDIA JACKS

	ART. NO.	DESCRIPTION	Quick terminal connection
	7500091-039	VGA HD15 connector + mini jack	Screw
	ART. NO.	DESCRIPTION	Quick terminal connection
	8200091	S82 Detail -030 -031 -038 -093 S82 / S82 Nature -030 -031 -038 -033 -034	Screw
	ART. NO.	DESCRIPTION	Quick terminal connection
	7500092-039	Connector VGA HD15 female + 3RCA	Screw
	ART. NO.	DESCRIPTION	Quick terminal connection
	8200092	S82 Detail -030 -031 -038 -093 S82 / S82 Nature -030 -031 -038 -033 -034	Screw

	ART. NO.	DESCRIPTION		Quick terminal connection
	7501090-039	Connector 2x USB 2.0 type A female		Screw
+COVER 	8201090	S82 Detail	-030 -031 -038 -093	
		S82 / S82 Nature	-030 -031 -038 -033 -034	
	7501092-039	Connector mini jack + 2RCA		Quick terminal connection Screw
+COVER 	8201092	S82 Detail	-030 -031 -038 -093	
		S82 / S82 Nature	-030 -031 -038 -033 -034	
	7501094-039	HDMI Connector v1.4 female		Quick terminal connection Female - female
+COVER 	8201094	S82 Detail	-030 -031 -038 -093	
		S82 / S82 Nature	-030 -031 -038 -033 -034	
		S82 Concept	-090 -093 -096 -098	
	7501095-039	Connector HDMI v1.4 + USB 2.0 type A female		Quick terminal connection Female - female
+COVER 	8201095	S82 Detail	-030 -031 -038 -093	
		S82 / S82 Nature	-030 -031 -038 -033 -034	


OTHER MECHANISMS

ART. NO.	DESCRIPTION
82484-39	RITA telephone socket (Portugal)
75482-39	French telephone socket with 8 pins
75483-39	French telephone socket with 8 pins, without claws
82064 -30 -31 -38	Cover for French telephone socket

Features

LIGHT CONTROL AND DIMMING

ROTARY DIMMERS

	ART. NO.	DESCRIPTION	Power and load type			Power supply
	75311-39	Electronic voltage dimmer. Switch Includes T1, 6A protective fuse and replacement fuse (art. no. 31928-31)	40-300W	40-200W		230V~
+COVER 	82054	S82 Detail	-30	-31	-38	-93
		S82 / S82 Nature	-30	-31	-38	-33 -34
	8200054	S82 Concept	-090	-096	-098	
	ART. NO.	DESCRIPTION	Power and load type			Power supply
	7501313-039	Electronic dimmer 450 W Includes 2.5 A protective fuse and replacement fuse (art. no. 31929-31)	40-450W	40-350W		230V~
+COVER 	82054	S82 Detail	-30	-31	-38	-93
		S82 / S82 Nature	-30	-31	-38	-33 -34
	8200054	S82 Concept	-090	-096	-098	
	ART. NO.	DESCRIPTION	Power and load type			Power supply
	7502313-039	LED dimmer	6-120W	25-100VA	6-60W	230V~
+COVER 	82054	S82 Detail	-30	-31	-38	-93
		S82 / S82 Nature	-30	-31	-38	-33 -34
	8200054	S82 Concept	-090	-096	-098	
	ART. NO.	DESCRIPTION	Power and load type			Power supply
	75312-39	Electronic voltage dimmer. Switch / 2-way switch Includes 5A T protective fuse and replacement fuse (art no. 31930-31)	100-1.000W	100-700W		230V~
+COVER 	82035	S82 Detail	-30	-31	-38	
		S82 / S82 Nature	-30	-31	-38	

UNIVERSAL ROTARY DIMMERS

	ART. NO.	DESCRIPTION	Power and load type			Power supply
						
	75319-39	Universal electronic dimmer. Switch / 2-way switch Includes 5A T protective fuse and replacement fuse (art no. 31929-31) Simon electronic transformers must be installed (art. no. 75351 and 75352)	40-500W	40-500W	40-300W	230V~
+COVER 	82054	S82 Detail	-30	-31	-38	-93
		S82 / S82 Nature	-30	-31	-38	-33 -34
	8200054	S82 Concept	-090	-096	-098	

1-10 V ROTARY DIMMERS

	ART. NO.	DESCRIPTION	Power and load type				Power supply
	75317-39	Dimmer for luminaires with driver or dimmable electronic ballast 1-10V	1-10V				230V~
		Suitable for electronic dimmer ballasts (1-10 V Bus)	3A				
		Includes 0.5A F protective fuse and replacement fuse (art no. 31927-31)					
+COVER 	82054	S82 Detail	-30	-31	-38	-93	
		S82 / S82 Nature	-30	-31	-38	-33	-34
	8200054	S82 Concept	-090	-096	-098		

DIMMERS FOR PUSH-BUTTON SWITCHES

	ART. NO.	DESCRIPTION	Power and load type		Power supply
					
	7500313-039	Push-button dimmer switch electromagnetic transformer Auxiliary input for conventional push-button switch dimming (5 maximum)	40-500W	40-350VA	230V~
	7500316-039	Push-button dimmer switch electronic transformer Auxiliary input for conventional push-button switch dimming (5 maximum) *Simon electronic transformers installation recommended (art. no. 75351 and 75352)	 40-400W	 50-400VA	230V~
 + ROCKER	82054	S82 Detail	-30 -31 -38 -93		
		S82 / S82 Nature	-30 -31 -38 -33 -34		
	8200054	S82 Concept	-090 -096 -098		

UNIVERSAL PUSH-BUTTON DIMMERS

	ART. NO.	DESCRIPTION	Power and load type			Power supply
			 40-500W	 50-500VA	 50-500VA	230V~
	75305-69	Universal dimmer main touch. Switch / 2-way switch With built-in blue light indicator				
	75306-69	AUXILIARY with blue light for article 75305-69 *Simon electronic transformers installation recommended (art. no. 75351 and 75352)				
+COVER 	82034	S82 Detail	-30	-31	-38	-93
		S82 / S82 Nature	-30	-31	-38	-33 -34

INFRARED DIMMERS

	ART. NO.	DESCRIPTION	Power and load type		Power supply
			40-500W	40-350VA	230V~
	75355-39	Infrared voltage dimmer. Switch / 2-way switch Allows timed disconnection from 0 to 999 minutes (programmable with remote). Includes 2.5A F protective fuse and replacement fuse (art no. 31929-31)			
	82080	S82 Detail -30 S82 / S82 Nature -30			
+COVER					

	ART. NO.	DESCRIPTION	Reach	Power supply
			6-9m	3V CR2025 Battery
	75350-69	Infrared remote control 60° angle, 10 channels maximum		

DIMMER ACCESSORIES

	ART. NO.	DESCRIPTION
	75351-39	Electronic dimmer 60W
	75352-39	Electronic dimmer 105 W For halogen lights

CHARGING TABLE

CHARGING TYPE	INCANDESCENT	HALOGEN 230V~	ELECTROMAGNETIC HALOGEN TRANSFORMER	ELECTRONIC HALOGEN TRANSFORMER	FLUORESCENCE	1-10V LUMINAIRES WITH DRIVER OR DIMMABLE ELECTRONIC BALLAST 1-10V	LOW CONSUMPTION	LED
75311-39	40-300W	40-300W	40-200W	NO	NO	NO	NO	NO
7501313-39	40-450W	40-450W	40-350W	NO	NO	NO	NO	NO
75319-39	40-500W	40-500W	40-500W	40-300W	NO	NO	NO	NO
75317-39	NO	NO	NO	NO	NO	3A	NO	NO
7502313-039	6-120W	6-120W	25-100VA	NO	NO	NO	NO	6-60W
75312-39	100-1000W	100-700W	NO	NO	NO	NO	NO	NO
75305-69	40-500W	40-500W	50-500VA	50-500VA	NO	NO	NO	NO
7500313-039	40-500W	40-500W	50-350VA	NO	NO	NO	NO	NO
7500316-039	40-500W	40-500W	NO	50-400VA	NO	NO	NO	NO
75355-39	40-500W	40-500W	40-350VA	NO	NO	NO	NO	NO
75310-39	40-500W	40-500W	50-500VA	40-300VA	NO	NO	NO	NO

LIGHT CONTROL AND DIMMING

MOVEMENT DETECTORS

	ART. NO.	DESCRIPTION	Angle	Reach	Duration	Intensity	Power and load type				Power supply
	75343-39	Presence detector	180°	9m	4s-10m	0-1.000lux 2,600W	650VA 550VA 520VA				230V~
		Presence activation Can be reset with presence or sound Auxiliary input available Simon electronic transformers installation recommended (art. no. 75351 and 75352)									
	82060	S82 Detail	-30	-31	-38	-93					
		S82 / S82 Nature	-30	-31	-38	-33	-34				

SCENES

	ART. NO.	DESCRIPTION	Power and load type				Power supply
	75310-39	2-way switch with 2 levels Simon electronic transformers installation recommended (art. no. 75351 and 75352)	40-500W	50-500VA	40-300VA		230V~
	82007	S82 Detail	-30	-31	-38	-93	
		S82 / S82 Nature	-30	-31	-38	-33	-34
	75326-39	Scene creation Controls a maximum of 4 different lighting scenes Compatible with touch range (75305-69 y 75322-69) Compatible with IR range (75355-39, 75356-39 y 75357-39) Local or remote control (art. no. 75350-69)					230V~
	82048	S82 Detail	-30	-31	-38	-93	
		S82 / S82 Nature	-30	-31	-38	-33	-34

ELECTRONIC SWITCHES

	ART. NO.	DESCRIPTION	Power and load type				Power supply
	75322-69	Electronic touch switch - 2-way switch	2,000W	500VA	500VA	1.200VA	230V~
	75306-69	AUXILIARY with blue light for article 75305-69 *Simon electronic transformers installation recommended (art. no. 75351 and 75352)					
	82034	S82 Detail	-30	-31	-38	-93	
		S82 / S82 Nature	-30	-31	-38	-33	-34
	75357-39	Switch - 2-way switch IR triac	40-500W	40-350VA			230V~
	75356-39	Switch - 2-way switch IR relay	2,000W	500VA	500VA	1.200VA	230V~
	82080	S82 Detail	-30	-31	-38	-93	
		S82 / S82 Nature	-30	-31	-38	-33	-34

	ART. NO.	DESCRIPTION	Angle	Reach	Power supply
	75350-69	Infrared remote control maximum 10 channels	 60°	 6-9m	3V CR2025 BATTERY


	ART. NO.	DESCRIPTION	Frequency	Reach	
	75888-39	RF Transmitter Can control up to 15 receivers	868MHz	 100m	3V CR2430 BATTERY

 + ROCKER	82895	S82 Detail S82 / S82 Nature	-30 -31 -38 -93 -30 -31 -38 -33 -34		
---	-------	--------------------------------	--	--	--

	ART. NO.	DESCRIPTION	Power and load type					Power supply
	75887-39	Push-button switch/RF switch receiver Can be controlled by 15 transmitters	 2,000W	 500VA	 500VA	 1.200VA	 250VA	3V CR2025 BATTERY

BLINDS CONTROL

BLINDS CONTROL

	ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	75333-39	Blind control switch with three positions Raising, lowering and stopping positions	10A	250V~	Fast
 + ROCKER	82033	S82 Detail S82 / S82 Nature	-30 -31 -38 -93 -30 -31 -38 -33 -34		
	8200033	S82 Concept	-090 -096 -098		
	ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	75331-39	Group of 2 push-button switches for blinds with latching Latching prevents simultaneous operation	10A	250V~	Fast
 + ROCKER	82028	S82 Detail S82 / S82 Nature	-30 -31 -38 -93 -30 -31 -38 -33 -34		
	8200028	S82 Concept	-090 -096 -098		
	ART. NO.	DESCRIPTION	Max. intensity	Power supply	Quick terminal connection
	75396-39	Group of 2 push-button switches for blinds without latching Installation requires control device	10A	250V~	Fast
 + ROCKER	82029	S82 Detail S82 / S82 Nature	-30 -31 -38 -93 -30 -31 -38 -33 -34		
	8200029	S82 Concept	-090 -096 -098		

ART. NO.	DESCRIPTION	Reach	Power	Power supply
75358-39	IR receiver for blinds Possibility of centralised control with art. no. 75331-39, 75396-39, 75358-39 or 75820-39)	6-9m	700W/V~	230V~
75350-69	Infrared remote control 60° angle, 10 channels maximum			3V CR2025 BATTERY

+ ROCKER		82080	S82 Detail	-30 -31 -38 -93
			S82 / S82 Nature	-30 -31 -38 -33 -34

ART. NO.	DESCRIPTION	Reach	Frequency	Power supply
75888-39	RF Transmitter Can control up to 15 receivers	100m	868MHz	3V CR2430 BATTERY

+ ROCKER		82896	S82 Detail	-30 -31 -38 -93
			S82 / S82 Nature	-30 -31 -38 -33 -34

ART. NO.	DESCRIPTION	Reach	Frequency	Power	Power supply
75886-39	RF receiver for blinds Can be controlled by 15 transmitters	100m	868MHz	550VA	230V~

ACCESS CONTROL

STAND-ALONE SYSTEMS

ART. NO.	DESCRIPTION	Consumption (Max.)	Power supply	Users
8902006-039	Stand-alone Biometric Reader S82 (includes controller) Capacitive Biometric Sensor Wiegand Communication 26 bits and RS485 2 Relays (2A/24V DC) programmable from 1 to 99 sec Tamper Switch for tamper-proof security	250mA	12V~	999 (2 fingerprints per user)

+ ADAPTOR		8200071	S82 Detail	-030	-038	-093

ART. NO.	DESCRIPTION	Consumption (Max.)	Power supply	Users
8902007-039	Stand-alone RFID Reader S82 Low-frequency reader (125 kHz). Reads from up to 10 cm away. 1 Relay (1A/30V DC) programmable from 1 to 250 sec. or ON/OFF MODE. Tamper Switch for tamper-proof security	60mA to 12V~ 40mA to 24V~	12/24V ~/-	400

+ ADAPTOR		8200071	S82 Detail	-030 -038 -093

	ART. NO.	DESCRIPTION	Consumption (Max.)	Power supply	Users	
	8902008-039	Stand-alone keypad S82 30-second blocking after 8 invalid code entries. 1 Relay (2A/24V DC), 1 transistor (100mA). Tamper Switch for tamper-proof security	100mA	12/24V ~/-	99	

+ ADAPTOR	8200071	S82 Detail	-030 -038 -093
-----------	----------------	------------	-----------------------

	ART. NO.	DESCRIPTION	Consumption (Max.)	Power supply	Users	
	8902012-039	Push-button switch S82 1 Relay (2A/24V DC) programmable from 3 to 10 sec. or ON/OFF mode	110mA	12/24V ~/-		

+ ADAPTOR	8200071	S82 Detail	-030 -038 -093
-----------	----------------	------------	-----------------------

NETWORKED SYSTEMS

	ART. NO.	DESCRIPTION	Consumption (Max.)	Power supply	Users	
	8902009-039	Network biometric reader S82 Capacitive Biometric Sensor Wiegand Communication 26 bits and RS485. <1 second fingerprint recognition Tamper Switch for tamper-proof security	70mA	12V~	900	

+ ADAPTOR	8200071	S82 Detail	-030 -038 -093
-----------	----------------	------------	-----------------------

	ART. NO.	DESCRIPTION	Consumption (Max.)	Power supply	Users	
	8902010-039	Network RFID reader S82 Low-frequency reader (125 kHz). Wiegand Communication 26-40 bits, Clock & Data or Codex. Tamper Switch for tamper-proof security	50mA	12V~		

+ ADAPTOR	8200071	S82 Detail	-030 -038 -093
-----------	----------------	------------	-----------------------

	ART. NO.	DESCRIPTION	Consumption (Max.)	Power supply	Users	
	8902011-039	Network keypad S82 Wiegand Communication 26-40 bits, Clock & Data or Codex. Up to a 4 digit code. Tamper Switch for tamper-proof security	30mA	12V~		

+ ADAPTOR	8200071	S82 Detail	-030 -038 -093
-----------	----------------	------------	-----------------------

ART. NO.	DESCRIPTION	Consumption (Max.)	Power supply	Users
8902012-039	Push-button switch S82 1 Relay (2A/24V DC) programmable from 3 to 10 sec. or ON/OFF mode	110mA	12/24V ~/-	



8200071 S82 Detail -030 **038** -093

+ ADAPTOR

ART. NO.	DESCRIPTION	Consumption (Max.)	Power supply	Users
8902103-039	Master Controller TCP/IP RS485 TCP/IP Communication, Wiegand 26-128 bits and RS485. Up to 15,000 users per master controller (unlimited by system). Up to 43,000 events per master controller (unlimited by system) 2 Relays. Tamper Switch for tamper-proof security	400mA	12V~	



TEMPERATURE CONTROL

ART. NO.	DESCRIPTION	Control	Modes	Max. Intensity	Power supply
75816-39	Digital thermostat with display Automatic summer/winter time change Languages: Spanish, English and Portuguese	Air conditioning Heating system	Manual ON/OFF	8 (2 inductive) A	230V~



82555 S82 Detail -30 **-31** **-38** -93
S82 / S82 Nature -30 **-31** **-38** **-33** -34

+COVER

ART. NO.	DESCRIPTION	Control	Modes	Max. Intensity	Power supply
75817-39	Digital thermostat with display Automatic summer/winter time change Languages: Spanish, English and Portuguese	Air conditioning Heating system	Automatic 8 programmes can be assigned to each time/day/week + Manual ON/OFF mode	8 (2 inductive) A	230V~



82555 S82 Detail -30 **-31** **-38** -93
S82 / S82 Nature -30 **-31** **-38** **-33** -34

+COVER

ART. NO.	DESCRIPTION	Control	Dimming	Precision	Max. Intensity	Power supply
75500-39	Chronothermostat heat with window contact Entry terminals for window contact or home automation system	Heating system	5 to 35° C	±1°C	8 (4 inductive) A	230V~



82505 S82 Detail -30 **-31** **-38** -93
S82 / S82 Nature -30 **-31** **-38** **-33** -34

+COVER

ART. NO.	DESCRIPTION	Control	Dimming	Precision	Max. Intensity	Power supply
75503-39	Cooling/heating thermostat	Air conditioning Heating system	5 to 35° C	±1° C	8 (4 inductive) A	230V~

+COVER



82505	S82 Detail	-30 -31 -38 -93
	S82 / S82 Nature	-30 -31 -38 -33 -34

ART. NO.	DESCRIPTION	Control	Dimming	Precision	Max. Intensity	Power supply
75500 -61 -68	Thermostat for heating	Heating system	5 a 30° C	±0.25° C	10 (4 inductive) A	230V~



ART. NO.	DESCRIPTION	Control	Modes	Dimming	Precision	Max. Intensity	Power supply
75503 -61 -68	Thermostat for heating or cooling	Air conditioning Heating system	ON-OFF Switch	5 a 30° C	±0.5° C	5 (2 inductive) A 10 (4 inductive) A	230V~

TIMERS AND CLOCKS

ART. NO.	DESCRIPTION	Power and load type					Timer	Power supply
75325-39	Timed push-button switch	750W	750VA	350VA	460VA	78VA	4s - 10m	230V~

+ ADAPTOR



82088	S82 Detail	-30 -31 -38 -93
	S82 / S82 Nature	-30 -31 -38 -33 -34

ART. NO.	DESCRIPTION	Power and load type			Timer	Power supply
75324-39	2-way timer switch, 2 functions	40-500W	50-500VA	40-300VA	30s - 120m	230V~

+ ROCKER



82007	S82 Detail	-30 -31 -38 -93
	S82 / S82 Nature	-30 -31 -38 -33 -34


WIRELESS

	ART. NO.	DESCRIPTION	Frequency	Distance	Power supply
	75888-39	RF Transmitter Can control up to 15 receivers	868 MHz	100m	3V CR2430 BATTERY
+ ROCKER simple for blinds 	82896	S82 Detail -30 -31 -38 -93 S82 / S82 Nature -30 -31 -38 -33 -34			
+ ROCKER simple ON/OFF 	82895	S82 Detail -30 -31 -38 -93 S82 / S82 Nature -30 -31 -38 -33 -34			


	ART. NO.	DESCRIPTION	Power and load type	Frequency	Distance	Power supply
	75886-39	RF receiver for blinds Can be controlled by 15 transmitters		868MHz	100m	230V~
	75887-39	Push-button switch/RF switch receiver Can be controlled by 15 transmitters	 2,600W  650VA  550VA  600VA  250VA	868MHz	100m	230V~

SIGNALLING AND BEACON

	ART. NO.	DESCRIPTION	Light beam	Operation time	Initial charge time	Power supply
	75809-39	Standalone emergency beacon With network connection LED indicator	5 lux	1 hour	24 hours	230V~
+ ADAPTOR 	82088	S82 Detail -30 -31 -38 -93 S82 / S82 Nature -30 -31 -38 -33 -34				

	ART. NO.	DESCRIPTION	Light beam	Power supply
	75370-39	Courtesy light	11 lux	230Vac/12V DC
+COVER 	82036	S82 Detail -30 -31 -38 -93 S82 / S82 Nature -30 -31 -38 -33 -34		
+FILTER 	82960-39			

	ART. NO.	DESCRIPTION
	26809-39	Signal light Category E-10 screw Lamp not included
+COVER 	82065	S82 Detail -30 -31 -32 S82 / S82 Nature -30 -31 -32

	ART. NO.	DESCRIPTION	Power supply
	75802-39	Incandescent lamp Category E-10 screw Power 3W	230V~
	ART. NO.	DESCRIPTION	Power supply
	75803-39	Incandescent lamp Category E-10 screw Power 3W	24Vdc
	ART. NO.	DESCRIPTION	
	82066-32	Luminous rocker with neutral filter Can be used for: switches (75101-39), push-button switches (75150-39) and 2-way switches (75201-39)	
	ART. NO.	DESCRIPTION	
	82066-31	Luminous rocker with bell filter	
	ART. NO.	DESCRIPTION	
	82066-30	Luminous rocker with light filter	
	ART. NO.	DESCRIPTION	Power supply
	82993-39	Light indicator Mechanism not required	230V~
	ART. NO.	DESCRIPTION	
	75804-39	Enter-wait Contains switch with bicolour LED and viewer mechanism Requires bicolour diffuser 82096 and rocker with viewer 82013	
	82096	S82 Detail -30 -31 -38 -93 S82 / S82 Nature -30 -31 -38 -33 -34	
	+COVER		
	82013	S82 Detail -30 -31 -38 -93 S82 / S82 Nature -30 -31 -38 -33 -34	
	+COVER		



ART. NO.	DESCRIPTION
75805-39	Individual display mechanism pass-by-wait Allows installation of additional indication points controlled by a single switch. Requires bicolour diffuser 82096

+COVER



82096	S82 Detail	-30 -31 -38 -93
	S82 / S82 Nature	-30 -31 -38 -33 -34

DIFFERENT FILTER OPTIONS FOR ART. NO. 82066-32 Y 82993-39

ART. NO.	DESCRIPTION
82962	Customised filters

SOUND



ART. NO.	DESCRIPTION	FM Tuner	Rated Exit	Memories	Power supply
75252-39	Stand-alone radio Does not require master controller. Auto-off function. SCAN Mode. Headphone output	87.5 to 108MHz	1W	4	110 - 230 V~

+COVER



82058	S82 Detail	-30 -31 -38 -93
	S82 / S82 Nature	-30 -31 -38 -33 -34

BLUETOOTH




ART. NO.	DESCRIPTION	Max Mono Inst.	Max Stereo Inst.	Imax charger	Power supply
7501385-039	Bluetooth Connector with USB charger	4 speakers 32 Ohm	4 sp. 32 Ohm per channel	0.5 A	110 - 230 V~

+COVER



8201085	S82 Detail	-30 -31 -38 -93
	S82 / S82 Nature	-30 -31 -38 -33 -34

SPEAKERS



ART. NO.	DESCRIPTION	Installation	Power	Ohms
05562-39	Speaker	Universal recessed box	2W	16

+COVER



82058	S82 Detail	-30 -31 -38 -93
	S82 / S82 Nature	-30 -31 -38 -33 -34



ART. NO.	DESCRIPTION	Installation	Installation Ø	Sections	Power	Ohms
05563-30	2" Speaker	False ceiling	65mm	Ø80mm x 40mm depth	2W	16



ART. NO.	DESCRIPTION	Installation	Installation Ø	Sections	Power	Ohms
05073-09	5" Speaker 5" speaker grille required	False ceiling/ recessed	160mm	60mm	7W	16



ART. NO.	DESCRIPTION	Sections
05505 -30 -38	5" speaker grille Includes claws for plasterboard wall	Ø175mmx30mm depth



ART. NO.	DESCRIPTION	Sections
05705-39	Recessed 5" speaker box	Ø160mmx65mm depth

AMPLIFIER



ART. NO.	DESCRIPTION	Sections
05070-39	30W Amplifier (15W + 15W) Allows amplification of the maximum number of speakers or controllers. Recessed box included. Dimensions of recessed box 170x108x50mm.	185x123x54mm

BACKGROUND MUSIC CONTROLLERS



ART. NO.	DESCRIPTION	Point	Ohms
75853-39	Background music controller	0 to 3W	27
75855-39	Background music controller	0 to 5W	47
75857-39	Background music tandem control Recessed box must be used (31711-31)	0 to 5+5W	47

+COVER



82055	S82 Detail	-30 -31 -38 -93
	S82 / S82 Nature	-30 -31 -38 -33 -34

SPEAKER SOCKETS



ART. NO.	DESCRIPTION	Quick terminal connection
75400-39	Mono speaker socket s/DIN 41529. Speaker connector art. no. 10490-31 MISCELLANEOUS MATERIAL	Faston

+COVER



82057	S82 Detail	-30 -31 -38 -93
	S82 / S82 Nature	-30 -31 -38 -33 -34



ART. NO.	DESCRIPTION	Quick terminal connection
75401-39	Stereo speaker socket s/DIN 41529. Speaker connector art. no. 10490-31 MISCELLANEOUS MATERIAL	Faston

+COVER



82082	S82 Detail	-30 -31 -38
	S82 / S82 Nature	-30 -31 -38 -33 -34

PROTECTION AND SECURITY



ART. NO.	DESCRIPTION	Power supply
75860-30	Flood detector Requires power supply Art. No. 75870-30. Only connect one source per detector. Includes flood probe. Allows connection of 3 detectors maximum (Art. No. 81864-39). Possible to connect a water selenoid valve (Art. No. 81870-39)	12V-

+ ADAPTOR



82088-30



ART. NO.	DESCRIPTION	Power supply
75861-30	Gas detector Requires power supply Art. No. 75870-30. Only connect one source per detector. Possible to connect a gas selenoid valve (Art. No. 81871-39)	12V-

+ ADAPTOR



82088-30

	ART. NO.	DESCRIPTION	Exit	Power supply
	75870-30 	Power supply source For flood detector (Art. No. 75860-30) and gas detector (Art. No. 75861-30) Only connect one source per detector	12V~	230V~

+ ADAPTOR



82088-30

	ART. NO.	DESCRIPTION	Solenoid valve type	Reset type	Protection level	Power supply
	81870-39	Solenoid water valve	NA	Automatic reset	IP65	230V~

	ART. NO.	DESCRIPTION	Solenoid valve type	Reset type	Protection level	Power supply
	81871-39	Solenoid gas valve	NA	Manual reset	IP54	230V~

	ART. NO.	DESCRIPTION
	81864-39	Flood probe

	ART. NO.	DESCRIPTION	Work intensity	Poles	Trip curve	Breaking capacity	Power supply
	75410-30	Automatic MCB switch	10A	1P+N	C curve	3000A	120 - 230V~
	75411-30	Automatic MCB switch	16A	1P+N	C curve	3000A	120 - 230V~

+ ADAPTOR



82088-30

	ART. NO.	DESCRIPTION	Work intensity	RCCD	Trip curve	Breaking capacity	Power supply
	75416-30	Automatic MCB and RCCB switch 10A/10mA	10A	Type A	C curve	3000A	120 - 230V~
	75417-30	Automatic MCB and RCCB switch 16A/10mA	16A	Type A	C curve	3000A	120 - 230V~

+ ADAPTOR



82088-30

	ART. NO.	DESCRIPTION	Protection level	In (8/20)	Power supply
	75420-30	Limits atmospheric overvoltages Fine protection. Function view via pilot. Must be used with Art. No. 68845-31	1.5kV	2.5kV	230V~
+ ADAPTOR 	82088-30				


Others

SURFACE-MOUNTED BOXES



ART. NO.	DESCRIPTION
8200750 -30 -31 -38 -93	Surface-mounted box 1 element Detail
8200760 -30 -31 -38 -93	Surface-mounted box 2 element Detail
8200770 -30 -31 -38 -93	Surface-mounted box 3 element Detail
	Compatible with all mechanisms

WIRE OUTLET



ART. NO.	DESCRIPTION	Quick terminal connection	Power supply
75801-39	Wire outlet With 4 double terminals, for wire up to 2.5 mm. 2 section, with fixing cable tie	Screw	400V~

+COVER



82051	S82 Detail	-30 -31 -38 -93
	S82 / S82 Nature	-30 -31 -38 -33 -34
8200051	S82 Concept	-090 -096 -098

BLIND PLATE



ART. NO.	DESCRIPTION
82800 -30 -31 -38 -93	Blind plate
8200800 -090 -096 -098	

FUSE HOLDERS



ART. NO.	DESCRIPTION	Max. Intensity	Quick terminal connection	Power supply
26001-39	Fuse holder With ceramic socket, for cylindrical fuses 8x32mm	16A	Screw	380V~

+COVER



82056	S82 Detail	-30 -31 -38 -93
	S82 / S82 Nature	-30 -31 -38 -33 -34

	ART. NO.	DESCRIPTION
	75091-30	Fuseholder cover, with blown-fuse indicator window
	75091-31	Colours snow white, ivory, grey and black
	75091-35	
	75091-32	

	ART. NO.	DESCRIPTION
	11928-31	Cylindrical fuses, class gG, 8x32mm size with blown-fuse indicator
	11930-31	2, 4, 6, 10 and 16 Amps
	11932-31	
	11934-31	
	11936-31	

BUZZER

	ART. NO.	DESCRIPTION	Quick terminal connection	Power supply
			Screw	230V~
	82052	S82 Detail	-30 -31 -38 -93	
		S82 / S82 Nature	-30 -31 -38 -33 -34	

CLAWS

	ART. NO.	DESCRIPTION
	27999-39	Optional supplementary claws (with 10 sets of claws)
	ART. NO.	DESCRIPTION
	75999-39	Optional supplementary claws (with 10 sets of claws)

Sense Interfaces

BUS COUPLING UNITS



ART. NO.	VERSION	Power supply
8400100-039	KNX	Bus (21-32 V-)
8000100-039	LON	24V~

SENSE KEYPAD 1B



ART. NO.	S82 DETAIL	S82 CONCEPT	VERSION	No. of Buttons	Slide control	Power supply
8000611	-030 -038 -093	-090 -093 -098	Standard	1	SI	Application interface
8000612	-030 -038 -093		Personal	1	SI	Application interface

SENSE KEYPAD 2B



ART. NO.	S82 DETAIL	S82 CONCEPT	VERSION	No. of Buttons	Slide control	Power supply
8000621	-030 -038 -093	-090 -093 -098	Standard	2	NO	Application interface
8000622	-030 -038 -093		Personal	2	NO	Application interface

SENSE KEYPAD 4B



ART. NO.	S82 DETAIL	S82 CONCEPT	VERSION	No. of Buttons	Slide control	Power supply
8000641	-030 -038 -093	-090 -093 -098	Standard	4	NO	Application interface
8000642	-030 -038 -093		Personal	4	NO	Application interface

SENSE KEYPAD 6B



ART. NO.	S82 DETAIL	S82 CONCEPT	VERSION	No. of Buttons	Slide control	Power supply
8000661	-030 -038 -093	-090 -093 -098	Standard	6	NO	Application interface
8000662	-030 -038 -093		Personal	6	NO	Application interface

SENSE&SLIDE KEYPAD 4B*



ART. NO.	S82 DETAIL	S82 CONCEPT	VERSION	No. of Buttons	Slide control	Power supply
8000651	-030 -038 -093	-090 -093 -098	LON - Standard	4	Sí	Application interface
8000652	-030 -038 -093		LON - Personal	4	Sí	Application interface
8000651	-030 -038 -093	-090 -093 -098	KNX - Standard	4	Sí	Application interface
8000652	-030 -038 -093		KNX - Personal	4	Sí	Application interface

*Includes Bus Coupling Unit

SENSE&SLIDE KEYPAD 6B*



ART. NO.	S82 DETAIL	S82 CONCEPT	VERSION	No. of Buttons	Slide control	Power supply
8000671	-030 -038 -093	-090 -093 -098	LON - Standard	6	Sí	Application interface
8000672	-030 -038 -093		LON - Personal	6	Sí	Application interface
8000671	-030 -038 -093	-090 -093 -098	KNX - Standard	6	Sí	Application interface
8000672	-030 -038 -093		KNX - Personal	6	Sí	Application interface

*Includes Bus Coupling Unit

SLIDE CONTROL*



ART. NO.	S82 DETAIL
8000700	-030 -038 -093

*Includes RJ-12 Auxiliary Cable

RJ-12 AUXILIARY CABLE



ART. NO.	LENGTH
8000701-039	10 cm

Boxes

RECESSED BOXES



ART. NO.	DESCRIPTION
31710-61	For 1 element, linkable, with hinged side wall, thermoplastic material



ART. NO.	VERSION
31970-61	Lid for flush box (bag with 100 pcs.)



Features




ART. NO.	DESCRIPTION
31712-61	For 1 element, for hollow partition walls, flame retardant thermoplastic material
31722-61	For 2 elements, for hollow partition walls, flame retardant thermoplastic material
31732-61	For 3 elements, for hollow partition walls, flame retardant thermoplastic material
31742-61	For 4 elements, for hollow partition walls, flame retardant thermoplastic material

(According to UNE 20451 standards). We recommend the use of the special crown Art. No. 10999-3



Features



-090
Matt white

-93 / -093
Aluminium

-096
Titanium

-098
Matt black

-30 / -030
White

-31 / -61
Ivory

-68 / -038
Graphite

-33 / -63
Matt aluminium

-34 / -64
Matt champagne



ART. NO.	DESCRIPTION
----------	-------------

31702-61	Template for installation of recessed boxes for hollow partition walls Article recommended by leading partition wall manufacturers
-----------------	---



ART. NO.	DESCRIPTION
----------	-------------

10999-31	Special crown for hollow partition walls (With countersink and ejector). Ø 68 mm
-----------------	---



ART. NO.	DESCRIPTION
----------	-------------

32713-35	For 1 element, linkable, thermoplastic material
-----------------	---



ART. NO.	DESCRIPTION
----------	-------------

31711-31	For 1 element, linkable, thermoplastic material (For tandem background music controllers Art. 31857 and 75857)
-----------------	---

AMERICAN FLUSH RECESSED BOXES



ART. NO.	DESCRIPTION
----------	-------------

27710-31	Linkable, thermoplastic material for masonry partitions
27711-31	Linkable, thermoplastic material



www.simonelectric.com



SIMON, S.A.U.
Diputación, 390-392
08013 Barcelona
(Spain)

Sales
Tel. +34 651 76 13 14
E-mail:
customerservie@simon.es