

S23 KITCHENS MADE OF METAL

MODEL SERIES S23




METAL KITCHENS BY STENGEL - STEEL IN A BEAUTIFUL AND FUNCTIONAL DESIGN



Rev 04.26

stengel
KITCHENS



General information **p. 04**

Cupboards **p. 06**

Cupboards with doors and drawers **p. 07**

Corner cupboards **p. 09**

Cupboards by function

Sink cupboards **p. 10**

Cupboards for electrical appliances **p. 11**

Wall cupboards **p. 14**

Wall cupboards / wall shelves **p. 14**

Corner wall cupboards **p. 16**

End cheeks/ panels **p. 17**

Larder cupboards **p. 18**

Midi cupboards **p. 22**

Worktops / Splash backs / Panels **p. 26**

Worktops / Cover plates **p. 26**

Splash backs **p. 26**

Plinth panels **p. 28**

Fitting strips **p. 28**

Electrical appliances / hobs / sinks **p. 30**

Electrical appliances **p. 30**

Hobs **p. 33**

Hob and oven combinations **p. 34**

Sinks **p. 35**

Accessories **p. 36**

Rotating shelf systems - Cutlery trays **p. 36**

Waste sorting systems **p. 37**

Miscellaneous **p. 38**

Taps **p. 39**

Informations **p. 40**

Projects **p. 40**

About us **p. 41**

Cabinet height grid **p. 43**





Note: The image shows a special colour. Available for projects involving larger quantities.

« GENERAL INFORMATION

Modern handleless design / doors and drawers with “push to open” technology

Hinges and drawer runners by Grass

Double-walled fronts with sound-insulating premium filling deliver a high-quality feel and look

Drawers with soft-close with a depth of 50 cm

S23

Discover our brand new S23 metal kitchen series.

This unique series is fully customisable and can be designed to include corner layouts, just like a traditional kitchen.

S23 combines timeless design with maximum functionality and quality. Offering all the benefits of metal, the S23 stands unmatched in its price range.

The S23 captivates with its elegantly powder-coated white and grey surfaces. In the contract sector, the fronts can be coated in any desired colour or surface texture.

The handleless look allows the kitchen to fit seamlessly into any modern living concept. High-quality fittings ensure smooth and gentle opening mechanisms. The laminate worktop provides a durable easy-care work surface that effortlessly withstands everyday use. With our new S23 kitchen range, you can enjoy durability, contemporary design and exceptional value - all made in Germany.

Perfect your home with a metal kitchen that impresses in every detail.



THE PERFECT KITCHEN FOR THE HIGHEST DEMANDS.

S23: FLEXIBLE AND FUNCTIONAL.

METAL

STENGEL metal kitchens show no visible signs of wear, even after years of use. The double-walled fronts with sound-absorbing premium filling and the powder-coated surfaces ensure that nothing warps, bends or fades. When it comes to durability and timeless aesthetics, metal remains unrivaled.

ALL THE ADVANTAGES OF A KITCHEN MADE OF METAL FOR YOUR PROJECT:

-  Moisture resistant
-  Easy to clean
-  Odourless
-  Environmentally friendly
-  Rust resistant
-  100 % recyclable
-  Hygienic and antibacterial
-  Stable and durable
-  Non flammable

ELECTRICAL APPLIANCES

Our kitchens come with a standard selection of built-in appliances, seamlessly coordinated for a perfect fit. Additional appliances with standard dimensions can be integrated on request.

COLOURS



white -20 grey -15

Any colour for your choice is available upon request for your project

HANDLE OTIONS FOR APPLIANCE CABINETS.



Recessed handle



Continuous handle rail



Note: The image shows a special colour. Available for projects involving larger quantities.

OVERVIEW OF ELEMENTS
S23 CUPBOARDS

SIDE DEPTH: 59 cm
CUPBOARD HEIGHT: 80 cm
PLINTH HIGHT: 8 cm
TOTAL HEIGHT*: 88 cm


* without worktop

CUPBOARDS WITH DOORS AND DRAWERS




U CUPBOARD
1 Door H 80 cm
1 Adjustable shelf

Available widths:
30 / 40 / 45 / 50 / 55 / 60 cm




- | | | |
|------------------|------|-------------|
| 23030 200110 -XX | U 30 | hinge right |
| 23030 200120 -XX | U 30 | hinge left |
| 23040 200110 -XX | U 40 | hinge right |
| 23040 200120 -XX | U 40 | hinge left |
| 23045 200110 -XX | U 45 | hinge right |
| 23045 200120 -XX | U 45 | hinge left |
| 23050 200110 -XX | U 50 | hinge right |
| 23050 200120 -XX | U 50 | hinge left |
| 23055 200110 -XX | U55 | hinge right |
| 23055 200120 -XX | U55 | hinge left |
| 23060 200110 -XX | U60 | hinge right |
| 23060 200120 -XX | U60 | hinge left |




US CUPBOARD
1 Drawer H 15 cm
1 Door H 65 cm
1 Adjustable shelf

Available widths:
30 / 40 / 50 / 60 cm



- | | | |
|------------------|-------|-------------|
| 23030 200210 -XX | US 30 | hinge right |
| 23030 200220 -XX | US 30 | hinge left |
| 23040 200210 -XX | US 40 | hinge right |
| 23040 200220 -XX | US 40 | hinge left |
| 23050 200210 -XX | US 50 | hinge right |
| 23050 200220 -XX | US 50 | hinge left |
| 23060 200210 -XX | US 60 | hinge right |
| 23060 200220 -XX | US 60 | hinge left |




US CUPBOARD
1 Drawer H 15 cm
2 Doors H 65 cm
1 Adjustable shelf

Available widths:
80 / 100 cm



- | | |
|------------------|--------|
| 23080 201400 -XX | US 80 |
| 23100 201400 -XX | US 100 |




US2 CUPBOARD
2 Drawers 15 cm
1 Door H 50 cm
1 Adjustable shelf

Available widths:
30 / 40 / 50 / 60 cm



- | | | |
|------------------|--------|-------------|
| 23030 200310 -XX | US2 30 | hinge right |
| 23030 200320 -XX | US2 30 | hinge left |
| 23040 200310 -XX | US2 40 | hinge right |
| 23040 200320 -XX | US2 40 | hinge left |
| 23050 200310 -XX | US2 50 | hinge right |
| 23050 200320 -XX | US2 50 | hinge left |
| 23060 200310 -XX | US2 60 | hinge right |
| 23060 200320 -XX | US2 60 | hinge left |

Dimensional drawing and height grid on page 43
Worktops for our kitchens can be found on page 26.
End cheeks and side panels for the cupboards are detailed on page 17



US4 CUPBOARD

2 Drawers H 10 cm


1 Drawer H 20 cm

1 Drawer H 40 cm

Available widths:
50 / 60 / 80 cm



23050 200400 -XX US4 50
23060 200400 -XX US4 60
23080 200400 -XX US4 80




UA2 CUPBOARD

2 Drawers H 40 cm

Available widths:
60 / 80 / 90 cm



23060 201500 -XX UA2 60
23080 201500 -XX UA2 80
23090 201500 -XX UA2 90



UA PULL-OUT UNIT

1 Pull out H 80 cm

1 Full-length front

2 Suspension trays

Available width:
20 cm



23020 200110 -XX UA 20 rail on the right
23020 200120 -XX UA 20 rail on the left

End cheeks and side panels for the cupboards are detailed on page 17

HANDLE OPTIONS FOR PULL OUT- UNIT




Recessed handle



Continuous handle rail

CORNER CUPBOARDS



UE CORNER CUPBOARD

DOOR RIGHT - HINGE LEFT

1 Door right H 80 cm

1 Angle fitting

1 Corner unit left

Available widths:
115 / 120 / 125 cm



23E55 200110 -XX UE 115 hinge right
23E60 200110 -XX UE 120 hinge right
23E65 200110 -XX UE 125 hinge right

Closed back panel

Plan size: 115 cm (50-door + 60 + 5)
120 cm (55-door + 60 + 5)
125 cm (60-door + 60 + 5)

Optional interior fittings:
LeMans II corner cabinet rotating hinge and
swivel tablar system
- see accessories on page 36



UE CORNER CUPBOARD

DOOR LEFT - HINGE RIGHT

1 Door left H 80 cm

1 Angle fitting

1 Corner unit right

Available widths:
115 / 120 / 125 cm




23E55 200120 -XX UE 115 hinge left
23E60 200120 -XX UE 120 hinge left
23E65 200120 -XX UE 125 hinge left

Closed back panel

Plan size: 115 cm (50-door + 60 + 5)
120 cm (55-door + 60 + 5)
125 cm (60-door + 60 + 5)


Optional interior fittings:
LeMans II corner cabinet rotating hinge and
swivel tablar system
- see accessories on page 36

Worktops for our kitchens can be found on page 26.



CUPBOARDS ACCORDING TO FUNKTION

SINK CUPBOARDS



U-i SINK CUPBOARD WITH INSTALLATION BACK PANEL

(installation area)

Installation shaft for connections

1 Door H 80 cm

1 Adjustable shelf

Available widths:
50 / 60 cm

23050 201110 -XX U-i 50 hinge right
23050 201120 -XX U-i 50 hinge left

23060 201110 -XX U-i 60 hinge right
23060 201120 -XX U-i 60 hinge left

Installation zone with 17 cm high rear panel
in front, distance to wall 12 cm



UE-i CORNER CUPBOARD DOOR RIGHT - HINGE LEFT WITH INSTALLATION BACK PANEL

(installation area)

Installation shaft for connections

1 Door H 80 cm

1 Adjustable shelf

1 Angle fitting

1 Corner unit left

23E55 200210 -XX UE-i 115 hinge right
23E60 200210 -XX UE-i 120 hinge right
23E65 200210 -XX UE-i 125 hinge right

Installation zone with 17 cm high rear panel
in front, distance to wall 12 cm

Nominal dimensions:
115 cm (50-door + 60 + 5)
120 cm (55-door + 60 + 5)
125 cm (60-door + 60 + 5)

Optional interior fittings:
shelf system – see accessories on page 36

Available widths: 115 / 120 / 125 cm



UE-i CORNER CUPBOARD DOOR LEFT - HINGE RIGHT WITH INSTALLATION BACK PANEL

(installation area)

Installation shaft for connections

1 Door H 80 cm

1 Adjustable shelf

1 Angle fitting

1 Corner unit right

23E55 200220 -XX UE-i 115 hinge left
23E60 200220 -XX UE-i 120 hinge left
23E65 200220 -XX UE-i 125 hinge left


Installation zone with 17 cm high rear panel
in front, distance to wall 12 cm

Nominal dimensions:
115 cm (50-door + 60 + 5)
120 cm (55-door + 60 + 5)
125 cm (60-door + 60 + 5)

Optional interior fittings:
shelf system – see accessories on page 36

Available widths: 115 / 120 / 125 cm

SINK UNITS WITH WASTE SORTING SYSTEM



UAE-i SINK CUPBOARD WITH WASTE DISPOSAL AND BACK PANEL

(installation area)

Installation shaft for connections

1 Pull-out unit for waste sorting systems

including a waste sorting system

Garbo 50-3 / 60-3


23050 201200 -XX UAE-i 50 - width 50cm
23060 201200 -XX UAE-i 60 - width 60cm

Installation zone with 17 cm high rear panel in
front, distance to wall 12 cm

For information on the built-in waste sorting
systems, see the Accessories page 37

Available widths: 50 / 60 cm

CUPBOARDS FOR ELECTRICAL APPLIANCES



UBO CUPBOARD FOR OVEN

1 Space for oven H 60 cm

1 Drawer H 20 cm


Available in width 60 cm

23060 200500 -XX UBO 60

Note regarding electrical appliances:
Suitable for all standard ovens, hobs and
hob-oven combinations

! Exception: Stand-alone induction hobs !

- see electrical appliances page 30+



UM CUPBOARD FOR MICROWAVE

1 Space for microwave with pelmet H 30 cm


1 Door H 50 cm

1 Shelves possible - not included

Available width 60 cm

23060 200710 -XX UM 60 hinge right
23060 200720 -XX UM 60 hinge left

Note regarding electrical appliances:
Suitable for microwave Stengel STCOMBI102
- see electrical appliances page 30+



UGSM CUPBOARD FOR MICROWAVE AND SMALL DISHWASHER

1 Space for microwave with pelmet H 30 cm


1 Space for small dishwasher

with door front H 50 cm

Available width 60 cm

23060 200600 -XX UGSM 60

Note regarding electrical appliances:
Suitable for microwave Stengel STCOMBI102
and dishwasher Stengel GS6-6FI2
- see electrical appliances page 30+



UMO CUPBOARD FOR MICROWAVE-OVEN 30L

1 Space for microwave-oven with
pelmet H 40 cm

1 Drawer H 15 cm


1 Drawer H 25 cm

Available width 60 cm

23060 201300 -XX UMO 60

Note regarding electrical appliances:
Suitable for microwave oven Russell Hobbs
RHM3006 30-litre
- see electrical appliances page 30+

CUPBOARDS FOR ELECTRICAL APPLIANCES




UGS CUPBOARD FOR SMALL DISHWASHER
2 Drawers H 15 cm
1 Space for small dishwasher
with door front H 50 cm

Available width 60 cm

23060 200800 -XX UGS 60

Note regarding electrical appliances:
Suitable for dishwasher Stengel GS6-6FI2
- see electrical appliances page 30+




UGG FRONT PANEL SET FOR LARGE DISHWASHER
Panel and installation kit for
fully integrated dishwasher

Available width 60 cm

230602 00900 -XX UGG 60

Please note:
The 60cm dishwasher cannot be placed next to an under-counter fridge

Note regarding electrical appliances:
Suitable for dishwasher Stengel WGSP15-8FI
- see electrical appliances page 30+



UKS FRONT PANEL SET FOR FRIDGE
Panelling and installation kit for
under-counter fridge H 82 cm

**note: Minimum worktop height 38 mm*

Available width 60 cm

23060 201000 -XX UKS 60

Please note:
The under-counter fridge cannot be placed next to a 60cm dishwasher

Note regarding electrical appliances:
Suitable for fridge PKM KS117.4UBE
- see electrical appliances page 30+




HANDLE OPTIONS FOR CUPBOARDS OF ELECTRICAL APPLIANCES



Recessed handle



Continuous handle rail






Note: The image shows a special colour. Available for projects involving larger quantities.

OVERVIEW OF ELEMENTS
S23 WALL CUPBOARD

HIGHT: 65 cm
DEPTH: 34 cm


WALL CUPBOARDS



HS WALL CUPBOARD
1 Door H 65 cm
2 Adjustable shelves

Available widths:
 30 / 40 / 45 / 50 / 55 / 60 cm


- 23030 300110 -XX HS 30 hinge right
- 23030 300120 -XX HS 30 hinge left
- 23040 300110 -XX HS 40 hinge right
- 23040 300120 -XX HS 40 hinge left
- 23045 300110 -XX HS 45 hinge right
- 23045 300120 -XX HS 45 hinge left
- 23050 300110 -XX HS 50 hinge right
- 23050 300120 -XX HS 50 hinge left
- 23055 300110 -XX HS 55 hinge right
- 23055 300120 -XX HS 55 hinge left
- 23060 300110 -XX HS 60 hinge right
- 23060 300120 -XX HS 60 hinge left



HS WALL CUPBOARD
2 Doors H 65 cm
2 Adjustable shelves

Available widths:
 80 / 100 / 120 cm

- 23080 300100 -XX HS 80
- 23100 300100 -XX HS 100
- 23120 300100 -XX HS 120




HSD WALL CUPBOARD FOR PULL-OUT INTEGRATED EXTRACTOR
Exhaust or recirculation mode
Exhaust air system
1 Door H 60 cm
1 Adjustable shelf

Available widths: 50 / 60 cm

- 23050 300210 -XX HSD 50 hinge right
- 23050 300220 -XX HSD 50 hinge left
- 23060 300210 -XX HSD 60 hinge right
- 23060 300220 -XX HSD 60 hinge left

Note regarding electrical appliances:
 Suitable for extractor hood PKM UBH6002-H2
 - see electrical appliances page 30+



HSM WALL CUPBOARD FOR MICROWAVE
1 Flap H 32 cm
1 Space for microwave with pelmet H 33 cm



Available width 60 cm

- 23060 300300 -XX HSM 60

Note regarding electrical appliances:
 Suitable for microwave Stengel STCOMBI10
 - see electrical appliances page 30+


Note: All wall cabinets are equipped with a drop-out protection mechanism.

CORNER WALL CUPBOARD / WALL RACK



HSE CORNER WALL CUPBOARD 23E65 300100 -XX HSE 65
2 Doors 30 cm H 65 cm
2 Adjustable shelves

Available width 65 cm



HSR WALL RACK 23020 309100 -XX HSR 20
23030 309100 -XX HSR 30
23040 309100 -XX HSR 40
23050 309100 -XX HSR 50
23060 309100 -XX HSR 60


Available widths:
20 / 30 / 40 / 50 / 60 cm

END CHEEKS AND PANELS



AWU SIDE PANEL FOR CUPBOARD REFRIGERATOR AND DISHWASHER 23000 600110 -XX AWU right
23000 600120 -XX AWU left

Thickness 15 mm
Available in right-hand and left-hand versions




ABU SIDE PANEL FOR CUPBOARD 23000 600200 -XX ABU
Thickness 1 mm
1 Insulation inlay

The side panel blends in seamlessly
Can be used on both sides



ABHS SIDE PANEL FOR WALL CUPBOARD 23000 600300 -XX ABHS

Thickness 1 mm
1 Insulation inlay
The side panel blends in seamlessly
Can be used on both sides



ABHSD SIDE PANEL FOR WALL CUPBOARD WITH EXTRACTOR 23000 600400 -XX ABHSD

Thickness 1 mm
1 Insulation inlay
The side panel blends in seamlessly
Can be used on both sides



Note: The image shows a special colour. Available for projects involving larger quantities.

Note: All wall cabinets are equipped with a drop-out protection mechanism.



Note: The image shows a special colour. Available for projects involving larger quantities.

OVERVIEW OF ELEMENTS

S23 LARDER CUPBOARD

SIDE DEPTH: 59 cm
CUPBOARD HEIGHT: 205 cm
PLINTH HEIGHT: 8 cm
TOTAL HEIGHT: 213 cm

LARDER CUPBOARDS



HO LARDER CUPBOARD

- 1 Door H 205 cm
- 3 Adjustable shelves
- 1 Fixed shelf

Available width 60 cm

23060 400610 -XX HO 60 hinge right
23060 400620 -XX HO 60 hinge left



HOKS LARDER CUPBOARD FOR REFRIGERATOR

- 1 Door H 55 cm
- 1 Space for refrigerator H 88 cm
- 1 Appliance door H 90 cm
- 1 Door H 60 cm
- 2 Adjustable shelves

Available width 60 cm

23060 400110 -XX HOKS 60 hinge right
23060 400120 -XX HOKS 60 hinge left

Note regarding electrical appliances:
Suitable for fridge PKM KS120.4 EB
- see electrical appliances page 30+



HOGK LARDER CUPBOARD FOR FRIDGE-FREEZER COMBI 144 CM

- 1 Door H 55 cm
- 1 Space for fridge-freezer combination H 144 cm
- 1 Appliance door H 90 cm
- 1 Appliance door H 60 cm
- 1 Adjustable shelf

Available width 60 cm

23060 400210 -XX HOGK 60 hinge right
23060 400220 -XX HOGK 60 hinge left

Note regarding electrical appliances:
Suitable for fridge-freezer combination
AEG SCE614E1LS
- see electrical appliances page 30+




HOGKG LARDER CUPBOARD FOR FRIDGE-FREEZER COMBI 178 CM

- 1 Space for built-in appliance H 178 cm
 - 1 Appliance door H 133,5 cm
 - 1 Appliance door H 72,5 cm
- (Appliance doors can be connected)

Available width 60 cm

23060 400710 -XX HOGKG 60 hinge right
23060 400720 -XX HOGKG 60 hinge left

Note regarding electrical appliances:
Suitable for fridge-freezer combination AEG
NSC6N183ES and fridge AEG NSK6D181ES
- see electrical appliances page 30+



**HOMB LARDER CUPBOARD FOR
MICROWAVE AND OVEN**

- 1 Door H 50 cm
- 1 Space for microwave H 35 cm
- 1 Pelmet for microwave H 35 cm
- 1 Space for oven H 60 cm
- 1 Door H 60 cm
- 1 Adjustable shelf

23060 400310 -XX HOMB 60 hinge right
23060 400320 -XX HOMB 60 hinge left

Note regarding electrical appliances:
Suitable for microwave Stengel STCOMBI102
Suitable for all standard ovens
- see electrical appliances page 30+

Available width 60 cm




**HOB LARDER CUPBOARD FOR
OVEN**

- 1 Door H 85 cm
- 1 Space for oven H 60 cm
- 1 Door H 60 cm
- 2 Adjustable shelves

23060 400410 -XX HOB 60 hinge right
23060 400420 -XX HOB 60 hinge left

Note regarding electrical appliances:
Suitable for all standard ovens
- see electrical appliances page 30+

Available width 60 cm




**HOW LARDER CUPBOARD FOR
WINE COOLER**

- 1 Door H 85 cm
- 1 Space for wine cooler H 60 cm
- 1 Door H 60 cm
- 2 Adjustable shelves

23060 400810 -XX HOW 60 hinge right
23060 400820 -XX HOW 60 hinge left

Note regarding electrical appliances:
Suitable for wine cooler Wolkenstein
EWTS85-36ED
- see electrical appliances page 30+

Available width 60 cm




**HOGS LARDER CUPBOARD FOR
SMALL DISHWASHER**

- 1 Door H 95 cm
- 1 Space for small dishwasher with door front H 50 cm
- 1 Door H 60 cm
- 3 Adjustable shelves

23060 400510 -XX HOGSR 60 hinge right
23060 400520 -XX HOGSL 60 hinge left

Note regarding electrical appliances:
Suitable for dishwasher Stengel GS6-6FI2
- see electrical appliances page 30+

Available width 60 cm



HO LARDER CUPBOARD

2 Doors H 205 cm

3 Adjustable shelves

1 Fixed shelf

23100 400600 -XX HO 100
23120 400600 -XX HO 120

Available widths:
100 / 120 cm






OVERVIEW OF ELEMENTS

S23 MIDI CUPBOARDS

SIDE DEPTH: 59 cm
CUPBOARD HEIGHT: 150 cm
PLINTH HIGHT: 8 cm
TOTAL HEIGH: 158 cm

* without cover panel

MIDI CUPBOARDS




MIB MIDI CUPBOARD FOR OVEN

- 1 Space for oven H 60 cm
- 1 Door H 60 cm
- 1 Adjustable shelf
- 2 Drawers H 15 cm

Available width 60 cm

23060 500110 -XX MIB 60 hinge right
23060 500120 -XX MIB 60 hinge left

Note regarding electrical appliances:
Suitable for all standard ovens
- see electrical appliances page 30+




MIW MIDI CUPBOARD FOR WINE COOLER

- 1 Space for wine cooler H 60 cm
- 1 Door H 60 cm
- 1 Adjustable shelf
- 2 Drawers H 15 cm

Available width 60 cm

23060 500410 -XX MIW 60 hinge right
23060 500420 -XX MIW 60 hinge left

Note regarding electrical appliances:
Suitable for wine cooler Wolkenstein EWTS85-36ED
- see electrical appliances page 30+




MIWKS MIDI CUPBOARD FOR WINE COOLER AND FRIDGE

- 1 Space for wine cooler H 60 cm
- 1 Space for fridge H 88 cm
- 1 Appliance door H 90 cm

Available width 60 cm

23060 500510 -XX MIWKS 60 hinge right
23060 500520 -XX MIWKS 60 hinge left

Note regarding electrical appliances:
Suitable for wine cooler Wolkenstein EWTS85-36ED and fridge PKM KS120.4 EB
- see electrical appliances page 30+



MIBKS MIDI CUPBOARD FOR OVEN AND FRIDGE

- 1 Space for oven H 60 cm
- 1 Space for fridge H 88 cm
- 1 Appliance door H 90 cm

Available width 60 cm

23060 500610 -XX MIBKS 60 hinge right
23060 500620 -XX MIBKS 60 hinge left

Note regarding electrical appliances:
Suitable for all standard ovens and fridge PKM KS120.4 EB
- see electrical appliances page 30+

You can find cover panels for midi cabinets on page 26




**MIBGS MIDI CUPBOARD FOR OVEN
AND SMALL DISHWASHER**

23060 500700 -XX MIBGS 60

- 1 Space for oven H 60 cm
- 1 Space for small dishwasher with door front H 50 cm
- 1 Drawer H 15 cm
- 1 Drawer H 25 cm

Available width 60 cm

Note regarding electrical appliances:
Suitable for all standard ovens and dishwasher
Stengel GS6-6FI2
- see electrical appliances page 30+




**MIWGS MIDI CUPBOARD FOR
WINE COOLER AND SMALL
DISHWASHER**

23060 500800 -XX MIWGS 60

- 1 Space for wine cooler H 60 cm
- 1 Space for small dishwasher with door front H 50 cm
- 1 Drawer H 15 cm
- 1 Drawer H 25 cm

Available width 60 cm

Note regarding electrical appliances:
Suitable for wine cooler Wolkenstein
EWTS85-36ED and dishwasher Stengel
GS6-6FI2
- see electrical appliances page 30+




**MIGS MIDI CUPBOARD FOR
SMALL DISHWASHER**

23060 500210 -XX MIGS 60 hinge right
23060 500220 -XX MIGS 60 hinge left

- 1 Door H 60 cm
- 1 Space for small dishwasher with door front H 50 cm
- 1 Drawer H 15 cm
- 1 Drawer H 25 cm
- 1 Adjustable shelf

Available width 60 cm

Note regarding electrical appliances:
Suitable for dishwasher Stengel GS6-6FI2
- see electrical appliances page 30+




**MIGK MIDI CUPBOARD FOR
FRIDGE-FREEZER
COMBINATION 144**

23060 500310 -XX MIGK 60 hinge right
23060 500320 -XX MIGK 60 hinge left

- 1 Space for fridge-freezer
combination H 144 cm
- 1 Appliance door H 90 cm
- 1 Appliance door H 60 cm

Available width 60 cm

Note regarding electrical appliances:
Suitable for fridge-freezer combination
AEG SCE614E1LS
- see electrical appliances page 30+



You can find cover panels for midi cabinets on page 26
Dimension diagram/height grid on page 43

WORKTOPS / COVER PANELS/
SPLASHBACKS

APL WORKTOPS

FOR OUR KITCHEN UNITS

Egger laminate worktop covered one side with visible HPL
4-sided 2 mm ABS edge with straight decorative edge - Unit: linear metres
Thickness 38,0 mm - Height 60 cm

23000 651000 -30	APL 380	Oak Hamilton
23000 651000 -31	APL 380	Perl grey
23000 651000 -32	APL 380	Slate Scivaro

ADP COVER PANELS

FOR OUR MIDI CUPBOARDS

Egger laminate cover panels, covered on both sides with visible HPL
4-sided 2 mm ABS edge with straight decorative edge - Unit: linear metres
Thickness 26,6 mm - Height 60 cm

23000 660000 -30	ADP 266	Oak Hamilton
23000 660000 -31	ADP 266	Perl grey
23000 660000 -32	ADP 266	Slate Scivaro

NWV SPLASHBACKS

Egger laminate splash backs covered on one side with visible HPL
4-sided 2mm ABS edge - Unit: linear metres
Thickness 9,2 mm - Height 62 cm

23000 671000 -30	NWV 92	Oak Hamilton
23000 671000 -31	NWV 92	Perl grey
23000 671000 -32	NWV 92	Slate Scivaro

APLV WORKTOP CORNER CONNECTION

Worktops connected as a 90 degree corner
Milling with 2 connectors

23000 650099 00	APLV
-----------------	------

FINISHES FOR WORKTOPS, COVER PANELS AND
SPLASHBACKS



-30 Oak Hamilton



-31 Perl grey



-32 Slate Scivaro

Color samples for all worktops/cover panels and splash backs.
Various other colour samples available upon request.



PLINTH COVERS / FITTING STRIPS

SOB PLINTH COVER FRONT

Melamine chipboard - Unit: linear metres
Height 8 cm - Thickness 16 mm



23000 600901 -XX SOB Front
23000 600902 -XX SOB Side



white: -20 grey: -15

SOB PLINTH COVER SIDE

Melamine chipboard - Unit: piece
Height 10 cm - Length 52,3 cm - Thickness 16 mm



PL FITTING STRIP

Melamine chipboard - Unit: piece
Thickness 10 cm - Height 65 / 80 / 150 / 205 cm - Thickness - 16 mm



23000 601001 -XX PL65 for Wall Cupboard
23000 601002 -XX PL80 for Cupboard
23000 601003 -XX PL150 for Midi Cupboard
23000 601004 -XX PL205 for Larder Cupboard



white: -20 grey: -15

EP ANGLE FILLER FOR CUPBOARD

If corner cupboard not possible
Corner solution without cupboard
Dimensions 50 x 50 x 800mm (l x w x h)



23000 601005 -XX EP



white: -20 grey: -15

LG VENTILATION GRID
(REQUIRED FOR FRIDGE-FREEZER COMBINATIONS AND FRIDGES)

Dimensions 570 x 57 mm (w x h)



23000 900000 -40 LG white
23000 900000 -41 LG silver
23000 900000 -42 LG black



ELECTRICAL APPLIANCES



UNDER-COUNTER REFRIGERATOR 82 CM
PKM -KS117.4 UB - FREEZER TRAY

23000 700800 00
Suitable for:
UKS 60

Dimensions: 818 x 595 x 545 mm (h x w x d)

4* freezer compartment

Noise level 39 dB

Energy efficiency class F

Annual energy consumption 185 kW/h

Usable capacity 121 litres (freezer 17l)

Connection 230-240 V / 50 Hz



BUILT-IN REFRIGERATOR 178 CM
AEG NSK6D181ES SERIES 6000

23000 701800 00
Suitable for:
HOGKG 60

Dimensions: 1772 x 546 x 549 mm (h x w x d)

Coolmatic, DynamicAir, TouchControl

Noise level 32 dB

Energy efficiency class E

Annual energy consumption 114 kW/h

Usable capacity 310 litres

Connection 220-240 V / 50 Hz - 70 W



BUILT-IN REFRIGERATOR 88 CM
PKM KS120.4A+EB – FREEZER TRAY

23000 701300 00
Suitable for:
HOKS 60

Dimensions: 880 x 540 x 540 mm (h x w x d)

3* freezer compartment

Noise level 39 dB

Energy efficiency class F

Annual energy consumption 178 kW/h

Usable capacity 118 litres (freezer 14l)

Connection 230-240 V / 50 Hz



SMALL- DISHWASHER
Stengel GS6-6FI2 - 6 sets

23000 700100 00
Suitable for:
UMGS 60 - UGS 60 - HOGS 60 - MIGS 60
MIWGS 60 - MIBGS 60

Dimensions: 453 x 550 x 540 mm (h x w x d)

Drying performance index 1,07

Energy consumption Eco 0,610 kW/h

Water consumption 6.5 litres

Temperatures 40 - 60°C

Energy efficiency class F

Noise level 49 dB

6 washing programmes, waterstop

Connection 230V / 50 Hz - 1170-1380 W



FRIDGE-FREEZER COMBINATION 144 CM
AEG NSC5S141ES SERIES 5000

23000 700900 00
Suitable for:
HOGK 60 - MIGK 60

Dimensions: 1441 x 540 x 549 mm (h x w x d)

LowFrost, ColdSense, Frostmatic

Noise level 35 dB

Energy efficiency class E

Annual energy consumption 203 kW/h

Usable capacity 217 litres (freezer 57l)

Connection 230-240 V / 50 Hz - 140 W



DISHWASHER
Stengel WGSP15-8FI - 15 sets

23000 700200 00
Suitable for:
UGG 60

Dimensions: 815 x 598 x 550 mm (h x w x d)

Water consumption 9,8 Liter

Indicator light, cutlery drawer

Temperatures 45 - 65°C

Noise level 38 dB

Waterstop

Auto door opening

Energy efficiency class C

Annual energy consumption 76 kW/h

Intensive washing zone

Connection 230 V / 50 Hz - 2100 W



FRIDGE-FREEZER COMBINATION 178 CM
AEG NSC6N183ES SERIES 6000

23000 701800 00
Suitable for:
HOGKG 60

Dimensions: 1772 x 546 x 549 mm (h x w x d)

NoFrost, ColdSense, Frostmatic

Noise level 35 dB

Energy efficiency class E

Annual energy consumption 216 kW/h

Usable capacity 257 litres (freezer 62l)

Connection 220-240 V / 50 Hz - 120 W



TELESCOPIC EXTRACTOR
PKM UBH6050-2H - UBH6002-2H

23000 702500 00 50 cm wide for HSD 50
23000 701200 00 60 cm wide for HSD 60

Dimensions: 176 x 500/600 x 280-430 mm (h x w x d)

Recirculation / external extraction

Fat separation efficiency E

Lighting LED 2,5W

Noise level 58 - max. 63 dBA

Tube connection 125 mm

Performance 220 - 301 m³ / h

Including carbon filter

Annual energy consumption 35,4 kW/h


Energy efficiency class E

Connection 220-240 V / 50 Hz - 67,5 W

ELECTRICAL APPLIANCES



MICROWAVE Stengel STCOMBI102 - 20L 3in1 microwave - grill - convection - Dimensions: 262 x 452 x 396 mm (h x w x d)	
Cooking space 17 litres	Microwave 800 Watt
Stainless-steel front	Grill 1200 Watt
Turntable system / glass turntable	Convection oven mode 2200 Watt
Automatic programmes	Connection 230 V / 50 Hz



MICROWAVE COMBINATION Russell hobbs RHM3006 - 30L 3in1 microwave oven - Dim: 335 x 520 x 510 mm (H x W x D)	
Cooking space 30 litres	Microwave 1450 W
Black front	Grill 1100 W
Turntable system / glass turntable	Heating air / oven 2500 W
Automatic programmes	Connection 230 V / 50 Hz



BUILT-IN OVEN STAINLESS STEEL Stengel EB09.3H Dimensions: 595 x 595 x 575 mm (h x w x d)	
9 functions oven	Noise level < 52 dB
Energy efficiency class A	Energy consumption index 93,3
68 litres baking volume	Connection 220-240 V / 50 Hz - 2300 W



BUILT-IN WINE COOLER WOLKENSTEIN - EWTS85-36ED Dimensions: 595 x 590 x 563 mm (h x w x d)	
Touch-to-Open function	Noise level 41 dB
Space for 36 bottles	Energy consumption: 140 kWh/year
Capacity: 85 litres	Connection 220-240 V / 50 Hz



LIGHT STRIP - CORNER COMPACT LED Aluminium / stainless steel effect with 2 sockets Dimensions: 560 x 71 x 71 mm (h x w x d)	
LED light with switch	Connection 230 V / 50 Hz
Aluminium/stainless steel effect housing	Light colour 4000 K white
2 safety sockets	644 Lumen - 6,5 W



LED UNDER-CABINET KITCHEN LIGHT FUTURA XC - WITH BUILT-IN TOUCH SWITCH Dimensions: 18 x 600 / 800 x 18 mm (h x w x d)	
LED light strip aluminium with built-in switch	23000 701500 00 600 mm wide
600 mm - warm white, 10.5 Watt incl. power supply unit	23000 701600 00 800 mm wide
800 mm - warm white, 10.5 Watt incl. power supply unit	
Connection 230 V / 50 Hz	


HOBS



2 ZONE GLASS CERAMIC HOB STENGEL EB-GK2-TC - TOUCH CONTROL Dimensions: 53 x 288 x 520 mm (h x w x d)	
Double ceramic hob	23000 700400 00
Touch control - timer	small hob Ø145 mm / 1200 W
9 power levels - Residual heat display	large hob Ø180 mm / 1800 W
	Connection 220-240 V / 50 Hz - 3000 W



2 ZONE INDUCTION HOB STENGEL ST-IF2-BG - EU Dimensions: 52 x 290 x 520 mm (h x w x d)	
Double induction hob with booster	23000 700500 00
Touch control - timer	9 power levels per zone
Child safety lock	Performance 3600 W (1500 / 2200 W)
	Connection 220-240 V / 50 Hz



4 ZONE GLASS CERAMIC HOB PKM EB-C4-2KBTC - TOUCH CONTROL Dimensions: 50 x 590 x 520 mm (h x w x d)	
Ceramic hob with stainless steel frame	23000 700600 00
Dual-circuit roasting zone	9 power levels per zone
Touch control - timer - Child safety lock	Performance 6600 W
	Connection 220-400 V / 50-60 Hz



4 ZONE INDUCTION HOB PKM IF4 G - TOUCH CONTROL Dimensions: 62 x 590 x 520 mm (h x w x d)	
Frameless induction hob	23000 700700 00
Touch control - timer - Child safety lock	Performance 6000 W
9 power levels per zone	Connection 220-400 V / 50-60 Hz

HOB AND OVEN COMBINATIONS



BUILT-IN COOKER SET - PKM BIC7-GKIX2
OVEN + GLASS-CERAMIC HOB

23000 702000 00

4 zone glass-ceramic hob
Residual heat indicator
Installation height 50 mm
Performance 6000 W

Oven
7 Types of heating
Stainless steel panel
Capacity 65 litres
Connection 230V-400 V / 8300 W



BUILT-IN COOKER SET - AEG -
OVEN + GLASS-CERAMIC HOB
AEG OU5AE20SM / AEG HE604060XB

23000 702100 00

4 zone glass-ceramic hob
OptiFit Frame - stainless steel
Continuously variable control - residual
Heat indicator - Installation height 38 mm
Performance 7000 W

SurroundCook Oven Series 5000
Timer, 8 Types of heating
Aqua cleaning function
Capacity 72 litres
Connection 230V-400 V / 10390 W



BUILT-IN COOKER SET - AEG -
OVEN + INDUCTION HOB
OU5AE20AK / OIX64A00XM


23000 702200 00

4 zone induction hob Series 5000
Ultra-flat frame - OptiHeat Control
Touch Control - PowerBoost
Installation height 44 mm
Performance 7350 W

SurroundCook Oven Series 5000
Timer, 8 Types of heating
Aqua cleaning function
Capacity 71 litres
Connection 230V-400 V / 10850 W

SINKS


for cupboards from 50 cm wide, with drainer, including waste and overflow set



Built-in sink stainless steel
Dimensions: 160 x 615 x 500 mm (h x w x d)

Built-in sink stainless steel - without tap hole / universal
Built-in sink stainless steel - with tap hole 35 mm - drainer left
Built-in sink stainless steel - with tap hole 35 mm- drainer right

23000 610010 00
23000 610011 00
23000 610012 00




Sink Tessa SQT100 - Granite composite
- without drainer for cupboard 50cm+

23000 610018 00
23000 610019 00

SQT100 - Black
SQT100 - Argentgrey

Sink dimensions: 490 x 510 mm
Basin dimensions: 425 x 365 x 200 mm

Helika Built-in composite granite sink - with manual sieve basket - siphon - tap hole 35 mm - heat-resistant - scratch-resistant - impact-resistant - colour-fast - antibacterial - UV-resistant - 15-year guarantee




Sink Tessa SQT102 - Granite composite
- with drainer for cupboard 50cm+

23000 610020 00
23000 610021 00

SQT102 - Black
SQT102 - Argentgrey

Sink dimensions: 620 x 500 mm
Basin dimensions: 345 x 436 x 200 mm

Helika Built-in composite granite sink - with swivel drain stopper - siphon - 2 tap holes 35 mm - heat-resistant - scratch-resistant - impact-resistant - colour-fast - antibacterial - UV-resistant - 15-year guarantee



Sink Tessa SQT101 - Granite composite
- with drainer for cupboard 50cm+

23000 610022 00
23000 610023 00

SQT101 - Black
SQT101 - Argentgrey

Sink dimensions: 780 x 500 mm
Basin dimensions: 345 x 436 x 200 mm

Colours:

Black

Argentgrey

Helika Built-in composite granite sink - with swivel drain stopper - siphon - 2 tap holes 35 mm - heat-resistant - scratch-resistant - impact-resistant - colour-fast - antibacterial - UV-resistant - 15-year guarantee



ACCESSORIES – OTHER




SHELVES

Fitted shelf for our base units and tall units incl. shelf supports.

Metal powder-coated white.

For cupboard version 30 cm	23000 600700 30
For cupboard version 40 cm	23000 600700 40
For cupboard version 45 cm	23000 600700 45
For cupboard version 50 cm	23000 600700 50
For cupboard version 55 cm	23000 600700 55
For cupboard version 60 cm	23000 600700 60
For cupboard version 80 cm	23000 600700 80
For cupboard version 100 cm	23000 600701 00

For larder and midi cupboard version 60 cm	23000 600701 60
--	-----------------




TRAY -

69007 000000 02

FOR PULL-OUT-UNIT

Dimensions: 40 x 100 x 450 mm (h x w x d)

Colour grey / powder-coated



CUTTING BOARD GLASS

69009 000000 00

Dimensions: 12 x 215 x 355 mm (h x w x d)

Suitable for stainless steel sink Line 60

Safety glass - Weight 650 g



CUTTING BOARD WOOD

69015 000000 00

Dimensions: 20 x 240 x 355 mm (h x w x d)

Suitable for stainless steel sink Line 60

Beech wood - weight 1300 g

ACCESSORIES - FITTINGS



TAP WITH FIXED SPOUT

60025 000000 00 Chrome high pressure

ULTRA S

60026 000000 00 Chrome low pressure

For 35 mm perforation, fixed spout,
360° swivelling, Kerox ceramic cartridge 25 mm, KTW tested, quick-fit system, flexible connections G3/8“, mixer tap with pre-assembled hoses

stengel SERIES ULTRA

5-year manufacturer's warranty and after-sales service



TAPS WITH C-FIXED SPOUT

60027 000000 00 Chrome high pressure

60028 000000 00 Matt black high pressure

For 35 mm perforation, fixed spout,
180° swivelling, ceramic cartridge 25 mm,
KTW tested, quick-fit system with stem attachment,
Flexible G3/8“ connections, mixer tap with pre-assembled hoses

BRAVAT
BY DIETSCH 1873

SERIES TORINO

5-year manufacturer's warranty and after-sales service



TAPS WITH C-SPOUT AND
PULL-OUT SPRAY

60029 000000 00 Chrome high pressure

60030 000000 00 Matt black high pressure

For 35 mm perforation, pull-out spray with diverter,
Cold start technology, 180° swivelling, KTW tested,
Ceramic cartridge 25 mm, quick-fit system with stem attachment,
Flexible G3/8“ connections, mixer tap with pre-assembled hoses

BRAVAT
BY DIETSCH 1873

SERIES TORINO

5-year manufacturer's warranty and after-sales service



TAPS WITH L-FIXED SPOUT

60031 000000 00 Chrome high pressure

60032 000000 00 Matt black high pressure

60033 000000 00 Chrome low pressure

For 35 mm perforation, fixed spout,
Cold start technology, 180° swivelling, ceramic cartridge 25 mm,
KTW tested, quick-fit system with stem attachment,
Flexible G3/8“ connections, mixer tap with pre-assembled hoses

BRAVAT
BY DIETSCH 1873

SERIES TORINO

5-year manufacturer's warranty and after-sales service



TAPS WITH L-SPOUT AND
PULL-OUT SPRAY

60034 000000 00 Chrome high pressure

60035 000000 00 Matt black high pressure

For 35 mm perforation, pull-out spray with diverter,
Cold start technology, 180° swivelling, ceramic cartridge 25 mm,
KTW tested, quick-fit system with stem attachment,
Flexible G3/8“ connections, mixer tap with pre-assembled hoses

BRAVAT
BY DIETSCH 1873

SERIES TORINO

5-year manufacturer's warranty and after-sales service

PROJECTS AND CONSTRUCTION PROJECTS

...IN GERMANY AND THROUGHOUT EUROPE

Discover a diverse selection of inspiring kitchen design solutions for your property in our catalogue. Stengel metal kitchens impress with their durability, high-quality materials, easy installation, high fire protection compliance, low follow-up costs and modern design. We offer a wide range of options to realise your individual ideas.

Whether student or retirement homes, holiday flats, office or apartment complexes - we have the ideal solution for you.

Our strengths for your project:

We accompany you personally and professionally from the initial idea to completion. Whether architect, planning office or construction company, we are at your side in all matters. Thanks to many years of experience in project planning and our in-house design department, our team can respond specifically to your individual requirements and advise on custom-made products promptly and professionally. Our extensive list of references at home and abroad is proof of our high performance in the project sector. For a detailed overview, please visit our website.

We look forward to working with you to plan and execute your kitchen project.



ABOUT US

STENGEL STEEL CONCEPT GMBH...

...stands for clear forms, clever realisation, simplicity, high-quality materials, full functionality in the smallest of spaces and technical equipment at the highest level.

As a sales branch of Stengel GmbH based in Ellwangen/Baden-Württemberg, we have all the techniques and possibilities of metal processing at our disposal. Here we benefit from our own design and production.



STENGEL GMBH

Production with maximum flexibility and productivity

Thanks to state-of-the-art forming and manufacturing processes, there are almost no limits to the designs and constructions possible in sheet metal production today.

We are a medium sized family owned company with more than 50 years of experience in sheet metal production.

With more than 1000 employees, approximately 135.000 m² of production and storage area, our own powder coating facility and state of the art machinery, Stengel GmbH is able to meet the demands of today's market. As well as a large range of mini kitchens Stengel GmbH manufactures more than 50.000 products, including wet room units for cruise liners and building construction, server cabinets, office furniture, shop displays and many more products for well-known companies throughout Europe.

HEIGHT GRID

CUPBOARDS / WALL CUPBOARDS

650	650	320	610
		330	
		40	
			560

800	150	150	100	400	600	300	400
		150	100				
	650		200				
		500	400	400	200	500	150
							250
				80			

MIDI CUPBOARDS

600	600	900	600
600	500		900
	150	600	
150			
150	250		
		80	

LARGER CUPBOARDS

		500	550	850	
	950				1325
		350			
2050		600	900	600	
	500				
	600	600	600	600	725

stengel

KITCHENS

...your partner for
metal kitchens

STENGEL STEEL CONCEPT GMBH

Wilhelm-Maybach-Str. 1-3

D-73479 Ellwangen

Germany

Phone: +49 7961 9121 - 400

Email: office@stengel-steelconcept.de

www.stengel-steelconcept.de

www.minikuechen.de



stengel
KITCHENS