

## Perfecta 300 equipment supplied

Foot control unit	Knee control unit	Table control unit
<p>Control unit:</p> <ul style="list-style-type: none"><li><input type="radio"/> REF 05077900 230 V</li><li><input type="radio"/> REF 05172400 115 V</li></ul> <p><input type="radio"/> Motor cable 1.8 m REF 05114900</p> <p>optional: »<math>\epsilon</math>-type«</p> <ul style="list-style-type: none"><li><input type="radio"/> <math>\epsilon</math>-Motor with ISO coupling LA-3<math>\epsilon</math>, REF 0513880</li></ul>	<p>Control unit:</p> <ul style="list-style-type: none"><li><input type="radio"/> REF 05222000 230 V</li><li><input type="radio"/> REF 05222100 115 V</li></ul> <p><input type="radio"/> Operating controls LA-3D REF 05127000</p> <p><input type="radio"/> Holding plate REF 01170500</p> <p><input type="radio"/> Tapping screws REF 00952200</p> <p><input type="radio"/> Motor cable 1.8 m REF 05114900</p> <p>optional: »<math>\epsilon</math>-type«</p> <ul style="list-style-type: none"><li><input type="radio"/> <math>\epsilon</math>-Motor with ISO coupling LA-3<math>\epsilon</math>, REF 0513880</li></ul>	<p>Control unit</p> <ul style="list-style-type: none"><li><input type="radio"/> REF 05221600 230 V</li><li><input type="radio"/> REF 05221700 115 V</li></ul> <p><input type="radio"/> Operating controls LA-3D REF 05127000</p> <p><input type="radio"/> Foot-operated starter L-NV REF 05038100</p> <p><input type="radio"/> Motor cable 1.8 m REF 05114900</p> <p>optional: »<math>\epsilon</math>-type«</p> <ul style="list-style-type: none"><li><input type="radio"/> <math>\epsilon</math>-Motor with ISO coupling LA-3<math>\epsilon</math>, REF 0513880</li></ul>

## Perfecta 600 equipment supplied

Foot control unit	Knee control unit	Table control unit
<p>Control unit:</p> <ul style="list-style-type: none"><li><input type="radio"/> REF 05172600 230 V</li><li><input type="radio"/> REF 05172800 115 V</li></ul> <ul style="list-style-type: none"><li><input type="radio"/> Hose for air supply REF 05250400</li><li><input type="radio"/> Motor cable 1.8 m REF 05116500</li></ul>	<p>Control unit:</p> <ul style="list-style-type: none"><li><input type="radio"/> REF 05223100 230 V</li><li><input type="radio"/> REF 05223200 115 V</li></ul> <ul style="list-style-type: none"><li><input type="radio"/> Operating controls LA-6D REF 05243200</li><li><input type="radio"/> Holding plate REF 01170500</li><li><input type="radio"/> Tapping screws REF 00952200</li><li><input type="radio"/> Fitting for blow out function REF 05148800</li><li><input type="radio"/> Hose for air supply REF 05250400</li><li><input type="radio"/> Motor cable 1.8 m REF 05116500</li></ul>	<p>Control unit:</p> <ul style="list-style-type: none"><li><input type="radio"/> REF 05222400 230 V</li><li><input type="radio"/> REF 05222500 115 V</li></ul> <ul style="list-style-type: none"><li><input type="radio"/> Operating controls LA-6D REF 05243200</li><li><input type="radio"/> Foot-operated starter with blow out function L-NV REF 05038100</li><li><input type="radio"/> Hose for air supply REF 05250400</li><li><input type="radio"/> Motor cable 1.8 m REF 05116500</li></ul>

## Perfecta 300 and 600 equipment supplied

- Motor handpiece LA-66 REF 05201200
- Handpiece holder REF 03211500
- Chuck key REF 01125900
- Spanner REF 03202800
- W&H Service oil MD-30 REF 03304500
- Cleaning brush REF 00669400
  
- Mains cable REF 01343700 (Europe)

alternative:

- Mains cable REF 01343900 (USA, CAN, J) / REF 03212700 (UK, IRL) / REF 02909300 (AUS, NZ) / REF 04280600 (CH)