

#whgroup



video.wh.com

Now at

your dealer

or wh.com/en/australia





Product **catalogue**

2025


valid from 01.07.2025


Explanation of symbols

 with ring LED+ light

 with LED+ light


 with LED light

 with light


 without light

 integrated spray

 external spray


 without spray

 thermo washer disinfectable

 sterilizable

 disposable article

 latex-free

 foot control with cable

 wireless foot control

Table of contents

Restoration & Prosthetics	4-31
Drive	32-37
Endodontics	38-39
Prophylaxis & Periodontology	40-71
Oral surgery & Implantology	72-111
ioDent 2.0	112-115
Sterilization, Hygiene & Maintenance	116-165
Dental laboratory	166-171
Osstell	172-175
Built-in Solutions	176-181

Important information


- › Pictures are for illustrative purposes only. Additional equipment and accessories shown are not included as standard.
- › KaVo Multiflex®, NSK Mach®, NSK QD-J®, BienAir Unifix® and Sirona® are trademarks of third parties not affiliated with W&H Dentalwerk Bürmoos GmbH
- › All prices are recommended list prices in AUD inclusive of GST

Synea Vision


Explanation of Symbols


 with ring LED+ light

 with LED+ light

 with light

 integrated spray

 thermo washer disinfectable

 sterilizable



The new range of Synea Vision turbine handpieces:

Innovative technology and a comprehensive range of products for the highest demands.

led+



Ring LED+, 5-fold spray, 26 W,
head size Ø 13mm

TK-100 L

REF 30021000

led+



Ring LED+, 5-fold spray, 24 W,
head size Ø 11,5mm

TK-98 L

REF 30019000

led+



Ring LED+, 5-fold spray, 21 W,
head size Ø 10 mm

TK-97 L

REF 30017000

led+



LED+, 5-fold spray, 14 W,
head size Ø 9 mm

TK-94 L

REF 30016000



glass rod, 5-fold spray, 26 W,
head size Ø 13 mm

TK-100 LM

REF 30022000



glass rod, 5-fold spray, 24 W,
head size Ø 11,5 mm

TK-98 LM


REF 30020000



glass rod, 5-fold spray, 21 W,
head size Ø 10 mm

TK-97 LM

REF 30018000



glass rod, 5-fold spray, 14 W,
head size Ø 9 mm

TK-94 LM

REF 30031000

Roto Quick couplings RQ-24 / RQ-34 see page 118

* W&H coupling RM-34 LED see page 119




1:5, 5-fold spray, head size Ø 9,5mm,
press-button chuck system for FG burs
Ø 1,6 mm, glass rod

WK-99 LT

(ceramic ball bearings)

REF 30023000



1:4,5, 5-fold spray, head size Ø 9,1 mm,
press-button chuck system for FG burs
Ø 1,6 mm, glass rod

WK-93 LT

(ceramic ball bearings)

REF 30024000



1:1, single spray, head size Ø 9,5 mm,
press-button chuck system for contra-angle
burs Ø 2,35 mm, glass rod

WK-56 LT


REF 30025000



8:1, single spray, head size Ø 9,5mm,
press-button chuck system for
contra-angle burs Ø 2,35 mm, glass rod

WK-86 LT

REF 30027000



2:1, single spray, head size Ø 9,5 mm,
press-button chuck system for contra-angle
burs Ø 2,35 mm, glass rod

WK-66 LT

REF 30026000

Contra-angle handpieces




1:1, single spray, Twist tension chuck system
for handpiece and contra-angle burs
Ø 2.35 mm, glass rod

HK-43 LT

REF 30028000

Straight handpiece




1:5, 5-fold spray, head size Ø 9,5mm,
press-button chuck system for FG burs
Ø 1,6 mm, glass rod

WK-99 LT S
(ceramic ball bearings)
REF 30215000




1:4,5, 5-fold spray, head size Ø 9,1 mm,
press-button chuck system for FG burs
Ø 1,6 mm, glass rod

WK-93 LT S
(ceramic ball bearings)
REF 30216000



1:1, single spray, head size Ø 9,5 mm,
press-button chuck system for contra-angle
burs Ø 2,35 mm, glass rod

WK-56 LT S
REF 30217000








2:1, single spray, head size Ø 9,5 mm,
press-button chuck system for contra-angle
burs Ø 2,35 mm, glass rod

WK-66 LT S
REF 30218000



Synea Power Edition

Explanation of Symbols

- led+ with LED light
-  with light
-  without light
-  integrated spray
-  thermo washer
disinfectable
-  sterilizable



Synea Power Edition

The Synea Power Edition is especially designed for heavy-duty applications, such as the removal of decayed materials, cavities, fillings, crowns, and bridges. These new high-speed contra-angle handpieces with a unique black push-button are built extra strong and durable. They are the optimal solution for advanced ceramic material like zirconia that is increasingly being used in restorative dentistry. Thus, this up-to-date addition to the Synea family is the perfect complement to your existing handpiece range.



1:4, 3-fold spray, head size Ø 10,7mm,
press-button chuck system for FG burs,
Ø 1,6mm, glass rod

WG-900 LT
REF 30459000



1:4, 3-fold spray, head size Ø 10,7mm,
press-button chuck system for FG burs,
Ø 1,6mm

WG-900 A
REF 30460000





1:4, 3-fold spray, head size Ø 10,7mm,
press-button chuck system for FG burs,
Ø 1,6mm, glass rod

WK-900 LT
(ceramic ball bearings)
REF 30418000



Synea Fusion

Explanation of Symbols

- led+ with LED light
-  with light
-  without light
-  integrated spray
-  thermo washer
disinfectable
-  sterilizable



Synea Fusion –
be assured with proven
Synea quality
at an outstanding price



Quattro Spray, 21 W,
head size Ø 11,5 mm,

TG-98 L
(for RQ-24 / RQ-34*)
REF 30001000



TG-98 L RM
(standard 6-hole connection)
REF 30198000



TG-98 LW
for RA-24 / RA-25
REF 30202001



TG-98
(for RQ-03 / RQ-04 / RQ-14*)
REF 30002000



Quattro Spray, 18 W,
head size Ø 10 mm,

TG-97 L
(for RQ-24 / RQ-34*)
REF 30004000



TG-97 L RM
(standard 6-hole connection)
REF 30197000



TG-97 LW
(for RA-24 / RA-25)
REF 30201001



TG-97
(for RQ-03 / RQ-04 / RQ-14*)
REF 30005000



turbine handpieces with NSK
connection



glass rod,
Quattro Spray, 21 W,
head size Ø 11,5 mm

TG-98 L N
REF 30200000



glass rod,
Quattro Spray, 18 W,
head size Ø 10 mm

TG-97 L N
REF 30199000



turbine handpieces with
Multiflex® connection*



glass rod,
Quattro Spray, 21 W,
head size Ø 11,5 mm

TG-98 LM
REF 30003000



glass rod,
Quattro Spray, 18 W,
head size Ø 10 mm

TG-97 LM
REF 30006000



* W&H coupling RM-34 LED see page 119



1:5, Quattro Spray, head size Ø 9,5 mm,
press-button chuck system for FG burs
Ø 1,6 mm, glass rod

WG-99 LT
REF 30007000
WG-99 A
REF 30008000



1:1, single spray, head size Ø 9,5 mm,
press-button chuck system for
contra-angle burs Ø 2,35 mm, glass rod

WG-56 LT
REF 30009000
WG-56 A
REF 30010000



2:1, single spray, head size Ø 9,5 mm,
press-button chuck system for
contra-angle burs Ø 2,35 mm, glass rod

WG-66 LT
REF 30011000
WG-66 A
REF 30012000



1:1, single spray, Twist tension
chuck system for handpiece and
contra-angle burs Ø 2.35 mm

HG-43 A
REF 30013000



Profin® contra-angle handpiece 2:1,
single spray, stroke 1.1 mm, for Dentatus tips

WG-67 LT
REF 30084000
WG-67 A
REF 30085000



Alegra

Explanation of Symbols

led+	with LED+ light
led	with LED light
	with light
	without light
	integrated spray
	without spray
	thermo washer disinfectable
	sterilizable



Discover the new Alegra turbines with extremely quiet operation for daily use in your practice.

Designed to meet your needs with state-of-the-art technology. Made in Austria: For your best treatment results.



triple spray, 18 W,
head size Ø 12.2 mm

TE-98 LQ
REF 30067000



triple spray, 16 W,
head size Ø 10.4 mm

TE-97 LQ
REF 30066000



Borden 2-hole connection, generator and
water filter with resuction stop

RQ-53
REF 10405300



standard 4-hole connection, generator and
water filter with resuction stop

RQ-54
REF 10405400



triple spray, 18 W,
head size Ø 12.2 mm

TE-98
(for RQ-03 / RQ-04 / RQ-14*)
REF 30071000

TE-98 BC
(Borden 2-hole connection)
REF 30072000

TE-98 RM
(Standard 4-hole connection)
REF 30073000



single spray, 18 W,
head size Ø 12.2 mm

TE-95 BC
(Borden 2-hole connection)
REF 30074000

TE-95 RM
(Standard 4-hole connection)
REF 30075000



triple spray, 16 W,
head size Ø 10.4 mm

TE-97
(for RQ-03 / RQ-04 / RQ-14*)
REF 30068000

TE-97 BC
(Borden 2-hole connection)
REF 30069000

TE-97 RM
(Standard 4-hole connection)
REF 30070000



1:1, press-button chuck system, head size Ø 10.1 mm, for contra-angle burs Ø 2.35 mm

WE-56
REF 30116000



1:1, press-button chuck system, head size Ø 10.1 mm, for FG burs Ø 1.6 mm

WE-57
REF 30117000



4:1, press-button chuck system, head size Ø 10.1 mm, for contra-angle burs Ø 2.35 mm

WE-66
REF 30118000



1:1, Twist tension chuck system for handpiece and contra-angle burs Ø 2.35 mm

HE-43
REF 30119000



1:4,5, triple spray, press-button chuck system, head size Ø 10.1 mm, for FG burs Ø 1.6 mm

WE-99 LED G
REF 10259900



1:1, single spray, press-button chuck system, head size Ø 10.1 mm, for contra-angle burs Ø 2.35 mm

WE-56 LED G
REF 10255600



4:1, single spray, press-button chuck system, head size Ø 10.1 mm, for contra-angle burs Ø 2.35 mm

WE-66 LED G
REF 10256600

BC



RM

coupling seal BC

REF 01000700

coupling seal RM

REF 02207300

**short nozzle cleaner
for turbine, contra-angle
and straight handpieces**

REF 02015101

**O-ring set
for Roto Quick couplings**

REF 07508900

**Generator for RQ-53**


REF 06840300

Generator for RQ-54

REF 06793000

Accessories for Alegra contra-angle
and straight handpieces**Bur extension**

REF 01312500

**Threaded pin**

REF 01312600

**Spray clip with 3 coolant
hoses and nozzle cleaner for
straight handpiece HE-43**

REF 07550200

**Spray clip with 3 coolant hoses and
nozzle cleaner for contra-angle
handpieces WE-56, WE-57, WE-66**

REF 06994000

Place for 17 turbine handpieces,
contra-angle and straight handpieces,
3 micromotors,
2 couplings**Transportation and
presentation case,
big**

REF 06505300





Place for 7 turbine handpieces,
contra-angle and straight handpieces**Transportation and
presentation case,
small**

REF 06240900

Accessories

Roto Quick couplings

Explanation of Symbols

led	with LED light
	with light
	without light
	integrated spray
	sterilizable



The Roto Quick system coupling is a multi-faceted system interface, which connects any standardized turbine tubing to any W&H turbine or air scaler with Roto Quick connection.



standard 6-hole connection

RQ-24
REF 10402400



standard 6-hole connection, adjustable spray

RQ-34
REF 10403400



Borden 2(3)-hole connection

RQ-03
REF 10400300



standard 4-hole connection

RQ-04
REF 10400400



standard 4-hole connection, adjustable spray

RQ-14
REF 10401400




Borden 2-hole connection, generator and water filter with resuction stop

RQ-53
REF 10405300



standard 4-hole connection, generator and water filter with resuction stop

RQ-54
REF 10405400



standard 6-hole connection, adjustable spray

RM-34 LED
REF 10403410



O-ring set
REF 07508900

Quick couplings with generator for
Alegra turbine handpieces TE-97/98 LQ

Coupling with LED light for KaVo
Multiflex® connection

Parts available after sale

Air motors

Explanation of Symbols

led	with LED light
	with light (halogen)
	without light
	integrated spray
	external spray
	without spray
	thermo washer disinfectable
	sterilizable



*can be used with Roto Quick couplings with light: RQ-24 / RQ-34 – see page 112

**can be used with Roto Quick couplings: RQ-24 / RQ-34 / RQ-14 / RQ-03 / RQ-04 – see page 112

Air motors



Roto Quick connection for contra-angle and straight handpieces with light for RQ-34 or RQ-24*

AM-25 LT
REF 10002500



standard 6-hole connection, LED light, for contra-angle and straight handpieces with glass rod

AM-25 L RM
REF 30102000



Roto-Quick connection for contra-angle and straight handpieces without light for RQ-14, RQ-03 or RQ-04**

AM-25 A
REF 10002501



standard 4-hole fix connection, for contra-angle and straight handpieces without light

AM-25 A RM
REF 30103000



Borden 2(3)-hole fix connection, for contra-angle and straight handpieces without light

AM-25 A BC
REF 30104000

With integrated spray sleeve outer diameter of 20mm

Drive

With external spray sleeve outer
diameter of 20mm



standard 4-hole fix connection, for contra-
angle and straight handpieces without light

AM-25 E RM
REF 30105000



Borden 2(3)-hole fix connection, for contra-
angle and straight handpieces without light

AM-25 E BC
REF 30111000



Roto Quick connection, for contra-angle and
straight handpieces without light, for Roto
Quick couplings RQ-03, RQ-04 and RQ-14

AM-25 RQ
REF 30399000



standard 4-hole fix connection, for contra-
angle and straight handpieces without light

AM-25 RM
REF 30108000




Borden 2(3)-hole fix connection, for contra-
angle and straight handpieces without light

AM-25 BC
REF 30112000

Without spray sleeve outer
diameter of 20mm

Parts available after sale



O-ring for air motors
AM-25 L RM, AM-25 A RM,
AM-25 A BC
3 pcs
REF 01862300



LED-ring
for AM-25 L RM
REF 07389100

Electric motor EM-12 L

Explanation of Symbols



with light



integrated spray



sterilizable



Electric motor EM-12 L

Add-on MF-100 electric motor

- › MF-100
control unit basic 2,000 – 40,000 rpm
- › Power supply
- › EM-12 L
electric motor
max. 3 Ncm torque


Add-on MF-100

REF 90000144



Tray

REF 07944590



Add-on support

REF 07842200

Accessories for Add-on



Display bracket

REF 07712700

Explanation of Symbols

-  without light
-  without spray
-  thermo washer
disinfectable
-  sterilizable

The Endea contra-angle handpieces with their extra small heads provide even better access to the treatment area.

Root canal preparation with 360° rotation is possible using both the Crown-down and the Single-length techniques.



Contra-angle handpieces



16:1,
press-button
chuck system

EB-75
REF 12227501



2:1,
press-button
chuck system

EB-79
REF 12227901

Suitable inserts

All root canal files, suitable for 360° rotation, particularly nickel-titanium files with shank diameter 2.35 mm, according to EN ISO 1797-1:1995.

Re-order files

Please re-order files at your responsible dental dealer or directly at Sendoline (www.sendoline.com).

Piezo Scaler Proxeo Ultra PB-510 / 520 / 530

Explanation of Symbols



compatibility with
pacemakers



The new Proxeo Ultra piezo scalers from W&H were developed in collaboration with prophylaxis professionals and really live up to their name. Exclusive user advantages allow ultra efficient treatment.

PB-530



- › Control unit PB-530 with coolant tank, switch-mode power supply and 1.8 m supply hose
- › Foot control C-NW
- › Cable (pairing/charging) for C-NW

Set PB-5 L

(with W&H / EMS / Mectron standard thread)

REF 90000257

Set PB-5 L S

(with W&H/Satelec/NSK thread)

REF 90000297

Set PB-5 L

- › Handpiece PB-5 L
- › Tips: 1U, 2U, 1P, 1I incl. tip exchanger with torque limitation

Set PB-5 L S

- › Handpiece PB-5 L S
- › Tips: 1US, 2US, 3US, 1PS incl. tip exchanger with torque limitation

PB-520



- › Control unit PB-520 with coolant tank, switch-mode power supply and 1.8 m supply hose
- › Foot control C-NF

Set PB-5 L

(with W&H / EMS / Mectron standard thread)

REF 90000255

Set PB-5 L S

(with W&H/Satelec/NSK thread)

REF 90000296

Set PB-5 L

- › Handpiece PB-5 L
- › Tips: 1U, 2U, 1P incl. tip exchanger with torque limitation

Set PB-5 L S

- › Handpiece PB-5 L S
- › Tips: 1US, 2US, 1PS incl. tip exchanger with torque limitation

PB-510



- › Control unit PB-510 with coolant hose and filter, switch-mode power supply and 1.8 m supply hose
- › Foot control C-NF

Set PB-5 L

(with W&H / EMS / Mectron standard thread)

REF 90000253

Set PB-5 L S

(with W&H/Satelec/NSK thread)

REF 90000295

Set PB-5 L

- › Handpiece PB-5 L
- › Tips: 1U, 2U, 1P incl. tip exchanger with torque limitation

Set PB-5 L S

- › Handpiece PB-5 L S
- › Tips: 1US, 2US, 1PS incl. tip exchanger with torque limitation

**PB-5 L (W&H)**







(with W&H / EMS / Mectron standard thread)

REF 30326000

**PB-5 L S**

(with W&H/Satelec/NSK thread)

REF 30328000






- › Removal of sub- and supragingival calculus in all quadrants
- › The entire treatment can be carried out without the tedious job of changing tips

Universal 1U with tip changer

REF 05076200*

Universal 1US with tip changer

REF 07983820



- › Slightly rounded and also particularly narrow and short
- › Fine scaling in the supragingival region
- › Ideal instrument for cleaning the interdental spaces

Universal 3U with tip changer

REF 05368200*

Universal 3US with tip changer

REF 07983850




- › Visibly longer and narrower 2U tips
- › Treatment of recall patients
- › For fine finishing
- › Fine scaling of supragingival calculus
- › Removal of plaque

Universal 2U with tip changer

REF 05076300*

Universal 2US with tip changer

REF 07983830



- › Perfect tip for removing large areas of calculus


Universal 4U with tip changer

REF 05849201

Tip description:

1U without S or Q	1U for W&H / EMS / Mectron standard thread
1US	1U for W&H / Satelec / NSK thread

* also for Pyon 1 suitable



- › Removal of concretions in the subgingival region
- › Especially suitable for the treatment of deep periodontal pockets

Periodontology 1P with tip changer

REF 05370400*

Periodontology 1PS with tip changer

REF 07983860



- › Diamond-coated tip for cleaning the root surface

Periodontology 4P with tip changer

REF 07965670

Periodontology 4PS with tip changer

REF 07983870




- › Recommended for maintenance treatment on medium-depth to deep pockets as well as furcations

Periodontology 3Pr with tip changer

REF 06364900

Periodontology 3PI with tip changer

REF 06365000



- › Diamond-coated tip for cleaning furcations and concavities

Periodontology 5P with tip changer

REF 07965600

For supportive periodontitis treatment (SPT), recall and biofilm management

For initial periodontitis treatment and removal of concretions



- › Diamond-coated tip for cleaning the root surface



**Periodontology 5Pr
with tip changer**
REF 07965660
**Periodontology 5PI
with tip changer**
REF 07965620




- › Expanding of fissures

**Restoration 1R
with tip changer**
REF 05849401




- › Diamond-coated tip for veneer preparation
- › For clearly defined preparation margins
- › Maximum protection of the gingiva and the neighbouring tooth

**Restoration 2R
with tip changer**
REF 06368400




- › Part-diamond tips for finishing approximal mesial cavity edges

**Restoration 3Rm
with tip changer**
REF 06368500



- › Part-diamond tips for finishing approximal distal cavity edges

**Restoration 3Rd
with tip changer**
REF 06368600




- › Non-cutting instrument for effective rinse activation in the root canal system

Endodontie 1E with spanner
REF 06367900
Endodontie 1ES with spanner
REF 07983880



- › Tip for lateral thermal condensation of gutta-percha

**Endodontics 2E
with spanner**
REF 06368000




- › Removing of broke instruments in the root canal

**Endodontics 3E
with spanner**
REF 06368100



- › Preparation of the pulp chamber

**Endodontics 4E
with spanner**
REF 07812300




- › Vibrating and removal of root canal posts

**Endodontics 5E
with tip changer**
REF 07812400



- › Removal of root canal fillings and root canal calcifications

**Endodontics 6E
with spanner**
REF 07812500

1U **3U** **1P**

consists of:

- › tip 1U, 3U, 1P (1 pc)
- › tip changer with torque limitation (3 pcs)
- › tip card


universal tip set
REF 05851800*



consists of:

- › tip 1I (3 pcs)
- › tip changer with
- › torque limitation (3 pcs)

implant clean tip set (3x 1I)
REF 06370500



1E **2E** **3E**

4E **5E** **6E**

consists of:

- › tip 1E, 2E, 3E, 4E, 5E, 6E (1 pc)
- › spanner (1 pc)
for tip 1E, 2E, 3E, 4E, 6E
- › tip changer with
torque limitation (1 pc) for tip 5E
- › tip card

endo tip set
REF 07812200



TS-1 **TW-1**

**tip changer with
torque limitation**






**TW-1: for tips with W&H thread
(z.B. 1U, 2U)**
REF 04982800

**TS-1: for tips with Satelec thread
(z.B. 1US, 2US)**
REF 07984290



Air scaler

Explanation of Symbols

-  with light
-  without light
-  integrated spray
-  thermo washer
disinfectable
-  sterilizable



Fast, gentle, powerful.

The air-driven scaler with the integrated spray and two large optic outlets is ideal for the removal of plaque and calculus as well as cleaning root surfaces. The result: your patients feel better in general and more self-confident thanks to their clean teeth surfaces.



with tips 1AU, 2AU, 3AU and 1AP;
tip changer, nozzle cleaner,
small cleaning brush and tip card

ZA-55
REF 10035501

* Roto Quick couplings see page 110



with power regulation and tips
1AU, 2AU, 3AU and 1AP; tip changer, nozzle
cleaner, small cleaning brush and tip card

ZA-55 LM
REF 10035502



with power regulation and tips 1AU, 2AU, 3AU
and 1AP; tip changer, nozzle cleaner, small
cleaning brush and tip card

ZA-55 LS
REF 30227000

* coupling with LED light see page 109



with tips 1AU, 2AU, 3AU and 1AP;
tip changer, nozzle cleaner,
small cleaning brush and tip card

ZA-55 M
REF 10035503



universally applicable, also for curved molar
surfaces with lingual inclination

tip 1AU with tip card
REF 07159700



for anterior teeth of the lower jaw, lingual
surfaces and in cases of stubborn adhesion
of thick, hard collars of dental calculus

tip 2AU with tip card
REF 07159800



for removing plaque from the neck of the tooth
and removing nicotine stains

tip 3AU with tip card
REF 07159900



removal of subgingival deposits, especially
suitable for deep periodontal pockets

tip 1AP with tip card
REF 07009100



tip for removal of subgingival deposits.
Right-curved and leftcurved models available

tip 2APr with tip card
REF 05254400






tip for removal of subgingival deposits.
Right-curved and leftcurved models available

tip 2API with tip card
REF 05153300



With a diamond coating on the instrument tip
for periodontal debridement of furcations
and concavities.

tip 3AP with tip card
REF 05280200



Contra-angle and straight handpieces

Explanation of Symbols

-  without light
-  without spray
-  thermo washer disinfectable
-  sterilizable
-  latex-free
-  disposable article



Rotary polishing system

In modern dental treatment, the professional, mechanical removal of plaque and biofilm is an integral part of the prophylaxis workflow. With Proxeo TWIST, W&H offers a compact, easy to handle solution for everything you need, no matter whether it is cleaning, polishing or fluoridating!




4:1, contra-angle handpiece system
LatchShort for all W&H LatchShort Prophylaxis
Cups / -Brushes

WP-66 W
REF 30189000



soft / apple green
LatchShort
Prophylaxis Cups
100 pcs REF 08003630



firm / dark green
LatchShort
Prophylaxis Cups
100 pcs REF 07597900



cup-shaped
soft / clear
LatchShort
Prophylaxis Brushes
100 pcs REF 08003650



4:1, contra-angle handpiece system
UNIVERSAL with Snap-on adaptor and key
for all standard Screw-in cups, brushes and
Snap-on adaptor

WP-64 MU
REF 10216443



4:1, contra-angle handpiece system YOUNG
with key, for YOUNG Screw-in cups and
brushes

WP-64 M
REF 10216403



snap-on adaptor for WP-64 MU
REF 04530600



4:1, contra-angle handpiece for all cups,
brushes and Snap-on adaptor with
2,35 mm shank

WP-66 M
REF 30190000

Cordless Polishing System



proxeo^{TWIST}

Cordless polishing means polishing entirely without restrictions

Twist and turn the ergonomically designed, light handpiece at will and change your position as needed. This allows you to access practically any angle during polishing and ensures a good view of the treatment site.



PL-40 H Proxeo Twist Cordless System Doriot, consists of:

- › PL-40 H handpiece drive incl. handpiece sleeve
- › Foot control C-NW
- › Charger with adaptor
- › Handpiece holder

REF 30317000

PL-40 HW Proxeo Twist Cordless System Doriot, consists of:

- › PL-40 HW handpiece drive
- › PL-44 for System Doriot
- › Foot control C-NW
- › Charger with adaptor
- › Handpiece holder

REF 90000348



PL-40 HW Proxeo Twist Cordless System LatchShort, consists of:

- › PL-40 HW handpiece drive
- › PL-66 W for System LatchShort
- › Foot control C-NW
- › Charger with adaptor
- › Handpiece holder

REF 90000346



soft / apple green, LatchShort

Prophy Cups

100 pcs REF 08003630



firm / dark green, LatchShort

Prophy Cups

100 pcs REF 07597900



cup-shaped, soft / clear, LatchShort

Prophy Brushes

100 pcs REF 08003650

PL-40 HW Proxeo Twist Cordless System Screw-in Young, consists of:

- › PL-40 HW handpiece drive
- › PL-64 for System Screw-in Young
- › Foot control C-NW
- › Charger with adaptor
- › Handpiece holder

REF 90000347





drive handpiece PL-40 H
REF 07954780



foot control C-NW
REF 30316000



handpiece sleeve
REF 07918800



carrying case
REF 08025020



charger with adaptor
REF 07969610



handpiece holder
REF 05882600



PL-44
for System Doriot
REF 30098000



PL-64
for System Screw-in Young
REF 30097000



PL-66 W
for System LatchShort
REF 30096000



drive handpiece
PL-40 HW
REF 07947190



Assistina adaptor for
handpiece-/contra-angle head
REF 05204600

Proxeo Combi-Set (Ultra & Twist Cordless)

proxeo^{TWIST}

proxeo^{ULTRA}



Convenient, wireless and efficient:

From now on, the PB-530 Proxeo Ultra Piezo scaler and the Proxeo Twist Cordless System can be controlled using just a single wireless foot control. This not only makes it more convenient to operate, but also ensures more efficiency in working process.

All Proxeo Combi-Sets consist of:

Cordless Polishing System Proxeo Twist

- › PL-40 H handpiece drive
incl. handpiece sleeve
- › Foot control C-NW
- › Charger with adaptor
- › Handpiece holder

Control unit PB-530 with coolant tank

Switch-mode power supply

1.8 m supply hose

Cable (pairing/charging) for C-NW



Cordless Polishing System Proxeo Twist

- › PL-40 HW handpiece drive
- › PL-66 W
- › Foot control C-NW
- › Charger with adaptor
- › Handpiece holder

Control unit PB-530 with coolant tank

Switch-mode power supply

1.8 m supply hose

Cable (pairing/charging) for C-NW



Handpiece PB-5 L

Tips: 1U, 2U, 1P, 1I

incl. tip exchanger with torque limitation

Proxeo Combi-Sets:

Set PB-530, PB-5 L,

PL-40 HW, PL-66 W

REF 90000354



Handpiece PB-5 L S

Tips: 1US, 2US, 3US, 1PS

incl. tip exchanger with torque limitation

Proxeo Combi-Sets:

Set PB-530, PB-5 L S,

PL-40 HW, PL-66 W

REF 90000358



Implantmed SI-1023

implantmed^{PLUS}



The W&H Implantmed offers the implantologist a drive unit for daily use

This surgical unit can be safely used for oral-surgery procedures in implantology and maxillo-facial surgery.

Implantmed Set, consists of:

- › Control unit (230 V)
- › Motor with 1.8 m cable (EM-19/EM-19 LC)
- › Including 5 clips
- › Foot control S-N2 / S-NW
- › Stand
- › Universal support
- › Mains cable
- › disposable irrigation tubings





Foot control S-N2, motor without electrical contacts
SI-1023 (230 V)

REF 90000163



Foot control S-N2, motor with electrical contacts
SI-1023 (230 V)

REF 90000165



Foot control S-NW, motor without electrical contacts
SI-1023 (230 V)

REF 90000164



Foot control S-NW, motor with electrical contacts
SI-1023 (230 V)

REF 90000166



EM-19 motor
(without electrical contacts)
1.8 m cable with 5 clips
REF 30185000



EM-19 LC motor
(with electrical contacts)
1.8 m cable with 5 clips
REF 30281000



EM-19 LC motor
(with electrical contacts)
3.5 m cable with 10 clips
REF 30281001



Implantmed SI-1023 (230 V)

REF 30288000



transportation case for Implantmed
Plus and Piezomed module
REF 07962790



Cassette
REF 04013500 443.00




foot control S-N2
REF 30285000



foot control S-NW with CAN dongle
REF 30264000



CAN dongle
REF 07759700






universal support
REF 07721800



Piezomed Modul Classic / Plus SA-435 M / SA-430 M

Explanation of Symbols

-  without light
-  thermo washer
disinfectable
-  sterilizable



piezomed
module

The W&H Piezomed Module covers the cpl. Surgical workflow

A tailor-made solution for every user. Implantmed can be combined with the Piezomed module with a plug-and-play solution and covers several surgical applications.

Piezomed Plus module 1.8 m
consisting of:

- › Module
- › Handpiece SA-40 L (1.8m)
- › Power supply and main cable
- › Support and stand
- › Instrument changer
- › 6 pcs. disposable irrigation tubes

SA-435 M (1.8 m)
REF 90000350



Piezomed Plus module 3.5 m
consisting of:

- › Module
- › Handpiece SA-40 L (3.5 m)
- › Power supply and main cable
- › Support and stand
- › Instrument changer
- › 6 pcs. disposable irrigation tubes

SA-435 M (3.5 m)
REF 90000351



Piezomed Classic module
consisting of:

- › Module
- › Handpiece SA-40 (1.8m)
- › Power supply and main cable
- › Support and stand
- › Instrument changer
- › 6 pcs. disposable irrigation tubes

SA-430 M
REF 90000349



Piezomed Handpiece with

- › 1.8 m cable
- › LED Light and tip detection
- › Instrument changer



SA- 40 L (1.8 m)
REF 30392000



Piezomed Handpiece with

- › 1.8 m cable
- › No light and without tip detection
- › Instrument changer



SA- 40 (1.8 m)
REF 30408000



**transportation case for Implantmed
Plus and Piezomed module**
REF 07962790

Piezomed Handpiece with

- › 3.5 m cable
- › LED Light and tip detection
- › Instrument changer



SA- 40 L (3.5 m)
REF 30392001



Disposable irrigation tubes
with Y-switch 2,2 m (6pcs)
REF 08072750

Disposable irrigation tubes
with Y-switch 3,8 m (6pcs)
REF 08041710






instrument changer
REF 06276700



Surgical straight and contra-angle handpieces

Explanation of Symbols

- led+** with LED+ light
-  external spray
-  thermo washer disinfectable
-  sterilizable



Surgical straight and contra-angle handpieces



20:1, hexagon chucking system, press-button chuck system, for surgical burs and cutters with contra-angled shank Ø 2.35 mm (shank hardness >50 HRC, >520 HV), optionally available Kirschner/Meyer internal cooling system

WS-75 L
REF 30033000



1:1, press-button chuck system, for surgical burs and cutters with contra-angled shank Ø 2.35 mm

WS-56 L
REF 30040000




1:2.7, 45° head, triple spray, press-button chuck system, for surgical burs and cutters with FG shank Ø 1.6 mm

WS-91 L
REF 30049000



1:2.7, triple spray, press-button chuck system, for surgical burs and cutters with FG shank Ø 1.6 mm

WS-92 L
REF 30043000



1:1, straight, lever chuck system, for surgical burs and cutters Ø 2.35 mm (also system Stryker)

S-11 L
REF 30058000

Implantmed Classic SI-923



The W&H Implantmed Classic offers the implantologist a surgical unit for daily use. The ergonomic design and ease of use ensures fatigue-free operation.


Implantmed Classic Set, consisting of:

- › Control unit (230 V)
- › Motor EM-19 with 1.8 m cable
- › Incl. 5 hose clips
- › Foot control S-N2
- › Irrigant support
- › Universal support
- › Mains cable
- › disposable coolant hoses



SI-923 (230 V)

REF 90000161



motor with 1.8 m cable incl. 5 clips

REF 06631600

Attention! Not compatible with Implantmed Classic.



EM-19 motor (without electrical contacts)


1.8 m cable with 5 clips

REF 30185000



foot control S-N2

REF 30285000



fuse T1,6 AH

REF 06352200



foot control S-NW

with SPI dongle

REF 30264001

Attention! Not compatible with Implantmed Classic.



SPI dongle

(Implantmed SI-923; Piezomed SA-320)

REF 07795800

Attention! Not compatible with Implantmed Classic.




variable foot control

(Elcomed SA-310,

Implantmed SI-923, SI-915) S-N1

REF 06202400


Attention! Not compatible with Implantmed Classic.



locking pin for motor

REF 04006800


Attention! Not compatible with Implantmed Classic.



transportation case

Implantmed SI-923

REF 07948730




Disposable irrigation tubing set for motor with 1,8 m cable, 6pcs, 2,2 m

REF 04363600

Disposable irrigation tubing set for motor with 3,5 m cable, 6 pcs, 3,8 m

REF 04364100




Sterilizable irrigation tubing set for motor with 1,8 m cable 1 pcs, 2,2 m


REF 04719400

Parts available after sale


Parts available after sale for Elcomed SA-200 only




**sterilizable irrigation
tubing set 2.2 m,
for motor with 1.8 m cable**
REF 04976700




**disposable irrigation
tubing set, 6 set per carton,
for motor with 2.2 m cable**
REF 04365300
**disposable irrigation
tubing set, 6 set per carton,
for motor with 3.8 m cable**
REF 04365100



**Disposable irrigation
tubing set for motor with 1,8 m cable**
10 pcs, 2,2 m
REF 00929300
**Disposable irrigation
tubing for motor with 3,5 m cable**
10 pcs, 3,8 m
REF 00929400




fuse T1,25AH
REF 06661800




motor 1.8 m cable with 5 clips
REF 05513400

motor 3.5 m cable with 10 clips
REF 06205800



fuse
250 V - T1,6AH
REF 06352200



transportation case
Elcomed SA-310
REF 07945930



USB stick
REF 06290700

Parts available after sale

Surgical straight and contra-angle handpieces

Explanation of Symbols

led+ with LED+ light

without light

external spray

thermo washer
disinfectable

sterilizable

with and
without
Mini LED+



20:1, hexagon, press-button chuck system,
for surgical burs and cutters with contra-
angled shank Ø 2.35 mm, optionally available
Kirschner/Meyer internal cooling system

WS-75 L G
REF 30032000

led+

WS-75
REF 30065000



1:1, press-button chuck system,
for surgical burs and cutters with contra-
angled shank Ø 2.35 mm

WS-56 L G
REF 30039000

led+

WS-56
REF 30038000



1:2.7, 45° head, triple spray, press-button
chuck system, for surgical burs and cutters with
FG shank Ø 1.6 mm

WS-91 L G
REF 30048000

led+

WS-91
REF 30047000



1:2.7, triple spray, press-button chuck system,
for surgical burs and cutters with
FG shank Ø 1.6 mm

WS-92 L G
REF 30042000

led+

WS-92
REF 30041000




20:1, hexagon, press-button chuck system, for
surgical burs and cutters with contra-angled
shank Ø 2.35 mm, optionally available
Kirschner/Meyer internal cooling system

WS-75 E/KM (not dismantlable)
REF 10207550



Surgical straight and contra-angle handpieces



spray clip black with external tube holder for Kirschner/Meyer internal cooling system

3 pcs
REF 04757100



spray clip black without external tube holder

3 pcs
REF 05051000




spray clip green with external tube holder for Kirschner/Meyer internal cooling system

3 pcs, for left
REF 06946300
3 pcs, for right
REF 06948300



spray clip green without external tube holder

3 pcs, for left
REF 06948400
3 pcs, for right
REF 06949500



coolant tubing for internal cooling through the bur
REF 02610500



Y-manifold
3 pcs
REF 06016400



short nozzle cleaner
REF 02015101

Parts available after sale

Surgical straight and contra-angle handpieces



1:1, straight, lever chuck system, for surgical burs and cutters Ø 2.35 mm (also system Stryker)

S-11 L G
REF 30057000



S-11
REF 30056000



1:1, angled, slim, lever chuck system, for surgical burs and cutters Ø 2.35 mm (also system Stryker)

S-9 L G
REF 30054000




S-9
REF 30053000




1:1, straight, lever chuck system, for surgical burs and cutters Ø 2.35 mm (also system Stryker)

S-15
REF 30060000



1:1, angled, slim, lever chuck system, for surgical burs and cutters Ø 2.35 mm

S-10
REF 30059000



1:2, angled, slim, lever chuck system, for surgical burs and cutters Ø 2.35 mm

S-12
REF 30061000



1:2, lever chuck system, for surgical burs and cutters, Ø 2.35 mm

S-16
REF 30411000



20:1, twist chuck system, for zygoma burs, surgical burs and cutters, Ø 2.35 mm

SZ-75
REF 30095000

Surgical handpieces



coolant tube, movable
for S-9, S-9 L G, S-11, S-11 L G, S-16
REF 06879500



coolant tube, movable
for S-10, S-12
REF 06903200



coolant tube, movable
for S-15
REF 07226900







coolant tube Zygoma
REF 08030410

Parts available after sale



Surgical saw handpieces

Explanation of Symbols

-  reciprocating
-  oscillating
-  sagittal
-  without light
-  external spray
-  thermo washer disinfectable
-  sterilizable



The saw handpieces have been specially designed for conversion osteotomies and bone harvesting. Even after many years of use at maximum speed a high performance is still guaranteed.



3.25:1, Spray clip, nozzle cleaner, spanner

S-8 R reciprocating

REF 10100801



3.4:1, Spray clip, nozzle cleaner, spanner

S-8 O oscillating

REF 10100802




3.25:1, Spray clip, nozzle cleaner, spanner

S-8 S sagittal


REF 10100803

3,911.00



**coolant tubing
for S-8 R, S-8 S**

REF 04870800



**coolant tubing
for S-8 O**

REF 04871000



reciprocating, crosswise, forward/reverse
cutting direction, for saw handpiece S-8 R

R-15, length approx. 15 mm

1 pc REF 04726000

5 pcs REF 04800100

R-20, length approx. 20 mm

1 pc REF 04725900

5 pcs REF 04800000

R-30, length approx. 30 mm

1 pc REF 04725700

5 pcs REF 04799900



sagittal, cutting direction parallel to the axis,
depth gauge on the saw blade (2.5 mm
gradations), for saw handpiece S-8 S

S-6, width approx. 6 mm


1 pc REF 04726200

5 pcs REF 04800300

S-10, width approx. 10 mm

1 pc REF 04726100

5 pcs REF 04800200



oscillating, cutting direction 90° to the axis,
depth gauge on the saw blade (2.5 mm
gradations), for saw handpiece S-8 O

O-8, width approx. 8 mm

REF 04800500

O-15, width approx. 15 mm

REF 04800400

Saw blades

Piezomed

piezomed



Piezomed facilitates the surgeon's work: thanks to innovative Ultrasound technology, only bone substance is resected with high precision. The surrounding soft tissue remains uninjured. A noticeable relief for the patient: less pain, quicker healing!



handpiece
1.8 m cable incl. 5 clips
REF 06985000

handpiece
3.5 m cable incl. 10 clips
REF 07159200



foot control S-N1
REF 07004400

**handle for foot control S-N1,
S-N2, S-NW**
REF 04653500




**foot control S-NW
with SPI dongle**
REF 30264001




SPI dongle
(Implantmed SI-923, SI-915 (2011),
Elcomed SA-310, Piezomed SA-320)
REF 07795800



LED-socket
REF 06205600



fuse T1,25AH
REF 06661800




transportation case
Piezomed SA-320
REF 07945930




Cassette for Piezomed
REF 07172900





Disposable irrigation tubing set for motor with 1,8 m cable, 6pcs, 2,2 m
REF 04363600

Disposable irrigation tubing set for motor with 3,5 m cable, 6 pcs, 3,8 m
REF 04364100



Sterilizable irrigation tubing set for motor with 1,8 m cable, 1 pcs, 2,2 m
REF 04719400



instrument stand
REF 07134900



instrument kit „Bone“
consists of instruments:
B1, B2R, B2L, B3, B4, B5
REF 07173100



instrument kit Sinus „SPECIAL“
consists of instruments:
S1, S2, S3, S4, S5
REF 07173200



instrument kit „Endo“
consists of instruments:
R1D, R2RD, R2LD, R3D, R4RD, R4LD
REF 07173300



instrument kit „Paro“
consists of instruments:
P1, P2RD, P2LD
REF 07173400



instrument kit „EX“
consists of instruments:
EX1, EX2
REF 07173500



Instrument kit „Implant/Crestal P“
consists of instruments:
I1, I2P, I3P, I4P, Z25P, Z35P
REF 07997110



Instrument kit „Implant/Crestal A“
consists of instruments:
I1, I2A, I3A, I4A, Z25P, Z35P
REF 07997090



Fine-toothed instrument for fine cuts, with little bone loss when harvesting bone blocks.

instrument B1
REF 05530100



Fine-toothed instrument for horizontal cuts with little bone loss in hard-to-reach areas. Right-curved models available.

instrument B2R
REF 06958600



Fine-toothed instrument for horizontal cuts with little bone loss in hard-to-reach areas. Left-curved models available.

instrument B2L
REF 05544400



Sharp instrument for modelling and contouring the bone surface, as well as for collecting bone chips.

instrument B3
REF 05542100



Sharp chisel for splitting the alveolar ridge.

instrument B4
REF 05543800



Sharp scraper for collecting bone chips and detaching bone flaps.

instrument B5
REF 05534500



Special saws for fine and deep cuts in record time. Also for separating tooth roots and for root-tip resections.

instrument B6
REF 07022500



Special saws for fine and deep cuts in record time. Also for separating tooth roots and for root-tip resections.

instrument B7
REF 07022600



Diamond-coated instrument for preparation of a bone flap for lateral sinus floor augmentation and for crown edge extensions.

instrument S1
REF 05542900



Instrument with diamond-coated ball for preparation of a bone flap for lateral sinus floor augmentation and for crown edge extensions.

instrument S2
REF 05534700



Instrument for gentle detachment of the Schneiderian membrane from the bone. The coolant film protects the Schneiderian membrane by means of three coolant openings.

instrument S3
REF 05508200



Instrument with rounded edges for atraumatic detachment of the Schneiderian membrane.

instrument S4
REF 05542300



Instrument with rounded edges for atraumatic detachment of the Schneiderian membrane.

instrument S5
REF 05542800



Straight, diamond-coated instrument for retrograde root canal preparation.

instrument R1D
REF 05975200



Slightly right-curved, diamond-coated instrument for retrograde root canal preparation.

instrument R2RD
REF 05991000



Slightly left-curved, diamond-coated instrument for retrograde root canal preparation.

instrument R2LD
REF 05999400



Angled, diamond-coated instrument for retrograde root canal preparation.

instrument R3D
REF 05998800



Strongly right-curved, diamond-coated instrument for retrograde root canal preparation.

instrument R4RD
REF 06005000



Strongly left-curved, diamond-coated instrument for retrograde root canal preparation.

instrument R4LD
REF 06004700



For removing concretions in the subgingival region. Ideal for treatment of deep, periodontal pockets.

instrument P1
REF 06067700



Right-curved, diamond-coated tip for periodontal debridement. Especially suitable for open root planing.

instrument P2RD
REF 06061700



Left-curved, diamond-coated tip for periodontal debridement. Especially suitable for open root planing.

instrument P2LD
REF 06061800



Instrument for atraumatic tooth extraction to preserve the alveolar bone.

instrument EX1
REF 06069300



Instrument for atraumatic tooth extraction to preserve the alveolar bone.

instrument EX2
REF 06071100



Diamond-coated instrument with depth marks for pilot preparation with the correct axial alignment.

instrument I1
REF 07786800



Diamond-coated instrument for expansion of the pilot hole (Ø 2.5 mm) and for lifting the Schneiderian membrane using a cooling medium.

instrument Z25P
REF 07785600



Instruments for gradual preparation of the implant bed (2 to 3 mm) up to the desired depth. A = anterior region

instrument I2A
REF 07797800



Instruments for gradual preparation of the implant bed (2 to 3 mm) up to the desired depth. P = posterior region

instrument I2P
REF 07788800



Instruments for gradual preparation of the implant bed (2 to 3 mm) up to the desired depth. A = anterior region

instrument I3A
REF 07885600



Instruments for gradual preparation of the implant bed (2 to 3 mm) up to the desired depth. P = posterior region

instrument I3P
REF 07887000



Diamond-coated instrument for expansion of the pilot hole (Ø 3.5 mm) and for lifting the Schneiderian membrane using a cooling medium.

instrument Z35P
REF 07980600



Instruments for preparation of the implant bed (4 mm) up to the desired depth. A = anterior region

instrument I4A
REF 07889400




Instruments for preparation of the implant bed
(4 mm) up to the desired depth.
P = posterior region


instrument I4P
REF 07889500



instrument changer
REF 06276700




stand
REF 04005900



motor support
REF 06177800



**clips 5pcs for Elcomed SA-310,
Piezomed SA-320, Implantmed Plus
and Implantmed Classic**
REF 06290600
**clips 5 pcs for
Implantmed SI-923 / SI-915**
REF 04019000



**handle
for foot controls**
REF 04653500



nozzle cleaner
REF 00636901



Cassette for Piezomed
REF 07172900



- › Your W&H control units in one compact location
- › Space-saving
- › Mobile
- › Dimensions (height x width x depth):
935 x 500 x 450 mm

**Surgical trolley
with 3 sockets**
REF 19724000

ioDent 2.0 Smart Dental Solutions.



Intelligent Assist

- The ioDent® Intelligent Assist monitoring system enables **proactive support for service and maintenance** in accordance with all national directive requirements.

W&H sterilizers

- The W&H sterilizers in combination with the ioDent® system ensure **intelligent and networked preparation of instruments**. With a large selection of smart solutions and options.



Experience ioDent® on any device




- With ioDent you have access to your connected devices. Any time and from anywhere in a secure way.

Smart Dental Solutions.

- › The Internet of Things (IoT) has now become reality in dental practice, with W&H offering intelligent and connected product solution in dentistry under the digital brand ioDENT – W&H Smart Dental Solutions.
- › The cloud-based system will communicate with all your connected devices. Data exchange is secure and easy!

ioDent 2.0

ioDent functionalities summary

RIC Packages			
Device status	●	●	●
Service & consumables info	●	●	●
Direct marketing	●	●	●
Software update	—	●	●
Cycle data	—	●	●
Cycle Log	—	—	●
Notification errors & consumables	—	●	●
Notification and ticketing	—	—	●
Technical dashboard	—	—	●
Space for documentation	—	●	●
eLog (digital Logbook)	—	●	—

ioDent 2.0



**coming
soon**

**Cleaning and
Disinfectant agents for**

- › Surfaces
- › Instruments
- › Suction Systems
- › Automated Reprocessing
- › Hand Care



Mild handwashing lotion for frequent use with pH adjusted and skin protecting substances

- › 1000 ml bottle



BePro Hand Wash
REF 19500250

BePro Wash dosage pump
REF 19500298



Hygiene lotion for daily frequent use with moisturisers, vitamins, and anti-ageing substances

- › 500 ml bottle with dispenser



BePro Hand Hygiene
REF 19500105

Greasing skin protection and invisible barrier for skin protection especially when wearing gloves

- › 100 ml tube



BePro Hand Protect
REF 19500251

Moisturising cream for intensive skin protection is quickly absorbed and non-greasy

- › 35 ml tube



BePro Hand Lotion
REF 19500252

Cleaning and disinfection of non-invasive medical devices and housing of handpieces

- › 120 pieces in refillable plastic tub



BePro Disinfectant Wipes
REF 19500102

Cleaning and disinfection of non-invasive medical devices and housing of handpieces

- › 1000 ml bottle with spray head



BePro Disinfectant Spray
REF 19500100

Cleaning and disinfection of non-invasive medical devices and housing of handpieces

- › 120 pieces in refill soft pack



BePro Disinfectant Wipes Refill
REF 19500103

Cleaning and disinfection of non-invasive medical devices and housing of handpieces

- › 5000 ml refill canister



BePro Disinfectant Spray Refill
REF 19500101
Key opener for 5000 ml canister
REF 19500197
Refill tap for 5000 ml canister
REF 19500198

Cleaning and disinfection of large surfaces in dental practices (e.g., floor, door, handle, bathroom, locker room, etc.)

- › 1000 ml bottle with dosing cap



BePro Disinfectant Concentrate
REF 19500104

Pre-disinfection of surgical and dental instruments (NO handpieces). Suitable for both soaking bath and ultrasonic bath

- › 2000 ml bottle with dosing cap



BePro Disinfectant I
REF 19500106

Innovative internal dosing system
Stackable design and optimized ergonomics,
Medical Device Class I
Thermo washer disinfectable

- › 3000 ml basin



BePro Soaking Bath
(to be used with 19500106)
REF 19500300

Pre-disinfection of surgical and dental rotary instruments (NO handpieces). Suitable for both soaking bath and ultrasonic bath

- › 1000 ml bottle with dosing cap



BePro Disinfectant R
REF 19500107

- › Specific plastic material compatible with disinfectants
- › Inner basket designed for small items
- › Possibility to add burs without removing the lid



BePro Mini bath
(to be used with 19500107 or 19500108)
REF 19500301

Pre-disinfection of surgical and dental rotary instruments (NO handpieces). Suitable for both soaking bath and ultrasonic bath

- › 5000 ml refill canister



BePro Disinfectant R
REF 19500108

Dosage pump for 5000 ml canister
REF 19500199

Suction system chemicals

Daily cleaning and disinfection of dental suction system w/wo amalgam separator

- › 5000 ml canister

BePro Suction CD (daily)
REF 19500254



Weekly acid contra-cleaning and maintenance of dental suction system w/wo amalgam separator

- › 5000 ml canister

BePro Suction CD (weekly)
REF 19500253



- › 2000 ml capacity



BePro Suction Mixing Cup
(to be used with 19500253 and 19500254)
REF 19500299

Tri-enzymatic detergent with neutral pH (no neutraliser is required), recommended for handpieces

- › 5000 ml canister



BePro Cleaner TE
(MOQ 3 units or multiple)
REF 19500200

To be used together with alkaline detergents to restore PH to optimal values.

- › 5000 ml canister



BePro Neutraliser C
(MOQ 3 units or multiple)
REF 19500202

Alkaline detergent (neutraliser is required), do not use with handpieces

- › 5000 ml canister



BePro Cleaner MA
(MOQ 3 units or multiple)
REF 19500201

Supports and improves drying phase of the load

- › 1000 ml bottle



BePro Rinse Aid
(MOQ 6 units or multiple)
REF 19500203

Automated Reprocessing chemicals

Assistina Twin with Quick Connect by W&H



Oil service without waiting.

The Assistina Twin with Quick Connect by W&H is unique among maintenance devices: with its innovative dual-chamber system, record time lubrication and the environmentally friendly Care Set, it impresses all along the line.

Assistina Twin with Quick Connect by W&H, consists of:

- › REF 02697000 Air supply hose 2 m
- › REF 07477500 Power supply unit
- › REF 07484000 Twin Care Set



Assistina Twin MB-302 +

1 Quick ISO +

1 Quick RM adaptors

REF 30310003



Q-Dry

REF 19723118



Quick ISO adaptor

REF 06422600



Quick RM adaptor

REF 06395100




Sliding window

REF 07477200



Cartridge compartment cover

REF 07479500



Filter compartment cover

REF 07479300



Power supply unit

REF 07477500

Twin Care Set, consists of:

- › W&H Activefluid, MC-302
- › W&H Service Oil F1, MD-302
- › HEPA filter

Twin Care Set

REF 07484000



Parts available after sale

Accessories

Assistina One



Speed up maintenance operation

The entire lubrication and spray channel cleaning process only takes 18 seconds, making the Assistina One the fastest maintenance solution in its class. Together with Quick Connect by W&H and convenient cartridge management, the Assistina One is a modern maintenance solution for dental practices with high standards in handpiece care.

Assistina ONE with Quick Connect by W&H, consists of:

- › REF 02697000 Air supply hose 2 m
- › REF 08064970 One Care Set

**Assistina ONE +
1 Quick RM + 1 Quick
ISO adaptors**
REF 30398003



Q-Dry
REF 19723118




Quick ISO adaptor
REF 06422600



Quick RM adaptor
REF 06395100



Rotating window
REF 08029230



Filter compartment cover
REF 08035870

ONE Care Set, consists of:

- › W&H Activefluid, MC-302
- › W&H Service Oil F1, MD-302
- › HEPA filter

ONE Care Set
REF 08064970





Maintenance unit for automatic internal cleaning of spray channels and lubrication of straight and contra-angle handpieces, turbine handpieces, air motors, air scalers, as well as W&H surgical straight and contra-angle handpieces.



**W&H Service Oil F1
MD-500 (oil bottle, 500 ml)**
REF 02675910



**W&H cleaning liquid
MC-1000 (1000 ml)**
REF 02680200



**cleaning and
lubricating set,
consists of:**
› MD-500 W&H Service Oil F1
› MC-1000 W&H cleaning liquid

REF 02680500




**fleece for Assistina 301 plus
20 pcs**
REF 02694500




**filter pack
for Assistina 301 plus**
REF 02670500



**Air connection hose 2 m
for Assistina Twin, One and 301 plus**
REF 02697000



**Air filter for Assistina Twin,
One and 301 plus**
REF 02675200



**Waste drawer for
Assistina 3x3 and 3x2**
REF 06692500



Cover – Assistina 3x3
REF 06691900
Cover – Assistina 3x2
REF 06947500



for Assistina 3x3 and 3x2

W&H Activefluid, MC-1100
1 cartridge
REF 06691600
W&H Activefluid, MC-1100
1 carton (6 cartridges)
REF 06872300



for Assistina 3x3 and 3x2

W&H Service Oil F1, MD-200
1 cartridge
REF 06691500
W&H Service Oil F1, MD-200
1 carton (4 cartridges)
REF 06872200

Assistina adaptors



for all W&H products
with Roto Quick system
REF 02690400



for turbine handpieces
with Multiflex® connection
REF 04713200



for Sirona T1, T2, T3
REF 02692000



adaptor Assistina Borden for
turbine handpieces
REF 07014500



for Sirona T1 Classic
REF 02691000



for W&H handpiece/
contra-angle head
REF 05204600



for KAVO contra-angles
with removable heads
REF 02679000



for FG chuck system (W&H, Sirona)
for contra-angle and straight handpieces
REF 02693000*

Adaptors for straight and contra-angle handpieces


Assistina adaptors



Quick ISO adaptor
REF 06422600



Quick RM adaptor
REF 06395100



base adaptor included in the Assistina
base kit, for turbine handpieces or
adaptors with 4-hole (with or without light)

base adaptor
REF 02685000



Q-Dry
REF 19723118



RM/ISO adaptor
REF 06257600

Assistina Twin and One adaptors

Assistina 301 Plus adaptor


Assistina 3x3, 3x2 adaptor

The KaVo Multiflex® coupling 465 RN and the Bien Air Unifix-Traplite quick coupling 104.23.05. can be fitted on to the base adaptor REF 02685000. Regarding other brands, we recommend you to consult the manufacturer.

Sterilization, Hygiene & Maintenance

Service Oil F1

f1 service
oil




W&H Service Oil F1 is a synthetic oil of maximum purity, which has been specially developed for maintenance of W&H turbine handpieces, straight and contra-angle handpieces, surgical instruments, air scalers and air motors.



oil spray can, package of 6 cans


MD-400 (400 ml, 6 pcs)

REF 10940021




for contra-angle and
straight handpieces

REF 02038200




for W&H turbine handpieces,
air motors and air scalers
with Roto Quick connection

REF 02229200




for turbine handpieces and air
motors with fixed connection

REF 02036100




for products with
Multiflex® connection

REF 04396100




for Alegra turbine handpieces
with Sirona® connection

REF 05908000




for Alegra turbine handpieces
with NSK Mach® connection

REF 05773300



for Alegra turbine handpieces
with Bien Air Unifix® connection

REF 05772000



for Alegra turbine handpieces
with NSK QD-J® connection

REF 05907800

Keep spray caps with nozzles for oil spray
cans in stock. They can be re-used with
every new can.

lisa PLUS
ioD

W&H steam sterilizer



Lisa, consists of:

- › Reversible rack
- › 5 aluminium trays
- › Drain tube
- › Tray holder
- › 8 GB USB drive
- › Door opening tool
- › Factory test
- › **Helix test kit by W&H, 1 test + 25 strips**
- › **Wifi dongle**
- › **1 year FREE ioDent®**

Lisa 17 Plus ioD

REF 1993118X

Lisa 22 Plus ioD

REF 1993218X



W&H Lisa type-B steam sterilizer, for the safe sterilization of solid, hollow and porous load in accordance with the EN 13060.

W&H steam sterilizer



Lisa MINI Plus IOD , consists of:

- > 2 aluminium trays
- > Drain tube
- > Compressed air tube (only for Lisa MINI equipped with ejector)
- > Tray holder
- > 8 GB USB drive
- > Door opening tool
- > Factory test
- > **Helix test kit by W&H, 1 test + 25 strips**
- > **Wifi dongle**
- > **1 year FREE ioDent®**



Lisa MINI Plus IoD 5L, compressed air

REF 1994510X

Lisa MINI Plus IoD 5L,vacuum pump

REF 1993510X

W&H Lisa MINI type-B steam sterilizer, for the safe sterilization of solid, hollow and porous load in accordance with the EN 13060.

W&H steam sterilizer

**Lisa XXL, consists of:**

- › Chamber rack
- › 6 aluminium trays
- › Drain tube
- › Tray holder
- › 8 GB USB drive
- › Door opening tool
- › Factory test

Lara XXL 38

REF 19936110

W&H Lara XXL type-B steam sterilizer, for the safe sterilization of solid, hollow and porous load in accordance with the EN 13060.

lara^{XL}

W&H steam sterilizer



Lara XL consists of:

- › Chamber rack
- › 6 aluminium trays
- › Drain tube
- › Tray holder
- › 8 GB USB drive
- › Door opening tool
- › Factory test

Lara XL 28

REF 19933110



W&H Lara XL type-B steam sterilizer, for the safe sterilization of solid, hollow and porous load in accordance with the EN 13060.

lara

W&H steam sterilizer



Lara, consists of:

- › Reversible rack
- › 3 aluminium trays
- › Drain tube
- › Tray holder
- › 8 GB USB drive
- › Door opening tool
- › Factory test

Lara 17

REF 19941122

Lara 22

REF 19942122



W&H Lara type-B steam sterilizer, for the safe sterilization of solid, hollow and porous load in accordance with the EN 13060.

lina

W&H steam sterilizer



Lina, consists of:

- › Reversible rack
- › 3 aluminium trays
- › Drain tube
- › Tray holder
- › 8 GB USB drive
- › Door opening tool
- › Factory test

Lina 17 50HZ AWF

REF 19951131

Lina 22 50HZ AWF

REF 19952131



W&H Lina type-B steam sterilizer, for the safe sterilization of solid, hollow and porous load in accordance with the EN 13060.



W&H steam sterilizer



Lyla, consists of:

- › Reversible rack
- › 3 aluminium trays
- › Drain hose
- › Tray holder
- › 8 GB USB stick
- › Door opening tool
- › Factory test

Lyla 17 50 HZ

REF 19951150

Lyla 22 50 HZ

REF 19952150



W&H Lyla type-S steam sterilizer, designed, certified and validated in accordance with the EN13060.

Activation Code system for sterilizers

The innovative upgradability system offers you a cost-efficient, rapid and customized opportunity to activate additional features to reflect your practice needs or comply with future requirements



Automatically adapts the cycle time to the mass of the load



Activation code Performance (Lara)
REF 19730070

For enabling EN13060 compliant cycles



Activation code B cycles (Lyla)
REF 19730074

For quick sterilization of unwrapped instruments, including handpieces



Activation code Fast Cycle (Lara XL, Lara XXL, Lara and Lina)
REF 19730071

Allows to exactly know which instruments are sterilized and link them to a specific cycle



Activation code EliTrace (Lara XL and Lisa 2015)
REF 19730075

For user identification and load release confirmation



Activation code Traceability (Lara, Lina and Lyla)
REF 19730072

All the benefits of Activation Code system in one go



Activation code All in One
REF 19730004 (Lara)
REF 19730013 (Lina)
REF 19730076 (Lyla)

For the digital cycle documentation to save cycle directly on PC



Activation code Remote Data Storage (Lina and Lyla)
REF 19730073

Extends the warranty by 1 year



Activation code Warranty Extension
REF 19730083



Together with the LisaSafe label printer, the connection kit is needed

New LisaSafe label printer
REF 19721109



USB connection cable + 1 roll of 2.100 labels + 1 wax/resin ribbon + activation code instructions


LisaSafe connection kit
REF 19721123



LisaSafe consumables kit
2 rolls of 2.100 labels and
2 wax/resin ribbons
REF A810500X
Wrapping Material
REF A810513X



Barcode scanner
REF 19721132




Seal²
pouch sealing device, with double roll-holder,
produces 12mm seals
REF 19722101



SealVal²
REF 19722103

EliReel

Sterilization reels (price per roll)



5.5cm x 200m (8 in Box)
REF 19500000

7.5cm x 200m (8 in Box)
REF 19500001

10cm x 200m (4 in Box)
REF 19500002

15cm x 200m (4 in Box)
REF 19500003

20cm x 200m (2 in Box)
REF 19500004

25cm x 200m (2 in Box)
REF 19500005

30cm x 200m (2 in Box)
REF 19500006



Seal Check
REF T802100X




Thermal printer with cable

Sprint
REF 19721141

Adaptor for Sprint
REF A801503X



Roll of thermal paper for Sprint
REF A810504X



Standard paper roll, 57 mm for Print
REF A700140X




Cartridge for Print
REF A700103X




Remote Wi-Fi kit (USB dongle)
REF 19721136



Ethernet cable (LAN) 3 m
REF A801500X



Hub 4 USB ports
(Lara, Lina and Lyla)
REF X051518X



**AWF kit to allow automatic filling
for Lina and Lyla sterilizers**
REF X051500X

W&H traceability options

W&H traceability options

Sterilization, Hygiene & Maintenance



Multidem C27
Water supply for W&H or
other brand sterilizers
REF 19723112



Multidem C27 resin cartridge
REF A812016X
Multidem XL resin cartridge
REF 19721445




**Filter cartridge maintenance
kit for new Osmo**
Resin and carbon filters
REF A813030X




Complete maintenance kit for new Osmo
Osmotic membrane, resin and carbon filters
REF A813053X



Multidem XL
large water supply to a number
of thermal washer disinfectors
REF 19721441




Cartridge kit intermediate for Osmo
REF A813019X




Cartridge kit complete for Osmo
REF A813010X

Water treatments Accessories

Sterilization, Hygiene & Maintenance



Resin cartridge for Dem 10 and 32
2 sets of 2 pcs or 2 refills
REF A812100X



Water dispenser kit
REF A812018X



Water distiller
for distillation of tap water,
capacity 4 litres
REF 19723101

Dist 3

water quality tester for
measuring the conductivity
and purity of the water
REF A800504X



**Water residue cleaner
for Water distiller 500 g**
REF H802010X



Water receiver for Water distiller
REF A811017X




**Activated charcoal
sachet for Water distiller**
12 pcs
REF H802011X



**Drain tube with coupling
for Lisa, Lara, Lina, Lyla
for**
REF S230900X




**External used water tank
for Lisa MINI**
REF X051700X



reversible rack for 5 standard
trays or 3 standard cassettes

For 17 liter sterilizers
REF F523031X


For 22 liter sterilizers
REF F523032X



reversible rack for 4 cassettes

For 17 liter sterilizers
REF F523012X

For 22 liter sterilizers
REF F523015X



reversible rack for
6 standard trays or
3 cassettes


For 17 liter sterilizers
REF F523033X

For 22 liter sterilizers
REF F523034X




reversible rack for
3 large trays and
2 standard trays or 3 cassettes

For 22 liter sterilizers
REF F523035X



reversible rack for 6 trays or 1 big container

For 22 liter sterilizers
REF F523041X



reversible rack for 3 wide cassettes

For 22 liter sterilizers
REF F523021X


Reversible rack for 2 cassettes

For 17 liter sterilizers

REF F523016X

For 22 liter sterilizers

REF F523017X




Rack for 4 large trays and 2 standard trays or mixed containers up to 130 mm of height for Lara XL

REF F523038X




Rack for 4 large trays and 1 standard tray or mixed containers up to 170 mm of height for Lara XL

REF F523042X



Rack for 4 large trays or 4 cassettes for Lara XL

REF F523030X




Rack for 3 large trays or 4 cassettes for Lara XL and Lexa

REF F523036X



Rack for 4 aluminium trays and 2 large aluminium trays or mixed containers up to 130 mm of height for Lara XXL

REF F523043X



Upper Tray Lisa MINI 3

REF F523213X

Lower Tray Lisa MINI 3

REF F523215X

Upper Tray Lisa MINI 5

REF F523212X

Lower Tray Lisa MINI 5

REF F523214X



Standard tray for 17 liter sterilizers

REF F523204X

Standard tray for 22 liters sterilizers

REF F523205X



Large tray

For all sterilizers only with rack
REF numbers F523030X, F523035X, F523036X, F523038X, F523042X
REF F523211X

Large tray

For Lara XXL
REF F523217X



Tray holder

REF F523001X



Bowie & Dick test kit

1 test, minimum order quantity 20 units or multiple
REF T800002X



Door seal for Lisa MB

REF F460503X

For Lara XXL, Lara XL and Lexa

REF F460535X

For all other sterilizers

REF F460504X



Helix test kit by W&H

1 test and 250 test strips
REF T800207X




Door seal

For Lisa MINI

REF F460550X


Racks & trays Accessories

Other consumables and accessories



**Dust filter for Lina Pro and
Lisa until 2015**

REF F364502X




**Dust filter for Lisa 2019, Lara,
Lina 2020 and Lyla**

REF F364511X



Bacteriological filter

REF W322400X



**Consumable kit 400-800 cycles
for Lina Pro and Lisa until 2015**

REF X050326X

For Lisa 2019, Lara, Lina 2020 and Lyla

REF X050328X



Lara XXL, Lara XL kit 400-800 cycles

REF X050335X



**Lisa MINI 400-800
cycle consumable kit**

REF X050337X



**Bacteriological filter kit
for Lisa MINI**

REF X051726X



Perfecta 300 / 600 / 900



A wide variety of materials, top-level requirements, constantly changing prerequisites – the daily bread of dental technicians. With Perfecta 300 / 600, you have a powerful laboratory device at your fingertips which can be used for a variety of purposes and which can bring your ideas and those of your customers effortlessly to life.



complete with control unit (230 V), mains cable, motor handpiece, handpiece holder and operating controls (optional for foot control) for table and knee control units

table control unit
LA-323 T (230 V)
REF 14933000

foot control unit
LA-323 F (230 V)
REF 14933200

knee control unit
LA-323 K (230 V)
REF 14933100

Perfecta 300



complete with control unit (230 V), mains cable, motor handpiece, handpiece holder and operating controls (optional for foot control) for table and knee control units

table control unit
LA-623 T (230 V)
REF 14936000

foot control unit
LA-623 F (230 V)
REF 14936200

knee control unit
LA-623 K (230 V)
REF 14936100

Perfecta 600


operating controls
LA-3 D for Perfecta 300
REF 05127000



operating controls
LA-6 D for Perfecta 600
REF 05243200



motor handpiece
without cable LA-66
REF 05201200



motor „E-type“ without cable
LA-3 E (only for Perfecta 300)
REF 05138800



motor cable 1.8 m
for Perfecta 300
REF 05114900

motor cable 1.8 m
for Perfecta 600
REF 05116500

Accessories for Perfecta 300 / 600



complete with control unit (230 V), operating controls, mains cable, high-speed handpiece, handpiece holder, hose for air supply, hose for coolant supply (only for types with external coolant supplying)

with internal
coolant supplying:

table control unit
LA-923 TT (230 V)
REF 14939300

knee control unit
LA-923 KT (230 V)
REF 14939400

with external
coolant supplying


table control unit
LA-923 T (230 V)
REF 14939000

knee control unit
LA-923 K (230 V)
REF 14939100


Perfecta 900



operating controls LA-9 D
REF 05243400



milling device adaptor to attach the high-speed handpiece LA-9 to milling devices with 16 or 18 mm diameter LA-9
REF 06319400



motor handpiece
without cable LA-66
REF 05201200



high-speed handpiece
without cable LA-9
REF 05015900

motor cable 1.8 m
for motor handpiece LA-66
REF 05116500

motor cable 1.8 m
for high-speed handpiece LA-9
REF 05117800

Accessories for Perfecta 900



foot-operated starter L-NV
REF 05038100



handpiece holder
REF 03211500



wall bracket
for operating controls
REF 05138000



1:1, technical handpiece for easy technical working, maintenance-free, Twist tension chuck system, only for handpiece burs

945
REF 14124500

Accessories for Perfecta 300 / 600 / 900

Accessory for E-type version
of Perfecta 300

Osstell

Osstell® helps you to objectively and non-invasively determine implant stability in order to manage patients with risk factors, avoid unnecessarily long treatment times, and achieve more predictable outcomes.



The Osstell Beacon helps you to objectively and noninvasively determine implant stability. Incl. Osstell Connect

Osstell Beacon
REF 103000



The SmartPeg™ attaches to the implant and is used together with the measurement instruments Osstell IDx, Osstell Beacon or Osstell ISQ. SmartPegs are single patient use, as reusing them can result in inaccurate readings or damage to the implant.

SmartPeg/Box (5 pcs)
REF 100XXX
(See SmartPeg Reference List)



The autoclavable SmartPeg Mount is used to carry and connect the SmartPeg to the implant or abutment. SmartPeg mounts comes in boxes of 5.

SmartPeg Mount (5 pcs)
REF 100345



To use Osstell instruments as effectively as possible it is recommended to have more than one probe, it makes it easier to autoclave between patients. The length including cable is 150cm.

Osstell ISQ Probe
REF 100501



The Osstell Key works in combination with the Osstell Gateway program, installed on a PC/laptop, to transfer measurements from the Osstell Beacon to the user's account in OsstellConnect.

Osstell Key
REF 100710



The TestPeg can be used to practice measurements and test an Osstell instrument. Note, the device is not for calibrating, only a guide to check the instruments measure function.


Osstell TestPeg
REF 100381



You should use this USB cable for charging the Osstell Beacon.

Beacon USB Cable, C
REF 100709

Built-in Solutions



United under the term Built-in Solutions, W&H offers a range of drive solutions that can be integrated in dental units. This makes it possible to equip your treatment units with new functionalities and innovative drives, thereby customizing them to suit your personal requirements.

As always, the highest level of treatment efficiency, ergonomics and maximum comfort for both the user and patient alike are at the heart of W&H Built-in Solutions.

Primea Advanced Air

**Built-in
SOLUTIONS**

Turbine handpieces

Built-in Solutions

led+



Ring LED+, up to 30 W
5-fold spray, head size Ø 10 mm,
press-button chuck system for FG burs
Ø 1.6 mm

RK-97 L
(Roto Quick connection*)
REF 30221000

led+



LED+, up to 30 W
5-fold spray, head size Ø 10 mm,
press-button chuck system for FG burs
Ø 1.6 mm

RG-97 L
(Roto Quick connection*)
REF 30222000



- › AC-1.0 Advanced Air Controller + AD-1.0 Analog-digital converter
- › Supply hose VA-6
- › Air supply hose Ø 8 mm
- › 2 connection sets (pneumatic and electric)
- › RQ-24
- › RG-97 L
- › Display D-2.0 A

**Advanced Air RG-97 L
with display basic**
REF 90000141

Electric motor



- › MC-1.0 E motor controller analogue
- › VE-10 hose
- › EM-12 L electric motor
- › 2 connection sets (pneumatic and electric)

EM-12 L electric motor with display basic
REF 90000139



- › MC-1.0 motor controller analogue
- › VE-10 hose
- › EM-12 L electric motor
- › 2 connection sets (pneumatic and electric)

EM-12 L electric motor with control knob
REF 90000138



- › MC-1.0 motor controller analogue
- › VE-10 hose
- › EM-12 L electric motor
- › 2 connection sets (pneumatic and electric)

EM-12 L electric motor with display basic
REF 90000245



- › MC-2.0 motor controller analogue
- › 2x VE-10 hose
- › 2x EM-12 L electric motor
- › 2 connection sets (pneumatic and electric)

Dual EM-12 L electric motor with display basic
REF 90000224

Contact us

W&H Australasia Pty Limited

10 Konando Terrace
Edwardstown SA 5039

t 1300 613 988

support.aus@wh.com

wh.com

W&H Service Centre

10 Konando Terrace
Edwardstown SA 5039

t 1300 613 988

service.aus@wh.com

wh.com

