### The solution

for your implant workflow

#### **Osteotomy**

5.5 Ncm for all bone qualities and 90 ml/min coolant to prevent necrosis.



#### **Threading**

Stress-free healing and prevents compression of the bone.





#### Implant insertion

Controlled insertion of all types of implants with torque of up to 70 Ncm.

## **W&H** accessories



#### Coolant hose

- Precise fit
- Flexible to use for all W&H surgical devices



#### SmartPegs App

- The SmartPeg app is designed to help you quickly find the right SmartPeg for even easier Osstell ISQ measurements on implants and abutments.
- Available on the App Store and Google Play



#### Transportation case

- Securely packed for travel
- Space for Implantmed,
   foot control, straight and
   contra-angle handpieces

### **Technical data**

#### **C€**

Type:	Implantmed	Implantmed
Турст	SI-923	SI-915
Mains voltage:	230 V	120 V
Permissible voltage fluctuation:	220 – 240 V	110 – 130 V
Rated current:	0.3 – 0.8 A	0.3 – 1.6 A
Frequency:	50 – 60 Hz	
Mains fuse (2 pcs):	250 V – T1.6 AH	
Maximum power consumption:	160 VA	
Maximum power output:	80 W	
Maximum torque at motor:	5.5 Ncm	
Motor speed range in the rated voltage range:	300 – 40,000 rpm	
Coolant flow volume at 100%:	at least 90 ml/min	
Dimensions (height x width x depth):	4.0" x 9.25" x 9.5" (100 mm x 235 mm x 240 mm)	
Weight:	6 lbs (2.7 kg)	
Foot control:	S-N2	
Straight and contra-angle handpieces:	WI-75 E/KM / S-9 L G / S-11 L G / WS-56 L G / WS-75 L G / WS-91 L G / WS-92 L G	
Warranty:	12 months	



#### Manufacturer:

#### W&H Dentalwerk Bürmoos GmbH

Ignaz-Glaser-Straße 53, Postfach 1 5111 Bürmoos, **Austria** t +43 6274 6236-0 f +43 6274 6236-55 office@wh.com wh.com

#### Distribution:

#### W&H Impex Inc.

6490 Hawthorne Drive
Windsor, Ontario, N8T 1J9
t +1 800 265 6277 Within USA/Canada
t +1 519 944 6739 Outside USA/Canada
f +1 519 974 6121
wh.com/na



Rev. 001 / 08.07.202 Subject to alterations #whimpexinc
f @ (n) >
wh.com/na

Now at your distributor

## Surgical Confidence,

# The Classic Way.

Experience the quality of W&H and Osstell with our Classics.







## Focus on the


### essentials

Implantmed Classic and Osstell Classic impresses users with its intuitive ease of use. You can fully and completely concentrate on the most important aspect: your patients.



#### **Powerful moto**

With a motor torque of 5.5 Ncm and a motor speed range of 300 to 40,000 rpm, Implantmed is an impressively powerful instrument.




#### Fatigue-free operation

In combination the short motor and the ergonomically shaped contra-angle handpiece are perfectly balanced. You can work for long periods without hand fatique or cramping.



#### Easy to us

Its new display with auto backlight makes Implantmed easy and uncomplicated to use.



#### Stress-free heali

The automatic thread cutter function supports you when inserting implants in hard bone and prevents compression of the bone.



### mplant stability without

Providing a straightforward solution, Osstell Classic uses evidence-based RFA technology to provide objective, non-invasive stability assessments.





## The surgical straight and contra-angle handpieces with mini LED+ and generator

WS-75 L G | 20:1

Specially designed for preparation of the implant site and implant insertion.

S-9 L G | 1:1 S-11 L G | 1:1 Developed for apical resections, osteotomies, sequestrotomies, bone modelling and bone smoothing as

well as the extraction of wisdom teeth.

WS-91 L G | 1:2,7

Specially designed to improve access in the premolar and molar region as well as for the extraction of wisdom teeth.

WS-56 L G | 1:1 WS-92 L G | 1:2,7 Designed for osteotomies, sequestrotomies, germectomies, hemisections.

