

## W07.3 Implement Mold and Moisture Management Plan

Policy and/or Operations Schedule + On-going Maintenance Report (for annual tracking)

WELL Building Standard™ version 2 (WELL v2™), Q1-Q2 2023 addenda



### HOW TO USE THIS DOCUMENT:

This document is intended to serve as a guide on how to create a project **policy and/or operations schedule**, along with an **on-going maintenance report to limit the potential for bacteria and mold growth within buildings from water infiltration, condensation and internal leaks**.

This document is meant to demonstrate an acceptable degree of detail for

- precertification documentation submission
- documentation submission

#### *For precertification documentation submission:*

To achieve WELL Precertification, project teams may submit intent-stage or implementation-stage documents for pursued features, or any combination of the two. An intent-stage document is typically a draft document that has not yet been implemented in the actual project, while implementation-stage documents describe final and implemented strategies. Intent and implementation-stage documents should be similar in terms of level of detail. For final WELL Certification documentation approval, all documents are required to be implementation -stage. To learn more about intent-stage vs. implementation-stage documentation, review the [precertification guide](#) in our knowledge base.

Intent-stage language is indicated in this sample document with **greentext and in parentheses** . For an intent-stage policy and/or operations schedule, the document should consist of a draft version of the operations schedule that the team intends to implement. This document cannot simply state that the feature requirements will be implemented; the documentation should include adequate detail such that a WELL Reviewer will be able to confirm the document complies with all of the WELL feature part requirements.

#### *For documentation submission:*

The level of detail is up to the discretion of the project team, but the documents must include specific details demonstrating that the actual requirements have been enacted in the project boundary. The Feature cannot be demonstrated solely through a confirmation that the requirements have been or will be implemented.

This document and similar tools are intended to assist projects in their pursuit of WELL v2 but use of this document and/or similar tools are in no way a guarantee of achievement of any rating, certification or other designation, and no representation or warranty is made regarding the likelihood of achieving any rating, certification or other designation, and IWBI shall have no liability resulting from the use or content of this document or similar tools or resources or from any action taken or inaction occurring in reliance on this document or similar tools or resources.

Note: The below document is based on the Q1-Q2 2023 addenda of the WELL Building Standard™ version 2 (WELL v2™). Project teams are required to implement the feature requirements from the addenda version assigned to their project or any more recent addenda version.

## FEATURE PART REQUIREMENTS:

### ***1: Operational moisture management***

The project implements a moisture management plan for building operations that contains the following:

- a. A schedule of periodic inspections for signs and potential sources of water damage or pooling, discoloration and mold on ceilings, walls, floors and HVAC equipment.*
- b. A system or inspection protocol to periodically assess water pipe leaks.*
- c. A system for occupants and tenants to notify building management about mold or water damage.*

### ***2: Leaks and mold inspections***

*The following requirement is met:*

*Results of inspections for mold and leaks (including any mold test results) are submitted annually through the WELL digital platform.*

#### WELL Core Guidance:

Meet these requirements in the whole building.



The below sample documentation is intended to provide guidance for creating a moisture management policy /ops schedule. It is not a template. You may note included components that are not required to demonstrate compliance with this Feature.

### Example for Feature Part 3.1: Operational moisture management and Part 3.2: Leaks and mold inspections

#### (Intent-stage: Draft) [Company] Moisture Management Operations

**Schedule Location:** [project address]

#### Inspections

**Responsible Party:** *[name, title]*

**Frequency:** *[frequency, e.g. quarterly]*

#### **Inspection details:**

- ✓ The building and its premises will be inspected for mold and moisture, including:
  - Water damage or pooling
  - Discoloration or mold on ceilings, walls, floors and HVAC equipment
- ✓ The building pipes will be inspected visually for leakage.
- ✓ The following logs will be completed at minimum annually and submitted to WELL Online:

Location	Date of Inspection	Inspection Completed By	Moisture or mold? (Y / N)	Leaking pipes? (Y / N)	If yes – mold test completed? (Y / N)	Notes
<i>Ex: Mechanical Room 405</i>		REDACTED	<i>Ex: N</i>	<i>Ex: N</i>	<i>Ex: NA</i>	
<i>Ex: Lobby</i>			<i>Ex: Y – water damaged ceiling tile</i>	<i>Ex: N</i>	<i>Ex: Y</i>	<i>Ex: Mold test came back negative. Roof was repaired.</i>
<i>Ex: Basement storage B013</i>			<i>Ex: N</i>	<i>Ex: Y – leak in cold water pipe (pinhole leak)</i>	<i>Ex: Y</i>	<i>Ex: Mold test came back negative. Water pipe was repaired on [date].</i>

#### **Building Hotline for moisture and mold:**

Occupants can report mold, moisture and/or leaks in the building by calling *[redacted phone number]*. The number is posted in every bathroom of the building and is sent to tenants when they move in. The facilities team is committed to responding to all calls within 24 hours. Calls are logged in the following sheet:

Caller Information				Location of Reported Issue	Description of Issue
First Name	Last Name	Location	Contact Information		
REDACTED		<i>Ex: Office 215</i>	<i>Ex: [number, email]</i>	<i>Ex: Womens bathroom Rm 225</i>	<i>Ex: Dampness on wall next to towel dispenser, starting at ceiling and extending halfway down the wall, ~6-inches wide</i>

**TIPS FOR MULTIPLE LOCATIONS – Policy and/or Operations Schedule**

- For organizations participating in WELL at scale, this Policy and/or Operations Schedule is categorized as Shareable It may be shared across multiple projects, as long as they all meet the strategies that are outlined in the document.

**TIPS FOR MULTIPLE LOCATIONS – On-going Maintenance Report**

- For organizations participating in WELL at scale, ongoing maintenance reports must be submitted for each project pursuing this feature part; they are not considered shareable.