



Feature S01: Sound Mapping

Part 3: Label Acoustic Zones

WELL v2™ pilot
Q1 2020 addenda

How to use this document:

This document is intended to serve as a guide on how to create educational materials required for Part 3: Label Acoustic Zones of Feature S01: Sound Mapping. The level of detail provided by teams when creating this drawing is up to their discretion, as long as each of the requirements is sufficiently addressed.

- Part 3: Architectural drawing instructions have been provided.

Note: The variable items are highlighted in yellow throughout the document.

The text is updated to the Q1 2020 version of WELL v2 pilot, which may vary from future versions of WELL v2.

Disclaimer

This resource is intended to assist teams pursuing WELL certification and/or a WELL Portfolio Score under the second iteration of the WELL Building Standard (“WELL v2” or “WELL”). The content (text, graphics, images, and other material provided herein is for informational and educational purposes only. Each project or portfolio team is responsible for its own achievement of WELL features for the associated project or portfolio, regardless of a team’s use of this resource, or any portion thereof. Although the information contained in this resource is believed to be reliable and accurate, all materials and content within this resource are provided “as is” and the International WELL Building Institute pbc expressly disclaims and makes no warranties or representations of any kind either express or implied, including, but not limited to, warranties or representations about the accuracy or completeness of information, the suitability of the information for any particular purpose, or any warranty or representation that similar submissions regarding a project or portfolio will comply with any feature, part, credit, score or other aspect of the WELL Building Standard, or that a project will be granted WELL Certification at any level, that a portfolio will be granted any particular WELL Portfolio Score or that a project or portfolio will achieve any other designation, score or award. As a reminder, the final review of project or portfolio documentation and performance verification will be conducted by Green Business Certification Inc., IWBI’s third party verifier, and achievement of WELL Certification or any level or any WELL Portfolio Score or other award or designation cannot be guaranteed. Neither IWBI nor any of its representatives shall have any liability resulting from the use or content of this resource or from any action taken or any inaction occurring in reliance on such resource. The International WELL Building Institute pbc, reserves the right to change all or any portion of this resource at any time for any reason without prior notice.

© Copyright 2019-2020 International WELL Building Institute pbc. All rights reserved.

International WELL Building Institute, IWBI, the WELL Building Standard, WELL v2, WELL Certified, WELL AP, WELL Portfolio, WELL Portfolio Score, WELL and others, and their related logos are trademarks or certification marks of International WELL Building Institute pbc in the United States and other countries.

FEATURE S01: SOUND MAPPING

PART 3: LABEL ACOUSTIC ZONES

ARCHITECTURAL DRAWINGS INSTRUCTIONS

- A. Provide architectural drawings for all spaces throughout the project.
- B. Identify all loud zones. For example, highlight all areas intended for appliances, mechanical equipment or amenities (e.g., kitchens, fitness rooms, social spaces, recreational rooms). Consider providing a key that describes the significance of all visual demarcations.
- C. Identify all quiet zones. For example, highlight all areas intended for focused work, wellness, rest, study and/or privacy. Consider providing a key that describes the significance of all visual demarcations.
- D. Identify all mixed zones. For example, mixed zones include areas intended for learning, collaboration and/or presentation. Consider providing a key that describes the significance of all visual demarcations, as well as descriptions to explain why these areas are considered mixed zones.