

Feature 77: Olfactory Comfort

Part 1: Source Separation

WELL Building Standard™ (WELL)™
WELL v1 with the Q1 2020 addenda

How to use this document:

This document is a guide for creating the architectural drawing required for Part 1: Source Separation Feature 77: Olfactory Comfort. The level of detail provided by teams when creating this drawing is up to their discretion, as long as each of the requirements are sufficiently addressed.

- Part 1: Architectural drawing instructions have been provided.

The text is updated to the Q1 2020 version of the WELL Building Standard, which may vary from previous or future versions of WELL.

Disclaimer

This document includes some basic language taken from the WELL Building Standard™ that can be used by project teams working on projects seeking certification under the WELL Building Standard. The content (text, graphics, images, and other material) provided herein is for informational and educational purposes only. This document should not be published or used in its entirety and is only intended to provide assistance for project teams. Each project team is responsible for its own achievement of WELL features for the associated project, regardless of whether or not the project team adapts text from this documentation guidance. The International WELL Building Institute pbc, does not assume any liability or responsibility to the user or any third parties for the accuracy, completeness, or use of or reliance on any information contained in this document. Although the information contained in this document is believed to be reliable and accurate, all materials set forth within are provided “as is” and the International WELL Building Institute pbc does NOT make any warranties of any kind, either express or implied, including but not limited to warranties of the accuracy or completeness of information, the suitability of the information for any particular purpose, or any representation or warranty that similar submissions regarding a Project Area will comply with a given aspect of WELL Certification, or that a Project Area will qualify for or be granted WELL Certification. The International WELL Building Institute pbc, reserves the right to change all or any portion of this document at any time for any reason without prior notice.

© Copyright 2018-2020 International WELL Building Institute pbc. All rights reserved. No part of this document or the information contained within it may be used for any purpose other than that stated within this document.

FEATURE 77: OLFACTORY COMFORT

PART 1: SOURCE SEPARATION

ARCHITECTURAL DRAWING INSTRUCTIONS

1. On an architectural drawing, identify all sources of strong odors, including but not limited to: all restrooms, janitorial closets, kitchens, cafeterias, and pantries.
2. Next, indicate at least one method that separates these spaces from workspaces, including but not limited to: negative pressurization, self-closing doors, hallways, vestibules, or other intermediate areas.
3. To identify these spaces, consider highlighting the areas in different colors and providing a key that briefly describes the source separation methods for the WELL Reviewer to reference.