

L02.1 – Option 1: Visual lighting design

Technical Document

WELL Building Standard™ version 2 (WELL v2™), Q4 2022 addenda



HOW TO USE THIS DOCUMENT:

This document is intended to serve as a guide on how to create a project **technical document to provide visual comfort and enhance visual acuity for all users through electric lighting.**

This document is meant to demonstrate an acceptable degree of detail for

- precertification documentation submission
- documentation submission

For precertification documentation submission:

To achieve WELL Precertification, project teams may submit intent-stage or implementation-stage documents for pursued features, or any combination of the two. An intent-stage document is typically a draft document that has not yet been implemented in the actual project, while implementation-stage documents describe final and implemented strategies. Intent and implementation-stage documents should be similar in terms of level of detail. For final WELL Certification documentation approval, all documents are required to be implementation -stage. To learn more about intent-stage vs. implementation-stage documentation, review the [precertification guide](#) in our knowledge base.

Intent-stage language is indicated in this sample document with **green text and in parentheses**. For an intent-stage technical document, the annotated plan does not need to be final. document. It can be submitted according to the design phase it is in. The documentation should include adequate detail such that a WELL Reviewer will be able to confirm the document complies with all of the WELL feature part requirements.

For documentation submission:

The level of detail is up to the discretion of the project team, but the documents must include specific details demonstrating that the actual requirements have been enacted in the project boundary. The Feature cannot be demonstrated solely through a confirmation that the requirements have been or will be implemented.

This document and similar tools are intended to assist projects in their pursuit of WELL v2 but use of this document and/or similar tools are in no way a guarantee of achievement of any rating, certification, or other designation, and no representation or warranty is made regarding the likelihood of achieving any rating, certification or other designation, and IWBI shall have no liability resulting from the use or content of this document or similar tools or resources or from any action taken or inaction occurring in reliance on this document or similar tools or resources.

Note: The below document is based on the Q4 2022 addenda of the WELL Building Standard™ version 2 (WELL v2™). Project teams are required to implement the feature requirements from the addenda version assigned to their project or any more recent addenda version.

FEATURE PART REQUIREMENTS:

For All Spaces except Dwelling Units

The following requirements are met:

- a. All indoor and outdoor spaces (including transition areas) comply with the illuminance thresholds specified in one of the following lighting reference guidelines:*
 - 1. IES Lighting Handbook 10th Edition.³*
 - 2. EN 12464-1&2: 2011 or EN 12464: 2021.⁴*
 - 3. ISO 8995-1:2002(E) (CIE S 008/E:2001).⁵*
 - 4. GB50034-2013.⁶*
 - 5. CIBSE SLL Code for Lighting.⁷*
- b. The illuminance thresholds take into consideration the tasks and the age groups of the occupants.*

WELL Core Guidance:

Meet these requirements in non-leased spaces. To earn an additional point, also meet these requirements in leased spaces, which requires access to at least 10% of leased space for testing (identified by the project).



The below sample documentation is intended to provide guidance in creating a Visual Lighting Design technical document. It is not a template. You may note included components that are not required to demonstrate compliance with this Feature.

Example document for Feature 2, Part 1, Option 1

Visual Lighting Design Details	
Lighting reference guide:	Ex: IES Lighting Handbook 10 th Edition
Age range of occupants:	Ex: 18-65 yrs, lighting levels have been selected based on the oldest occupants (65 yr olds)
Height of work plane for majority of occupants:	Ex: 29"

Task*	Location(s)	Illuminance Criteria
Ex: Reading documents	Ex: Library	Ex: 50 fc
Ex: Walking	Ex: Corridor	Ex: 20 fc
Ex: Computer work	Ex: Office desks	Ex: 25 fc

[*Note, make sure to include all tasks within project boundary.]

EXAMPLE ANNOTATED PLAN WITH 3.2 x 3.2 m (10x10ft) GRID *(Intent-stage: plan does not need to be final)*

Example project is a single-story interiors office project with project boundary depicted in red, grid depicted in purple / yellow boxes, and room usages clearly called out.



TIPS FOR MULTIPLE LOCATIONS

- For organizations participating in WELL at scale, a technical document must be submitted for each project pursuing this feature part; they are not considered shareable.