

Information for our customers - Electrical and Electronic Equipment Act

On March 16th, 2005 the Electrical and Electronic Equipment Act was published. Among other reasons, it serves the implementation of the EC directive 2002/96/EC on electrical and electronic equipment (WEEE-Directive). As a company we are registered with the number WEEE DE 31762252.

We are legally obligated to inform you as our customers and are happy to do so with the following references.

In der nachfolgenden Liste sind jene Geräte aufgeführt, für die eine Rückgabemöglichkeit besteht.

Devices that were obtained from us after March 23rd, 2006 (so-called new waste) we will take back for reutilisation, treatment and disposal at our collection points, if and when they have turned into waste. We will take the devices back free of charge.

A list of our collection points can be found at www.interseroh-WEEE.de.

Devices from the same list that have been obtained from us before March 24th, 2006 (so-called historical waste) are, if and when they have turned into waste, according to legal regulation to be disposed of by their respective owners at a facility separated from unsorted municipal waste. These devices can therefore not be disposed of at our collection points.

All gas discharge lamps that are registered under the trade name FN Light as well as all LED Retrofit lamps (registered under the trade name SLV) can be disposed of at the public collection points. Since Aug 1st, 2013 the same applies for luminaires with built-in LEDs.

SLV GmbH
Daimlerstraße 21–23
52531 Übach-Palenberg
Deutschland

Postfach 1249
52527 Übach-Palenberg
Deutschland

T Zentrale +49 (0) 2451 4833-0
T Verkauf +49 (0) 2451 4833-333
F Verkauf +49 (0) 2451 41880
F Verkauf +49 (0) 2451 41888

info@slv.de
www.slv.com

Hypo Vereinsbank Düsseldorf
IBAN DE65 3022 0190 0016 5422 29
BIC/SWIFT HYVEDEMM414

Commerzbank AG Aachen
IBAN DE04 3908 0005 0280 4888 00
BIC/SWIFT DRESDEFF390

Postbank Köln
IBAN DE41 3701 0050 0275 0745 03
BIC/SWIFT PBNKDEFF370

USt-IdNr.: DE 122487502
WEEE-Reg-Nr.: DE 31762252
AG Aachen HRB 9712

Geschäftsführer:
Eric Lachambre
Jens Aertgeerts
Sven Schirmer
Christian Bannert

| Article Nb.: | Articel-Description |
|--------------|---|
| 113561 | NEW TRIA DISK, recessed fittings, LED, 4000K, round, matt white, 35°, incl. clip springs |
| 113564 | NEW TRIA DISK, recessed fittings, LED, 4000K, round, silver-grey, 35°, incl. clip springs |
| 113571 | NEW TRIA DISK, recessed fittings, LED, 4000K, round, matt white, 60°, incl. clip springs |
| 113574 | NEW TRIA DISK, recessed fittings, LED, 4000K, round, silver-grey, 60°, incl. clip springs |
| 113581 | NEW TRIA DISK, recessed fittings, LED, 2700K, round, matt white, 35°, incl. clip springs |
| 113584 | NEW TRIA DISK, recessed fittings, LED, 2700K, round, silver-grey, 35°, incl. clip springs |
| 113591 | NEW TRIA DISK, recessed fittings, LED, 2700K, round, matt white, 60°, incl. clip springs |
| 113594 | NEW TRIA DISK, recessed fittings, LED, 2700K, round, silver-grey, 60°, incl. clip springs |
| 113701 | NEW TRIA DLMI, recessed fittings, LED, 3000K, square, white, 60°, tiltable, incl. clip springs |
| 113704 | NEW TRIA DLMI, recessed fittings, LED, 3000K, square, silver-grey, 60°, tiltable, incl. clip springs |
| 113711 | NEW TRIA DLMI, recessed fittings, LED, 4000K, square, white, 60°, tiltable, incl. clip springs |
| 113714 | NEW TRIA DLMI, recessed fittings, LED, 4000K, square, silver-grey, 60°, tiltable, incl. clip springs |
| 113721 | NEW TRIA DLMI, recessed fittings, LED, 3000K, round, white, 60°, tiltable, incl. clip springs |
| 113724 | NEW TRIA DLMI, recessed fittings, LED, 3000K, round, silver-grey, 60°, tiltable, incl. clip springs |
| 113731 | NEW TRIA DLMI, recessed fittings, LED, 4000K, round, white, 60°, tiltable, incl. clip springs |
| 113734 | NEW TRIA DLMI, recessed fittings, LED, 4000K, round, silver-grey, 60°, tiltable, incl. clip springs |
| 114110 | SUPROS, recessed fittings, LED, 3000K, round, black, 3000lm, 60° reflector, incl. clip springs |
| 114111 | SUPROS, recessed fittings, LED, 3000K, round, white, 3000lm, 60° reflector, incl. clip springs |
| 114120 | SUPROS, recessed fittings, LED, 3000K, round, black, 3000lm, 60° reflector, incl. clip springs |
| 114121 | SUPROS, recessed fittings, LED, 3000K, round, white, 3000lm, 60° reflector, incl. clip springs |
| 115001 | QR111 MODUL, for AIXLIGHT PRO installation frame, QR111, matt white, max. 75W |
| 115004 | QR111 MODUL, for AIXLIGHT PRO installation frame, QR111, silver-grey/black, max. 75W |
| 115011 | QPAR111 MODUL, for AIXLIGHT PRO installation frame, QPAR111, matt white, max. 75W |
| 115014 | QPAR111 MODUL, for AIXLIGHT PRO installation frame, QPAR111, silver-grey/black, max. 75W |
| 115024 | ES111 BRITESPOT MODUL, for AIXLIGHT PRO installation frame, HIPAR111, silver-grey/black, max. 70W |
| 115034 | E27 MODUL, for AIXLIGHT PRO installation frame, PAR30, silver-grey/black, max. 75W |
| 115041 | G12 MODUL, for AIXLIGHT PRO installation frame, HIT-CE, white/black, 24°, max. 70W |
| 115044 | G12 MODUL, for AIXLIGHT PRO installation frame, HIT-CE, silver-grey/black, 24°, max. 70W |
| 115051 | G12 MODUL, for AIXLIGHT PRO installation frame, HIT-CE, white/black, 58°, max. 70W |
| 115054 | G12 MODUL, for AIXLIGHT PRO installation frame, HIT, silver-grey/black, 58°, max. 70W |
| 115064 | G12 MODUL, for AIXLIGHT PRO installation frame, HIT, silver-grey/black, 8° max. 70W |
| 115071 | QR111 MODUL MOVE, for AIXLIGHT PRO installation frame, QR-LP111, matt white, max. 75W |
| 115074 | QR111 MODUL MOVE, for AIXLIGHT PRO installation frame, QR-LP111, silver-grey/black, max. 75W |
| 115094 | ENERGYSAVER MODUL, for AIXLIGHT PRO, TC-TSE, silver-grey / black, max. 21W |
| 115104 | INSTALLATION FRAME 1 FRAME, for AIXLIGHT PRO, square, silver-grey/black, L/B/H 17,5/17,5/19 cm |
| 115114 | INSTALLATION FRAME 2 FRAME, for AIXLIGHT PRO, rectangular, silver-grey/black, L/B/H 31,5/17,5/19 cm |
| 115124 | INSTALLATION FRAME 3 FRAME, for AIXLIGHT PRO, rectangular, silver-grey/black, L/B/H 45,5/17,5/19 cm |
| 115151 | INSTALLATION FRAME 1 FRAMELESS, for AIXLIGHT PRO, square, black, L/B/H 15,5/15,5/18,5 cm, incl. INSTALLATION FRAME |
| 115152 | INSTALLATION FRAME 2 FRAMELESS, for AIXLIGHT PRO, rectangular, black, L/B/H 31,5/15,5/18,5 cm, incl. INSTALLATION FRAME |
| 115153 | INSTALLATION FRAME 3 FRAMELESS, for AIXLIGHT PRO, rectangular, black, L/B/H 46,5/15,5/18,5 cm, incl. INSTALLATION FRAME |

| | |
|--------|---|
| 115181 | COB LED MODUL, for AIXLIGHT PRO installation frame, 3000K, matt white, 12° |
| 115183 | COB LED MODUL, for AIXLIGHT PRO installation frame, 3000K, matt white, 30° |
| 115187 | COB LED MODUL, for AIXLIGHT PRO installation frame, 3000K, matt white, 70° |
| 115191 | COB LED MODUL, for AIXLIGHT PRO installation frame, 3000K, silver-grey, 12° |
| 115193 | COB LED MODUL, for AIXLIGHT PRO installation frame, 3000K, silver-grey, 30° |
| 115197 | COB LED MODUL, for AIXLIGHT PRO installation frame, 3000K, silver-grey, 70° |
| 115201 | COB LED MODUL, for AIXLIGHT PRO installation frame, matt white, 12°, CRI90+ |
| 115203 | COB LED MODUL, for AIXLIGHT PRO installation frame, matt white, 30°, CRI90+ |
| 115207 | COB LED MODUL, for AIXLIGHT PRO installation frame, matt white, 70°, CRI90+ |
| 115211 | COB LED MODUL, for AIXLIGHT PRO installation frame, matt white, 12°, CRI65+ |
| 115213 | COB LED MODUL, for AIXLIGHT PRO installation frame, matt white, 30°, CRI65+ |
| 115217 | COB LED MODUL, for AIXLIGHT PRO installation frame, matt white, 70°, CRI65+ |
| 115221 | COB LED MODUL, for AIXLIGHT PRO installation frame, matt white, 12°, CRI90+ |
| 115223 | COB LED MODUL, for AIXLIGHT PRO installation frame, matt white, 30°, CRI90+ |
| 115227 | COB LED MODUL, for AIXLIGHT PRO installation frame, matt white, 70°, CRI90+ |
| 115231 | COB LED MODUL, for AIXLIGHT PRO installation frame, silver-grey, 12°, CRI90+ |
| 115233 | COB LED MODUL, for AIXLIGHT PRO installation frame, silver-grey, 30°, CRI90+ |
| 115237 | COB LED MODUL, for AIXLIGHT PRO installation frame, silver-grey, 70°, CRI90+ |
| 115241 | COB LED MODUL, for AIXLIGHT PRO installation frame, silver-grey, 12°, CRI65+ |
| 115243 | COB LED MODUL, for AIXLIGHT PRO installation frame, silver-grey, 30°, CRI65+ |
| 115247 | COB LED MODUL, for AIXLIGHT PRO installation frame, silver-grey, 70°, CRI65+ |
| 115250 | AIXLIGHT PRO T5 FRAMELESS, recessed fittings, square, black, ESL, max. 2x39W |
| 115251 | COB LED MODUL, for AIXLIGHT PRO installation frame, silver-grey, 12°, CRI90+ |
| 115253 | COB LED MODUL, for AIXLIGHT PRO installation frame, silver-grey, 30°, CRI90+ |
| 115257 | COB LED MODUL, for AIXLIGHT PRO installation frame, silver-grey, 70°, CRI90+ |
| 115304 | INSTALLATION FRAME 1 FRAME, for AIXLIGHT PRO, square, silver-grey/black, L/B/H 10/10/10 cm |
| 115314 | INSTALLATION FRAME 2 FRAME, for AIXLIGHT PRO, rectangular, silver-grey/black, L/B/H 17,3/10/10 cm |
| 115351 | INSTALLATION FRAME 1 FRAMELESS, for AIXLIGHT PRO, square, black, L/B/H 10,2/10,2/10,5 cm, incl. INSTALLATION FRAME |
| 115352 | INSTALLATION FRAME 2 FRAMELESS, for AIXLIGHT PRO, rectangular, black, L/B/H 18,8/10,2/10,5 cm, incl. INSTALLATION FRAME |
| 115451 | LED DISK MODUL, for AIXLIGHT PRO installation frame, 2700K, matt white, 50° |
| 115454 | LED DISK MODUL, for AIXLIGHT PRO installation frame, 2700K, silver-grey/black, 50° |
| 115461 | LED DISK MODUL, for AIXLIGHT PRO installation frame, 4000K, matt white, 50° |
| 115464 | LED DISK MODUL, for AIXLIGHT PRO installation frame, 4000K, silver-grey/black, 50° |
| 115601 | INSTALLATION FRAME 1 FRAME, for AIXLIGHT PRO, round, matt white, Ø/H 17,5/12,5 cm |
| 115604 | INSTALLATION FRAME 1 FRAME, for AIXLIGHT PRO, round, silver-grey, Ø/H 17,5/12,5 cm |
| 115611 | INSTALLATION FRAME 2 FRAME, for AIXLIGHT PRO, oval, matt white, L/B/H 35/17,5/12,5 cm |
| 115614 | INSTALLATION FRAME 2 FRAME, for AIXLIGHT PRO, oval, silver-grey, L/B/H 35/17,5/12,5 cm |
| 115624 | INSTALLATION FRAME 1 FRAMELESS, for AIXLIGHT PRO, round, black, Ø/H 15,5/12 cm, incl. INSTALLATION FRAME |
| 115634 | INSTALLATION FRAME 2 FRAMELESS, for AIXLIGHT PRO, oval, black, L/B/H 32,5/15,5/12cm, incl. INSTALLATION FRAME |
| 115641 | INSTALLATION FRAME 1 FRAME, for AIXLIGHT PRO, round, matt white, Ø/H 17,5/18,5 cm |
| 115644 | INSTALLATION FRAME 1 FRAME, for AIXLIGHT PRO, round, silver-grey, Ø/H 17,5/18,5 cm |

| | |
|--------|--|
| 115651 | INSTALLATION FRAME 2 FRAME, for AIXLIGHT PRO, oval, matt white, L/B/H 35/17,5/18,5 cm |
| 115654 | INSTALLATION FRAME 2 FRAME, for AIXLIGHT PRO, oval, silver-grey, L/B/H 35/17,5/18,5 cm |
| 115674 | INSTALLATION FRAME 1 FRAMELESS, for AIXLIGHT PRO, round, black, Ø/H 15,5/18 cm, incl. INSTALLATION FRAME |
| 115684 | INSTALLATION FRAME 2 FRAMELESS, for AIXLIGHT PRO, oval, black, L/B/H 32,5/15,5/18 cm, incl. INSTALLATION FRAME |
| 133100 | SUPROS, pendant, LED, 3000K, round, black, 3000lm, 60° reflector |
| 133101 | SUPROS, pendant, LED, 3000K, round, white, 3000lm, 60° reflector |
| 146324 | SDL DISPLAY, QT-DE12, silver-grey/chrome, max. 200W, incl. plug |
| 146472 | NEPRO DISPLAY, wall light, QT-DE12, silver-grey/chrome, max. 200W |
| 150331 | SHELL, wall light, HIT-DE, white, max. 70W, incl. electronic ballast |
| 150471 | SHELL, wall light, TC-DEL, white, energy saving lamp, max. 26W |
| 150474 | SHELL WL-1 TC-DE wall light, silver-grey, ESL, 26W |
| 150551 | SDL 70, spot for 240V 3-phase tracks, HIT-DE, white, max. 70 W, incl. 3-phase adapter |
| 150552 | SDL 70, spot for 240V 3-phase tracks, HIT-DE-CE, silver-grey, max. 70W, incl. 3-phase adapter |
| 150561 | SDL 150, spot for 240V 3-phase tracks, HIT-DE, white, max. 150W, incl. 3-phase adapter |
| 150562 | SDL 150, spot for 240V 3-phase tracks, HIT-DE-CE, silver-grey, max. 150W, incl. 3-phase adapter |
| 150631 | SHELL, wall light, HIT-DE, white, max. 150W, incl. electronic ballast |
| 152272 | PL 2/24 SHOP spot, silver-grey / black, 2xTC-L ESL, 24W, incl. 3-phase adapter |
| 152301 | R7s SHOP spot, white, R7s, max. 300W, incl. 3-phase adapter |
| 152304 | R7s SHOP spot, silver-grey, R7s, max. 300W, incl. 3-phase adapter |
| 152620 | SUPROS, spot for 240V 3-phase tracks, LED, 3000K, black, 60° reflector, incl. 3-phase adapter |
| 152621 | SUPROS, spot for 240V 3-phase tracks, LED, 3000K, white, 60° reflector, incl. 3-phase adapter |
| 152740 | EURO CUBE, spot for 240V 3-phase tracks, LED, 3000K, black, 30°, incl. 3-phase adapter |
| 152741 | EURO CUBE, spot for 240V 3-phase tracks, LED, 3000K, white, 30°, incl. 3-phase adapter |
| 152744 | EURO CUBE, spot for 240V 3-phase tracks, LED, 3000K, silver-grey, 30°, incl. 3-phase adapter |
| 152750 | EURO CUBE, spot for 240V 3-phase tracks, LED, 3000K, black, 60°, incl. 3-phase adapter |
| 152751 | EURO CUBE, spot for 240V 3-phase tracks, LED, 3000K, white, 60°, incl. 3-phase adapter |
| 152754 | EURO CUBE, spot for 240V 3-phase tracks, LED, 3000K, silver-grey, 60°, incl. 3-phase adapter |
| 152760 | EURO CUBE, spot for 240V 3-phase tracks, LED, 3000K, black, 90°, incl. 3-phase adapter |
| 152761 | EURO CUBE, spot for 240V 3-phase tracks, LED, 3000K, white, 90°, incl. 3-phase adapter |
| 152764 | EURO CUBE, spot for 240V 3-phase tracks, LED, 3000K, silver-grey, 90°, incl. 3-phase adapter |
| 152770 | EURO CUBE, spot for 240V 3-phase tracks, LED, 4000K, black, 30°, incl. 3-phase adapter |
| 152771 | EURO CUBE, spot for 240V 3-phase tracks, LED, 4000K, white, 30°, incl. 3-phase adapter |
| 152774 | EURO CUBE, spot for 240V 3-phase tracks, LED, 4000K, silver-grey, 30°, incl. 3-phase adapter |
| 152780 | EURO CUBE, spot for 240V 3-phase tracks, LED, 4000K, black, 60°, incl. 3-phase adapter |
| 152781 | EURO CUBE, spot for 240V 3-phase tracks, LED, 4000K, white, 60°, incl. 3-phase adapter |
| 152784 | EURO CUBE, spot for 240V 3-phase tracks, LED, 4000K, silver-grey, 60°, incl. 3-phase adapter |
| 152790 | EURO CUBE, spot for 240V 3-phase tracks, LED, 4000K, black, 90°, incl. 3-phase adapter |
| 152791 | EURO CUBE, spot for 240V 3-phase tracks, LED, 4000K, white, 90°, incl. 3-phase adapter |
| 152794 | EURO CUBE, spot for 240V 3-phase tracks, LED, 4000K, silver-grey, 90°, incl. 3-phase adapter |
| 152800 | SUPROS, spot for 240V 3-phase tracks, LED, 3000K, black, 60° reflector, 33,5W, incl. 3-phase adapter |

| | |
|--------|---|
| 152801 | SUPROS, spot for 240V 3-phase tracks, LED, 3000K, white, 60° reflector, 33,5W, incl. 3-phase adapter |
| 152810 | SUPROS, spot for 240V 3-phase tracks, LED, 4000K, black, 60° reflector, 33,5W, incl. 3-phase adapter |
| 152811 | SUPROS, spot for 240V 3-phase tracks, LED, 4000K, white, 60° reflector, 33,5W, incl. 3-phase adapter |
| 152920 | DANCER, spot for 240V 3-phase tracks, LED, 3000K, black, 48W, incl. 3-phase adapter |
| 152924 | DANCER, spot for 240V 3-phase tracks, LED, 3000K, silver-grey/black, 48W, incl. 3-phase adapter |
| 152930 | DANCER, spot for 240V 3-phase tracks, LED, 4000K, black, 48W, incl. 3-phase adapter |
| 152934 | DANCER, spot for 240V 3-phase tracks, LED, 4000K, silver-grey/black, 48W, incl. 3-phase adapter |
| 152980 | BILAS, spot for 240V 3-phase tracks, LED, 2700K, round, matt black, 60°, 25 W, incl. 3-phase adapter |
| 152981 | BILAS, spot for 240V 3-phase tracks, LED, 2700K, round, matt white, 60°, 25 W, incl. 3-phase adapter |
| 152990 | BILAS, spot for 240V 3-phase tracks, LED, 2700K, round, matt black, 25°, 25 W, incl. 3-phase adapter |
| 152991 | BILAS, spot for 240V 3-phase tracks, LED, 2700K, round, matt white, 25°, 25 W, incl. 3-phase adapter |
| 153312 | SFL PAR20 G, spot, QPAR51, polished aluminium, max. 50W, incl. 3-phase adapter |
| 153322 | SFL PAR36, spot, QPAR111, polished aluminium, max. 75W, incl. 3-phase adapter |
| 153332 | SFL PAR56 T 70 LANG HV HIT, spot, polished aluminium, 70W, incl. 3-phase adapter |
| 153342 | SFL PAR56 T 150 LANG HV HIT, spot, polished aluminium, 150W, incl. 3-phase adapter |
| 153352 | SFL PAR56 TS 70 LANG HV HIT-DE, spot, polished aluminium, 70W, incl. 3-phase adapter |
| 153362 | SFL PAR56 TS 150 LANG HV HIT-DE, spot, polished aluminium, 150W, incl. 3-phase adapter |
| 153400 | EURO SPOT, spot for 240V 3-phase tracks, HIT, round, matt black, 15°, max. 70W, incl. 3-phase adapter and conventional ballast |
| 153401 | EURO SPOT, spot for 240V 3-phase tracks, HIT, round, white, 15°, max. 70W, incl. 3-phase adapter and conventional ballast |
| 153404 | EURO SPOT, spot for 240V 3-phase tracks, HIT, round, silver-grey, 15°, max. 70W, incl. 3-phase adapter and conventional ballast |
| 153410 | EURO SPOT, spot for 240V 3-phase tracks, HIT, round, matt black, 60°, max. 70W, incl. 3-phase adapter and conventional ballast |
| 153411 | EURO SPOT, SPOT for 240V 3-phase tracks, HIT, round, white, 60°, max. 70W, incl. 3-phase adapter and conventional ballast |
| 153414 | EURO SPOT, SPOT for 240V 3-phase tracks, HIT, round, silver-grey, 60°, max. 70W, incl. 3-phase adapter and conventional ballast |
| 153420 | EURO SPOT, SPOT for 240V 3-phase tracks, QPAR111, round, black, max. 75W, incl. 3-phase adapter |
| 153421 | EURO SPOT, SPOT for 240V 3-phase tracks, QPAR111, round, white, max. 75W, incl. 3-phase adapter |
| 153424 | EURO SPOT, SPOT for 240V 3-phase tracks, QPAR111, round, silver-grey, max. 75W, incl. 3-phase adapter |
| 153430 | EURO SPOT, SPOT for 240V 3-phase tracks, QR-LP111, matt black, max. 75W, incl. 3-phase adapter und K-Trafo |
| 153431 | EURO SPOT, SPOT for 240V 3-phase tracks, QR-LP111, white, max. 75W, incl. 3-phase adapter und K-Trafo |
| 153434 | EURO SPOT, SPOT for 240V 3-phase tracks, QR-LP111, silver-grey, max. 75W, incl. 3-phase adapter und K-Trafo |
| 153490 | EURO SPOT LED DISK 800, SPOT for 240V 3-phase tracks, LED, 2700K, black, 12W, 60°, incl. 3-phase adapter |
| 153491 | EURO SPOT LED DISK 800, SPOT for 240V 3-phase tracks, LED, 2700K, white, 12W, 60°, incl. 3-phase adapter |
| 153494 | EURO SPOT LED DISK 800, SPOT for 240V 3-phase tracks, LED, 2700K, silver-grey, 12W, 60°, incl. 3-phase adapter |
| 153621 | SDL PRO 70, spot for 240V 3-phase tracks, HIT-DE, white, max. 70W, incl. 3-phase adapter |
| 153624 | SDL PRO 70, spot for 240V 3-phase tracks, HIT-DE, silver-grey, max. 70W, incl. 3-phase adapter |
| 153631 | SDL PRO 150, spot for 240V 3-phase tracks, HIT-DE, white, max. 150W, incl. 3-phase adapter |
| 153634 | SDL PRO 150, spot for 240V 3-phase tracks, HIT-DE-CE, silver-grey, max. 150W, incl. 3-phase adapter |
| 153640 | SLEEK SPOT, for 240V 3-phase tracks, HIT, black, max. 70W, incl. 16° reflector und 3-phase adapter |

| | |
|--------|--|
| 153641 | SLEEK SPOT, for 240V 3-phase tracks, HIT, white, max. 70W, incl. 16° reflector und 3-phase adapter |
| 153644 | SLEEK SPOT, for 240V 3-phase tracks, HIT, silver-grey, max. 70W, incl. 16° reflector und 3-phase adapter |
| 153650 | SLEEK SPOT, for 240V 3-phase tracks, HIT, black, max. 70W, incl. 30° reflector und 3-phase adapter |
| 153651 | SLEEK SPOT, for 240V 3-phase tracks, HIT, white, max. 70W, incl. 30° reflector und 3-phase adapter |
| 153654 | SLEEK SPOT, for 240V 3-phase tracks, HIT, silver-grey, max. 70W, incl. 30° reflector und 3-phase adapter |
| 153660 | SLEEK SPOT, for 240V 3-phase tracks, HIT, black, max. 70W, incl. 52° reflector und 3-phase adapter |
| 153661 | SLEEK SPOT, for 240V 3-phase tracks, HIT, white, max. 70W, incl. 52° reflector und 3-phase adapter |
| 153664 | SLEEK SPOT, for 240V 3-phase tracks, HIT, silver-grey, max. 70W, incl. 52° reflector und 3-phase adapter |
| 153730 | D-RECTION, spot for 240V 3-phase tracks, HIT, black/chrome, max. 70W, incl. 3-phase adapter |
| 153731 | D-RECTION, spot for 240V 3-phase tracks, HIT, white, max. 70W, incl. 3-phase adapter |
| 153734 | D-RECTION, spot for 240V 3-phase tracks, HIT, silver-grey, max. 70W, incl. 3-phase adapter |
| 153754 | QT-SPOT, silver-grey, GY6,35, max. 90W, incl. 3-phase adapter |
| 153800 | EURO SPOT, for 240V 3-phase tracks, LED, 3000K, round, black, H/Ø 19,2/8 cm, 36°, incl. 3-phase adapter and driver |
| 153801 | EURO SPOT, for 240V 3-phase tracks, LED, 3000K, round, white, H/Ø 19,2/8 cm, 36°, incl. 3-phase adapter and driver |
| 153804 | EURO SPOT, for 240V 3-phase tracks, LED, 3000K, round, silver-grey, H/Ø 19,2/8 cm, 36°, incl. 3-phase adapter and driver |
| 153810 | EURO SPOT, for 240V 3-phase tracks, LED, 3000K, round, black, H/Ø 22,1/12,5 cm, 36°, incl. 3-phase adapter |
| 153811 | EURO SPOT, for 240V 3-phase tracks, LED, 3000K, round, white, H/Ø 22,1/12,5 cm, 36°, incl. 3-phase adapter |
| 153814 | EURO SPOT, for 240V 3-phase tracks, LED, 3000K, round, silver-grey, H/Ø 22,1/12,5 cm, 36°, incl. 3-phase adapter |
| 153830 | EURO SPOT, for 240V 3-phase tracks, HIT, black, 15°, max. 50W, incl. 3-phase adapter and electronic ballast |
| 153831 | EURO SPOT, for 240V 3-phase tracks, HIT, white, 15°, max. 50W, incl. 3-phase adapter and electronic ballast |
| 153834 | EURO SPOT, for 240V 3-phase tracks, HIT, silver-grey, 15°, max. 50W, incl. 3-phase adapter and electronic ballast |
| 153840 | EURO SPOT, for 240V 3-phase tracks, HIT, black, 60°, max. 50W, incl. 3-phase adapter and electronic ballast |
| 153841 | EURO SPOT, for 240V 3-phase tracks, HIT, white, 60°, max. 50W, incl. 3-phase adapter and electronic ballast |
| 153844 | EURO SPOT, for 240V 3-phase tracks, HIT, silver-grey, 60°, max. 50W, incl. 3-phase adapter and electronic ballast |
| 153850 | EURO SPOT, for 240V 3-phase tracks, QPAR51, black, max. 25W, incl. 3-phase adapter |
| 153851 | EURO SPOT, for 240V 3-phase tracks, QPAR51, white, max. 25W, incl. 3-phase adapter |
| 153854 | EURO SPOT, for 240V 3-phase tracks, QPAR51, silver-grey, max. 25W, incl. 3-phase adapter |
| 153860 | EURO SPOT, for 240V 3-phase tracks, HIT, black, 35W, 15°, incl. 3-phase adapter and electronic ballast |
| 153861 | EURO SPOT, for 240V 3-phase tracks, HIT, white, 35W, 15°, incl. 3-phase adapter and electronic ballast |
| 153864 | EURO SPOT, for 240V 3-phase tracks, HIT, silver-grey, 35W, 15°, incl. 3-phase adapter and electronic ballast |
| 153870 | EURO SPOT, for 240V 3-phase tracks, HIT, black, 35W, 60°, incl. 3-phase adapter and electronic ballast |
| 153871 | EURO SPOT, for 240V 3-phase tracks, HIT, white, 35W, 60°, incl. 3-phase adapter and electronic ballast |
| 153874 | EURO SPOT, for 240V 3-phase tracks, HIT, silver-grey, 35W, 60°, incl. 3-phase adapter and electronic ballast |
| 153880 | EURO SPOT, for 240V 3-phase tracks, HIT, black, 70W, 15°, incl. 3-phase adapter and electronic ballast |
| 153881 | EURO SPOT, for 240V 3-phase tracks, HIT, white, 70W, 15°, incl. 3-phase adapter and electronic ballast |
| 153884 | EURO SPOT, for 240V 3-phase tracks, HIT, silver-grey, 70W, 15°, incl. 3-phase adapter and electronic ballast |
| 153890 | EURO SPOT, Spot für Hochvolt-Stromschiene 3Phasen, HIT, schwarz, 70W, 60°, inkl. 3Phasen-Adapter und EVG |
| 153891 | EURO SPOT, for 240V 3-phase tracks, HIT, white, 70W, 60°, incl. 3-phase adapter and electronic ballast |
| 153894 | EURO SPOT, for 240V 3-phase tracks, HIT, silver-grey, 70W, 60°, incl. 3-phase adapter and electronic ballast |

| | |
|--------|--|
| 153900 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 2700K, black, 15°, 12,6W, incl. 3-phase adapter |
| 153901 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 2700K, white, 15°, 12,6W, incl. 3-phase adapter |
| 153904 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 2700K, silver-grey, 15°, 12,6W, incl. 3-phase adapter |
| 153910 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 2700K, black, 24°, 12,6W, incl. 3-phase adapter |
| 153911 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 2700K, white, 24°, 12,6W, incl. 3-phase adapter |
| 153914 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 2700K, silver-grey, 24°, 12,6W, incl. 3-phase adapter |
| 153920 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 2700K, black, 36°, 12,6W, incl. 3-phase adapter |
| 153921 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 2700K, white, 36°, 12,6W, incl. 3-phase adapter |
| 153924 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 2700K, silver-grey, 36°, 12,6W, incl. 3-phase adapter |
| 153930 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 3000K, black, 15°, 12,6W, incl. 3-phase adapter |
| 153931 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 3000K, white, 15°, 12,6W, incl. 3-phase adapter |
| 153934 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 3000K, silver-grey, 15°, 12,6W, incl. 3-phase adapter |
| 153940 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 3000K, black, 24°, 12,6W, incl. 3-phase adapter |
| 153941 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 3000K, white, 24°, 12,6W, incl. 3-phase adapter |
| 153944 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 3000K, silver-grey, 24°, 12,6W, incl. 3-phase adapter |
| 153950 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 3000K, black, 36°, 12,6W, incl. 3-phase adapter |
| 153951 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 3000K, white, 36°, 12,6W, incl. 3-phase adapter |
| 153954 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 3000K, silver-grey, 36°, 12,6W, incl. 3-phase adapter |
| 153960 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 4000K, black, 15°, 12,6W, incl. 3-phase adapter |
| 153961 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 4000K, white, 15°, 12,6W, incl. 3-phase adapter |
| 153964 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 4000K, silver-grey, 15°, 12,6W, incl. 3-phase adapter |
| 153970 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 4000K, black, 24°, 12,6W, incl. 3-phase adapter |
| 153971 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 4000K, white, 24°, 12,6W, incl. 3-phase adapter |
| 153974 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 4000K, silver-grey, 24°, 12,6W, incl. 3-phase adapter |
| 153980 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 4000K, black, 36°, 12,6W, incl. 3-phase adapter |
| 153981 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 4000K, white, 36°, 12,6W, incl. 3-phase adapter |
| 153984 | EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 4000K, silver-grey, 36°, 12,6W, incl. 3-phase adapter |
| 153990 | EURO SPOT LED DISK 800, for 240V 3-phase tracks, LED, 4000K, round, black, 60°, 11W, incl. 3-phase adapter |
| 153991 | EURO SPOT LED DISK 800, for 240V 3-phase tracks, LED, 4000K, round, white, 60°, 11W, incl. 3-phase adapter |
| 153994 | EURO SPOT LED DISK 800, for 240V 3-phase tracks, LED, 4000K, round, silver-grey, 60°, 11W, incl. 3-phase adapter |
| 154382 | AIXLIGHT SHOP 1, pendant, QT-DE12, silver-grey, max. 200W, max. 550W |
| 156602 | SFL Par 56 headlamps |
| 156622 | SFL PAR 20, E27 |
| 156632 | SFL PAR20 G spot, aluminium, GU10, max. 50W |
| 156662 | SFL PAR56 T 70 LANG HV G12 spot, aluminium, 70W |
| 156672 | SFL PAR56 T 150 LANG HV G12 spot, aluminium, 150W |
| 156682 | SFL PAR56 TS LANG, spot, HIT-DE, aluminium, max. 70W |
| 156692 | SFL PAR56 TS LANG, spot, HIT-DE, aluminium, max. 150W |
| 156722 | SFL PAR36 ES111 spot, aluminium, GU10, max. 75W |
| 157152 | WORKLIGHT, floor stand, TC-LEL, silver-grey, max. 220W |
| 157284 | WORK LIGHT, pendant, T16, rectangular, silver-grey, max. 108W |

| | |
|--------|--|
| 157514 | LONG GRILL, pendant, T16, silver-grey, max. 64W |
| 157524 | LONG GRILL, pendant, T16, silver-grey, max. 120W |
| 157534 | LONG GRILL, ceiling light, T16, silver-grey, max. 108W |
| 157901 | WORKLIGHT LED SL-2, floor stand, 3000K, white, 37W, incl. LED-driver |
| 157905 | WORKLIGHT LED SL-2, floor stand, 3000K, anthracite, 37W, incl. LED-driver |
| 157911 | WORKLIGHT LED SL-1, floor stand, 3000K, white, dimmable, 60W, incl. LED driver and presence detector |
| 157915 | WORKLIGHT LED SL-1, floor stand, 3000K, anthracite, dimmable, 60W, incl. LED driver and presence detector |
| 158602 | LED PANEL, recessed and surface-mounted ceiling light, 2700K, square, matt white, L/B/H 59,5/59,5/1,5 cm, 39,5W |
| 158603 | LED PANEL, recessed and surface-mounted ceiling light, 3000K, square, matt white, L/B/H 59,5/59,5/1,5 cm, 39,5W |
| 158604 | LED PANEL, recessed and surface-mounted ceiling light, 4000K, square, matt white, L/B/H 59,5/59,5/1,5 cm, 39,5W |
| 158612 | LED PANEL, recessed and surface-mounted ceiling light, 2700K, square, matt white, L/B/H 61,7/61,7/1,5 cm, 39,5W, for grid ceilings |
| 158613 | LED PANEL, recessed and surface-mounted ceiling light, 3000K, square, matt white, L/B/H 61,7/61,7/1,5 cm, 39,5W, for grid ceilings |
| 158614 | LED PANEL, recessed and surface-mounted ceiling light, 4000K, square, matt white, L/B/H 61,7/61,7/1,5 cm, 39,5W, for grid ceilings |
| 158622 | LED PANEL, pendant, 2700K, round, white, dimmable 1-10V, 40W |
| 158623 | LED PANEL, pendant, 3000K, round, white, dimmable 1-10V, 40W |
| 158624 | LED PANEL, pendant, 4000K, round, white, dimmable 1-10V, 40W |
| 158632 | LED PANEL, pendant, 2700K, round, silver-grey, dimmable 1-10V, 40W |
| 158633 | LED PANEL, pendant, 3000K, round, silver-grey, dimmable 1-10V, 40W |
| 158634 | LED PANEL, pendant, 4000K, round, silver-grey, dimmable 1-10V, 40W |
| 158662 | LED PANEL 360, recessed fittings, 2700K, round, white, without a driver, 40W |
| 158663 | LED PANEL 360, recessed fittings, 3000K, round, white, without a driver, 40W |
| 158664 | LED PANEL 360, recessed fittings, 4000K, round, white, without a driver, 40W |
| 158703 | I-VIDUAL LED PANEL, recessed fittings, 3000K, square, white, L/B/H 59,5/59,5/1,2 cm, can be converted to a pendant, 40W |
| 158704 | I-VIDUAL LED PANEL, recessed fittings, 4000K, square, white, L/B/H 59,5/59,5/1,2 cm, can be converted to a pendant, 40W |
| 158713 | I-VIDUAL LED PANEL, recessed fittings, 3000K, square, white, L/B/H 61,7/61,7/1,2 cm, can be converted to a pendant, 40W |
| 158714 | I-VIDUAL LED PANEL, recessed fittings, 4000K, square, white, L/B/H 61,7/61,7/1,2 cm, can be converted to a pendant, 40W |
| 158722 | I-PENDANT PRO, pendant, LED, 2700K, square, matt white, 39W |
| 158723 | I-PENDANT PRO, pendant, LED, 3000K, square, matt white, 39W |
| 158724 | I-PENDANT PRO, pendant, LED, 4000K, square, matt white, 39W |
| 158732 | I-PENDANT PRO, pendant, LED, 2700K, square, silver-grey, 39W |
| 158733 | I-PENDANT PRO, pendant, LED, 3000K, square, silver-grey, 39W |
| 158734 | I-PENDANT PRO, pendant, LED, 4000K, square, silver-grey, 39W |
| 160761 | TRISTAN, ceiling light, double-headed, T26, rectangular, white, max. 72W, incl. low-loss ballast |
| 160764 | TRISTAN, ceiling light, double-headed, T26, rectangular, silver-grey, max. 72W, incl. low-loss ballast |
| 160771 | TC RASTER 218, ceiling light, double-headed, TC-LEL, square, white/chrome, max. 36W, incl. low-loss ballast |
| 160781 | TC RASTER 336, ceiling light, triple-headed, TC-LEL, square, white/chrome, max. 108W |

| | |
|--------|--|
| 160791 | TC INDI 255, ceiling light, double-headed, TC-LEL, square, white, max. 110 |
| 160802 | HANG UP, pendant, double-headed, T26, anodised aluminium, max. 72W |
| 160841 | TRISTAN, ceiling light, double-headed, T26, rectangular, white, 18W, incl. electronic ballast |
| 160861 | TRISTAN, ceiling light, double-headed, T26, rectangular, white, 36W, incl. electronic ballast |
| 160864 | TRISTAN, ceiling light, double-headed, T26, rectangular, silver-grey, 36W, incl. low-loss ballast |
| 162021 | GIMBLE PRO HIT-CE, recessed fittings, HIT-CE, white, max. 150W, incl. clip springs |
| 162024 | GIMBLE PRO HIT-CE, recessed fittings, HIT-CE, silver-grey, max. 150W, incl. clip springs |
| 162151 | BERET HIT-CE, recessed fittings, white, max. 150W, incl. clip springs |
| 162154 | BERET HIT-CE, recessed fittings, silver-grey, max. 150W, incl. clip springs |
| 165020 | PARA DOME 320, HQI 100W |
| 165100 | PARA DOME 2, pendant, A60, anthracite/transparent, Ø/H 33/30 cm, max. 150W |
| 165110 | PARA DOME 2, pendant, HIE, anthracite/transparent, Ø/H 33/42 cm, max. 70W |
| 165140 | PARA DOME 2, pendant, HIE, silver-grey/transparent, Ø/H 48/56 cm, max. 250W |
| 165204 | PARA LED, pendant, LED, silver-grey, für Philips LED Twistable Module, 20W |
| 165211 | PARA MULTI DLMi pendant, silver-grey, incl. Philips DLMi Modul 14W, 4000K, 1100lm |
| 165212 | PARA MULTI DLMi, pendant, LED, 3000K, silver-grey, incl. Philips DLMi Modul 15W |
| 165221 | PARA MULTI, pendant, LED, 4000K, silver-grey, incl. Philips DLMi Modul 27W |
| 165222 | PARA MULTI, pendant, LED, 3000K, silver-grey, incl. Philips DLMi Modul 28W |
| 165320 | PARA MULTI, pendant, HIE, silver-grey/transparent, max. 150W, incl. KVG |
| 165340 | PARA MULTI, pendant, A60, silver-grey/transparent, max. 160W |
| 165350 | PARA 380, pendant, A60, silver-grey, max. 250W |
| 165351 | PARA 380, pendant, HME-SB, white, max. 160W |
| 165356 | PARA 380, pendant, A60, red, max. 250W |
| 165357 | PARA 380, pendant, HME-SB, beige, max. 160W |
| 165358 | PARA 380, pendant, A60, natural aluminium, max. 160W |
| 165359 | PARA 380, pendant, A60, black, max. 160W |
| 165600 | PENTULI, pendant, LED, 3000K, black, Ø 24 cm, canopy black, 31W |
| 165601 | PENTULI, pendant, LED, 3000K, white, Ø24 cm, canopy white, 31W |
| 165610 | PENTULI, pendant, LED, 3000K, black, Ø 38 cm, canopy black, 43W |
| 165611 | PENTULI, pendant, LED, 3000K, white, Ø 38 cm, canopy white, 43W |
| 170401 | DISPLAY, wall light, LED, 4000K, silver-grey, 16W, incl. power supply and plug |
| 170402 | DISPLAY, wall light, LED, 3000K, silver-grey, 16W, incl. power supply and plug |
| 170414 | SKELETTO, wall light, QT-DE12, silver-grey, max. 150W, incl. clamp and plug |
| 176000 | STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, black, 36°, 24W, incl. 3-phase adapter |
| 176001 | STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, white, 36°, 24W, incl. 3-phase adapter |
| 176004 | STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, silver, 36°, 24W, incl. 3-phase adapter |
| 176010 | STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, black, 60°, 24W, incl. 3-phase adapter |
| 176011 | STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, white, 60°, 24W, incl. 3-phase adapter |
| 176014 | STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, silver, 60°, 24W, incl. 3-phase adapter |
| 176020 | STRUCTEC, spot for 240V 3-phase tracks, LED, 4000K, round, black, 36°, 24W, incl. 3-phase adapter |
| 176021 | STRUCTEC, spot for 240V 3-phase tracks, LED, 4000K, round, white, 36°, 24W, incl. 3-phase adapter |

| | |
|--------|---|
| 176024 | STRUCTEC, spot for 240V 3-phase tracks, LED, 4000K, round, silver, 36°, 24W, incl. 3-phase adapter |
| 176030 | STRUCTEC, spot for 240V 3-phase tracks, LED, 4000K, round, black, 60°, 24W, incl. 3-phase adapter |
| 176031 | STRUCTEC, spot for 240V 3-phase tracks, LED, 4000K, round, white, 60°, 24W, incl. 3-phase adapter |
| 176034 | STRUCTEC, spot for 240V 3-phase tracks, LED, 4000K, round, silver, 60°, 24W, incl. 3-phase adapter |
| 176040 | STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, black, 36°, 30W, incl. 3-phase adapter |
| 176041 | STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, white, 36°, 30W, incl. 3-phase adapter |
| 176044 | STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, silver, 36°, 30W, incl. 3-phase adapter |
| 176050 | STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, black, 60°, 30W, incl. 3-phase adapter |
| 176051 | STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, white, 60°, 30W, incl. 3-phase adapter |
| 176054 | STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, silver, 60°, 30W, incl. 3-phase adapter |
| 176060 | STRUCTEC, spot for 240V 3-phase tracks, LED, 4000K, round, black, 36°, 30W, incl. 3-phase adapter |
| 176061 | STRUCTEC, spot for 240V 3-phase tracks, LED, 4000K, round, white, 36°, 30W, incl. 3-phase adapter |
| 176064 | STRUCTEC, spot for 240V 3-phase tracks, LED, 4000K, round, silver, 36°, 30W, incl. 3-phase adapter |
| 176070 | STRUCTEC, spot for 240V 3-phase tracks, LED, 4000K, round, black, 60°, 30W, incl. 3-phase adapter |
| 176071 | STRUCTEC, spot for 240V 3-phase tracks, LED, 4000K, round, white, 60°, 30W, incl. 3-phase adapter |
| 176074 | STRUCTEC, spot for 240V 3-phase tracks, LED, 4000K, round, silver, 60°, 30W, incl. 3-phase adapter |
| 176080 | STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, black, 36°, 30W, incl. 3-phase adapter |
| 176081 | STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, white, 36°, 30W, incl. 3-phase adapter |
| 176084 | STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, silver, 36°, 30W, incl. 3-phase adapter |
| 176090 | STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, black, 60°, 30W, incl. 3-phase adapter |
| 176091 | STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, white, 60°, 30W, incl. 3-phase adapter |
| 176094 | STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, silver, 60°, 30W, incl. 3-phase adapter |
| 228240 | ADJUST 265, outdoor inground fittings, HIT, IP67, round, stainless steel 304, max. 70W |
| 228244 | ADJUST 265, outdoor inground fittings, HIT, IP67, square, stainless steel 304, max. 70W |
| 228531 | ENOLA_C, outdoor display fitting, LED, 3000K, IP55, round, white |
| 228535 | ENOLA_C, outdoor display fitting, LED, 3000K, IP55, round, anthracite |
| 228812 | MYRA CURVED, outdoor display spot, QPAR51, IP55, silver-grey, max. 50W |
| 228815 | MYRA CURVED, outdoor display spot, QPAR51, IP55, anthracite, max. 50W |
| 228842 | MYRA STRAIGHT, outdoor display spot, QPAR51, IP55, silver-grey, max. 50W |
| 228845 | MYRA STRAIGHT, outdoor display spot, QPAR51, IP55, anthracite, max. 50W |
| 229000 | SXL HIT-DE SPOT, outdoor spot, HIT-DE, IP65, black, max. 150W |
| 229001 | SXL HIT-DE SPOT, outdoor spot, HIT-DE, IP65, white, max. 150W |
| 229002 | SXL HIT-DE SPOT, outdoor spot, HIT-DE, IP65, silver-grey, max. 150W |
| 229012 | SXL HIT-DE SPOT, outdoor spot, HIT, IP65, silver-grey, max. 400W |
| 229044 | SXL HIT-DE SPOT, outdoor spot, HIT-DE, IP65, silver-grey, max. 70W |
| 229270 | DASAR, outdoor inground fittings, HIT, IP67, round, stainless steel 316, max. 70W |
| 229274 | DASAR, outdoor inground fittings, HIT, IP67, square, stainless steel 316, max. 70W |
| 229294 | DASAR HIT-DE 70, outdoor inground fittings, HIT-DE, IP67, asymmetrical, stainless steel 316, max. 70W |
| 229381 | DASAR 225, outdoor inground fittings, LED, 4000K, IP67, stainless steel 316, asymmetrical, 34W |
| 229383 | DASAR 225, outdoor inground fittings, LED, 3000K, IP67, stainless steel 316, asymmetrical, 34W |
| 229392 | VANO WING PL, outdoor facade light, TC-LEL, IP65, silver-grey, L/B/H 50/15,5/7,5 cm, max. 36W |

| | |
|--------|---|
| 229394 | VANO WING, outdoor facade light, T16, IP65, silver-grey, L/B/H 123,5/15,5/7,5 cm, max. 54W |
| 229400 | VANO DISPLAY, outdoor facade light, T16, IP65, silver-grey, max. 70W |
| 229405 | VANO TC, outdoor facade light, TC-LEL, IP65, silver-grey, max. 36W |
| 230054 | FLAC BEAM, outdoor facade light, HIT-CE, silver-grey, max. 70W |
| 230595 | EASYLITE, outdoor spot, HIT-CE, IP44, stone-grey, max. 70W, incl. KVG |
| 231092 | FLAC BEAM, outdoor facade light, LED, 3000K, IP65, stone-grey, mit Philips DLMi Modul 2000lm, 28W |
| 231173 | FLOOD LIGHT, outdoor facade light, LED, 3000K, IP65, matt black, 120°, 82,3W |
| 231175 | FLOOD LIGHT, outdoor facade light, LED, 5700K, IP65, matt black, 120°, 82,3W |
| 233124 | MYRA DISPLAY, outdoor wall light, QPAR51, IP55, silver-grey, rigid, max. 50W |
| 233125 | MYRA DISPLAY, outdoor wall light, QPAR51, IP55, anthracite, rigid, max. 50W |
| 233134 | MYRA DISPLAY, outdoor wall light, QPAR51, IP55, silver-grey, convex, max. 50W |
| 233135 | MYRA DISPLAY, outdoor wall light, QPAR51, IP55, anthracite, convex, max. 50W |