

## Information for our customers - Electrical and Electronic Equipment Act

On March 16th, 2005 the Electrical and Electronic Equipment Act was published. Among other reasons, it serves the implementation of the EC directive 2002/96/EC on electrical and electronic equipment (WEEE-Directive). As a company we are registered with the number WEEE DE 31762252.

We are legally obligated to inform you as our customers and are happy to do so with the following references.

In der nachfolgenden Liste sind jene Geräte aufgeführt, für die eine Rückgabemöglichkeit besteht.

Devices that were obtained from us after March 23rd, 2006 (so-called new waste) we will take back for reutilisation, treatment and disposal at our collection points, if and when they have turned into waste. We will take the devices back free of charge.

A list of our collection points can be found at [www.interseroh-WEEE.de](http://www.interseroh-WEEE.de).

Devices from the same list that have been obtained from us before March 24th, 2006 (so-called historical waste) are, if and when they have turned into waste, according to legal regulation to be disposed of by their respective owners at a facility separated from unsorted municipal waste. These devices can therefore not be disposed of at our collection points.

All gas discharge lamps that are registered under the trade name FN Light as well as all LED Retrofit lamps (registered under the trade name SLV) can be disposed of at the public collection points. Since Aug 1st, 2013 the same applies for luminaires with built-in LEDs.

---

SLV GmbH  
Daimlerstraße 21–23  
52531 Übach-Palenberg  
Deutschland

Postfach 1249  
52527 Übach-Palenberg  
Deutschland

T Zentrale +49 (0) 2451 4833-0  
T Verkauf +49 (0) 2451 4833-333  
F Verkauf +49 (0) 2451 41880  
F Verkauf +49 (0) 2451 41888

info@slv.de  
www.slv.com

Hypo Vereinsbank Düsseldorf  
IBAN DE65 3022 0190 0016 5422 29  
BIC/SWIFT HYVEDEMM414

Commerzbank AG Aachen  
IBAN DE04 3908 0005 0280 4888 00  
BIC/SWIFT DRESDEFF390

Postbank Köln  
IBAN DE41 3701 0050 0275 0745 03  
BIC/SWIFT PBNKDEFF370

USt-IdNr.: DE 122487502  
WEEE-Reg-Nr.: DE 31762252  
AG Aachen HRB 9712

Geschäftsführer:  
Eric Lachambre  
Jens Aertgeerts  
Sven Schirmer  
Christian Bannert

Article Nb.:	Articel-Description
113561	NEW TRIA DISK, recessed fittings, LED, 4000K, round, matt white, 35°, incl. clip springs
113564	NEW TRIA DISK, recessed fittings, LED, 4000K, round, silver-grey, 35°, incl. clip springs
113571	NEW TRIA DISK, recessed fittings, LED, 4000K, round, matt white, 60°, incl. clip springs
113574	NEW TRIA DISK, recessed fittings, LED, 4000K, round, silver-grey, 60°, incl. clip springs
113581	NEW TRIA DISK, recessed fittings, LED, 2700K, round, matt white, 35°, incl. clip springs
113584	NEW TRIA DISK, recessed fittings, LED, 2700K, round, silver-grey, 35°, incl. clip springs
113591	NEW TRIA DISK, recessed fittings, LED, 2700K, round, matt white, 60°, incl. clip springs
113594	NEW TRIA DISK, recessed fittings, LED, 2700K, round, silver-grey, 60°, incl. clip springs
113701	NEW TRIA DLMI, recessed fittings, LED, 3000K, square, white, 60°, tiltable, incl. clip springs
113704	NEW TRIA DLMI, recessed fittings, LED, 3000K, square, silver-grey, 60°, tiltable, incl. clip springs
113711	NEW TRIA DLMI, recessed fittings, LED, 4000K, square, white, 60°, tiltable, incl. clip springs
113714	NEW TRIA DLMI, recessed fittings, LED, 4000K, square, silver-grey, 60°, tiltable, incl. clip springs
113721	NEW TRIA DLMI, recessed fittings, LED, 3000K, round, white, 60°, tiltable, incl. clip springs
113724	NEW TRIA DLMI, recessed fittings, LED, 3000K, round, silver-grey, 60°, tiltable, incl. clip springs
113731	NEW TRIA DLMI, recessed fittings, LED, 4000K, round, white, 60°, tiltable, incl. clip springs
113734	NEW TRIA DLMI, recessed fittings, LED, 4000K, round, silver-grey, 60°, tiltable, incl. clip springs
114110	SUPROS, recessed fittings, LED, 3000K, round, black, 3000lm, 60° reflector, incl. clip springs
114111	SUPROS, recessed fittings, LED, 3000K, round, white, 3000lm, 60° reflector, incl. clip springs
114120	SUPROS, recessed fittings, LED, 3000K, round, black, 3000lm, 60° reflector, incl. clip springs
114121	SUPROS, recessed fittings, LED, 3000K, round, white, 3000lm, 60° reflector, incl. clip springs
115001	QR111 MODUL, for AIXLIGHT PRO installation frame, QR111, matt white, max. 75W
115004	QR111 MODUL, for AIXLIGHT PRO installation frame, QR111, silver-grey/black, max. 75W
115011	QPAR111 MODUL, for AIXLIGHT PRO installation frame, QPAR111, matt white, max. 75W
115014	QPAR111 MODUL, for AIXLIGHT PRO installation frame, QPAR111, silver-grey/black, max. 75W
115024	ES111 BRITESPOT MODUL, for AIXLIGHT PRO installation frame, HIPAR111, silver-grey/black, max. 70W
115034	E27 MODUL, for AIXLIGHT PRO installation frame, PAR30, silver-grey/black, max. 75W
115041	G12 MODUL, for AIXLIGHT PRO installation frame, HIT-CE, white/black, 24°, max. 70W
115044	G12 MODUL, for AIXLIGHT PRO installation frame, HIT-CE, silver-grey/black, 24°, max. 70W
115051	G12 MODUL, for AIXLIGHT PRO installation frame, HIT-CE, white/black, 58°, max. 70W
115054	G12 MODUL, for AIXLIGHT PRO installation frame, HIT, silver-grey/black, 58°, max. 70W
115064	G12 MODUL, for AIXLIGHT PRO installation frame, HIT, silver-grey/black, 8° max. 70W
115071	QR111 MODUL MOVE, for AIXLIGHT PRO installation frame, QR-LP111, matt white, max. 75W
115074	QR111 MODUL MOVE, for AIXLIGHT PRO installation frame, QR-LP111, silver-grey/black, max. 75W
115094	ENERGYSAVER MODUL, for AIXLIGHT PRO, TC-TSE, silver-grey / black, max. 21W
115104	INSTALLATION FRAME 1 FRAME, for AIXLIGHT PRO, square, silver-grey/black, L/B/H 17,5/17,5/19 cm
115114	INSTALLATION FRAME 2 FRAME, for AIXLIGHT PRO, rectangular, silver-grey/black, L/B/H 31,5/17,5/19 cm
115124	INSTALLATION FRAME 3 FRAME, for AIXLIGHT PRO, rectangular, silver-grey/black, L/B/H 45,5/17,5/19 cm
115151	INSTALLATION FRAME 1 FRAMELESS, for AIXLIGHT PRO, square, black, L/B/H 15,5/15,5/18,5 cm, incl. INSTALLATION FRAME
115152	INSTALLATION FRAME 2 FRAMELESS, for AIXLIGHT PRO, rectangular, black, L/B/H 31,5/15,5/18,5 cm, incl. INSTALLATION FRAME
115153	INSTALLATION FRAME 3 FRAMELESS, for AIXLIGHT PRO, rectangular, black, L/B/H 46,5/15,5/18,5 cm, incl. INSTALLATION FRAME

115181	COB LED MODUL, for AIXLIGHT PRO installation frame, 3000K, matt white, 12°
115183	COB LED MODUL, for AIXLIGHT PRO installation frame, 3000K, matt white, 30°
115187	COB LED MODUL, for AIXLIGHT PRO installation frame, 3000K, matt white, 70°
115191	COB LED MODUL, for AIXLIGHT PRO installation frame, 3000K, silver-grey, 12°
115193	COB LED MODUL, for AIXLIGHT PRO installation frame, 3000K, silver-grey, 30°
115197	COB LED MODUL, for AIXLIGHT PRO installation frame, 3000K, silver-grey, 70°
115201	COB LED MODUL, for AIXLIGHT PRO installation frame, matt white, 12°, CRI90+
115203	COB LED MODUL, for AIXLIGHT PRO installation frame, matt white, 30°, CRI90+
115207	COB LED MODUL, for AIXLIGHT PRO installation frame, matt white, 70°, CRI90+
115211	COB LED MODUL, for AIXLIGHT PRO installation frame, matt white, 12°, CRI65+
115213	COB LED MODUL, for AIXLIGHT PRO installation frame, matt white, 30°, CRI65+
115217	COB LED MODUL, for AIXLIGHT PRO installation frame, matt white, 70°, CRI65+
115221	COB LED MODUL, for AIXLIGHT PRO installation frame, matt white, 12°, CRI90+
115223	COB LED MODUL, for AIXLIGHT PRO installation frame, matt white, 30°, CRI90+
115227	COB LED MODUL, for AIXLIGHT PRO installation frame, matt white, 70°, CRI90+
115231	COB LED MODUL, for AIXLIGHT PRO installation frame, silver-grey, 12°, CRI90+
115233	COB LED MODUL, for AIXLIGHT PRO installation frame, silver-grey, 30°, CRI90+
115237	COB LED MODUL, for AIXLIGHT PRO installation frame, silver-grey, 70°, CRI90+
115241	COB LED MODUL, for AIXLIGHT PRO installation frame, silver-grey, 12°, CRI65+
115243	COB LED MODUL, for AIXLIGHT PRO installation frame, silver-grey, 30°, CRI65+
115247	COB LED MODUL, for AIXLIGHT PRO installation frame, silver-grey, 70°, CRI65+
115250	AIXLIGHT PRO T5 FRAMELESS, recessed fittings, square, black, ESL, max. 2x39W
115251	COB LED MODUL, for AIXLIGHT PRO installation frame, silver-grey, 12°, CRI90+
115253	COB LED MODUL, for AIXLIGHT PRO installation frame, silver-grey, 30°, CRI90+
115257	COB LED MODUL, for AIXLIGHT PRO installation frame, silver-grey, 70°, CRI90+
115304	INSTALLATION FRAME 1 FRAME, for AIXLIGHT PRO, square, silver-grey/black, L/B/H 10/10/10 cm
115314	INSTALLATION FRAME 2 FRAME, for AIXLIGHT PRO, rectangular, silver-grey/black, L/B/H 17,3/10/10 cm
115351	INSTALLATION FRAME 1 FRAMELESS, for AIXLIGHT PRO, square, black, L/B/H 10,2/10,2/10,5 cm, incl. INSTALLATION FRAME
115352	INSTALLATION FRAME 2 FRAMELESS, for AIXLIGHT PRO, rectangular, black, L/B/H 18,8/10,2/10,5 cm, incl. INSTALLATION FRAME
115451	LED DISK MODUL, for AIXLIGHT PRO installation frame, 2700K, matt white, 50°
115454	LED DISK MODUL, for AIXLIGHT PRO installation frame, 2700K, silver-grey/black, 50°
115461	LED DISK MODUL, for AIXLIGHT PRO installation frame, 4000K, matt white, 50°
115464	LED DISK MODUL, for AIXLIGHT PRO installation frame, 4000K, silver-grey/black, 50°
115601	INSTALLATION FRAME 1 FRAME, for AIXLIGHT PRO, round, matt white, Ø/H 17,5/12,5 cm
115604	INSTALLATION FRAME 1 FRAME, for AIXLIGHT PRO, round, silver-grey, Ø/H 17,5/12,5 cm
115611	INSTALLATION FRAME 2 FRAME, for AIXLIGHT PRO, oval, matt white, L/B/H 35/17,5/12,5 cm
115614	INSTALLATION FRAME 2 FRAME, for AIXLIGHT PRO, oval, silver-grey, L/B/H 35/17,5/12,5 cm
115624	INSTALLATION FRAME 1 FRAMELESS, for AIXLIGHT PRO, round, black, Ø/H 15,5/12 cm, incl. INSTALLATION FRAME
115634	INSTALLATION FRAME 2 FRAMELESS, for AIXLIGHT PRO, oval, black, L/B/H 32,5/15,5/12cm, incl. INSTALLATION FRAME
115641	INSTALLATION FRAME 1 FRAME, for AIXLIGHT PRO, round, matt white, Ø/H 17,5/18,5 cm
115644	INSTALLATION FRAME 1 FRAME, for AIXLIGHT PRO, round, silver-grey, Ø/H 17,5/18,5 cm

115651	INSTALLATION FRAME 2 FRAME, for AIXLIGHT PRO, oval, matt white, L/B/H 35/17,5/18,5 cm
115654	INSTALLATION FRAME 2 FRAME, for AIXLIGHT PRO, oval, silver-grey, L/B/H 35/17,5/18,5 cm
115674	INSTALLATION FRAME 1 FRAMELESS, for AIXLIGHT PRO, round, black, Ø/H 15,5/18 cm, incl. INSTALLATION FRAME
115684	INSTALLATION FRAME 2 FRAMELESS, for AIXLIGHT PRO, oval, black, L/B/H 32,5/15,5/18 cm, incl. INSTALLATION FRAME
133100	SUPROS, pendant, LED, 3000K, round, black, 3000lm, 60° reflector
133101	SUPROS, pendant, LED, 3000K, round, white, 3000lm, 60° reflector
146324	SDL DISPLAY, QT-DE12, silver-grey/chrome, max. 200W, incl. plug
146472	NEPRO DISPLAY, wall light, QT-DE12, silver-grey/chrome, max. 200W
150331	SHELL, wall light, HIT-DE, white, max. 70W, incl. electronic ballast
150471	SHELL, wall light, TC-DEL, white, energy saving lamp, max. 26W
150474	SHELL WL-1 TC-DE wall light, silver-grey, ESL, 26W
150551	SDL 70, spot for 240V 3-phase tracks, HIT-DE, white, max. 70 W, incl. 3-phase adapter
150552	SDL 70, spot for 240V 3-phase tracks, HIT-DE-CE, silver-grey, max. 70W, incl. 3-phase adapter
150561	SDL 150, spot for 240V 3-phase tracks, HIT-DE, white, max. 150W, incl. 3-phase adapter
150562	SDL 150, spot for 240V 3-phase tracks, HIT-DE-CE, silver-grey, max. 150W, incl. 3-phase adapter
150631	SHELL, wall light, HIT-DE, white, max. 150W, incl. electronic ballast
152272	PL 2/24 SHOP spot, silver-grey / black, 2xTC-L ESL, 24W, incl. 3-phase adapter
152301	R7s SHOP spot, white, R7s, max. 300W, incl. 3-phase adapter
152304	R7s SHOP spot, silver-grey, R7s, max. 300W, incl. 3-phase adapter
152620	SUPROS, spot for 240V 3-phase tracks, LED, 3000K, black, 60° reflector, incl. 3-phase adapter
152621	SUPROS, spot for 240V 3-phase tracks, LED, 3000K, white, 60° reflector, incl. 3-phase adapter
152740	EURO CUBE, spot for 240V 3-phase tracks, LED, 3000K, black, 30°, incl. 3-phase adapter
152741	EURO CUBE, spot for 240V 3-phase tracks, LED, 3000K, white, 30°, incl. 3-phase adapter
152744	EURO CUBE, spot for 240V 3-phase tracks, LED, 3000K, silver-grey, 30°, incl. 3-phase adapter
152750	EURO CUBE, spot for 240V 3-phase tracks, LED, 3000K, black, 60°, incl. 3-phase adapter
152751	EURO CUBE, spot for 240V 3-phase tracks, LED, 3000K, white, 60°, incl. 3-phase adapter
152754	EURO CUBE, spot for 240V 3-phase tracks, LED, 3000K, silver-grey, 60°, incl. 3-phase adapter
152760	EURO CUBE, spot for 240V 3-phase tracks, LED, 3000K, black, 90°, incl. 3-phase adapter
152761	EURO CUBE, spot for 240V 3-phase tracks, LED, 3000K, white, 90°, incl. 3-phase adapter
152764	EURO CUBE, spot for 240V 3-phase tracks, LED, 3000K, silver-grey, 90°, incl. 3-phase adapter
152770	EURO CUBE, spot for 240V 3-phase tracks, LED, 4000K, black, 30°, incl. 3-phase adapter
152771	EURO CUBE, spot for 240V 3-phase tracks, LED, 4000K, white, 30°, incl. 3-phase adapter
152774	EURO CUBE, spot for 240V 3-phase tracks, LED, 4000K, silver-grey, 30°, incl. 3-phase adapter
152780	EURO CUBE, spot for 240V 3-phase tracks, LED, 4000K, black, 60°, incl. 3-phase adapter
152781	EURO CUBE, spot for 240V 3-phase tracks, LED, 4000K, white, 60°, incl. 3-phase adapter
152784	EURO CUBE, spot for 240V 3-phase tracks, LED, 4000K, silver-grey, 60°, incl. 3-phase adapter
152790	EURO CUBE, spot for 240V 3-phase tracks, LED, 4000K, black, 90°, incl. 3-phase adapter
152791	EURO CUBE, spot for 240V 3-phase tracks, LED, 4000K, white, 90°, incl. 3-phase adapter
152794	EURO CUBE, spot for 240V 3-phase tracks, LED, 4000K, silver-grey, 90°, incl. 3-phase adapter
152800	SUPROS, spot for 240V 3-phase tracks, LED, 3000K, black, 60° reflector, 33,5W, incl. 3-phase adapter

152801	SUPROS, spot for 240V 3-phase tracks, LED, 3000K, white, 60° reflector, 33,5W, incl. 3-phase adapter
152810	SUPROS, spot for 240V 3-phase tracks, LED, 4000K, black, 60° reflector, 33,5W, incl. 3-phase adapter
152811	SUPROS, spot for 240V 3-phase tracks, LED, 4000K, white, 60° reflector, 33,5W, incl. 3-phase adapter
152920	DANCER, spot for 240V 3-phase tracks, LED, 3000K, black, 48W, incl. 3-phase adapter
152924	DANCER, spot for 240V 3-phase tracks, LED, 3000K, silver-grey/black, 48W, incl. 3-phase adapter
152930	DANCER, spot for 240V 3-phase tracks, LED, 4000K, black, 48W, incl. 3-phase adapter
152934	DANCER, spot for 240V 3-phase tracks, LED, 4000K, silver-grey/black, 48W, incl. 3-phase adapter
152980	BILAS, spot for 240V 3-phase tracks, LED, 2700K, round, matt black, 60°, 25 W, incl. 3-phase adapter
152981	BILAS, spot for 240V 3-phase tracks, LED, 2700K, round, matt white, 60°, 25 W, incl. 3-phase adapter
152990	BILAS, spot for 240V 3-phase tracks, LED, 2700K, round, matt black, 25°, 25 W, incl. 3-phase adapter
152991	BILAS, spot for 240V 3-phase tracks, LED, 2700K, round, matt white, 25°, 25 W, incl. 3-phase adapter
153312	SFL PAR20 G, spot, QPAR51, polished aluminium, max. 50W, incl. 3-phase adapter
153322	SFL PAR36, spot, QPAR111, polished aluminium, max. 75W, incl. 3-phase adapter
153332	SFL PAR56 T 70 LANG HV HIT, spot, polished aluminium, 70W, incl. 3-phase adapter
153342	SFL PAR56 T 150 LANG HV HIT, spot, polished aluminium, 150W, incl. 3-phase adapter
153352	SFL PAR56 TS 70 LANG HV HIT-DE, spot, polished aluminium, 70W, incl. 3-phase adapter
153362	SFL PAR56 TS 150 LANG HV HIT-DE, spot, polished aluminium, 150W, incl. 3-phase adapter
153400	EURO SPOT, spot for 240V 3-phase tracks, HIT, round, matt black, 15°, max. 70W, incl. 3-phase adapter and conventional ballast
153401	EURO SPOT, spot for 240V 3-phase tracks, HIT, round, white, 15°, max. 70W, incl. 3-phase adapter and conventional ballast
153404	EURO SPOT, spot for 240V 3-phase tracks, HIT, round, silver-grey, 15°, max. 70W, incl. 3-phase adapter and conventional ballast
153410	EURO SPOT, spot for 240V 3-phase tracks, HIT, round, matt black, 60°, max. 70W, incl. 3-phase adapter and conventional ballast
153411	EURO SPOT, SPOT for 240V 3-phase tracks, HIT, round, white, 60°, max. 70W, incl. 3-phase adapter and conventional ballast
153414	EURO SPOT, SPOT for 240V 3-phase tracks, HIT, round, silver-grey, 60°, max. 70W, incl. 3-phase adapter and conventional ballast
153420	EURO SPOT, SPOT for 240V 3-phase tracks, QPAR111, round, black, max. 75W, incl. 3-phase adapter
153421	EURO SPOT, SPOT for 240V 3-phase tracks, QPAR111, round, white, max. 75W, incl. 3-phase adapter
153424	EURO SPOT, SPOT for 240V 3-phase tracks, QPAR111, round, silver-grey, max. 75W, incl. 3-phase adapter
153430	EURO SPOT, SPOT for 240V 3-phase tracks, QR-LP111, matt black, max. 75W, incl. 3-phase adapter und K-Trafo
153431	EURO SPOT, SPOT for 240V 3-phase tracks, QR-LP111, white, max. 75W, incl. 3-phase adapter und K-Trafo
153434	EURO SPOT, SPOT for 240V 3-phase tracks, QR-LP111, silver-grey, max. 75W, incl. 3-phase adapter und K-Trafo
153490	EURO SPOT LED DISK 800, SPOT for 240V 3-phase tracks, LED, 2700K, black, 12W, 60°, incl. 3-phase adapter
153491	EURO SPOT LED DISK 800, SPOT for 240V 3-phase tracks, LED, 2700K, white, 12W, 60°, incl. 3-phase adapter
153494	EURO SPOT LED DISK 800, SPOT for 240V 3-phase tracks, LED, 2700K, silver-grey, 12W, 60°, incl. 3-phase adapter
153621	SDL PRO 70, spot for 240V 3-phase tracks, HIT-DE, white, max. 70W, incl. 3-phase adapter
153624	SDL PRO 70, spot for 240V 3-phase tracks, HIT-DE, silver-grey, max. 70W, incl. 3-phase adapter
153631	SDL PRO 150, spot for 240V 3-phase tracks, HIT-DE, white, max. 150W, incl. 3-phase adapter
153634	SDL PRO 150, spot for 240V 3-phase tracks, HIT-DE-CE, silver-grey, max. 150W, incl. 3-phase adapter
153640	SLEEK SPOT, for 240V 3-phase tracks, HIT, black, max. 70W, incl. 16° reflector und 3-phase adapter

153641	SLEEK SPOT, for 240V 3-phase tracks, HIT, white, max. 70W, incl. 16° reflector und 3-phase adapter
153644	SLEEK SPOT, for 240V 3-phase tracks, HIT, silver-grey, max. 70W, incl. 16° reflector und 3-phase adapter
153650	SLEEK SPOT, for 240V 3-phase tracks, HIT, black, max. 70W, incl. 30° reflector und 3-phase adapter
153651	SLEEK SPOT, for 240V 3-phase tracks, HIT, white, max. 70W, incl. 30° reflector und 3-phase adapter
153654	SLEEK SPOT, for 240V 3-phase tracks, HIT, silver-grey, max. 70W, incl. 30° reflector und 3-phase adapter
153660	SLEEK SPOT, for 240V 3-phase tracks, HIT, black, max. 70W, incl. 52° reflector und 3-phase adapter
153661	SLEEK SPOT, for 240V 3-phase tracks, HIT, white, max. 70W, incl. 52° reflector und 3-phase adapter
153664	SLEEK SPOT, for 240V 3-phase tracks, HIT, silver-grey, max. 70W, incl. 52° reflector und 3-phase adapter
153730	D-RECTION, spot for 240V 3-phase tracks, HIT, black/chrome, max. 70W, incl. 3-phase adapter
153731	D-RECTION, spot for 240V 3-phase tracks, HIT, white, max. 70W, incl. 3-phase adapter
153734	D-RECTION, spot for 240V 3-phase tracks, HIT, silver-grey, max. 70W, incl. 3-phase adapter
153754	QT-SPOT, silver-grey, GY6,35, max. 90W, incl. 3-phase adapter
153800	EURO SPOT, for 240V 3-phase tracks, LED, 3000K, round, black, H/Ø 19,2/8 cm, 36°, incl. 3-phase adapter and driver
153801	EURO SPOT, for 240V 3-phase tracks, LED, 3000K, round, white, H/Ø 19,2/8 cm, 36°, incl. 3-phase adapter and driver
153804	EURO SPOT, for 240V 3-phase tracks, LED, 3000K, round, silver-grey, H/Ø 19,2/8 cm, 36°, incl. 3-phase adapter and driver
153810	EURO SPOT, for 240V 3-phase tracks, LED, 3000K, round, black, H/Ø 22,1/12,5 cm, 36°, incl. 3-phase adapter
153811	EURO SPOT, for 240V 3-phase tracks, LED, 3000K, round, white, H/Ø 22,1/12,5 cm, 36°, incl. 3-phase adapter
153814	EURO SPOT, for 240V 3-phase tracks, LED, 3000K, round, silver-grey, H/Ø 22,1/12,5 cm, 36°, incl. 3-phase adapter
153830	EURO SPOT, for 240V 3-phase tracks, HIT, black, 15°, max. 50W, incl. 3-phase adapter and electronic ballast
153831	EURO SPOT, for 240V 3-phase tracks, HIT, white, 15°, max. 50W, incl. 3-phase adapter and electronic ballast
153834	EURO SPOT, for 240V 3-phase tracks, HIT, silver-grey, 15°, max. 50W, incl. 3-phase adapter and electronic ballast
153840	EURO SPOT, for 240V 3-phase tracks, HIT, black, 60°, max. 50W, incl. 3-phase adapter and electronic ballast
153841	EURO SPOT, for 240V 3-phase tracks, HIT, white, 60°, max. 50W, incl. 3-phase adapter and electronic ballast
153844	EURO SPOT, for 240V 3-phase tracks, HIT, silver-grey, 60°, max. 50W, incl. 3-phase adapter and electronic ballast
153850	EURO SPOT, for 240V 3-phase tracks, QPAR51, black, max. 25W, incl. 3-phase adapter
153851	EURO SPOT, for 240V 3-phase tracks, QPAR51, white, max. 25W, incl. 3-phase adapter
153854	EURO SPOT, for 240V 3-phase tracks, QPAR51, silver-grey, max. 25W, incl. 3-phase adapter
153860	EURO SPOT, for 240V 3-phase tracks, HIT, black, 35W, 15°, incl. 3-phase adapter and electronic ballast
153861	EURO SPOT, for 240V 3-phase tracks, HIT, white, 35W, 15°, incl. 3-phase adapter and electronic ballast
153864	EURO SPOT, for 240V 3-phase tracks, HIT, silver-grey, 35W, 15°, incl. 3-phase adapter and electronic ballast
153870	EURO SPOT, for 240V 3-phase tracks, HIT, black, 35W, 60°, incl. 3-phase adapter and electronic ballast
153871	EURO SPOT, for 240V 3-phase tracks, HIT, white, 35W, 60°, incl. 3-phase adapter and electronic ballast
153874	EURO SPOT, for 240V 3-phase tracks, HIT, silver-grey, 35W, 60°, incl. 3-phase adapter and electronic ballast
153880	EURO SPOT, for 240V 3-phase tracks, HIT, black, 70W, 15°, incl. 3-phase adapter and electronic ballast
153881	EURO SPOT, for 240V 3-phase tracks, HIT, white, 70W, 15°, incl. 3-phase adapter and electronic ballast
153884	EURO SPOT, for 240V 3-phase tracks, HIT, silver-grey, 70W, 15°, incl. 3-phase adapter and electronic ballast
153890	EURO SPOT, Spot für Hochvolt-Stromschiene 3Phasen, HIT, schwarz, 70W, 60°, inkl. 3Phasen-Adapter und EVG
153891	EURO SPOT, for 240V 3-phase tracks, HIT, white, 70W, 60°, incl. 3-phase adapter and electronic ballast
153894	EURO SPOT, for 240V 3-phase tracks, HIT, silver-grey, 70W, 60°, incl. 3-phase adapter and electronic ballast

153900	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 2700K, black, 15°, 12,6W, incl. 3-phase adapter
153901	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 2700K, white, 15°, 12,6W, incl. 3-phase adapter
153904	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 2700K, silver-grey, 15°, 12,6W, incl. 3-phase adapter
153910	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 2700K, black, 24°, 12,6W, incl. 3-phase adapter
153911	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 2700K, white, 24°, 12,6W, incl. 3-phase adapter
153914	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 2700K, silver-grey, 24°, 12,6W, incl. 3-phase adapter
153920	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 2700K, black, 36°, 12,6W, incl. 3-phase adapter
153921	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 2700K, white, 36°, 12,6W, incl. 3-phase adapter
153924	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 2700K, silver-grey, 36°, 12,6W, incl. 3-phase adapter
153930	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 3000K, black, 15°, 12,6W, incl. 3-phase adapter
153931	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 3000K, white, 15°, 12,6W, incl. 3-phase adapter
153934	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 3000K, silver-grey, 15°, 12,6W, incl. 3-phase adapter
153940	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 3000K, black, 24°, 12,6W, incl. 3-phase adapter
153941	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 3000K, white, 24°, 12,6W, incl. 3-phase adapter
153944	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 3000K, silver-grey, 24°, 12,6W, incl. 3-phase adapter
153950	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 3000K, black, 36°, 12,6W, incl. 3-phase adapter
153951	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 3000K, white, 36°, 12,6W, incl. 3-phase adapter
153954	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 3000K, silver-grey, 36°, 12,6W, incl. 3-phase adapter
153960	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 4000K, black, 15°, 12,6W, incl. 3-phase adapter
153961	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 4000K, white, 15°, 12,6W, incl. 3-phase adapter
153964	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 4000K, silver-grey, 15°, 12,6W, incl. 3-phase adapter
153970	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 4000K, black, 24°, 12,6W, incl. 3-phase adapter
153971	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 4000K, white, 24°, 12,6W, incl. 3-phase adapter
153974	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 4000K, silver-grey, 24°, 12,6W, incl. 3-phase adapter
153980	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 4000K, black, 36°, 12,6W, incl. 3-phase adapter
153981	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 4000K, white, 36°, 12,6W, incl. 3-phase adapter
153984	EURO SPOT INTEGRATED LED, for 240V 3-phase tracks, LED, 4000K, silver-grey, 36°, 12,6W, incl. 3-phase adapter
153990	EURO SPOT LED DISK 800, for 240V 3-phase tracks, LED, 4000K, round, black, 60°, 11W, incl. 3-phase adapter
153991	EURO SPOT LED DISK 800, for 240V 3-phase tracks, LED, 4000K, round, white, 60°, 11W, incl. 3-phase adapter
153994	EURO SPOT LED DISK 800, for 240V 3-phase tracks, LED, 4000K, round, silver-grey, 60°, 11W, incl. 3-phase adapter
154382	AIXLIGHT SHOP 1, pendant, QT-DE12, silver-grey, max. 200W, max. 550W
156602	SFL Par 56 headlamps
156622	SFL PAR 20, E27
156632	SFL PAR20 G spot, aluminium, GU10, max. 50W
156662	SFL PAR56 T 70 LANG HV G12 spot, aluminium, 70W
156672	SFL PAR56 T 150 LANG HV G12 spot, aluminium, 150W
156682	SFL PAR56 TS LANG, spot, HIT-DE, aluminium, max. 70W
156692	SFL PAR56 TS LANG, spot, HIT-DE, aluminium, max. 150W
156722	SFL PAR36 ES111 spot, aluminium, GU10, max. 75W
157152	WORKLIGHT, floor stand, TC-LEL, silver-grey, max. 220W
157284	WORK LIGHT, pendant, T16, rectangular, silver-grey, max. 108W

157514	LONG GRILL, pendant, T16, silver-grey, max. 64W
157524	LONG GRILL, pendant, T16, silver-grey, max. 120W
157534	LONG GRILL, ceiling light, T16, silver-grey, max. 108W
157901	WORKLIGHT LED SL-2, floor stand, 3000K, white, 37W, incl. LED-driver
157905	WORKLIGHT LED SL-2, floor stand, 3000K, anthracite, 37W, incl. LED-driver
157911	WORKLIGHT LED SL-1, floor stand, 3000K, white, dimmable, 60W, incl. LED driver and presence detector
157915	WORKLIGHT LED SL-1, floor stand, 3000K, anthracite, dimmable, 60W, incl. LED driver and presence detector
158602	LED PANEL, recessed and surface-mounted ceiling light, 2700K, square, matt white, L/B/H 59,5/59,5/1,5 cm, 39,5W
158603	LED PANEL, recessed and surface-mounted ceiling light, 3000K, square, matt white, L/B/H 59,5/59,5/1,5 cm, 39,5W
158604	LED PANEL, recessed and surface-mounted ceiling light, 4000K, square, matt white, L/B/H 59,5/59,5/1,5 cm, 39,5W
158612	LED PANEL, recessed and surface-mounted ceiling light, 2700K, square, matt white, L/B/H 61,7/61,7/1,5 cm, 39,5W, for grid ceilings
158613	LED PANEL, recessed and surface-mounted ceiling light, 3000K, square, matt white, L/B/H 61,7/61,7/1,5 cm, 39,5W, for grid ceilings
158614	LED PANEL, recessed and surface-mounted ceiling light, 4000K, square, matt white, L/B/H 61,7/61,7/1,5 cm, 39,5W, for grid ceilings
158622	LED PANEL, pendant, 2700K, round, white, dimmable 1-10V, 40W
158623	LED PANEL, pendant, 3000K, round, white, dimmable 1-10V, 40W
158624	LED PANEL, pendant, 4000K, round, white, dimmable 1-10V, 40W
158632	LED PANEL, pendant, 2700K, round, silver-grey, dimmable 1-10V, 40W
158633	LED PANEL, pendant, 3000K, round, silver-grey, dimmable 1-10V, 40W
158634	LED PANEL, pendant, 4000K, round, silver-grey, dimmable 1-10V, 40W
158662	LED PANEL 360, recessed fittings, 2700K, round, white, without a driver, 40W
158663	LED PANEL 360, recessed fittings, 3000K, round, white, without a driver, 40W
158664	LED PANEL 360, recessed fittings, 4000K, round, white, without a driver, 40W
158703	I-VIDUAL LED PANEL, recessed fittings, 3000K, square, white, L/B/H 59,5/59,5/1,2 cm, can be converted to a pendant, 40W
158704	I-VIDUAL LED PANEL, recessed fittings, 4000K, square, white, L/B/H 59,5/59,5/1,2 cm, can be converted to a pendant, 40W
158713	I-VIDUAL LED PANEL, recessed fittings, 3000K, square, white, L/B/H 61,7/61,7/1,2 cm, can be converted to a pendant, 40W
158714	I-VIDUAL LED PANEL, recessed fittings, 4000K, square, white, L/B/H 61,7/61,7/1,2 cm, can be converted to a pendant, 40W
158722	I-PENDANT PRO, pendant, LED, 2700K, square, matt white, 39W
158723	I-PENDANT PRO, pendant, LED, 3000K, square, matt white, 39W
158724	I-PENDANT PRO, pendant, LED, 4000K, square, matt white, 39W
158732	I-PENDANT PRO, pendant, LED, 2700K, square, silver-grey, 39W
158733	I-PENDANT PRO, pendant, LED, 3000K, square, silver-grey, 39W
158734	I-PENDANT PRO, pendant, LED, 4000K, square, silver-grey, 39W
160761	TRISTAN, ceiling light, double-headed, T26, rectangular, white, max. 72W, incl. low-loss ballast
160764	TRISTAN, ceiling light, double-headed, T26, rectangular, silver-grey, max. 72W, incl. low-loss ballast
160771	TC RASTER 218, ceiling light, double-headed, TC-LEL, square, white/chrome, max. 36W, incl. low-loss ballast
160781	TC RASTER 336, ceiling light, triple-headed, TC-LEL, square, white/chrome, max. 108W



160791	TC INDI 255, ceiling light, double-headed, TC-LEL, square, white, max. 110
160802	HANG UP, pendant, double-headed, T26, anodised aluminium, max. 72W
160841	TRISTAN, ceiling light, double-headed, T26, rectangular, white, 18W, incl. electronic ballast
160861	TRISTAN, ceiling light, double-headed, T26, rectangular, white, 36W, incl. electronic ballast
160864	TRISTAN, ceiling light, double-headed, T26, rectangular, silver-grey, 36W, incl. low-loss ballast
162021	GIMBLE PRO HIT-CE, recessed fittings, HIT-CE, white, max. 150W, incl. clip springs
162024	GIMBLE PRO HIT-CE, recessed fittings, HIT-CE, silver-grey, max. 150W, incl. clip springs
162151	BERET HIT-CE, recessed fittings, white, max. 150W, incl. clip springs
162154	BERET HIT-CE, recessed fittings, silver-grey, max. 150W, incl. clip springs
165020	PARA DOME 320, HQI 100W
165100	PARA DOME 2, pendant, A60, anthracite/transparent, Ø/H 33/30 cm, max. 150W
165110	PARA DOME 2, pendant, HIE, anthracite/transparent, Ø/H 33/42 cm, max. 70W
165140	PARA DOME 2, pendant, HIE, silver-grey/transparent, Ø/H 48/56 cm, max. 250W
165204	PARA LED, pendant, LED, silver-grey, für Philips LED Twistable Module, 20W
165211	PARA MULTI DLMI pendant, silver-grey, incl. Philips DLMi Modul 14W, 4000K, 1100lm
165212	PARA MULTI DLMI, pendant, LED, 3000K, silver-grey, incl. Philips DLMi Modul 15W
165221	PARA MULTI, pendant, LED, 4000K, silver-grey, incl. Philips DLMi Modul 27W
165222	PARA MULTI, pendant, LED, 3000K, silver-grey, incl. Philips DLMi Modul 28W
165320	PARA MULTI, pendant, HIE, silver-grey/transparent, max. 150W, incl. KVG
165340	PARA MULTI, pendant, A60, silver-grey/transparent, max. 160W
165350	PARA 380, pendant, A60, silver-grey, max. 250W
165351	PARA 380, pendant, HME-SB, white, max. 160W
165356	PARA 380, pendant, A60, red, max. 250W
165357	PARA 380, pendant, HME-SB, beige, max. 160W
165358	PARA 380, pendant, A60, natural aluminium, max. 160W
165359	PARA 380, pendant, A60, black, max. 160W
165600	PENTULI, pendant, LED, 3000K, black, Ø 24 cm, canopy black, 31W
165601	PENTULI, pendant, LED, 3000K, white, Ø24 cm, canopy white, 31W
165610	PENTULI, pendant, LED, 3000K, black, Ø 38 cm, canopy black, 43W
165611	PENTULI, pendant, LED, 3000K, white, Ø 38 cm, canopy white, 43W
170401	DISPLAY, wall light, LED, 4000K, silver-grey, 16W, incl. power supply and plug
170402	DISPLAY, wall light, LED, 3000K, silver-grey, 16W, incl. power supply and plug
170414	SKELETTO, wall light, QT-DE12, silver-grey, max. 150W, incl. clamp and plug
176000	STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, black, 36°, 24W, incl. 3-phase adapter
176001	STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, white, 36°, 24W, incl. 3-phase adapter
176004	STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, silver, 36°, 24W, incl. 3-phase adapter
176010	STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, black, 60°, 24W, incl. 3-phase adapter
176011	STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, white, 60°, 24W, incl. 3-phase adapter
176014	STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, silver, 60°, 24W, incl. 3-phase adapter
176020	STRUCTEC, spot for 240V 3-phase tracks, LED, 4000K, round, black, 36°, 24W, incl. 3-phase adapter
176021	STRUCTEC, spot for 240V 3-phase tracks, LED, 4000K, round, white, 36°, 24W, incl. 3-phase adapter

176024	STRUCTEC, spot for 240V 3-phase tracks, LED, 4000K, round, silver, 36°, 24W, incl. 3-phase adapter
176030	STRUCTEC, spot for 240V 3-phase tracks, LED, 4000K, round, black, 60°, 24W, incl. 3-phase adapter
176031	STRUCTEC, spot for 240V 3-phase tracks, LED, 4000K, round, white, 60°, 24W, incl. 3-phase adapter
176034	STRUCTEC, spot for 240V 3-phase tracks, LED, 4000K, round, silver, 60°, 24W, incl. 3-phase adapter
176040	STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, black, 36°, 30W, incl. 3-phase adapter
176041	STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, white, 36°, 30W, incl. 3-phase adapter
176044	STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, silver, 36°, 30W, incl. 3-phase adapter
176050	STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, black, 60°, 30W, incl. 3-phase adapter
176051	STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, white, 60°, 30W, incl. 3-phase adapter
176054	STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, silver, 60°, 30W, incl. 3-phase adapter
176060	STRUCTEC, spot for 240V 3-phase tracks, LED, 4000K, round, black, 36°, 30W, incl. 3-phase adapter
176061	STRUCTEC, spot for 240V 3-phase tracks, LED, 4000K, round, white, 36°, 30W, incl. 3-phase adapter
176064	STRUCTEC, spot for 240V 3-phase tracks, LED, 4000K, round, silver, 36°, 30W, incl. 3-phase adapter
176070	STRUCTEC, spot for 240V 3-phase tracks, LED, 4000K, round, black, 60°, 30W, incl. 3-phase adapter
176071	STRUCTEC, spot for 240V 3-phase tracks, LED, 4000K, round, white, 60°, 30W, incl. 3-phase adapter
176074	STRUCTEC, spot for 240V 3-phase tracks, LED, 4000K, round, silver, 60°, 30W, incl. 3-phase adapter
176080	STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, black, 36°, 30W, incl. 3-phase adapter
176081	STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, white, 36°, 30W, incl. 3-phase adapter
176084	STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, silver, 36°, 30W, incl. 3-phase adapter
176090	STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, black, 60°, 30W, incl. 3-phase adapter
176091	STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, white, 60°, 30W, incl. 3-phase adapter
176094	STRUCTEC, spot for 240V 3-phase tracks, LED, 3000K, round, silver, 60°, 30W, incl. 3-phase adapter
228240	ADJUST 265, outdoor inground fittings, HIT, IP67, round, stainless steel 304, max. 70W
228244	ADJUST 265, outdoor inground fittings, HIT, IP67, square, stainless steel 304, max. 70W
228531	ENOLA_C, outdoor display fitting, LED, 3000K, IP55, round, white
228535	ENOLA_C, outdoor display fitting, LED, 3000K, IP55, round, anthracite
228812	MYRA CURVED, outdoor display spot, QPAR51, IP55, silver-grey, max. 50W
228815	MYRA CURVED, outdoor display spot, QPAR51, IP55, anthracite, max. 50W
228842	MYRA STRAIGHT, outdoor display spot, QPAR51, IP55, silver-grey, max. 50W
228845	MYRA STRAIGHT, outdoor display spot, QPAR51, IP55, anthracite, max. 50W
229000	SXL HIT-DE SPOT, outdoor spot, HIT-DE, IP65, black, max. 150W
229001	SXL HIT-DE SPOT, outdoor spot, HIT-DE, IP65, white, max. 150W
229002	SXL HIT-DE SPOT, outdoor spot, HIT-DE, IP65, silver-grey, max. 150W
229012	SXL HIT-DE SPOT, outdoor spot, HIT, IP65, silver-grey, max. 400W
229044	SXL HIT-DE SPOT, outdoor spot, HIT-DE, IP65, silver-grey, max. 70W
229270	DASAR, outdoor inground fittings, HIT, IP67, round, stainless steel 316, max. 70W
229274	DASAR, outdoor inground fittings, HIT, IP67, square, stainless steel 316, max. 70W
229294	DASAR HIT-DE 70, outdoor inground fittings, HIT-DE, IP67, asymmetrical, stainless steel 316, max. 70W
229381	DASAR 225, outdoor inground fittings, LED, 4000K, IP67, stainless steel 316, asymmetrical, 34W
229383	DASAR 225, outdoor inground fittings, LED, 3000K, IP67, stainless steel 316, asymmetrical, 34W
229392	VANO WING PL, outdoor facade light, TC-LEL, IP65, silver-grey, L/B/H 50/15,5/7,5 cm, max. 36W

229394	VANO WING, outdoor facade light, T16, IP65, silver-grey, L/B/H 123,5/15,5/7,5 cm, max. 54W
229400	VANO DISPLAY, outdoor facade light, T16, IP65, silver-grey, max. 70W
229405	VANO TC, outdoor facade light, TC-LEL, IP65, silver-grey, max. 36W
230054	FLAC BEAM, outdoor facade light, HIT-CE, silver-grey, max. 70W
230595	EASYLITE, outdoor spot, HIT-CE, IP44, stone-grey, max. 70W, incl. KVG
231092	FLAC BEAM, outdoor facade light, LED, 3000K, IP65, stone-grey, mit Philips DLMi Modul 2000lm, 28W
231173	FLOOD LIGHT, outdoor facade light, LED, 3000K, IP65, matt black, 120°, 82,3W
231175	FLOOD LIGHT, outdoor facade light, LED, 5700K, IP65, matt black, 120°, 82,3W
233124	MYRA DISPLAY, outdoor wall light, QPAR51, IP55, silver-grey, rigid, max. 50W
233125	MYRA DISPLAY, outdoor wall light, QPAR51, IP55, anthracite, rigid, max. 50W
233134	MYRA DISPLAY, outdoor wall light, QPAR51, IP55, silver-grey, convex, max. 50W
233135	MYRA DISPLAY, outdoor wall light, QPAR51, IP55, anthracite, convex, max. 50W