

# **DENIOS**

**ENVIRONMENTAL PROTECTION  
& WORK SAFETY**

**DENSORB absorbent materials  
are your ideal partner  
when dealing with spills and leaks**



## **DENSORB®**

### **Absorbent Materials**

---

-  Absorbent fleece products
-  Emergency kits
-  Absorbent granules
-  Leak management and drain covers

**Protect the environment - save money.  
With high performance absorbent materials**



For over 30 years, DENIOS has been the leading specialist in work safety and commercial environmental protection. DENSORB absorbent materials, a "made by DENIOS" product, have helped to limit the hazardous and environmentally damaging consequences of drip loss - in all industrial and chemical fields.

This catalogue brings together both proven DENSORB classics and many new products. You'll also find practical accessories and further useful products for commercial leak management and personal protective equipment.

This product catalogue has been made even easier to use. Technical information and important decision-making guidance can be found in the comprehensive introduction and on the product pages themselves.

You'll be able to find the right product for you more quickly. And with the 30 day sale or return policy, placing an order is risk free.

If you need any further assistance, our specialist advisers are ready to help either on the telephone or in person.

Protect your staff and the environment from leaking liquids. Avoid the incalculable risks and associated costs. DENSORB absorbent materials can help: reliable, value for money and safe!

Your DENIOS Team

## DENSORB

### absorbent materials finder:

**[www.denios.co.uk/densorb-finder](http://www.denios.co.uk/densorb-finder)**



# DENSORB®



**DENSORB absorbent fleece products and oil barriers**

**4**




**DENSORB emergency kits**

**45**




**DENSORB absorbent granules**

**56**



**Leak management and drain covers**

**62**



**Cleaning cloths**

**74**




**Hand and skin protection**

**81**



**Eye protection**

**82**



**Safe workplace flooring**

**84**

## Introduction to DENSORB absorbent materials



**Powerful absorbents for the containment and absorption of liquids**

**Are you equipped for an oil or chemical incident? Can you safely prevent the pollution of the environment due to the release of water-polluting liquids?**

Avoid the unnecessary costs and trouble! Even with smaller leaks there is a risk to the environment as well as safety at work and therefore employees. Chemicals and oils which get into the sewage system, the ground or the ground water, cause costly contamination.

### Advantages in summary

#### ■ Best absorption capacity

The DENSORB highly absorbent polypropylene absorbents are characterized by a high quality fine fiber structure which enables them to have an absorption capacity of up to 16 times their own weight. Due to the high absorption capacity of the material, consumption is minimised and the spilled liquid is absorbed much faster.

#### ■ Optimal safety

DENSORB absorbent materials pose no health hazards and contribute to a clean and safe workplace.

#### ■ Save money when disposing of refuse

Thanks to their lower weight and high absorption capacity, DENSORB absorbent materials cost considerably less to dispose of than conventional absorbents.

If you need expert advice on which absorbent products you need you can simply call us on 01952 811 991. Our product experts are ready to advise you on exactly what you need.

### DENSORB starter set Universal

Powerful absorbents for the containment and absorption of liquids

#### Contents:

5 Premium absorbent mats 40 x 50 cm  
5 Economy absorbent mats 40 x 50 cm  
2 absorbent cushions 25 x 25 cm  
2 absorbent socks 120 x 7.5 cm

Order no. 157-222-F2



### DENSORB sample set Universal

Discover for yourself the outstanding qualities of the fine-fibre absorbent mat! Please request our free sample set.

#### Contents:

1 Premium absorbent mat 40 x 50 cm  
1 Economy absorbent mat 40 x 50 cm

**FREE**

Order no. 132-399-F2





## Three application areas: Universal, oil and special

Use the right DENSORB absorbent material for your requirements. Choose between Universal, oil and special versions.

# DENSORB®



### DENSORB Universal

Absorbs oils, coolants, solvents and water as well as non-aggressive acids and alkalis quickly and safely.



### DENSORB oil

Absorbs oil and repels water. Oil is absorbed without even a drop of water being taken up. For oils, petrol, diesel, solvents, petroleum (hydrocarbon-based liquids)



### DENSORB special

Ideal for absorbing acids, alkalis, and aggressive liquids. Should be used in emergencies involving unidentified liquids. The yellow warning colour highlights a potential hazard and allows the absorbed liquid to be clearly seen.

## 2 Material strengths:

DENSORB rolls and mats come in two material thicknesses. Use the right absorbent mats to suit your liquid quantities.

### — HEAVY

Extra-thick material thickness with maximum absorption capacity for large quantities of liquid

**Heavy = double the absorption capacity**




### — LIGHT







Equivalent to half the thickness of heavy, ideal for absorbing smaller quantities of liquid

**Light = single absorption capacity**



## Which one is the right one?

Application	 <b>○ UNIVERSAL</b>	 <b>○ OIL</b>	 <b>● SPECIAL</b>
Feature	hydrophilic, absorbs almost all liquids	hydrophobic, absorbs hydrocarbon-based liquids	hydrophilic, chemically inert, absorbs almost all liquids, including aggressive chemicals
Use	production, workshops, storage areas and many more	outdoor stores, loading areas, water and many more	storage and processing of aggressive chemicals, emergencies and many more

Format	 <b>ROLLS</b>	 <b>MATS</b>	 <b>SOCKS</b>	 <b>CUSHIONS</b>	 <b>VARIOFORM</b>	 <b>DRUM MATS</b>
Application	<b>● UNIVERSAL</b> <b>○ OIL</b> <b>● SPECIAL</b>	<b>● UNIVERSAL</b> <b>○ OIL</b> <b>● SPECIAL</b>	<b>● UNIVERSAL</b> <b>○ OIL</b> <b>● SPECIAL</b>	<b>● UNIVERSAL</b> <b>○ OIL</b> <b>● SPECIAL</b>	<b>● UNIVERSAL</b> <b>○ OIL</b> <b>● SPECIAL</b>	<b>● UNIVERSAL</b>
Feature	various widths, all perforated in the centre and cross-ways	ideally sized, perforated in the centre	high absorption capacity, easy to shape	high absorption capacity, easy to shape	universal application as rolls, mats, socks or cloths	specially cut to fit 205 litre drums
Use	floor coverage, larger surface areas, high volume use (dispenser) and many more	maintenance, cleaning, leaks and many more	leaks, faulty machinery and plant, and many more	dispensing (drip catchers), leaks and many more	workshop equipment, service vehicles, laboratories and many more	when using pumps or funnels with a standing drum

Quality	<b>ECONOMY</b>	<b>EXTRA</b>	<b>PREMIUM</b>
Format	Roll   Mat	Roll   Mat	Roll   Mat
Feature	highly absorbent fleece	highly absorbent fleece with heavy duty, lint-free protective top layer	highly absorbent fleece with heavy duty, lint-free protective top and bottom layer
Use	leaks, maintenance and repair work	suitable for almost all applications, e.g. covering floors, longer term use, cleaning work	long term use with high mechanical loading: anywhere with a lint-free requirement

Material thickness	<b>— LIGHT</b>	<b>— HEAVY</b>
Feature	high absorption capacity, highly flexible	highest absorption capacity, high tear resistance
Use	production, repair work, leaks and many more	longer term use and/or higher volumes of liquids, larger leaks and many more

# Resistance list for absorbent materials

Chemicals	UNIVERSAL	OILS	SPECIAL	Chemicals	UNIVERSAL	OILS	SPECIAL	Chemicals	UNIVERSAL	OILS	SPECIAL
Acetaldehyde		•	•	Dimethyl Sulfoxide	•	•	•	Methyl Ethyl Ketone	•	•	•
Acetic Acid		•	•	Dioctyl Phthalate		•	•	Methyl Isobutyl Ketone	•	•	•
Acetone	•	•	•	Ether	•	•	•	Methyl Methacrylate	•	•	•
Acetyl Chloride		•	•	Ethyl Acetate	•	•	•	Mineral Oil	•	•	•
Acrylic Acid		•	•	Ethyl Alcohol	•	•	•	Mineral Spirits	•	•	•
Allyl Alcohol		•	•	Ethyl Benzene	•	•	•	Monoethanolamine	•	•	•
Aminobenzoic Acid		•	•	Ethyl Chloride*	•	•	•	Morpholine	•	•	•
Ammonia (Anhydrous)	•	•	•	Ethyl Ether	•	•	•	Motor Oil	•	•	•
Ammonium Fluoride	•	•	•	Ethyl Propionate	•	•	•	Naptha	•	•	•
Ammonium Hydroxide	•	•	•	Ethylene Dichloride	•	•	•	Napthalene	•	•	•
Amyl Alcohol		•	•	Ethylene Glycol		•	•	Nitric Acid*		•	•
Aniline		•	•	Formaldehyde		•	•	Nitromethane	•	•	•
Aviation Fuel	•	•	•	Freon	•	•	•	Octane	•	•	•
Benzaldehyde	•	•	•	Fuel Oil	•	•	•	Paraffin	•	•	•
Benzene*	•	•	•	Furfural	•	•	•	Perchloroethylene*	•	•	•
Benzoic Acid		•	•	Gasoline	•	•	•	Phenol		•	•
Benzyl Alcohol		•	•	Gearbox Oil	•	•	•	Phosphoric Acid		•	•
Boric Acid		•	•	Glycerol		•	•	Potassium Hydroxide		•	•
Brake Fluid	•	•	•	Hexane	•	•	•	Propanol		•	•
Bromine Inorganic*		•	•	Hydrazine		•	•	Propionic Acid		•	•
Butyl Acetate	•	•	•	Hydrochloric Acid		•	•	Propyl Alcohol	•	•	•
Butyl Alcohol	•	•	•	Hydrofluoric Acid		•	•	Propylene Glycol	•	•	•
Butyl Cellosolve	•	•	•	Hydroquinone	•	•	•	Resorcinol		•	•
Calcium Hydroxide		•	•	Hydrogen Cyanide	•	•	•	Silicone Oil	•	•	•
Carbolic Acid		•	•	Hydrogen Peroxide		•	•	Silver Nitrate		•	•
Carbon Disulfide		•	•	Isoamyl Acetate	•	•	•	Sodium Bicarbonate		•	•
Carbon Tetrachloride	•	•	•	Isobutyl Alcohol	•	•	•	Sodium Chloride		•	•
Cellosolve Acetate	•	•	•	Isooctane	•	•	•	Sodium Hydroxide		•	•
Cellosolve Solvent	•	•	•	Isopropyl Acetate	•	•	•	Sodium Hypochlorite		•	•
Chlorobenzene		•	•	Isopropyl Alcohol	•	•	•	Sodium Nitrate		•	•
Chloroform*	•	•	•	Kerosene*	•	•	•	Styrene	•	•	•
Chloronapthalene	•	•	•	Ketones	•	•	•	Sulfuric Acid*		•	•
Chlorothene	•	•	•	Linoleic Acid		•	•	Toluene*	•	•	•
Chromic Acid (50%)		•	•	Linseed Oil	•	•	•	Trans former Oil	•	•	•
Citric Acid		•	•	Lubricating Oil	•	•	•	Trichlorethylene*	•	•	•
Cresol	•	•	•	Methylamine	•	•	•	Triethylene Glycol	•	•	•
Cyclohexane	•	•	•	Methyl Alcohol	•	•	•	Turpentine*	•	•	•
Dibutyl Phthalate	•	•	•	Methyl Cellusolve	•	•	•	Xylene*	•	•	•
Diethylamine	•	•	•	Methylene Bromide	•	•	•				
Diethyl Ether	•	•	•	Methyl Chloride	•	•	•				
Dimethyl Formamide	•	•	•	Methyl Ether	•	•	•				

\*These chemicals will react with polypropylene causing it to degrade.

DENSORB absorbent materials are available for various applications and in many practical forms. Choose the absorbent material that suits you according to the desired absorption capacity, durability and use.

### Just 4 steps to find your right DENSORB product:

1. Select according to the type of liquid that has to be absorbed.
2. Select the format that suits you. You can use the application description as a guide for this.
3. Select the level of absorption capacity. The absorption capacity depends on the material composition of the products. Please note that some products come in two different material thicknesses: Heavy has twice the absorption capacity of Light. You'll find precise details on the respective product pages.

💧 = High absorption capacity

💧💧 = Very high absorption capacity



💧💧💧 = Extremely high absorption capacity

4. Choose the desired durability. The greater the durability, the longer the product will last.

● = Strong durability

● ● = Very strong durability

● ● ● = Extremely strong durability

Liquids	Format	Application	Absorption capability	Durability	Product description	Page
<div></div> <div><h3>Universal</h3><p>For oils, coolants, lubricants, solvents, anti-freeze, oil-water emulsions and other aqueous liquids as well as non-aggressive acids and alkalis</p></div>	<b>Rolls</b> <div></div>	For covering large areas on or beneath machinery susceptible to leaks			EcoSorb rolls (recycled)	12
				Premium rolls	9	
				Extra rolls	10	
				Economy rolls	11	
				Camouflage rolls with camouflage pattern	12	
	<b>Mats</b> <div></div>	For use as required on a daily basis for workbenches and repair work. A convenient, economical solution for small quantities of liquid.			EcoSorb Mats (recycled)	15
				Premium Mats	13	
				Extra Mats	13	
				Economy Mats	14	
				Camouflage Mats with camouflage pattern	15	
				Ergonomische Matten mit Bindevlies	16	
				Matten in Schalen	16	
	<b>Drum Mats</b> <div></div>	Keep drum lids clean, suitable for 205 litre drums			Drum supports	17
	<b>Carpet</b> <div></div>	For corridors and transport routes with heavy foot or truck traffic			„Classic“ runner rolls (recycled)	18
					„Classic“ runner Mats (recycled)	18
					“Extra” runner rolls	18
					„Extra PE“ runner rolls (impervious underside)	18
	<b>Cushions</b> <div></div>	Ideal for poorly accessible locations thanks to their flexible form, large absorption capacity with a small space requirement		—	Cushions	19
				—	Absorbent cushions in spill trays	19
	<b>Socks</b> <div></div>	For containing leaks or for use in areas difficult to access		—	Socks	20
	<b>Multiformat</b> <div></div>	Versatile in use as a roll, mat, sock and wiper cloth, in a space-saving dispensing carton, ideal for mobile use or on workbenches			Varioform	21



## Rolls For covering large areas on or beneath machinery susceptible to leaks


### DENSORB Universal



Absorbs oils, coolants, solvents and water as well as non-aggressive acids and alkalis quickly and safely.

### PREMIUM

High mechanical resistance ensures long life



- Premium quality with multi-layer design, suitable for the highest requirements for service life and cleanliness
- Lint free so ideal for sensitive applications and surfaces
- Both sides of the absorbent mat are strengthened with sturdy spun-bonded fabric to ensure high levels of tear and abrasion resistance

### Rolls Universal premium

- High quality raw materials further improve absorption capacity and performance
- Very low risk of dripping thanks to strong adhesion between the surface of the fibres and the absorbed liquid



Rolls	Lightweight, narrow	Lightweight, wide	Heavy-duty, narrow	Heavy-duty, wide
External length [m]	90	90	45	45
Width, external [mm]	500	1000	500	1000
Pack contents	2 Roll(s)	1 Roll(s)	2 Roll(s)	1 Roll(s)
Absorption capacity [l / pack]	310	310	269	269
Order number	219-430-F2	219-431-F2	219-432-F2	219-433-F2

### i 2 Material strengths:

#### — LIGHT

- single layered material for leaks and drips

#### — HEAVY

- double layered material for large quantities of liquids

**DENSORB Universal premium Mats are extremely tough and ideal for harsh extended use**



**Your ideal product - it's quick and easy!**



**DENSORB absorbent materials finder:**  
[denios.shop/DENSORBfinder](https://denios.shop/DENSORBfinder)

### Rolls

For covering large areas on or beneath machinery susceptible to leaks


#### DENSORB Universal



Absorbs oils, coolants, solvents and water as well as non-aggressive acids and alkalis quickly and safely.

#### EXTRA

Extra quality for long life and high efficiency



- Extra quality for long life and high efficiency The strong additional layer of spin-bonded fabric on the upper side ensures high tear and abrasion resistance
- Ideal as a heavy duty floor covering

### Rolls Universal Extra

- Rolls are perforated in the middle and crossways for easy separation
- Rolls are excellent for covering large surface areas



Rolls	Lightweight, narrow	Lightweight, wide	Heavy-duty, narrow	Heavy-duty, wide
External length [m]	90	90	45	45
Width, external [mm]	500	1000	500	1000
Pack contents	2 Roll(s)	1 Roll(s)	2 Roll(s)	1 Roll(s)
Absorption capacity [l / pack]	310	310	269	269
Order number	243-799-F2	243-800-F2	243-801-F2	243-802-F2




#### 2 Material strengths:

##### — LIGHT

- single layered material for leaks and drips


##### — HEAVY

- double layered material for large quantities of liquids




## Rolls For covering large areas on or beneath machinery susceptible to leaks

### DENSORB Universal



Absorbs oils, coolants, solvents and water as well as non-aggressive acids and alkalis quickly and safely.

### ECONOMY



**Economy quality is designed for most everyday applications**

- Ideal for cleaning, maintenance and repair work
- Especially suited to cleaning up small leaks

## Rolls Universal Economy

- Rolls are perforated in the middle and crossways for easy separation
- Rolls are ideal for soaking up leaks and spray



Rolls	Lightweight, narrow	Lightweight, narrow	Heavy-duty, narrow
External length [m]	45	90	45
Width, external [mm]	380	380	380
Pack contents	2 Roll(s)	2 Roll(s)	2 Roll(s)
Absorption capacity [l / pack]	118	236	184
Order number	173-862-F2	173-858-F2	173-857-F2

- A special embossed surface ensures good stability and long lifeThree different widths are available for numerous applications



Rolls	Lightweight, wide	Lightweight, wide	Lightweight, extra wide	Heavy-duty, wide
External length [m]	45	90	45	45
Width, external [mm]	760	760	1500	760
Pack contents	1 Roll(s)	1 Roll(s)	1 Roll(s)	1 Roll(s)
Absorption capacity [l / pack]	118	236	233	184
Order number	173-867-F2	173-871-F2	178-453-F2	173-866-F2

### Rolls

For covering large areas on or beneath machinery susceptible to leaks

#### DENSORB Universal



Absorbs oils, coolants, solvents and water as well as non-aggressive acids and alkalis quickly and safely.



EcoSorb rolls are ideally suited to protecting larger areas

### EcoSorb Rolls and Mats


- Quickly absorbs all non-aggressive liquids
- Made from environmentally friendly recycled material
- The grey colour hides dirt and ensures a longer life. Lint free and sturdy with reinforcement layer on both sides
- Tear resistant even when saturated
- Absorbs liquids and retains them
- Rolls are excellent for covering large surface areas
- Suitable for gangways and driveways
- Especially economical with a very high absorption capacity
- Rolls are perforated in the middle and crossways for easy separation



Rolls	Roll
External length [m]	38
Width, external [mm]	720
Pack contents	1 Roll(s)
Absorption capacity [l / pack]	160
Order number	201-676-F2

### Camouflage

- The camouflage design hides stains and dirt ensuring a long life. Reliably absorbs almost all liquids with a hydrophilic design
- With a strong top layer, can be used as a floor mat even in heavy duty areas
- Avoid accidents and cleaning costs
- Very low risk of dripping thanks to strong adhesion between the surface of the fibres and the absorbed liquid



Rolls	Rolls, narrow	Roll, wide	Roll, extra wide
External length [m]	45	45	45
Width, external [mm]	380	760	1500
Pack contents	2 Roll(s)	1 Roll(s)	1 Roll(s)
Absorption capacity [l / pack]	188	188	363
Order number	163-792-F2	163-777-F2	181-593-F2






## Mats

For use as required on a daily basis for workbenches and repair work. A convenient, economical solution for small quantities of liquid.

### DENSORB Universal

Absorbs oils, coolants, solvents and water as well as non-aggressive acids and alkalis quickly and safely.





## Mats Universal premium

- Premium quality with multi-layer design, suitable for the highest requirements for service life and cleanliness
- Reliably absorbs almost all liquids with a hydrophilic design
- High mechanical resistance ensures long life
- Lint free so ideal for sensitive applications and surfaces
- Both sides of the absorbent mat are strengthened with sturdy spun-bonded fabric to ensure high levels of tear and abrasion resistance
- High quality raw materials further improve absorption capacity and performance



Mats	Lightweight	Heavy-duty
External length [mm]	500	500
Width, external [mm]	400	400
Pack contents	200 Item(s)	100 Item(s)
Absorption capacity [l / pack]	138	120
Order number	219-426-F2	219-427-F2

## Mats Universal Extra

- The strong additional layer of spin-bonded fabric on the upper side ensures high tear and abrasion resistance
- Well suited to long term use
- Tear resistant even when saturated with fluid
- Reliably absorbs almost all liquids with a hydrophilic design
- Suitable for Universal use in production and workshops
- Careful processing ensures very high absorption capacity and performance



Mats	Lightweight	Heavy-duty
External length [mm]	500	500
Width, external [mm]	400	400
Pack contents	200 Item(s)	100 Item(s)
Absorption capacity [l / pack]	138	138
Order number	243-791-F2	243-798-F2

### Mats

For use as required on a daily basis for workbenches and repair work. A convenient, economical solution for small quantities of liquid.


#### DENSORB Universal



Absorbs oils, coolants, solvents and water as well as non-aggressive acids and alkalis quickly and safely.

#### PREMIUM

Suitable for Universal use in production and workshops




Absorbents

- Economy quality is designed for most everyday applications
- Ideal for cleaning, maintenance and repair work
- Especially suited to cleaning up small leaks

### Mats Universal Economy

- The grey colour camouflages contamination, so the mat can remain in use for longer and still look good



Mats	Lightweight	Lightweight	Lightweight	Heavy-duty
External length [mm]	240	400	1500	800
Width, external [mm]	200	370	800	500
Pack contents	200 Item(s)	200 Item(s)	10 Item(s)	50 Item(s)
Absorption capacity [l / pack]	33	102	41	108
Order number	175-581-F2	177-885-F2	180-856-F2	191-669-F2

- Special polypropylene fibres guarantee high tear and abrasion resistance
- Excellent absorption capacity and quick absorption rate



Mats	Lightweight	Lightweight	Heavy-duty	Heavy-duty
External length [mm]	500	500	500	500
Width, external [mm]	400	400	400	400
Pack contents	100 Item(s)	200 Item(s)	50 Item(s)	100 Item(s)
Absorption capacity [l / pack]	58	116	58	116
Order number	207-920-F2	175-014-F2	207-921-F2	175-015-F2

## Mats

For use as required on a daily basis for workbenches and repair work. A convenient, economical solution for small quantities of liquid.

### DENSORB Universal



Absorbs oils, coolants, solvents and water as well as non-aggressive acids and alkalis quickly and safely.



## EcoSorb Rolls and Mats

- Quickly absorbs all non-aggressive liquids
- Made from environmentally friendly recycled material
- Lint free and sturdy with reinforcement layer on both sides
- Tear resistant even when saturated
- Absorbs liquids and retains them
- The grey colour hides dirt and ensures a longer life
- Especially economical with a very high absorption capacity
- Perforated in the middle



Design	Mats
External length [mm]	480
Width, external [mm]	380
Pack contents	100 Item(s)
Absorption capacity [l / pack]	105
Order number	201-675-F2

## Camouflage absorbent mats

- Premium quality with multi-layer design, suitable for the highest requirements for service life and cleanliness
- High mechanical resistance ensures long life
- Lint free so ideal for sensitive applications and surfaces
- Both sides of the absorbent mat are strengthened with sturdy spun-bonded fabric to ensure high levels of tear and abrasion resistance
- High quality raw materials further improve absorption capacity and performance
- Reliably absorbs almost all liquids with a hydrophilic design



Design	Mats
External length [mm]	800
Width, external [mm]	500
Pack contents	50 Item(s)
Absorption capacity [l / pack]	108
Order number	196-540-F2


### Mats

For use as required on a daily basis for workbenches and repair work. A convenient, economical solution for small quantities of liquid.

#### DENSORB Universal




Absorbs oils, coolants, solvents and water as well as non-aggressive acids and alkalis quickly and safely.



### Ergonomic mats in combination with absorbent material

- Long-lasting comfort and safety
- Ergonomically designed absorbent mats made from nitril rubber for oily work areas



Model	ES	SST 1	SST 2	SST 3
Width, external [mm]	870	910	910	910
External length [m]	1,57	1,64	3,16	4,68
Weight [kg]	10	19	36	53
Order number	179-379-F2	179-380-F2	179-381-F2	179-382-F2
<b>ACCESSORIES</b>				
Order number DENSORB Absorbent Pads Economy, Universal, also for Desk Pads, 150 x 80 cm, Pack of 10	180-856-F2	180-856-F2	180-856-F2	180-856-F2

### Absorbent mats in trays

- Perfect for long term use anywhere where drips need to be collected for example when fillingIdeal for emergency containment, for example under leaking equipment
- Reliably absorbs almost all liquids with a hydrophilic design



	Tray with 25 Mats, 54x 95 cm	Tray with 25 Mats, 54x124cm
External dimensions L x W x H [mm]	1000 x 600 x 90	1320 x 600 x 90
Absorption capacity [l / pack]	44	56
Order number	123-121-F2	123-126-F2
<b>ACCESSORIES</b>		
Order number 25 absorbent mats, refills	123-123-F2	123-127-F2



## Mats

For use as required on a daily basis for workbenches and repair work. A convenient, economical solution for small quantities of liquid.


### DENSORB Universal



Absorbs oils, coolants, solvents and water as well as non-aggressive acids and alkalis quickly and safely.

### ECONOMY

Suitable for universal use in production and workshops



- Economy quality is designed for most everyday applications
- Ideal for cleaning, maintenance and repair work
- Especially suited to cleaning up small leaks

### Drum Mats Universal Economy


- Saves cleaning costs and increases safety
- Essential when using drum pumps and funnels
- Reliably absorbs almost all liquids with a hydrophilic design
- The grey colour camouflages contamination, so the mat can remain in use for longer and still look good
- Special polypropylene fibres guarantee high tear and abrasion resistance



DENSORB drum mats for absorbing drips when filling oils



DENSORB Absorbent Drum Toppers, Universal, Pack of 25 mats	
Diameter [mm]	560
Pack contents	25 Item(s)
Absorption capacity [l / pack]	33
Order number	173-865-F2



Your ideal product - it's quick and easy!



**DENSORB absorbent materials finder:**  
[denios.shop/DENSORBfinder](https://denios.shop/DENSORBfinder)

### Carpet

For corridors and transport routes with heavy foot or truck traffic

#### DENSORB Universal



Absorbs oils, coolants, solvents and water as well as non-aggressive acids and alkalis quickly and safely.



#### Extra nonwoven Roll

- Avoid accidents and cleaning costs
- Also suitable for heavy duty use such as forklift traffic
- Contamination, such as traces of oil, are not carried over to other areas



Rolls	Extra - light	Extra - heavy	Extra - PE
External length [m]	100	50	30
Width, external [mm]	1000	1000	1000
Pack contents	1 Roll(s)	1 Roll(s)	1 Roll(s)
Absorption capacity [l / pack]	177	135	59
Order number	129-633-F2	129-634-F2	129-635-F2

#### „Classic“ mats and rolls

- Made from special fire-retardant recycled fibre
- For normal use
- Footpaths and roadways stay clean and non-slip



- Contamination, such as traces of oil, are not carried over to other areas



Mats	Classic, mats		Classic, rolls
External length [mm]	500	External length [m]	50
Width, external [mm]	500	Width, external [mm]	500
Pack contents	50 Item(s)	Pack contents	1 Roll(s)
Absorption capacity [l / pack]	50	Absorption capacity [l / pack]	100
Order number	123-093-F2	Order number	129-630-F2
			129-632-F2

## Cushions Ideal for poorly accessible locations thanks to their flexible form, large absorption capacity with a small space requirement

### DENSORB Universal



Absorbs oils, coolants, solvents and water as well as non-aggressive acids and alkalis quickly and safely.



**Polyethylene spill pallet, volume (L): 5, external dimensions (mm) W x D x H: 290 x 290 x 70, Order no. 157-991-F2**

### Universal Absorbent Cushions

- Essential for containing leaks
- A special polypropylene filling ensures excellent absorption capacity
- Fluids which have been absorbed are reliably contained and are easily disposed of
- Essential aid for repair and maintenance work
- An especially flexible shape with a stretchy outer ensures limitless possibilities for use, even in places which are difficult to reach
- Especially high absorption capacity
- Ideal for long term use, for example when filling containers



External dimensions L x W [mm]	254 x 250	460 x 460
Pack contents	30 Item(s)	16 Item(s)
Absorption capacity [l / pack]	69	65
Order number	123-134-F2	123-135-F2

### Cushions in trays, pack = 12 cushions with 6 trays

- Ideal for emergency containment, for example under leaking equipment
- The tray also protects the floor and if needed collects larger quantities of fluid
- Perfect for long term use anywhere where drips need to be collected for example when filling
- The absorbent mats prevent fluid spray and make disposal easier
- Absorbent mats and trays are compatible
- Dimensions L x W x H [mm]: 300 x 300 x 80
- Absorption capacity [l/unit]: 27

**Order no. 123-130-F2**





### Socks

For containing leaks or for use in areas difficult to access

#### DENSORB Universal



Absorbs oils, coolants, solvents and water as well as non-aggressive acids and alkalis quickly and safely.

Your ideal product - it's quick and easy!



**DENSORB absorbent materials finder:**  
[denios.shop/DENSORBfinder](https://denios.shop/DENSORBfinder)

### Universal Absorbent Socks

- Essential for containing leaks
- Perfectly suited to absorbing liquids from faulty equipment or containers



Ø x L [mm]	75 x 1200	75 x 1800	75 x 3000	75 x 5000
Pack contents	20 Item(s)	12 Item(s)	4 Item(s)	10 Item(s)
Absorption capacity [l / pack]	86	103	43	179
Order number	123-138-F2	123-139-F2	123-140-F2	181-149-F2



**Universal Absorbent socks offer continuous protection against contamination from machinery**




Multiformat

Versatile in use as a roll, mat, sock and wiper cloth, in a space-saving dispensing carton, ideal for mobile use or on workbenches

**DENSORB**  
**Universal**

Absorbs oils, coolants, solvents and water as well as non-aggressive acids and alkalis quickly and safely.



Multiple perforations along and across the material allow the correct size for any eventuality to be torn off easily

Varioform - ready for any application:  
four formats in one

- One product in 4 different formats:  
roll - sock - mat - cleaning cloth
- A protective coating on both sides ensures the material is lint free and therefore also suitable for sensitive applications
- Supplied in a practical dispenser box for quick, efficient use anywhere



Application - DENSORB	Universal
External length [m]	15
Width, external [mm]	480
Absorption capacity [l / pack]	25
Order number	181-146-F2



DENSORB absorbent materials are available for various applications and in many practical forms. Choose the absorbent material that suits you according to the desired absorption capacity, durability and use.

### Just 4 steps to find your right DENSORB product:

1. Select according to the type of liquid that has to be absorbed.
2. Select the format that suits you. You can use the application description as a guide for this.
3. Select the level of absorption capacity. The absorption capacity depends on the material composition of the products. Please note that some products come in two different material thicknesses: Heavy has twice the absorption capacity of Light. You'll find precise details on the respective product pages.

● = High absorption capacity

●● = Very high absorption capacity





●●● = Extremely high absorption capacity

4. Choose the desired durability. The greater the durability, the longer the product will last.

●● = Strong durability


●●● = Very strong durability

●●●● = Extremely strong durability

Liquids	Format	Application	Absorption capacity	Durability	Product description	
 <p><b>Oil (water-repellent, floats on water)</b></p> <p>For oils, petrol, diesel, solvents, petroleum (hydrocarbon-based liquids)</p>	<b>Rolls</b>		●●	●●●	Outdoor rolls	26
		For covering large areas on or beneath machinery susceptible to leaks	●●●	●●	Premium rolls	23
			●●●	●●	Extra rolls	24
			●●	●	Economy rolls	25
			●●	●●	Premium Mats	27
	<b>Mats</b>		●●●	●●	Extra Mats	28
		For use as required on a daily basis for workbenches and repair work. A convenient, economical solution for small quantities of liquid.	●●	●	Economy Mats	29
			●●●	—	Cushions	30
			●●●	—	Socks	31
	<b>Cushions</b>		●●	●●	Varioform	32
		Versatile in use as a roll, mat, sock and wiper cloth, in a space-saving dispensing carton, ideal for mobile use or on workbenches	●●	—	Oil barriers	33
			●	—	Oil dice	34
	<b>Barriers</b>		●●●	—	Oil skimmers	34
	<b>Dice</b>		●	—	Oil veils	35
	<b>Skimmer</b>		●●●	—		
	<b>Veils</b>		●●●	—		


## Rolls For covering large areas on or beneath machinery susceptible to leaks

### DENSORB oil



Absorbs oil and repels water. Oil is absorbed without even a drop of water being taken up. For oils, petrol, diesel, solvents, petroleum (hydrocarbon-based liquids)

**PREMIUM**




**Suitable for Universal use in production and workshops**

- Premium quality with multi-layer design, suitable for the highest requirements for service life and cleanliness
- High mechanical resistance ensures long life
- Lint free so ideal for sensitive applications and surfaces

### Rolls oil premium

- Both sides of the absorbent mat are strengthened with sturdy spun-bonded fabric to ensure high levels of tear and abrasion resistance
- High quality raw materials further improve absorption capacity and performance



Rolls	Lightweight, narrow	Lightweight, wide	Heavy-duty, narrow	Heavy-duty, wide
External length [m]	90	90	45	45
Width, external [mm]	500	1000	500	1000
Pack contents	2 Roll(s)	1 Roll(s)	2 Roll(s)	1 Roll(s)
Absorption capacity [l / pack]	337	337	257	257
Order number	219-434-F2	219-435-F2	219-436-F2	219-437-F2



**i 2 Material strengths:**

**— LIGHT**

- single layered material for leaks and drips

**— HEAVY**

- double layered material for large quantities of liquids



### Rolls

For covering large areas on or beneath machinery susceptible to leaks


#### DENSORB oil



Absorbs oil and repels water. Oil is absorbed without even a drop of water being taken up. For oils, petrol, diesel, solvents, petroleum (hydrocarbon-based liquids)

#### EXTRA

Extra quality for long life and high efficiency



- The strong additional layer of spin-bonded fabric on the upper side ensures high tear and abrasion resistance
- Ideal as a heavy duty floor covering
- Well suited to long term use
- Tear resistant even when saturated with fluid

#### Rolls Oil Extra

- Tear resistant even when saturated with fluid
- Hydrophobic design ensures oil or hydrocarbon-based liquids are absorbed and water is repelled
- Ideally suited to use outdoors, even in rain thanks to water-repellent design



Rolls	Lightweight, narrow	Lightweight, wide	Heavy-duty, narrow	Heavy-duty, wide
External length [m]	90	90	45	45
Width, external [mm]	500	1000	500	1000
Pack contents	2 Roll(s)	1 Roll(s)	2 Roll(s)	1 Roll(s)
Absorption capacity [l / pack]	337	337	257	257
Order number	243-808-F2	243-809-F2	243-810-F2	243-811-F2



**Practical down to the last detail:**  
Absorbent rolls available with widths of 50 and 100 cm and ideal for covering large areas. Rolls are perforated in the middle and also every 40 cm. This enables you to easily tear off the amount required and use only as much of the material as you need.

**Your ideal product - it's quick and easy!**



**DENSORB absorbent materials finder:**  
[denios.shop/DENSORBfinder](https://denios.shop/DENSORBfinder)



## Rolls For covering large areas on or beneath machinery susceptible to leaks


### DENSORB oil



Absorbs oil and repels water. Oil is absorbed without even a drop of water being taken up. For oils, petrol, diesel, solvents, petroleum (hydrocarbon-based liquids)

### ECONOMY

Economy quality is designed for most everyday applications



Economy quality is designed for most everyday applications

### Rolls Oil Economy

- Ideally suited to removing oil or fuel spills from the surface of water
- Hydrophobic design ensures oil or hydrocarbon-based liquids are absorbed and water is repelled
- Can float on water even when saturated
- Very low risk of dripping thanks to strong adhesion between the surface of the fibres and the absorbed liquid



Rolls	Lightweight, narrow	Lightweight, wide	Lightweight, narrow	Lightweight, wide
External length [m]	45	45	90	90
Width, external [mm]	380	760	380	760
Pack contents	2 Roll(s)	1 Roll(s)	2 Roll(s)	1 Roll(s)
Absorption capacity [l / pack]	118	118	236	236
Order number	173-859-F2	173-868-F2	173-863-F2	173-872-F2

- Special polypropylene fibres guarantee high tear and abrasion resistance



Rolls	Lightweight, extra wide	Heavy-duty, narrow	Heavy-duty, wide
External length [m]	45	45	45
Width, external [mm]	1500	380	760
Pack contents	1 Roll(s)	2 Roll(s)	1 Roll(s)
Absorption capacity [l / pack]	233	184	184
Order number	178-454-F2	173-860-F2	173-869-F2

### Rolls


For covering large areas on or beneath machinery susceptible to leaks

#### DENSORB oil



Absorbs oil and repels water. Oil is absorbed without even a drop of water being taken up. For oils, petrol, diesel, solvents, petroleum (hydrocarbon-based liquids)

#### Long life Outdoor



- Developed for outdoors, water-repellent and UV-stable
- Ideal for long term use
- Reliable absorption of engine oil, diesel, heating oil, cutting oil, vegetable oil, oil-based solvents etc and more

#### Rolls and Mats Oil Premium

- Developed for outdoors, water-repellent and UV-stable
- Very strong protective layers: top black, bottom white
- Ideal for long term use
- Roll width is suitable for railway lines



Rolls	Narrow	Wide
External length [m]	24	24
Width, external [mm]	480	1450
Pack contents	2 Roll(s)	1 Roll(s)
Absorption capacity [l / pack]	55	176
Order number	204-221-F2	204-220-F2



**Use on railway lines: the wide roll fits snugly between the rails. Side areas are protected with the narrow roll.**

## Mats

For use as required on a daily basis for workbenches and repair work.  
A convenient, economical solution for small quantities of liquid.


### DENSORB oil



Absorbs oil and repels water. Oil is absorbed without even a drop of water being taken up. For oils, petrol, diesel, solvents, petroleum (hydrocarbon-based liquids)

### PREMIUM

Suitable for Universal use in production and workshops



- Lint free so ideal for sensitive applications and surfaces
- High mechanical resistance ensures long life. High quality raw materials further improve absorption capacity and performance

### Rolls and mats, oil premium

- Ideally suited to use outdoors, even in rain thanks to water-repellent design
- Can float on water even when saturated
- Tear resistant even when saturated
- The ideally sized mats are perforated in the middle for economical use



PREMIUM  
— LIGHT



PREMIUM  
— HEAVY



Mats	Lightweight	Heavy-duty
External length [mm]	500	500
Width, external [mm]	400	400
Pack contents	200 Item(s)	100 Item(s)
Absorption capacity [l / pack]	150	130
Order number	219-428-F2	219-429-F2



DENSORB oil premium Mats, 50 x 40 cm, are ideal for long lasting use

Your ideal product - it's quick and easy!



DENSORB absorbent materials finder:  
[denios.shop/DENSORBfinder](https://denios.shop/DENSORBfinder)

### i 2 Material strengths:

#### — LIGHT

- single layered material for leaks and drips

#### — HEAVY

- double layered material for large quantities of liquids

### Mats

For use as required on a daily basis for workbenches and repair work.  
A convenient, economical solution for small quantities of liquid.


#### DENSORB oil



Absorbs oil and repels water. Oil is absorbed without even a drop of water being taken up.  
For oils, petrol, diesel, solvents, petroleum (hydrocarbon-based liquids)

#### EXTRA

Extra quality for long life and high efficiency



- The strong additional layer of spin-bonded fabric on the upper side ensures high tear and abrasion resistance
- Ideal as a heavy duty floor covering
- Well suited to long term use

### Mats Oil Extra

- Tear resistant even when saturated with fluid
- Hydrophobic design ensures oil or hydrocarbon-based liquids are absorbed and water is repelled
- Ideally suited to use outdoors, even in rain thanks to water-repellent design



EXTRA  
— LIGHT



EXTRA  
— HEAVY



Mats	Lightweight	Heavy-duty
External length [mm]	500	500
Width, external [mm]	400	400
Pack contents	200 Item(s)	100 Item(s)
Absorption capacity [l / pack]	150	130
Order number	243-805-F2	243-806-F2



Oil absorbents are water repellent and are also floatable in saturated state



Supplied in a practical dispenser box for quick, efficient use



2 Material strengths:

#### — LIGHT

- single layered material for leaks and drips

#### — HEAVY

- double layered material for large quantities of liquids



## Mats

For use as required on a daily basis for workbenches and repair work.  
A convenient, economical solution for small quantities of liquid.


### DENSORB oil



Absorbs oil and repels water. Oil is absorbed without even a drop of water being taken up.  
For oils, petrol, diesel, solvents, petroleum (hydrocarbon-based liquids)

### ECONOMY

Suitable for universal use in production and workshops




Absorbents

- Economy quality is designed for most everyday applications
- Very low risk of dripping thanks to strong adhesion between the surface of the fibres and the absorbed liquid

## Mats Oil Economy

- Practical down to the last detail: Absorbent mats (500 x 400 mm) are perforated in the middle. This enables you to easily tear off the amount required and use only as much of the material as you need.



Mats	Lightweight	Lightweight	Lightweight
External length [mm]	400	500	500
Width, external [mm]	370	400	400
Pack contents	200 Item(s)	100 Item(s)	200 Item(s)
Absorption capacity [l / pack]	102	60	120
Order number	177-881-F2	207-923-F2	175-018-F2

- Ideally suited to use outdoors, even in rain thanks to water-repellent design. Ideally suited to removing oil or fuel spills from the surface of water



Mats	Lightweight - without perforation	Heavy-duty	Heavy-duty
External length [mm]	500	500	500
Width, external [mm]	400	400	400
Pack contents	100 Item(s)	50 Item(s)	100 Item(s)
Absorption capacity [l / pack]	60	60	120
Order number	189-447-F2	207-922-F2	175-016-F2

### Cushions

Ideal for poorly accessible locations thanks to their flexible form, large absorption capacity with a small space requirement

#### DENSORB oil



Absorbs oil and repels water. Oil is absorbed without even a drop of water being taken up. For oils, petrol, diesel, solvents, petroleum (hydrocarbon-based liquids)



**DENSORB absorbent cushions in Oil version, e.g. for catching troublesome oil drips from machinery**

### Oil Absorbent Cushions

- Essential for containing leaks
- A special polypropylene filling ensures excellent absorption capacity
- Fluids which have been absorbed are reliably contained and are easily disposed of
- Essential aid for repair and maintenance work
- An especially flexible shape with a stretchy outer ensures limitless possibilities for use, even in places which are difficult to reach
- Especially high absorption capacity



External dimensions L x W [mm]	250 x 250	460 x 460
Pack contents	30 Item(s)	16 Item(s)
Absorption capacity [l / pack]	92	65
Order number	123-132-F2	123-133-F2

## Socks For containing leaks or for use in areas difficult to access

### DENSORB oil



Absorbs oil and repels water. Oil is absorbed without even a drop of water being taken up. For oils, petrol, diesel, solvents, petroleum (hydrocarbon-based liquids)



**Socks for the restriction of oil spillages and absorption of oil**

### Oil Absorbent Socks

- The design of our absorbent socks are an ideal shape for containing leaks
- Perfectly suited to absorbing liquids from faulty equipment or containers
- An especially flexible shape with a stretchy outer ensures limitless possibilities for use, even in places which are difficult to reach
- A special polypropylene filling ensures excellent absorption capacity
- Fluids which have been absorbed are reliably contained and are easily disposed of



Ø x L [mm]	75 x 1200	75 x 1800	75 x 3000
Pack contents	20 Item(s)	12 Item(s)	4 Item(s)
Absorption capacity [l / pack]	115	138	58
Order number	123-145-F2	123-147-F2	123-148-F2




### Multiformat

Versatile in use as a Roll, mat, sock and wiper cloth, in a space-saving dispensing carton, ideal for mobile use or on workbenches

#### DENSORB oil



Absorbs oil and repels water. Oil is absorbed without even a drop of water being taken up. For oils, petrol, diesel, solvents, petroleum (hydrocarbon-based liquids)



Multiple perforations along and across the material allow the correct size for any eventuality to be torn off easily

### Varioform - ready for any application: four formats in one

- One product in 4 different formats:  
roll - sock - mat - cleaning cloth
- Ideal for everyday use, for maintenance and repair work and for unexpected leaks
- The absorbent material is supplied folded on a Roll and is perforated in the middle and crossways - for every need
- A protective coating on both sides ensures the material is lint free and therefore also suitable for sensitive applications
- High quality polypropylene fibres and a sturdy spun-bonded fabric on both sides guarantee high tear and abrasion resistance
- Supplied in a practical dispenser box for quick, efficient use anywhere
- The compact dimensions mean the absorbent materials can be placed ready at any location: workbench, service vehicle, lorry, forklift etc



#### Application - DENSORB

External length [m]
Width, external [mm]
Absorption capacity [l / pack]
Order number

#### Oil

15
480
25
181-147-F2


#### As a wiper cloth



#### As a mat



#### As a Roll





## Barriers For containing and absorbing oils on water

### DENSORB oil



Absorbs oil and repels water. Oil is absorbed without even a drop of water being taken up. For oils, petrol, diesel, solvents, petroleum (hydrocarbon-based liquids)



DENSORB oil barriers (here: 6 M sections) for containing and absorbing oil spills on water

### Absorbent Oil Barriers

- For quick containment and absorption of oil and fuel spills from the surface of water
- Suitable for ponds, lakes, rivers and harbours etc
- The especially stable design prevents damage when retrieving the barriers



Ø x L [mm]	130 x 3048	180 x 3048	180 x 6000
Pack contents	4 Item(s)	4 Item(s)	2 Item(s)
Absorption capacity [l / pack]	135	276	276
Order number	128-555-F2	128-553-F2	181-568-F2



Practical spring clips allow the individual segments to be quickly overlapped and connected to create an oil containment barrier of the required length



### Dice For absorbing oils on water

#### DENSORB oil



Absorbs oil and repels water. Oil is absorbed without even a drop of water being taken up. For oils, petrol, diesel, solvents, petroleum (hydrocarbon-based liquids)



Oil dice, Order no. 119-244-F2

#### Oil Dice

- Can float on water even when saturated
- Ideally suited to removing oil or fuel spills from the surface of water
- Oil binder model I, II SF
- Very low risk of dripping thanks to strong adhesion between the surface of the fibres and the absorbed liquid
- The colour helps identification of saturation level
- Dice edge length: 50 mm
- Bulk density 328 G/L
- Material: polyurethane
- Supplied in a 10 kg PE bag (45 litres)
- Absorption capacity 15litres/pack



#### Skimmer For separating oil and water

#### Oil Skimmers

- Hydrophobic design ensures oil or hydrocarbon-based liquids are absorbed and water is repelled
- For easy removal of oil, fuel or other similar substances from drains, gullies, pipes or tanks
- Reliable absorption of engine oil, diesel, heating oil, cutting oil, vegetable oil, oil-based solvents etc and more
- Highly absorbent material in robust nylon netting with integral retrieval rope
- Especially suited to areas which are difficult to access



#### Ø x L [mm]

Pack contents

Absorption capacity [l / pack]

Order number

#### 200 x 600

10 Item(s)

89

128-556-F2



**Veils** For removing oil films on water

**DENSORB  
oil**



Absorbs oil and repels water. Oil is absorbed without even a drop of water being taken up. For oils, petrol, diesel, solvents, petroleum (hydrocarbon-based liquids)

Your ideal product - it's quick and easy!



**DENSORB absorbent materials finder:**  
[denios.shop/DENSORBfinder](https://denios.shop/DENSORBfinder)

**Oil Sweeps**

- Hydrophobic design ensures oil or hydrocarbon-based liquids are absorbed and water is repelled
- Can float on water even when saturated
- For removing oil films on the surface of water
- Reliable absorption of engine oil, diesel, heating oil, cutting oil, vegetable oil, oil-based solvents etc and more
- Very low risk of dripping thanks to strong adhesion between the surface of the fibres and the absorbed liquid
- The colour helps identification of saturation level

- With retrieval rope
- Can be shortened to the required length



Application - DENSORB	Oil
External length [m]	30
Width, external [mm]	400
Absorption capacity [l / pack]	73
Order number	170-342-F2

Oil sweeps can also be used in combination with oil barriers for example (at the left edge of the image) Oil which is not caught by the oil barriers can be removed from the surface of the water by the oil sweeps placed in the direction of flow behind the barriers



DENSORB absorbent materials are available for various applications and in many practical forms.

Choose the absorbent material that suits you according to the desired absorption capacity, durability and use.

### Just 4 steps to find your right DENSORB product:

1. Select according to the type of liquid that has to be absorbed.

2. Select the format that suits you. You can use the application description as a guide for this.

3. Select the level of absorption capacity. The absorption capacity depends on the material composition of the products. Please note that some products come in two different material thicknesses: Heavy has twice the absorption capacity of Light. You'll find precise details on the respective product pages.

● = High absorption capacity

●● = Very high absorption capacity







●●● = Extremely high absorption capacity

4. Choose the desired durability. The greater the durability, the longer the product will last.

● = Strong durability

●● = Very strong durability

●●● = Extremely strong durability

Liquids	Format	Application	Absorption capacity	Durability	Product description	Page
 <b>Special</b> For acids, alkalis, aggressive media	<b>Rolls</b> 	For covering large areas on or beneath machinery susceptible to leaks	●●●	●●	Extra rolls	37
			●●	●	Economy rolls	38
	<b>Mats</b> 	For use as required on a daily basis for workbenches and repair work. A convenient, economical solution for small quantities of liquid.	●●●	●●	Extra Mats	39
			●●	●	Economy Mats	40
	<b>Cushions</b> 	Ideal for poorly accessible locations thanks to their flexible form, large absorption capacity with a small space requirement	●●●	—	Cushions	41
			—	—		
	<b>Socks</b> 	For containing leaks or for use in areas difficult to access	●●●	—	Socks	41
			—	—		
	<b>Multiformat</b> 	Versatile in use as a roll, mat, sock and wiper cloth, in a space-saving dispensing carton, ideal for mobile use or on workbenches	●●	●●	Varioform	42
			—	—		

- Chemically inert, suitable for absorbing aggressive chemicals



### 2 Material strengths:

#### — LIGHT

- single layered material for leaks and drips

#### — HEAVY

- double layered material for large quantities of liquids

**Your ideal product - it's quick and easy!**




**DENSORB absorbent materials finder:**  
[denios.shop/DENSORBfinder](https://denios.shop/DENSORBfinder)



## Rolls For covering large areas on or beneath machinery susceptible to leaks


### DENSORB special



- Ideal for absorbing acids, alkalis, and aggressive liquids.
- Should be used in emergencies involving unidentified liquids.
- The yellow warning colour highlights a potential hazard and allows the absorbed liquid to be clearly seen.

EXTRA

**Extra quality for long life and high efficiency**



Smooth, lint-free protective layer

Absorbents

- The strong additional layer of spin-bonded fabric on the upper side ensures high tear and abrasion resistance
- Ideal as a heavy duty floor covering
- Well suited to long term use
- Tear resistant even when saturated with fluid

## Rolls Special Extra

- Rolls are excellent for covering large surface areas
- Rolls are perforated in the middle and crossways for easy separation



Rolls	Lightweight, narrow	Lightweight, wide	Heavy-duty, narrow	Heavy-duty, wide
External length [m]	90	90	45	45
Width, external [mm]	500	1000	500	1000
Pack contents	2 Roll(s)	1 Roll(s)	2 Roll(s)	1 Roll(s)
Absorption capacity [l / pack]	310	310	269	269
Order number	243-815-F2	243-816-F2	243-817-F2	243-818-F2



### Rolls For covering large areas on or beneath machinery susceptible to leaks


#### DENSORB special



- Ideal for absorbing acids, alkalis, and aggressive liquids.
- Should be used in emergencies involving unidentified liquids.
- The yellow warning colour highlights a potential hazard and allows the absorbed liquid to be clearly seen.

#### ECONOMY

Suitable for universal use in production and workshops



- Economy quality is designed for most everyday applications
- Ideal for cleaning, maintenance and repair work
- Especially suited to cleaning up small leaks

### Rolls Special Economy

DENSORB rolls special economy, width 38 or 76 cm, for covering large areas

- Rolls are perforated in the middle and crossways for easy separation
- Rolls are excellent for covering large surface areas



Rolls	Lightweight, narrow	Lightweight, narrow	Heavy-duty, narrow
External length [m]	45	90	45
Width, external [mm]	380	380	380
Pack contents	2 Roll(s)	2 Roll(s)	2 Roll(s)
Absorption capacity [l / pack]	118	236	184
Order number	207-914-F2	173-864-F2	173-861-F2

- Suitable for areas where aggressive chemicals are stored or handled



Rolls	Lightweight, wide	Lightweight, wide	Heavy-duty, wide
External length [m]	45	90	45
Width, external [mm]	760	760	760
Pack contents	1 Roll(s)	1 Roll(s)	1 Roll(s)
Absorption capacity [l / pack]	118	236	184
Order number	207-915-F2	173-873-F2	173-870-F2

## Mats

For use as required on a daily basis for workbenches and repair work.  
A convenient, economical solution for small quantities of liquid.


### DENSORB special



- Ideal for absorbing acids, alkalis, and aggressive liquids.
- Should be used in emergencies involving unidentified liquids.
- The yellow warning colour highlights a potential hazard and allows the absorbed liquid to be clearly seen.

### EXTRA

**Extra quality for long life and high efficiency**



- Extra quality for long life and high efficiency
- The strong additional layer of spin-bonded fabric on the upper side ensures high tear and abrasion resistance
- Ideal as a heavy duty floor covering
- Well suited to long term use

## Mats Special Extra

- Suitable for areas where aggressive chemicals are stored or handled
- Specially designed for absorbing highly aggressive acids such as sulphuric, boric, hydrofluoric and phosphoric acids and others
- The ideally sized mats are perforated in the middle for economical use



Mats	Lightweight	Heavy-duty
External length [mm]	500	500
Width, external [mm]	400	400
Pack contents	200 Item(s)	100 Item(s)
Absorption capacity [l / pack]	138	120
Order number	243-812-F2	243-814-F2



### 2 Material strengths:

#### — LIGHT

- single layered material for leaks and drips

#### — HEAVY

- double layered material for large quantities of liquids




### DENSORB special



- Ideal for absorbing acids, alkalis, and aggressive liquids.
- Should be used in emergencies involving unidentified liquids.
- The yellow warning colour highlights a potential hazard and allows the absorbed liquid to be clearly seen.

### ECONOMY

**Suitable for universal use in production and workshops**



Absorbents



- Economy quality is designed for most everyday applications
- Ideal for cleaning, maintenance and repair work
- Especially suited to cleaning up small leaks

## Mats

**For use as required on a daily basis for workbenches and repair work.**  
**A convenient, economical solution for small quantities of liquid.**

### Mats Special Economy

- The yellow warning colour easily shows up the fluid absorbed
- Very low risk of dripping thanks to strong adhesion between the surface of the fibres and the absorbed liquid
- Excellent absorption capacity and quick absorption rate



Mats	Lightweight	Lightweight	Lightweight
External length [mm]	400	500	500
Width, external [mm]	370	400	400
Pack contents	200 Item(s)	100 Item(s)	200 Item(s)
Absorption capacity [l / pack]	102	58	116
Order number	177-886-F2	207-917-F2	175-019-F2

- The ideally sized mats are perforated in the middle for economical use
- Supplied in a practical dispenser box for quick, efficient use



Mats	Heavy-duty	Heavy-duty
External length [mm]	500	500
Width, external [mm]	400	400
Pack contents	50 Item(s)	100 Item(s)
Absorption capacity [l / pack]	58	108
Order number	207-919-F2	175-020-F2

## DENSORB special



- Ideal for absorbing acids, alkalis, and aggressive liquids.
- Should be used in emergencies involving unidentified liquids.
- The yellow warning colour highlights a potential hazard and allows the absorbed liquid to be clearly seen.



**Contents:**  
40 mats 50 x 40 cm  
3 socks 120 x 7.5 cm  
2 x 400 g chemical and acid binder  
1 goggles Model V-Maxx  
1 pair chemical protection gloves  
1 half mask Model 6000  
1 chemical overalls Model 4, 5, 6  
Chemical resistance lists

**Emergency spill kit for incidents with aggressive liquids, box dimensions L x W x H (mm): 610 x 400 x 290, Order no. 163-776-F2**

## Socks For containing leaks or for use in areas difficult to access

### Special Absorbent Socks

- The design of our absorbent socks are an ideal shape for containing leaks. Essential for containing leaks. Perfectly suited to absorbing liquids from faulty equipment or containers.
- An especially flexible shape with a stretchy outer ensures limitless possibilities for use, even in places which are difficult to reach.



Ø x L [mm]	75 x 1200	75 x 1800	75 x 3000
Pack contents	20 Item(s)	12 Item(s)	4 Item(s)
Absorption capacity [l / pack]	86	103	43
Order number	123-150-F2	123-151-F2	123-152-F2

## Cushions Ideal for poorly accessible locations thanks to their flexible form, large absorption capacity with a small space requirement

### Special Absorbent Cushions

- Ideal for long term use, for example when filling containers. Essential for containing leaks.
- A special polypropylene filling ensures excellent absorption capacity.
- Fluids which have been absorbed are reliably contained and are easily disposed of.
- Essential aid for repair and maintenance work.
- An especially flexible shape with a stretchy outer ensures limitless possibilities for use, even in places which are difficult to reach.



External dimensions L x W [mm]	250 x 250	460 x 460
Pack contents	30 Item(s)	16 Item(s)
Absorption capacity [l / pack]	69	65
Order number	123-136-F2	123-137-F2


### Multiformat

Versatile in use as a Roll, mat, sock and wiper cloth, in a space-saving dispensing carton, ideal for mobile use or on workbenches

#### DENSORB special



- Ideal for absorbing acids, alkalis, and aggressive liquids.
- Should be used in emergencies involving unidentified liquids.
- The yellow warning colour highlights a potential hazard and allows the absorbed liquid to be clearly seen.



Multiple perforations along and across the material allow the correct size for any eventuality to be torn off easily

### Varioform - ready for any application: four formats in one

- One product in 4 different formats: roll - sock - mat - cleaning cloth
- A protective coating on both sides ensures the material is lint free and therefore also suitable for sensitive applications
- Supplied in a practical dispenser box for quick, efficient use anywhere




#### Application - DENSORB

External length [m]
Width, external [mm]
Absorption capacity [l / pack]
Order number

#### Special

15
480
25
181-148-F2





## Roll stands and wall brackets

- Sturdy Roll holder for industrial and workshop use
- Includes cutting edge



	DENSORB Wall mount, narrow, for rolls up to 40 cm wide, with cutting edge	DENSORB Stand for Rolls up to 40 cm wide, including cutting edge	DENSORB Stand for Rolls up to 40 cm wide, mobile, including cutting edge and waste bag holder	DENSORB Stand for Rolls up to 80 cm wide, Stationary/Wall Mount, with cutting edge
External dimensions L x W x H (mm)	140 x 500 x 270	420 x 450 x 790	420 x 450 x 800	460 x 880 x 630
Order number	116-579-F2	116-637-F2	116-578-F2	136-487-F2
<b>ACCESSORIES</b>				
Order number DENSORB Set of 4 Swivel Castors for Stands for rolls	—	—	—	136-489-F2

**Roll stands for rolls up to 80 cm wide as a stand unit, Order no. 136-487-F2**

**Order accessories at the same time**

**Castor set suitable for Roll stands for 80 cm wide rolls, Order no. 136-489-F2**

### Supply trolleys for DENSORB absorbent materials



- Practical DENSORB stations have compact dimensions to house regularly used absorbent materials in an easy to reach location, helping to keep your workshop clean



**Contents:**  
1 absorbent Roll 45 m x 38 cm  
incl. spindle for mounting  
2 x 100 absorbent mats  
50 x 40 cm in foil pouch  
2 shelves, galvanised steel

**DENSORB Station S (Oil version),  
Order no. 217-042-F2**



**Contents:**  
1 absorbent Roll 45 m x 76 cm  
incl. spindle for mounting  
2 x 200 absorbent mats  
50 x 40 cm in box  
2 shelves, galvanised steel

**DENSORB Station L absorbent materials depot with generous contents and two doors as well as a transparent document pocket on the inside**

- The easily manoeuvrable DENSORB Caddy is an essential aid when you need to get absorbent materials to different locations fast



**Contents:**  
1 absorbent Roll 45 m x 38 cm  
incl. spindle for mounting  
2 x 100 absorbent mats 50 x 40 cm  
in foil pouch  
2 shelves, galvanised steel

**DENSORB Caddy absorbent material  
supply trolley (SPECIAL version)  
for mobile use**



**The DENSORB Caddy has 2 fixed and 2 swivel castors for greater manoeuvrability**
































































**The ergonomic handle can be gripped safely even when wearing protective gloves**

Model	DENSORB CADDY			DENSORB Station S			DENSORB Station L		
Application - DENSORB	Oil	Universal	Special	Oil	Universal	Special	Oil	Universal	Special
Absorption capacity [l / pack]	113	107	107	113	107	107	349	328	328
External dimensions L x W x H [mm]	820 x 700 x 1300			640 x 600 x 1130			640 x 1200 x 1130		
Order number	217-039-F2	217-040-F2	217-041-F2	217-042-F2	217-043-F2	217-044-F2	217-218-F2	217-219-F2	217-220-F2
<b>ACCESSORIES</b>									
Order number 2 spare 45 M absorbent rolls, refills	173-859-F2	173-862-F2	207-914-F2	173-859-F2	173-862-F2	207-914-F2	—	—	—
Order number 1 spare 45 M absorbent Roll, refill	—	—	—	—	—	—	173-868-F2	173-867-F2	207-915-F2
Order number 200 absorbent mats, refills	—	—	—	—	—	—	175-018-F2	175-014-F2	175-019-F2
Order number 100 absorbent mats, refills	207-923-F2	207-920-F2	207-917-F2	207-923-F2	207-920-F2	207-917-F2	—	—	—

## DENSORB emergency spill kits

**DENSORB®**



		Features						Application			
Maximum absorption capacity litres/ pack	DENSORB emergency kit description	Out- doors	Portable (max. 10 kg)	Floor- standing	With castors	Lockable	Refill kit avail- able	Universal	Oil	Special	Page
Absorption capacity up to 100 litres											
24	Mobile kit		✓								46
36	Special kit for chemical spillages		✓	✓			✓				41
45	Emergency kit on trolley, small			✓	✓	✓	✓				48
48	Weatherproof emergency travel bag	✓	✓				✓				46
67	Emergency spill kit in transparent carry case.		✓								46
Absorption capacity up to 200 litres											
110	Mobile kit in transport box		✓	✓			✓				47
110	Emergency kit in transparent castor box		✓	✓	✓	✓	✓				47
110	Emergency kit on trolley, large			✓	✓	✓	✓				48
132	Safety box, small	✓		✓	✓	✓	✓				54
144	Emergency kit in DENSORB Station S	✓		✓		✓	✓				53
150	Absorbent materials in drum S 170	✓		✓			✓				50
162	Absorbent materials in mobile container, small			✓	✓		✓				50
174	Emergency spill kit XL in DENSORB Caddy			✓			✓				49
Absorption capacity up to 400 litres											
218	Emergency kit in a lidded box	✓		✓	✓	✓	✓				51
225	Absorbent materials in drum S 200	✓		✓			✓				50
253	Safety box, medium	✓		✓	✓	✓	✓				54
286	Absorbent materials in mobile container, large			✓	✓		✓				50
287	Emergency kit in DENSORB Station L	✓		✓		✓	✓				53
Absorption capacity up to 600 litres											
401	Emergency kit in transport box	✓		✓	✓		✓				51
463	Safety box, large	✓		✓	✓	✓	✓				54
577	Safety cabinet			✓		✓	✓				52




- Emergency spill kits have protective gloves and a disposal bag for used absorbent materials
- Socks are used to contain leaks and prevent them spreading
- Mats and cushions are used to soak up the escaped liquid



### Mobile emergency spill kit in compact, light transport bag

- Space-saving, handy emergency spill kit
- Can be placed in almost any hazardous area
- The transparent bag with zip closure can also be used to dispose of used absorbent materials (photo left)



Application - DENSORB	Oil	Universal	Special
Absorption capacity [l / pack]	24	22	20
External dimensions L x W x H [mm]	500 x 400 x 140	500 x 400 x 140	500 x 400 x 140
Order number	116-660-F2	146-913-F2	116-661-F2



### Emergency spill kit in transparent carry case.

- Ideal for mobile use anywhere where a leak may happen
- Ideally suited for placement in a service vehicle, forklift or lorry
- Large viewing window to check the contents at a glance, without having to open the bag
- Fitted with a practical carry handle

Application - DENSORB	Oil	Universal	Special
Absorption capacity [l / pack]	67	64	64
External dimensions L x W x H [mm]	650 x 220 x 450	650 x 220 x 450	650 x 220 x 450
Order number	216-520-F2	216-519-F2	216-521-F2

### Weatherproof emergency travel bag

- Robust and weather resistant with an easy to adjust shoulder strap (photo left)
- Ideally suited for placement in a service vehicle, forklift or lorry



**Contents:**  
50 mats 40 x 50 cm  
3 socks 120 x 7.5 cm  
1 pair protective gloves  
3 disposal bags



Application - DENSORB	Oil	Universal	Special
Absorption capacity [l / pack]	48	45	42
External dimensions L x W x H [mm]	400 x 200 x 500	400 x 200 x 500	400 x 200 x 500
Order number	157-324-F2	157-327-F2	157-328-F2
<b>ACCESSORIES</b>			
Order number Refill kit	157-361-F2	157-362-F2	157-363-F2

# Absorbent mats > Emergency spill kits

## Mobile spill kit in sturdy transport box

- Ideally suited for placement in a service vehicle, forklift or lorry
- Essential for effective handling of leaks and incidents
- Ideal for mobile use anywhere where a leak may happen
- Sturdy box with ergonomic handles
- With space-saving, two-part lid
- Stable and Lightweight



The spacious box can be easily transported thanks to handy grips

**Mobile emergency spill kit in transport box, Universal version, Order no. 116-745-F2**

**Contents:**  
25 mats 50 x 40 cm  
8 socks 120 x 7.5 cm  
16 cushions 25 x 25 cm  
2 pairs disposable gloves  
2 disposal bags

Application - DENSORB	Oil	Universal	Special
Absorption capacity [l / pack]	110	96	85
External dimensions L x W x H [mm]	810 x 400 x 440	810 x 400 x 440	810 x 400 x 440
Order number	116-744-F2	116-745-F2	116-746-F2
<b>ACCESSORIES</b>			
Order number Refill kit	147-851-F2	147-852-F2	147-853-F2

## Emergency spill kit in transparent roller box

- For in-house use
- Essential for effective handling of leaks and incidents
- Quick to use
- Compact, easy to manoeuvre container
- Contents are protected from dust and damp
- Contents can be checked without opening



**Emergency set in transparent castor box**

**Contents:**  
16 cushions 25 x 25 cm  
8 socks 120 x 7.5 cm  
25 mats 40 x 50 cm  
2 pairs disposable gloves  
2 disposal bags



Application - DENSORB	Oil	Universal	Special
Absorption capacity [l / pack]	110	96	85
External dimensions L x W x H [mm]	800 x 450 x 540	800 x 450 x 540	800 x 450 x 540
Order number	155-181-F2	155-182-F2	155-183-F2
<b>ACCESSORIES</b>			
Order number Refill kit	147-851-F2	147-852-F2	147-853-F2

## ACCESSORIES

**DENSORB Emergency Spill Kit sign in weather resistant plastic, 420 x 320 mm, with mounting holes, Order no. 216-522-F2**



- Essential for effective handling of leaks and incidents
- Emergency spill kits have protective gloves and a disposal bag for used absorbent materials
- Socks are used to contain leaks and prevent them spreading
- Mats and cushions are used to soak up the escaped liquid

### Emergency spill kit in transport trolley

- Designed to quickly contain hazardous substances in the event of a leak
- For in-house use
- Quick to use
- User-friendly, practical doors and a lid that opens wide ensure easy access
- If needed, can be locked with a conventional padlock
- Compact transport trolley with variable partitioning
- Fitted with removable, liquid-tight drawers



The removable bottom collecting trays of the trolley are ideal for temporary collection of the liquid-soaked absorption cloths



**Contents:**  
10 mats 37 x 40 cm  
3 socks 120 x 7.5 cm  
7 cushions 25 x 25 cm  
1 pair goggles with elastic strap  
1 pair protective gloves  
5 disposal bags



**Contents:**  
20 mats 37 x 40 cm  
9 socks 120 x 7.5 cm  
10 cushions 25 x 25 cm  
1 pair goggles with elastic strap  
1 pair protective gloves  
5 disposal bags

Application - DENSORB	Oil	Universal	Special	Oil	Universal	Special
Absorption capacity [l / pack]	45	37	33	110	97	83
External dimensions L x W x H [mm]	610 x 405 x 915	610 x 405 x 915	610 x 405 x 915	510 x 510 x 1020	510 x 510 x 1020	510 x 510 x 1020
Order number Grey	116-747-F2	116-749-F2	116-751-F2	116-656-F2	116-652-F2	116-654-F2
Order number Red	208-206-F2	208-207-F2	208-208-F2	208-197-F2	208-198-F2	208-205-F2
<b>ACCESSORIES</b>						
Order number Refill kit	116-748-F2	116-750-F2	116-752-F2	116-657-F2	116-653-F2	116-655-F2



## Mobile XL emergency spill kit in DENSORB Caddy

- Optimum selection of absorbent materials for in-house leaks
- For in-house use
- Quick to use
- Functional chassis for easy, quick manoeuvrability
- Large, wide-opening door for efficient access to the absorbent materials
- Contents are protected from dust and damp
- Ergonomic handle optimises manoeuvrability



### Contents:

1 absorbent Roll 45 m x 38 cm incl. spindle for mounting  
35 absorbent mats 50 x 40 cm  
12 absorbent socks 120 x 7,5 cm  
22 absorbent cushions 25 x 25 cm  
2 pairs protective gloves  
10 disposal bags  
2 shelves, galvanised steel



**Emergency spill kit absorbent materials set, oil version in DENSORB Caddy, Order no. 219-594-F2**

Application - DENSORB	Oil	Universal	Special
Absorption capacity [l / pack]	218	200	179
External dimensions L x W x H [mm]	820 x 700 x 1300	820 x 700 x 1300	820 x 700 x 1300
Order number	219-594-F2	219-593-F2	219-595-F2
ACCESSORIES			
Order number Refill kit	219-597-F2	219-596-F2	219-598-F2

## ACCESSORIES

**DENSORB Emergency Spill Kit sign in weather resistant plastic, 420 x 320 mm, with mounting holes, Order no. 216-522-F2**



- Emergency spill kits have protective gloves and a disposal bag for used absorbent materials
- Essential for effective handling of leaks and incidents
- Socks are used to contain leaks and prevent them spreading
- Mats and cushions are used to soak up the escaped liquid
- For in-house use
- Quick to use
- Extra large emergency spill kit with practical range of absorbent materials
- Packed so they are easy to use in the right order
- Stationary for defined areas of application or with castors for mobile use

### Order at the same time

**DENSORB Emergency Spill Kit sign**  
in weather resistant plastic, 420 x 320 mm,  
with mounting holes,  
Order no. 216-522-F2



## Absorbent materials in mobile container

### ■ Ideal for quick transport to where they are needed



**Contents:**  
100 mats 50 x 40 cm  
7 socks 120 x 7.5 cm  
10 cushions 25 x 25 cm  
5 disposal bags



**Emergency spill kit in a wheelie bin with an absorption capacity of up to 162 litres**

**Contents:**  
200 mats 50 x 40 cm  
22 socks 120 x 7.5 cm  
12 cushions 25 x 25 cm  
8 disposal bags



**Emergency spill kit in a wheelie bin with an absorption capacity of up to 286 litres**

Model	B 12			B 24		
Application - DENSORB	Oil	Universal	Special	Oil	Universal	Special
Absorption capacity [l / pack]	162	147	139	286	272	237
External dimensions L x W x H [mm]	560 x 480 x 940	560 x 480 x 940	560 x 480 x 940	740 x 580 x 1070	740 x 580 x 1070	740 x 580 x 1070
Order number	157-332-F2	157-333-F2	157-334-F2	157-335-F2	157-336-F2	157-337-F2
ACCESSORIES						
Order number Refill kit	157-367-F2	157-368-F2	157-369-F2	157-370-F2	157-371-F2	157-372-F2

## Absorbent materials in a drum

### ■ Everything needed to contain a leak in one container

The chemical resistant polyethylene drums are filled with high quality DENSORB products including absorbent socks, cushions and mats. Therefore all the materials needed are quickly on hand to contain and absorb the spill. The drums are manufactured according to UN x regulations for packaging groups I, II and III and can also be used to contain used absorbent materials.



**Contents:**  
100 mats 50 x 40 cm  
10 socks 120 x 7.5 cm  
15 cushions 25 x 25 cm  
3 pairs protective gloves  
5 disposal bags

**Emergency spill kit type S 170**



**Emergency spill kit type S200**



**Contents:**  
100 mats 50 x 40 cm  
21 socks 120 x 7.5 cm  
15 cushions 25 x 25 cm  
3 pairs protective gloves  
5 disposal bags

Model	S 170			S 200		
Application - DENSORB	Oil	Universal	Special	Oil	Universal	Special
Absorption capacity [l / pack]	150	139	118	225	210	194
External dimensions L x W x H [mm]	590 x 590 x 950	590 x 590 x 950	590 x 590 x 950	790 x 790 x 850	790 x 790 x 850	790 x 790 x 850
Order number	116-658-F2	147-854-F2	116-659-F2	116-757-F2	147-861-F2	116-758-F2
ACCESSORIES						
Order number Refill kit	147-858-F2	147-856-F2	147-860-F2	147-865-F2	147-863-F2	147-866-F2

## Emergency spill kit in lidded box

### ■ Wide range of absorbent materials for all applications

- Practical, spacious box
- Includes lid



**Contents:**  
50 mats 50 x 40 cm  
10 socks 120 x 7.5 cm  
15 cushions 25 x 25 cm  
1 sack multipurpose granules\*  
1 pair protective glasses\*  
1 protective overalls\*  
3 pairs protective gloves  
1 granule shovel\*  
5 disposal bags  
\*not included in refill kit,  
please order separately



Stationary

Application - DENSORB	Oil	Universal	Special
Absorption capacity [l / pack]	174	165	144
External dimensions L x W x H [mm]	1000 x 640 x 655	1000 x 640 x 655	1000 x 640 x 655
Order number Without castors	155-194-F2	155-195-F2	155-196-F2
Order number With castors	155-191-F2	155-192-F2	155-193-F2
<b>ACCESSORIES</b>			
Order number Refill kit	147-858-F2	147-856-F2	147-860-F2

## Emergency set in transport box

- Extra large emergency spill kit with practical range of absorbent materials
- Packed so they are easy to use in the right order
- Ready to use, quick to get to the scene of the incident

Unfortunately, accidents involving oil or chemicals cannot always be avoided. So it's important to have the right products available at the right place. In this way you can react quickly and efficiently in the event of a serious incident. The transport box can be transported by pallet truck or forklift truck. In addition a version with 4 castors can also be supplied.



**Contents:**  
200 mats 50 x 40 cm  
24 socks 120 x 7.5 cm  
54 cushions 25 x 25 cm  
3 pair protective gloves  
5 disposal bags



With castors

Application - DENSORB	Oil	Universal	Special
Absorption capacity [l / pack]	401	364	323
External dimensions L x W x H [mm]	1200 x 800 x 760	1200 x 800 x 760	1200 x 800 x 760
Order number Stationary	116-753-F2	147-867-F2	116-754-F2
Order number With castors	116-755-F2	147-868-F2	116-756-F2
<b>ACCESSORIES</b>			
Order number Refill kit	147-870-F2	147-869-F2	147-871-F2





### Safety cabinet with absorbent material mats

- Sturdy absorbent materials cabinet with integral holder for an absorbent material roll
- Essential for effective handling of leaks and incidents
- Emergency spill kits have protective gloves and a disposal bag for used absorbent materials. Socks are used to contain leaks and prevent them spreading
- Mats and cushions are used to soak up the escaped liquid
- Easy access to absorbent materials
- The absorbent materials are protected from contamination
- Fixed location, accessible at any time
- Can be fixed on a wall




**Example of usage: the absorbent Roll is easily accessible in emergencies safety cabinet, oil design, without roller shutter/doors**

### ACCESSORIES



**mounting kit for wall mounting,  
Order no. 172-558-F2**



**Contents:**  
 100 heavy duty mats 50 x 40 cm  
 28 socks 120 x 7.5 cm  
 16 cushions 25 x 25 cm  
 1 light duty absorbent roll\* 90 m x 76 cm  
 1 pair goggles with elastic strap  
 1 pair protective gloves  
 1 chemical protection overalls Model 4, 5, 6  
 2 eyewash bottles (500 ml)\*  
 1 warning sign  
 5 disposal bags  
 \*not included in refill kit -please order separately

**Safety cabinet with roller shutter doors  
protects absorbents from getting dirty**



**Safety cabinet with special absorbent materials,  
with doors, Order no. 186-966-F2**

Application - DENSORB	Oil	Universal	Special
Absorption capacity [l / pack]	577	543	494
External dimensions L x W x H [mm]	950 x 760 x 1350	950 x 760 x 1350	950 x 760 x 1350
Order number Grey, without roller shutter/doors	172-547-F2	172-550-F2	172-552-F2
Order number Grey, with roller shutter	172-546-F2	172-549-F2	172-551-F2
Order number Blue, with doors	186-964-F2	186-965-F2	186-966-F2
ACCESSORIES			
Order number Absorbent Roll	173-872-F2	173-871-F2	173-873-F2
Order number Refill kit	172-554-F2	172-555-F2	172-556-F2



## Emergency spill kit in DENSORB station, model S and L

- Large doors with practical magnetic closure
- Sturdy absorbent materials cabinet with integral holder for an absorbent material roll



### Contents:

1 absorbent Roll 45 m x 38 cm incl. mounting spindle.  
12 absorbent socks 120 x 7.5 cm  
8 absorbent cushions 25 x 25 cm  
2 pairs protective gloves  
5 disposal bags  
1 pair goggles with elastic strap  
2 shelves, galvanised steel

**Emergency spill kit in DENSORB station, model S, oil version, Order no. 222-451-F2**

### Contents:

1 absorbent Roll 45 m x 76 cm incl. mounting spindle.  
23 absorbent socks 120 x 7.5 cm  
16 absorbent cushions 25 x 25 cm  
4 pairs protective gloves  
10 disposal bags  
2 pairs goggles with elastic strap  
2 shelves, galvanised steel

**DENSORB Station L absorbent materials depot with generous contents and two doors as well as a transparent document pocket on the inside**



Emergency spill kits can also be made up according to individual requirements. Please call: 01952 811 991

	DENSORB emergency spill kit Station S			DENSORB emergency spill kit Station L		
Application - DENSORB	Oil	Universal	Special	Oil	Universal	Special
Absorption capacity [l / pack]	144	117	117	287	234	234
External dimensions L x W x H [mm]	640 x 600 x 1130	640 x 600 x 1130	640 x 600 x 1130	640 x 1200 x 1130	640 x 1200 x 1130	640 x 1200 x 1130
Order number	222-451-F2	222-452-F2	222-453-F2	222-454-F2	222-455-F2	222-456-F2
ACCESSORIES						
Order number Refill kit	222-458-F2	222-459-F2	222-460-F2	222-461-F2	222-462-F2	222-463-F2

### Safety boxes

- Ideal for use outdoors
- Essential for effective handling of leaks and incidents
- Emergency spill kits have protective gloves and a disposal bag for used absorbent materials
- Socks are used to contain leaks and prevent them spreading
- Mats and cushions are used to soak up the escaped liquid
- The robust design guarantees secure protection of the absorbent materials from weather and damage
- All important absorbent materials and utensils in easy reach



Spill kit storage box, filled with absorption material, absorbent capacity of up to 463 litres

#### For model SF 100 and SF 200

##### Contents:

100 mats 50 x 40 cm  
6 socks 120 x 7.5 cm  
8 cushions 25 x 25 cm  
1 pair goggles with elastic strap  
1 pair protective gloves  
10 disposal bags

#### For model SF 100 and SF 200

##### Contents:

200 mats 50 x 40 cm  
10 socks 120 x 7.5 cm  
15 cushions 25 x 25 cm  
1 pair goggles with elastic strap  
1 pair protective gloves  
20 disposal bags

#### For model SF 400

##### Contents:

400 mats 50 x 40 cm  
20 socks 120 x 7.5 cm  
40 cushions 25 x 25 cm  
2 pairs goggles with elastic strap  
2 pairs protective gloves  
50 disposal bags



Small items such as gloves and safety glasses that you will need close at hand in emergencies can be stored handily in a lid pocket



Model	SF 100			SF 200			SF 400		
Application - DENSORB	Oil	Universal	Special	Oil	Universal	Special	Oil	Universal	Special
Absorption capacity [l / pack]	132	120	110	253	226	213	463	428	394
External dimensions L x W x H [mm]	975 x 705 x 460	975 x 705 x 460	975 x 705 x 460	975 x 705 x 665	975 x 705 x 665	975 x 705 x 665	1210 x 785 x 780	1210 x 785 x 780	1210 x 785 x 780
Order number	157-347-F2	157-348-F2	157-350-F2	157-343-F2	157-344-F2	157-345-F2	157-339-F2	157-341-F2	157-342-F2
<b>ACCESSORIES</b>									
Order number	157-357-F2	157-359-F2	157-360-F2	157-354-F2	157-355-F2	157-356-F2	157-351-F2	157-352-F2	157-353-F2
Refill kit									

### ACCESSORIES

- Sturdy swivel castors ensure quick transport to the place of use
- Stable feet offer access underneath for use with a forklift or pallet truck



Swivel castors



Swivel castors


	For model SF 100 and SF 200	For model SF 400
Order number 4 swivel castors	129-348-F2	127-461-F2
Order number 4 legs	129-349-F2	130-044-F2

### ACCESSORIES

**DENSORB Emergency Spill Kit sign in weather resistant plastic, 420 x 320 mm, with mounting holes, Order no. 216-522-F2**











**Contents:**  
20 oil barriers 300 x 13 cm  
800 mats 50 x 40 cm  
1 oil sweep 30.5 m x 40 cm  
2 absorbent rolls 45 m x 38 cm  
36 socks 180 x 7.5 cm  
8 cushions 46 x 46 cm  
5 pairs goggles with elastic strap  
60 pairs protective gloves  
5 protective overalls  
5 reusable half masks  
10 gas and combi filters  
30 disposal bags  
5 PE ziplock bags  
2 hand shovels  
1 shovel  
2 plastic buckets, 12 litres

**MAXI XXL emergency spill kit in 3 safety boxes, dimensions of each W x D x H (mm): 1400 x 1070 x 930, meets the requirements of the oil pollution act 1990, Order no. 215-892-F2**





	Product description	Oil binder type			Basic material	Absorption capacity	Application				Packaging			page
		Type I	Type II	Type III R			not flammable	roads	water	buildings	bag	tub	bottle	
 <b>UNIVERSAL</b>	Universal coarse grain			✓	Diatom earth (Mole)	🔥	✓	✓		✓	✓			57
	Universal fine grain			✓	Calcium silicate	🔥🔥	✓	✓		✓	✓			57
	Universal Gran-Sorb				Cellulose	🔥🔥				✓	✓			57
	Universal extra coarse			✓	Sepiolite	🔥	✓	✓		✓	✓			57
 <b>OIL</b>	Environmentally friendly, floating oil binder	✓	✓	✓	Peat	🔥🔥🔥		✓	✓	✓	✓			58
	Floating oil binder	✓	✓	✓	Perlite	🔥🔥🔥	✓		✓	✓	✓			58
	Quick-Sorb oil binder			✓	Polyurethane	🔥🔥				✓	✓			58
	All weather oil binder			✓	Polyurethane	🔥🔥		✓		✓	✓	✓		58
 <b>SPECIAL</b>	MultiSorb			✓	Silicon dioxide	🔥🔥🔥		✓		✓		✓	✓	59
	Chemical and acid binder			✓	Diatomaceous earth	🔥🔥🔥		✓		✓			✓	59
	Multipurpose binder			✓	Diatom earth (Mole)	🔥🔥	✓	✓		✓	✓			59

🔥 = High absorption capacity

🔥🔥 = Very high absorption capacity

🔥🔥🔥 = Extremely high absorption capacity



## DENSORB Universal



Absorbs oils, coolants, solvents and water as well as non-aggressive acids and alkalis quickly and safely.

### Universal coarse granules



- Model III R
- Moler-based mineral granules
- Large grain size enables use outdoors, for example on roads
- Chemically inert, suitable for aggressive acids
- High absorption capacity and performance
- Non-flammable in unused state



### Universal Fine Granules



- Model III R
- Mineral granules based on calcium silicate hydrate
- Very fine grain
- High absorption capacity and performance
- The light colour helps identification of saturation level
- Non-flammable in unused state

### Gran Sorb Universal



- Anti-static
- Granules based on recycled cellulose
- Dust free and easy to remove
- Immediately binds on contact with oils, solvents, cooling lubricants and other non aggressive liquids
- Suitable for smooth surfaces
- Non abrasive, does not damage workshop floors
- Very little ash residue when burned

### Universal Extra Coarse



- Model III R
- Sepiolite-based mineral granules
- Ideal for rough floors and outdoor surfaces with a high volume of traffic
- Chemically inert, non toxic
- The light colour helps identification of saturation level
- Non-flammable in unused state
- Maximum non-slip effect

Design	Universal Fine Granules	Universal coarse granules		Gran Sorb Universal	Universal Extra Coarse
Contents (kg)	22	10	20	14	20
Absorption capacity [l / pack]	19	8	16	16	9
Bulk weight [g/l]	595	500	500000	512	720
Granule size min [mm]	0,13	1,00	1,00	0,40	0,50
Granule size max [mm]	1,0	3,0	3,0	3,4	6,0
Order number	170-113-F2	208-180-F2	119-252-F2	157-176-F2	157-215-F2



### DENSORB oil



Absorbs oil and repels water. Oil is absorbed without even a drop of water being taken up. For oils, petrol, diesel, solvents, petroleum (hydrocarbon-based liquids)

### Floating oil binder



- Model I / II / III R
- Perlite-based granules
- Hydrophobic and extremely light, floats even on turbulent water
- Excellent for containing oil on the surface of water and on roads and floors



### Environmentally friendly, floating oil binder



- Model I / II / III R
- Non-toxic natural product in biodegradable natural fibre
- Hydrophobic and very light
- Absorbs oil, diesel, heating oil, cutting oil, vegetable oil, oil-based solvents and other hydrocarbon-based liquids
- Can be used on the surface of water, roads or industrial floors
- Very little ash residue when burned



### Quick-sorb oil binder



- Model III
- Polyurethane foam-based granules
- Hydrophobic and floating
- Extremely quick absorption of oil
- Ideal for tiled and sealed flooring
- Non abrasive, does not damage workshop floors



### All-weather oil binder



- Model III R
- Polyurethane foam-based granules
- Hydrophobic and water-repellent
- Highly absorbent
- Suitable for roads and trafficked areas
- Can be effectively used even in rain and damp conditions



**All-weather oil binder in 6 kg bucket, Order no. 208-190-F2**

Design	Environmentally friendly, floating oil binder	Floating oil binder	Quick-sorb oil binder		All-weather oil binder	
Contents (kg)	6	7	5	12	8	20
Absorption capacity [l / pack]	29	31	11	30	12	24
Bulk weight [g/l]	130	70	260	260	405	405
Granule size min [mm]	0,13	0,13	0,13	0,13	0,13	0,13
Granule size max [mm]	4	3	4	4	4	4
Order number	180-851-F2	119-254-F2	208-182-F2	157-218-F2	208-181-F2	123-167-F2

## DENSORB special



- Ideal for absorbing acids, alkalis, and aggressive liquids.
- Should be used in emergencies involving unidentified liquids.
- The yellow warning colour highlights a potential hazard and allows the absorbed liquid to be clearly seen.

**Multi-Sorb chemical and acid binder with colour indicator: the indicator warns the user by changing colour for acids (yellow) or alkalis (red).**



## Emergency spill kit for mercury leaks



- Specially designed to absorb mercury
- Prevents the emission of hazardous vapours
- Contains 500 G amalgamating powder which can absorb 680 G mercury
- Includes two sponges for easy handling



**Emergency spill kit for mercury leaks, Order no. 160-161-F2**

## Chemical and acid binder, multi-sorb



- Model III R
- An absorbent for all hazardous materials
- Can be used immediately and without risk, even by untrained staff
- Granules based on a polymer compound with high absorption capacity
- Hydrophilic and chemically inert, absorbs all liquids
- Non-flammable, non-oxidising and does not generate explosive dust
- Highly economical and easy to use, also suitable for creating a bund
- Prevents emissions and condensation as it binds the hazardous materials immediately on contact



- Can be spread by hand or with a conventional GRIT TROLLEY
- Easy to clean up with a broom or shovel or with a sweeper
- Low volume left for disposal so low disposal costs

**Chemical and acid binder, 400 g**

## Oil and chemical binder



- Model III R
- Moler-based mineral, calcinated granules
- Reliably absorbs almost all liquids with a hydrophilic design
- Ideal for absorbing acids, alkalis, combustible and flammable liquids
- Can be used on both smooth and porous surfaces
- Non-flammable in unused state



**Oil and chemical binder, Order no. 159-823-F2**

	Multi-sorb		Multi-sorb with colour indicator		Oil and chemical binder
Contents (kg)	0,4	10,0	0,4	5,0	10,0
Absorption capacity [l / pack]	1	18	1	9	10
Bulk weight [g/l]	425	425	425	425	530
Granule size min [mm]	0,13	0,13	0,13	0,13	0,30
Granule size max [mm]	0,5	0,5	0,5	0,5	0,7
Order number	157-219-F2	191-444-F2	201-755-F2	201-754-F2	159-823-F2

### Waste disposal trolley incl. 2 Containers



- Ideal for quick use of granules in the event of a leak
- Even when heavily loaded the 4 swivel castors ensure good manoeuvrability
- Uneven loads can easily be moved over uneven surfaces thanks to the central hinge
- Includes 2 containers with 120 and 170 litres capacity for supply and disposal
- The two-part chassis can be folded to save space

Bestell-Nr. 123-168-15



### Grit trolley

#### ■ Even distribution of grit to minimise wastage

- Weatherproof polyethylene (PE) containers and grit trays
- Ideal for handling sand and salt
- Durable, maintenance-free and impact-resistant
- Low net weight



Capacity [l]	30	85
Overall load capacity [kg]	23	45
Order number	138-125-F2	138-126-F2

### Your ideal product - it's quick and easy!



**DENSORB absorbent materials finder:**  
[denios.shop/DENSORBfinder](https://denios.shop/DENSORBfinder)

### Conductive shovels for granules

- For distribution and disposal of granules
- Do not create an ignition source
- Ideal for granules that are saturated with flammable liquids
- Resistant to acids, alkalis and solvents

- Ergonomic shape
- Light and sturdy
- In quality, uv-stable plastic
- Smooth surface for easy cleaning
- Suitable for use in potentially explosive areas
- Ideal for handling explosive materials (e.G. Powder)
- Made of electrically conductive plastic
- The 35 cm wide shovel can contain over 5 litres of liquid
- Ergonomic shape (length 113 cm)

Order no. 201-665-F2





## GritCaddy GRIT TROLLEY

- **Make sure granules, sand, absorbents and other granular materials are always available where you need them fast, both indoors and outdoors**
- **Optimum centre of gravity to make handling easier**

- Slightly sloping lid to ensure water runs off: can also be used as a carrying surface
- With smooth-running wheels and large, comfortable handle
- In environmentally friendly, high chemical resistant polyethylene (PE)
- Weatherproof
- Easy to clean
- Fully recyclable



	GritCaddy GRIT TROLLEY
Body dimensions W x D x H [mm]	700 x 669 x 1145
Order number	216-690-F2

The GritCaddy is your reliable tool for distributing granules of all types. It has an ergonomic handle, which can be gripped even with thick gloves, a slightly sloping lid to allow water to run off and easy to move 200 mm diameter wheels.

## Granule supply trolley with sieve insert

- **Absorbent materials are available for use at any time**
- **Available quickly and easily where needed**
- **Disposal costs are lower**

- Practical design with two 55 litre chambers
- The supplied sieve fits on both chambers
- A roomy compartment offers space for utensils such as a shovel and broom
- The sturdy chassis with large, rubber-tyred wheels at the rear and castors at the front has 2 locking brakes
- The ergonomic handle ensures quick, easy transport to the incident site
- Made from chemical-resistant polyethylene



	Granule supply trolley with sieve insert
External dimensions L x W x H [mm]	1195 x 660 x 1070
Order number	239-976-F2
<b>ACCESSORIES</b>	Lid for supply trolley
Order number	239-977-F2

Granule supply trolleys with (optional) lids

## Anti-static shovels for granules

- For distribution and disposal of granules
- Ergonomic shape
- Light and sturdy
- In quality, uv-stable plastic
- Smooth surface for easy cleaning



External dimensions L x W [mm]	250 x 110	515 x 247	1045 x 257
Order number	119-237-F2	119-236-F2	119-235-F2

## Shut off - seal - cover - contain

Before hazardous liquids are cleaned up with absorbent materials, sensitive areas such as doors, drains, containers or the surface of water must first be secured using measures such as

- Gulley sealing
- Stopping holes in drums
- Blocking access ways
- Installation of floating oil barriers on the surface of water
- Catching drips, leaks and condensates



## Sealing plugs

Carry case with 1 conical plug of each size



Carry case with 1 conical plug of each size,  
Order no. 116-057-F2

■ For sealing drains and pipes



Average diameter [mm]	51	76	105
Order number	116-054-F2	116-055-F2	116-056-F2



Flexible separation barriers



The extremely impervious, flexible material on the bottom adapts well to the surrounding ground conditions

**Spill barrier Ring, Ø 400 mm to protect against leaking liquids, for example when undertaking filling procedures over work and laboratory benches etc., Order no. 130-516-F2**

- For limiting and retaining escaped liquids e.g. at drains
- The special plastic composite is resistant to water, hydrocarbons and many other chemicals
- Sticks to the floor and can be reused after washing with soapy water

Spill barrier (3 m) with convenient grips



External dimensions L x W x H [mm]	2000 x 45 x 50	3000 x 100 x 70
Order number	130-515-F2	116-046-F2





### Neoprene sealing mats.

- Prevents hazardous materials entering drains and sewers
- Thin material for flexible adaptation including for non-metal drains
- For simple, inexpensive prevention of small leaks
- Light, space-saving, reusable and quick to clean
- Storage box for up to 5 sealing mats, available as an accessory
- Ideal for using with DENSORB emergency spill kits

	Neoprene sealing mats.			
External dimensions L x W [mm]	500 x 500	1000 x 1000	1200 x 1200	1400 x 1400
Field of use	Drain width max 200 mm	Drain width max 700 mm	Drain width max 900 mm	Drain width max 1100 mm
Order number	217-355-F2	216-516-F2	216-517-F2	216-518-F2
<b>ACCESSORIES</b>	Storage boxes for up to 5 sealing mats			
External dimensions L x W x H [mm]	675 x 190 x 210	1075 x 190 x 210	1275 x 190 x 210	1530 x 190 x 210
Order number	132-787-F2	132-789-F2	132-790-F2	169-484-F2



### Magnetic sealant mats

- Hold reliably by magnetic force to all metal gully covers
- Weather- and temperature-resistant (-20 °C to +80 °C)
- Prevents hazardous materials entering drains and sewers
- Chemical-resistant and easy to clean
- Ideal for adapting to uneven flooring with dense, flexible material
- Storage box for up to 5 sealing mats, available as an accessory
- Ideal for using with DENSORB emergency spill kits

	Magnetic sealant mats		
External dimensions L x W [mm]	510 x 510	600 x 600	1000 x 1000
Field of use	Drain width max 200 mm	Drain width max. 300 mm	Drain width max 700 mm
Order number	206-977-F2	206-978-F2	206-979-F2
<b>ACCESSORIES</b>	Storage boxes for up to 5 sealing mats		
External dimensions L x W x H [mm]	675 x 190 x 210	675 x 190 x 210	1075 x 190 x 210
Order number	132-787-F2	132-787-F2	132-789-F2

## ACCESSORIES



### Accessory: storage boxes for sealant mats

Sealant mats should always be available close to the potential hazard location. Swift access is therefore possible and initial action to minimise the hazard can be taken immediately.

- Robust boxes in environmentally-friendly polyethylene (PE)
- Ready for wall mounting (including mounting kit)

**Storage box with carry handle and lid, ready for mounting to a wall**

## Sealing cushion

- Handy and ready to use at any time after filling with frost-proof liquid
- Weatherproof and tear-resistant
- Resistant to many acids and alkalis
- Can be used at -30 °C to +70 °C
- Dimensions W x D (mm): 700 x 700
- With tough stainless steel carry handle
- Practical stainless steel wall holder available as an accessory

**Optional accessories:**  
stainless steel wall  
mounting,  
Order no. 208-738-F2



## Sealant mats

- The sealant mats prevent the unwanted penetration of liquids into the ground or sewage system in the event of leaks
- Ideal for sealing pipe connections and gulleys
- Resistant to water, oil and most chemicals
- The flexible plastic composite on the underside matches the floor surface perfectly and can be used several times



The white protective foil attached to the mat prevents the mat from „sticking“ when it is rolled up and includes convenient handles making it easier to use



**The extremely impervious, flexible material on the bottom adapts well to the surrounding ground conditions**

**Circular sealant Mats, available in 2 sizes**

Model	A1	A2	A3	A5	A6	A7 (round)	A8 (round)
External dimensions L x W (mm)	400 x 400	600 x 600	800 x 800	1000 x 1000	1200 x 1200	450 x 450	850 x 850
Order number	129-672-F2	116-039-F2	129-674-F2	129-676-F2	116-038-F2	137-713-F2	137-720-F2
<b>ACCESSORIES</b>	Accessory: storage boxes for sealant mats						
External dimensions L x W x H (mm)	475 x 190 x 210	675 x 190 x 210	875 x 190 x 210	1075 x 190 x 210	1275 x 190 x 210	675 x 190 x 210	875 x 190 x 210
Order number	132-786-F2	132-787-F2	132-788-F2	132-789-F2	132-790-F2	132-787-F2	132-788-F2



### Lockable drain cover

- Seal off drains and gullies quickly
- No water-polluting substances can penetrate in the event of an incident or accident
- Consisting of aluminium stud plate, locking mechanism and polyurethane-based sealant material
- Sealant material on the underside adapts to surface and provides tight seal
- Compensates for uneven surfaces up to 40 mm
- Drain cover is attached to the gully by means of a spring-loaded tension lever
- Available in 2 sizes

#### 2 sizes available:

- Lockable drain cover, 625 x 400 mm (approx. 5 kg), for drains in accordance with DIN (500 x 300 mm), Order no. 123-501-F2
- Lockable drain cover, 625 x 625 mm (approx. 7 kg), for drains in accordance with DIN (500 x 500 mm), Order no. 123-502-F2



### Drain cover that can be driven over

- Consists of a 10 mm thick steel plate with a special seal running around the edge (H = 50 mm)
- The seal is compressed by its own weight and thereby levels out uneven surfaces



External dimensions L x W [mm]	625 x 625	750 x 750	1000 x 1000
Weight [kg]	32	45	80
Order number	130-305-F2	137-269-F2	137-272-F2

### ACCESSORIES

- **Transport trolley** for quick and safe transport of drain seals; with a hinge mechanism. This enables the drain seal to be transported easily to the place where it will be used and can be positioned exactly on the drain
- **Stands**, for stable storage of the drive-over drain cover near the drain to be secured
- **Wall mounting** for safe fitting of the drain cover

**Transport trolley,**  
**Order no. 130-307-F2**



Accessories	Order number
Transport trolley	130-307-F2
Stands	130-309-F2
Wall mount	130-310-F2



## Flexible drain cover

- For rapidly protecting drains in emergencies and for prevention
- In emergencies and for prevention
- Offers safe protection from penetrating liquids even for irregular geometries
- In chemical-resistant polyethylene
- Easy to clean
- For filling with compressed air
- With Euro plug coupling and pressure release valve
- Compressed air hoses and stop valves as well as storage boxes available as accessories



Accessories	Order number
Compressed air hose, 10 m, black, with coupling and nozzle	202-299-F2
Compressed air hose, 20 m, black, with coupling and nozzle	202-300-F2
Ball cock for compressed air	202-301-F2



Model	K1	K2
Diameter [mm]	400	800
Order number	201-662-F2	202-296-F2
ACCESSORIES	Storage boxes for drain seals	
External dimensions L x W x H [mm]	1075 x 190 x 210	1275 x 190 x 210
Order number	132-789-F2	132-790-F2



**Storage box with carry handle and lid, ready for mounting to a wall**



## Drain cover made of polyethylene (PE)

- Quickly ready for use, packed in a mobile container (signal red)
- Includes 3 empty sandbags
- Diameter 80 cm (with base 90 x 90 cm)

**Drain cover seal in a mobile container for fast deployment, weighted with sand, Order no. 201-660-F2**

### Mobile door/gate seal

- Protection from liquid chemicals, contaminated extinguishing water and ingress of surface water or as flood water protection
- Ready for use in a few minutes in an emergency

- Double chamber hose for quick filling with water (hose chamber diameter: 400 and 200 mm)
- High-strength, extremely chemical resistant polyethylene (PE)
- Can also be used as a closed container for chemicals



Mobile seal (15 M long)  
For thoroughfares

### ACCESSORIES

Mounting kit for wall mounting  
(15 m sealing for the plastic  
box only)

Order no. 157-868-F2

Mobile sealing	For doors	For gates	For thoroughfares
Overall length [m]	2	8	15
Container type	Steel cabinet	Steel cabinet	Plastic box
Order number	214-533-F2	201-654-F2	214-534-F2



Set includes tube connectors and 4 straps (each one 228 cm long)  
- folded for space-saving storage

### Drip trays

- Drains drips, leaks or condensed water from roofs and pipes safely and cleanly
- Keep halls, machinery and products clean and dry

- High quality vinyl sheets with special coating
- UV and mould resistant
- Quick and easy mounting to ceilings and pipes with supplied rubber straps
- Space saving storage folded up
- Ready for a hose to be connected for draining
- Drain hose available as an accessory



External dimensions L x W [mm]	750 x 750	1500 x 1500	3000 x 1500
Order number	156-988-F2	156-991-F2	156-994-F2
ACCESSORIES	PVC Accessory Hose 7 Mtrs		
Order number	157-278-F2	157-278-F2	157-278-F2

### Corrosion resistant surface spray

- Prevents uncontrolled leakage of dangerous liquids at flanged pipe connections in accordance with guidelines of the German professional chemical association (BGI 595)



- Effective protection for workers and production equipment from irritant, corrosive, toxic, hot, combustible, water-polluting substances
- Reusable and easy to clean
- In polypropylene (PP) - temperature resistant up to +80 °C
- UV resistant - can be used indoors and outdoors
- With integral viewing window for quick leak identification
- Incl. Velcro fastening and cord for simple, easy fastening

For flange	DN25 - PN10/16	DN50 - PN10/16	DN65 - PN10/16	DN80 - PN10/16	DN100 - PN10/16
Pack contents	10 Item(s)	10 Item(s)	10 Item(s)	10 Item(s)	10 Item(s)
Order number	216-028-F2	216-029-F2	216-030-F2	216-031-F2	216-032-F2



## Liquid vacuum cleaner SV 6.4



Liquid vacuum cleaner model SV 6.4, Order no. 123-223-F2, £ 409.00

### Contents:

- 1 vacuum pump with shut-off valve and fill level limiter
- 1 connector with 90° elbow for 2" opening
- 2 m vacuum hose, Ø 38 mm
- 1 crevice tool



### ■ Minimises the use of absorption materials and reduces disposal costs

### ■ For mounting on a steel bung hole drum (available as an option)

- Suitable for vacuuming the bottoms of dip tanks, removing diesel or oil from vehicles or for emptying spill pallets
- Fits all steel drums with 2" fine thread
- With compressed air drive
- Waste product can be reused
- Operates without a filter
- Float prevents over filling
- Waste product can be reused

## Liquid vacuum cleaner SV 6.16



Liquid vacuum cleaner SV 6.16 With floor nozzle, Order no. 123-224-F2

### Contents:

- 1 vacuum pump with shut-off valve and fill level limiter
- 2 m vacuum hose, Ø 38 mm
- 1 Camlock quick connector
- 3-part suction pipe
- 1 floor nozzle with rubber edge
- 1 hand nozzle




Model	SV 6.4	SV 6.16
Order number	123-223-F2	123-224-F2

### ACCESSORIES

	Order number
Extension hose for vacuum cleaner model SV 6.4, 3 m long, Ø 38 mm	177-326-F2
Drum belt for 200 litre standard drums	174-321-F2
ATEX wet vacuum cleaner, to filter solid materials	173-840-F2
sieve for 200 ltr. liquid exhauster	179-650-F2

## Liquid vacuum cleaner model PumpOut and PumpOut ATEX

- Compressed-air extractor and pump for liquids with a flashpoint over 55 °C



PumpOut ATEX, Order no. 186-281-F2,



### Contents:

- Venturi pump with fill level limiter (for suction)
- diaphragm pump (for pumping)
- suction hose and pipe, floor nozzle (not for solvents!)
- Strainer basket for filtering solid particles
- 200 litre container and transport trolley
- drum belt to prevent deformation from underpressure

**PumpOut system:  
suck up and pump  
out liquids with one  
machine**




**Model PumpOut system:  
One unit for sucking up and emptying,  
Order no. 179-647-F2**



### Fold away re-usable leakage sumps

- Practical carry bag available as accessory
- Small investment to prevent substantial consequential costs
- Quick and easy to use, for example in an emergency or also as prevention in an area at risk/ hazardous situation
- Also suitable for temporary storage of chemicals
- Chemically-resistant to heating oil, diesel, petrol, hydraulic oil, etc
- With integral level indicator
- Compact when packed up
- Can also be used as a sheet or basin (e.G. For decontamination)
- Practical carry bag available as accessory



**i** Thanks to a highly compact folded down size, the flexible reusable sump can be stored on emergency fire vehicles for example



Sump capacity [l]	25	75	175	210	300	900	1600
External dimensions L x W x H [mm]	700 x 350 x 125	700 x 700 x 175	1000 x 1000 x 200	1240 x 840 x 225	1240 x 1240 x 225	1500 x 1500 x 425	2000 x 2000 x 425
Order number	206-980-F2	206-981-F2	206-983-F2	206-987-F2	206-984-F2	206-985-F2	206-986-F2
ACCESSORIES	Bag						
Order number	206-989-F2	206-989-F2	206-989-F2	206-989-F2	206-990-F2	206-990-F2	206-990-F2

## Flexible sumps

- Effective containment device for many different types of leaks - from a leaky drum to a fault piece of equipment



## Fold away leakage sumps for single use

- Rapidly absorbs water-hazardous liquids after accidents or other leaks
- The folding leak pallet springs back by itself thanks to integrated floating elements
- For single use

Sump capacity [l]	15	100
External dimensions L x W x H [mm]	600 x 400 x 100	1000 x 1000 x 150
Order number	137-314-F2	116-052-F2





### T-coded Salvage Drum

- Approved for salvage and transport
- UN approval 1A2 T / Y446 / S / / D / BAM
- Rapid, universal aid for fire service, plant security, harbour authorities, carriers and waste management
- Equipped with removable lid and clamping Ring, including lever lid
- With reinforcement beading for lateral stability
- Made from steel, painted black on the outside
- For transport in accordance with ADR, RID and IMDG code



Salvage drum with 205 litre drum inside (205 litre drum not included in delivery),  
Order no. 157-698-F2

### Polyurethane drum bandages (PU)

- For steel and plastic drums
- Resistant to oil and many acids and alkali
- Fastens on easily and quickly
- Nylon belt (4 m long) with a practical velcro fastener
- Bandage dimensions L x W (mm): 300 x 180
- In practical carry case



Drum bandage in practical carry case,  
dimensions W x D x H (mm): 380 x 300 x 90,  
Order no. 116-035-F2



**Over 10,000  
products online  
+ in the catalogue**



**ORDER NOW!**

**www.DENIOS.Co.Uk/shop**  
**01952 811 991**



## Safety drums with UN approval

- Manufactured from polyethylene (HDPE)
- Resistant to acids, alkalis and many aggressive chemicals
- Wide opening for comfortably storing a drums
- Stackable when not in use
- Warning yellow colour



Drum lifting clamp model FGK  
- ideal for lifting standing or  
horizontal drums,  
Order no. 164-398-F2



Drum overpack  
model BF 200-s,  
with screw lid,  
Order no. 117-860-F2

Security technology  
drum BF 300-s,  
with screw lid,  
Order no. 117-862-F2



Drum overpack with clamping Ring  
lid, 245 litres, Order no. 117-818-F2



Drum overpack with clamping Ring lid,  
360 litres (drum dolly optional, see  
accessories), Order no. 117-819-F2

Design	Screw lid		Clamping Ring lid	
Capacity [l]	245	360	245	360
Diameter [mm]	787	787	660	661
Height, external [mm]	857	1047	987	1127
DIBt approval	1H2 / X300 / S...	1H2 / X300 / S...	1H2 / X200 / S...	1H2 / X340 / S...
Order number	117-860-F2	117-862-F2	117-818-F2	117-819-F2

## Drum dollies for drum overpacks

- For the safe transport of 205 litre steel drums, salvage drums and drum overpacks
- In galvanised steel
- Adjustable from Ø 680 to 840 mm
- Easy to move on 4 swivel castors

Design	Electrically conductive	Non-electrically conductive
Order number	127-147-F2	115-199-F2



### Cleaning cloths

- High quality, made from clean recycled materials
- No foreign bodies such as hooks, buttons or zips



#### Type KB

- Light cotton mix fabric for large areas of contamination
- Ideal for use in the workshop, construction etc

#### Type TB

- Classic knitted cleaning cloths in soft, absorbent cotton in bright colours
- Suitable for workstations, machinery or tanks – anywhere where a lot of liquid needs to be mopped up

#### Type BW

- Made of white cotton bed linen

#### Type TW

- Pure white cotton, soft, absorbent, low lint
- Ideal for use with solvents



Order in packs of  
- 3 x 10 kg compact cubes  
- 30 x 10 kg compact cubes  
(full pallet)




Model	KB	TB	TW	BW
Order number 3 x 10 kg press blocks	158-024-F2	158-019-F2	158-022-F2	158-027-F2
Order number 30 x 10 kg compact cubes	158-037-F2	158-030-F2	158-034-F2	158-038-F2

75



### Cleaning cloths

- Handy cleaning cloth for industrial use and fabrication
- The cloth is strong, low-lint and absorbent



	<b>All-Tex 80 fleece cloth white, on roll, cloth size 38 x 40 cm</b>	<b>All-Tex 80 fleece cloth white, Q fold, cloth size 38 x 30 cm</b>	<b>All-Tex 110 fleece cloth blue, on roll, cloth size 38 x 40 cm</b>	<b>All-Tex 110 fleece cloth blue, Q fold, cloth size 38 x 30 cm</b>
Design	Roll, white	Cloth, white, Q fold	Roll, blue	Cloth, blue, Q fold
Pack contents	1 Roll(s)	12 Pack	1 Roll(s)	12 Pack
Outlines [Item(s)]	500	420	475	420
Order number	246-182-F2	246-184-F2	246-185-F2	246-186-F2



	<b>Hightextra BIO fleece cloth white, roll, cloth size 38 x 30 cm</b>	<b>Hightextra BIO fleece cloth white, Z fold, cloth size 38 x 30 cm</b>
Design	Roll, white	Cloth, white, Z fold
Pack contents	2 Roll(s)	8 Pack
Outlines [Item(s)]	1000	720
Order number	246-187-F2	246-188-F2



Tough cellulose cloths

- Ideal for quick surface cleaning in all industrial areas
- Environmentally friendly and cost-effective



	Cleaning cloth, white, 1 ply, pack = 12 x 125 m rolls, width = 22 cm	Cleaning cloth, white, 1 ply, pack = 6 x 300 m rolls, width = 22 cm	Cleaning cloth, brown, 2 ply, pack = 2 x 480 m rolls, width = 24 cm
Order number	248-314-F2	248-315-F2	248-316-F2



### Solvent resistant cleaning cloths.

- For all-purpose use in laboratories, electronics or production areas
- Textile cloth, absorbs quickly, resistant to solvents and lint free
- Rip resistant when dry and when wet
- Cloth size 30 x 38 cm



Design	Tissues, white, folded	Tissues, turquoise, folded	Roll
Pack contents	10 Pack	6 Box(ES)	2 Roll(s)
Outlines [Item(s)]	500	1200	1000
Order number	130-040-F2	130-041-F2	130-042-F2

### Highly absorbent cleaning cloths

- Versatile, e.g. For cleaning and maintaining production facilities in workshops and for cleaning buildings
- Highly absorbent wipes and cleaning cloths are ideal for absorbing oil and water
- Also suitable for use on surfaces which scratch easily
- Cloth size 35 x 28 cm



Design	Roll
Pack contents	1 Roll(s)
Outlines [Item(s)]	700
Order number	130-038-F2

### Tough cellulose cloths

- Ideal for use in all industrial areas, vehicle workshops, etc
- Particularly suitable for removal of metal chips and for use in maintenance work involving very oily or dirty workpieces
- Cloth size 37 x 38 cm
- Wall and stand dispensers available as optional accessories, providing cloths right where they are needed



Design	Roll, blue, 3-ply	Roll, white, 4-ply
Pack contents	1 Roll(s)	1 Roll(s)
Outlines [Item(s)]	987	925
Order number	130-036-F2	130-037-F2



## Reusable cleaning cloths

- Suitable for all industrial areas, e.g. For cleaning and maintaining production machinery and tools
- Extremely strong, washable and reusable, reliably absorb oil and lubricants
- Can be used with various solvents, chemicals and oils



Tissue format: 32 x 38 cm



Tissue format: 38 x 40 cm

Design	Roll	Tissues, folded
Pack contents	1 Roll(s)	20 Pack
Outlines [Item(s)]	500	500
Order number	129-659-F2	123-197-F2



**Roll stand, mobile, incl. Waste sack holder and cutting edge, dimensions W x D x H (mm): 440 x 750 x 870, Order no. 116-578-F2**

## Cleaning tissues

- Double layered cleaning cloths for light industrial work
- Handy cleaning cloth for industrial use and fabrication
- The cloth is strong, low-lint and absorbent
- Cloth size 20 x 30 cm
- 4 rolls, each with 250 tear off cloths



Design	Roll
Pack contents	4 Roll(s)
Outlines [Item(s)]	1000
Order number	123-192-F2

**Safety first - when dealing with emergencies where dangerous chemicals are released, any workers involved need to be properly protected.**

Before any leaked liquids can be removed using absorbent materials, the situation needs to be approached with suitable equipment, in order to avoid any possible consequences to health, which could even be irreparable. Any hazardous leaked liquids can then be removed in a safe manner with optimum protection, using performance sorbents in the form of rolls, mats, cushions, socks or granules.

Indirect damage is prevented by the provision of protective equipment

- Chemical protection gloves
- Safety glasses
- Eyewash bottles





## Sol-vex® chemical protection glove

- Category III versatile glove in nitrile
- Very good grip in the wet or dry
- Very comfortable to wear
- High abrasion resistance, 0.38 mm coating thickness
- Cotton coated, dimpled
- Length: approx. 33 cm
- Sizes 8 - 11



Pack = 12 Pair  
Order no. 180-458-F2



**Ansell**

**Area of application:** Chemical manufacturing processes, oil refineries, metal production, handling agricultural chemicals, printing shops



## Dermatril

- Category III nitrile single use gloves with rough finger tips, paint resistant
- Suitable for storing food
- Packed in practical dispensing carton
- Sizes 7 - 10
- Length: 24 cm coating thickness: 0.1 mm
- Length: 28 cm coating thickness: 0.2 mm (approved as a full chemical protection glove)



Pack = 50 Pair ①  
Length 240 mm, coating 0.1 mm  
Order no. 158-073-F2

Pack = 25 Pair ②  
Length 280 mm, coating 0.2 mm  
Order no. 158-074-F2



**Area of application:** Laboratory work, examinations, taking samples, protection against chemicals as an underglove, industrial and building cleaning, handling foodstuffs



## Camatril

- Category III light, mechanical resistant chemical gloves in nitrile
- Cotton coated
- Silicone free
- Rough latex coat in the inside hand
- Paint-indifferent
- Suitable for storing food
- Sizes 7 - 10



Pack = 10 Pair  
Length: 300 mm  
Order no. 158-063-F2

Pack = 10 Pair  
Length: 400 mm  
Order no. 158-066-F2



**Area of application:** Laboratory work, printworks, chemical industry, cleaning and maintenance work, food preparation



Pack = 10 Pair



## Safety glasses Solus



- Panoramic safety glasses with optimum curved lenses for distortion-free peripheral vision while ensuring a close fit
- Black / orange accented side arms
- Attractive dual lens look
- Very light (23 g)
- Comfortable to wear
- Clear polycarbonate lens, UV protection
- Incl. microfibre bag for protection and cleaning
- Complies with EN 166



Model	Solus	
Frame colour	Black / Orange	Black / Orange
Lens colour	Transparent	Red
Lens material	Polycarbonate	Polycarbonate
Lens features	Scratchproof	Mirrored
Order number	173-082-F2	173-083-F2

## Safety glasses 2800



- Comfortable to wear, ideal overglasses
- Minimal interference with prescription glasses
- Soft, small side arm end pieces
- Adjustable length of side arms and lens inclination
- Polycarbonate lens
- Good side protection
- UV protection, scratchproof
- Complies with EN 166



Model	2800	2805 IR 5
Frame colour	Black	Black
Lens colour	Transparent	Welder tint IR5
Lens material	Polycarbonate	Polycarbonate
Lens features	Scratchproof	Scratchproof
Order number	180-117-F2	180-118-F2

## Safety goggles Fahrenheit



**3M PELTOR™**

- Specifically for wearing with prescription glasses, dust masks or respiration half masks
- Side grooves for side arms of prescription glasses
- Comfortable, soft PVC frames
- 180° undistorted view
- Indirect ventilation
- Incl. microfibre bag for protection and cleaning
- Clear polycarbonate lens, UV protection,
- Complies with EN 166



### ACCESSORIES

**Polyester protective strip for Fahrenheit goggles (1 unit = 10 pieces), Order no. 183-897-F2**



## Goggles uvex ultrasonic - 9302

- Very light goggles - no pressure problems when wearing continually
- Suitable for wearers of glasses
- Optimum ventilation
- Panoramic field of view
- Frame colour: orange / grey
- Polycarbonate lens, colourless, UV protection
- Outside highly resistant to scratching, inside permanently mist-free and chemical resistant
- Complies with EN 166



Order no. 188-854-F2

## Safety glasses uvex super OTG - 9169

- Latest lens technology for optimum quality of vision
- Hinge-free side arms with soft, highly flexible end pieces
- Frame colour: navy blue
- Polycarbonate lens, colourless, UV protection
- Extreme scratch and chemical resistance
- Can be worn with or without prescription glasses
- Complies with EN 166




Order no. 188-852-F2

# Eye wash bottles

## Eye wash bottles

- To quickly rinse in case of an eye injury, to prevent permanent damage
- Special eye bath attachments that help to keep the eyes open
- Ergonomically designed eye shield
- Handy plastic bottle, sealed and sterile, maintenance free
- Simple and safe to use with instructions for use and pictogram on the bottle
- Keeps for 3 years unopened
- Eyewash bottles, with either saline or ph-neutral phosphate buffer solution
- Washing time, model Mono: 200 ml bottle: approx. 2 Minutes, 500 ml bottle: approx. 5 Minutes; model Duo: 500 ml bottle: approx. 2 Minutes per eye, 1000 ml bottle: approx. 5 Minutes per eye
- Complies with EN 15154-4



**i** Duo eye wash bottle cleans both eyes at the same time

Model	Mono	Mono	Mono	Duo	Duo	Duo
Version - eye wash solution	Single bottle	Single bottle	Single bottle	Single bottle	Single bottle	Single bottle
Number of eye attachments	1	1	1	2	2	2
Rinsing solutions	Ph-neutral	Saline solution	Saline solution	Ph-neutral	Saline solution	Saline solution
Contents [ml]	200	200	500	500	500	1000
Order number	145-541-F2	145-539-F2	123-481-F2	188-943-F2	243-632-F2	188-942-F2

## Emergency eyewash station in wall mounted box

- Dust-free wall box with fold down front, incl. Mounting kit
- Emergency eye wash station with 2 eyewash bottles, on hand at all times
- Special eye bath attachments that help to keep the eyes open
- Ergonomically designed eye shield
- Marked as eye wash station and fitted with mirror
- Particularly recommended for use in industry and in the workshop
- Eyewash bottles, with either saline or ph-neutral phosphate buffer solution
- Eye wash bottles in accordance with EN 15154-4



Model	Mono	Mono	Duo
Version - eye wash solution	Wall box	Wall box	Wall box
Number of eye attachments	1	1	2
Rinsing solutions	Ph-neutral + saline solution	Saline solution	Ph-neutral + saline solution
Contents [ml]	200 / 500	2 x 500	2 x 500
Order number	145-542-F2	123-484-F2	243-633-F2



## Anti-fatigue mats



### Ergonomic safety matting for wet areas

- For general applications the black mats made from natural rubber mixture are more suitable
- For handling oil and greases the red mats made from nitrile rubber mixture are more suitable

- For medium duty use
- Springy rubber for greater comfort when standing and fewer signs of fatigue
- The surface remains dry, clean and non-slip as fluid can drain off through large drain holes and raised ribs on the underside
- 4 sloping edges for safety and easy vehicle access
- Non-slip surface as per DIN 51130
- Cleaning with soap and water is recommended for increased life



Model	ST 9.15	ST 9.30	ST 9.60
External dimensions W x D [mm]	900 x 1520	900 x 2970	900 x 5940
Material thickness [mm]	13	13	13
Weight [kg]	11	22	44
Natural rubber mix			
Order number Black	123-362-F2	162-166-F2	162-170-F2
Nitrile rubber mix			
Order number Red	123-363-F2	162-168-F2	162-171-F2



Anti-fatigue protection



Conforms to slip resistance test EN 13552 category R10



Insulation (from cold floors)



Resistant to oil



Liquids can drain away, drainage



Flooring is protected



## Flooring solutions for wet, dry or oily areas

### Flexible connection system makes it easy to lay a large area of workshop matting

- For intensive use
- Very good anti-fatigue characteristics thanks to extremely flexible design on the underside
- For wet, dry or oily areas
- The flexible connection system ensures a firm permanent join (no adhesive is required)
- Dirt and liquids can flow away through the drainage system
- Resistant to synthetic / hydraulic oils
- Fire protection class cfl-s2 in accordance with EN ISO 13501 and class 1
- Anti-slip surface for high tread safety, non-slip stud-plate profile, R10
- Yellow, sloping safety edges and corners
- Anti-slip R10 in accordance with DIN 51130 and BGR 181



Model	Fleece flooring DF	Safety edge DF	Safety edge DF	Safety CORNER DF
Design	—	Male connector	Female connector	—
External dimensions W x D [mm]	305 x 305	152 x 305	152 x 305	152 x 152
Material thickness [mm]	25	25	25	25
Material	Pvc	Pvc	Pvc	Pvc
Colour	Black	yellow	yellow	yellow
Weight [kg]	0,9	0,4	0,4	0,2
Order number	179-383-F2	179-384-F2	179-385-F2	179-386-F2



Available with suitable edge strips to minimise the risk of falling and allow easy access




## Mats for wet, dry or oily areas.

### Resistant to oils and grease High levels of comfort and flexibility

- For intensive use
- Robust 100% nitrile rubber mats, ideal for industrial use
- Excellent protection against signs of fatigue from standing all day
- For wet, dry or oily areas
- Excellent drainage and ventilation ensure a dry, clean workplace
- Additional safety edges can be added if required



Model	SO 9.15	SR 6.10	SR 9.16	SR 9.30
Design	Not chamfered	Chamfered on 3 sides	Chamfered on 3 sides	Chamfered on 3 sides
External dimensions W x D	900 x 1520	660 x 1020	970 x 1630	970 x 3150
Material thickness [mm]	22	22	22	22
Material	Nitrile rubber	Nitrile rubber	Nitrile rubber	Nitrile rubber
Weight [kg]	16	9	21	38
Order number	162-173-F2	162-174-F2	162-175-F2	162-176-F2



## ACCESSORIES

Joining element,  
Order no. 162-178-F2



Safety edge strips, 90 cm long,  
Order no. 162-179-F2  
Safety edge strips, 152 cm long,  
Order no. 162-180-F2









Order your personal copy of our catalogue and informative brochures now!



01952 811 991



MADE IN  
BRITAIN



Hazardous Materials  
Storage



Industrial Supplies



Work Safety  
Equipment



# DENIOS.

ENVIRONMENTAL PROTECTION  
& WORK SAFETY



## DENIOS Ltd.

Nova House Suite 1  
Audley Ave Enterprise Park  
Newport  
Shropshire  
TF10 7DW

Tel. +44 1952 811 991  
E-Mail [info@denios.co.uk](mailto:info@denios.co.uk)  
Web [www.denios.co.uk](http://www.denios.co.uk)

Austria	<a href="http://www.denios.at">www.denios.at</a>
Belgium	<a href="http://www.denios.be">www.denios.be</a>
Canada	<a href="http://www.denios.ca">www.denios.ca</a>
China	<a href="http://www.denios.cn">www.denios.cn</a>
Czech Republic	<a href="http://www.denios.cz">www.denios.cz</a>
Denmark	<a href="http://www.denios.dk">www.denios.dk</a>
Finland	<a href="http://www.denios.fi">www.denios.fi</a>
France	<a href="http://www.denios.fr">www.denios.fr</a>
Germany	<a href="http://www.denios.de">www.denios.de</a>
Ireland	<a href="http://www.denios.ie">www.denios.ie</a>
Italy	<a href="http://www.denios.it">www.denios.it</a>
Netherlands	<a href="http://www.denios.nl">www.denios.nl</a>
Norway	<a href="http://www.denios.no">www.denios.no</a>
Poland	<a href="http://www.denios.pl">www.denios.pl</a>
Portugal	<a href="http://www.denios.pt">www.denios.pt</a>
Romania	<a href="http://www.denios.ro">www.denios.ro</a>
Slovakia	<a href="http://www.denios.sk">www.denios.sk</a>
Spain	<a href="http://www.denios.es">www.denios.es</a>
Sweden	<a href="http://www.denios.se">www.denios.se</a>
Switzerland	<a href="http://www.denios.ch">www.denios.ch</a>
USA	<a href="http://www.denios-us.com">www.denios-us.com</a>