

OFF ROAD



# TABLEAU DES TAILLES - SIZE CHART

## Comment choisir la taille de votre vélo ?

La taille d'un vélo dépend en premier lieu de la taille du cadre, même s'il est ensuite possible d'ajuster légèrement en combinant longueur de potence, sortie et recul de selle. Pour choisir son vélo, il faut se demander quelle taille de cadre de vélo vous convient le mieux en fonction de votre morphologie et de votre pratique.

Vous pouvez vérifier la taille de votre vélo à l'aide des chiffres que nous vous donnons à titre indicatif. Si vous hésitez entre deux tailles, merci de vous adresser à votre détaillant qui pourra vous guider dans votre choix en fonction de votre morphologie.

## *How do i choose the right size ?*

*The size of a bike depends first and foremost on the size of the frame, even if it's possible to adjust certain components such as the seatpost, the stem and the position of the saddle to fine-tune your set-up. To choose the correct frame size, you'll need to know your style of riding and the kind of bike you're interested in.*

*The following recommendations will help you choose the right size. If you are hesitating between two sizes, please see your local authorized Lapierre dealer who can help you pick the frame that will be best adapted to your morphology.*

SIZE	XS	S	M	L	XL
DH	-	< 1.74	1.72 • 1.80	> 1.78	-
Spicy / Edge +	-	1.55 • 1.70	1.68 • 1.76	1.74 • 1.84	> 1.82
Zesty AM	-	1.55 • 1.70	1.68 • 1.76	1.74 • 1.84	> 1.82
X-Control	-	1.50 • 1.70	1.68 • 1.78	1.76 • 1.86	> 1.84
XR	-	1.50 • 1.70	1.68 • 1.78	1.76 • 1.86	> 1.84
ProRace SAT / ProRace Alloy	< 1.50	1.50 • 1.70	1.68 • 1.78	1.76 • 1.86	> 1.84
ProRace 527/529 Carbon		1.50 • 1.70	1.68 • 1.78	1.76 • 1.86	
Edge	1.45 • 1.55	1.50 • 1.70	1.68 • 1.78	1.76 • 1.86	> 1.84
<b>WOMEN SERIES</b>					
X-Control W	-	1.35 • 1.55	1.50 • 1.65	1.60 • 1.75	-
ProRace W, Edge W	1.45 • 1.55	1.50 • 1.65	1.60 • 1.75	1.70 • 1.80	-





Qu'importe vos motivations, vos défis, vos aspirations, nous serons à vos côtés. Nous roulons avec tous ceux qui veulent tester leurs limites, les repousser, les pulvériser. Ceux qui rêvent de victoires ou de nouveaux horizons. Ceux qui roulent pour s'aventurer, se ressourcer, se retrouver ou s'abandonner.

Nous racontons vos histoires. Des histoires ponctuées d'efforts et de moments de grâce où l'homme et sa machine ne font plus qu'un. Nous sommes le témoin de vos exploits personnels, le narrateur de vos récits de voyage, le partenaire d'entraînement lors de vos épopées solitaires.

Nous sommes au service d'une communauté d'hommes et de femmes qui célèbrent chaque jour le plus beau sport du monde.

Votre vélo reflète qui vous êtes, votre état d'esprit, ce qui vous rend unique. Si vous roulez, nous avons ce qu'il vous faut.

Nous racontons vos histoires. Nous roulons avec vous.



*Whatever your motives, challenges or aspirations, we will be at your side.*


*We ride with all those who want to test their limits, repel them, spray them. Those who dream of victories or new horizons. Those who roll to venture, to recharge, to find or to abandon. We tell your stories. Stories punctuated by efforts and moments of grace where the man and his machine become one.*

*We are witness to your personal exploits, the narrator of your travel stories, the training partner in your solitary epics.*

*We serve a community of men and women who celebrate every day the most beautiful sport in the world.*

*Your bike reflects who you are, your state of mind, which makes you unique. If you ride, we have what you need.*

*We tell your stories. We ride with you.*



# GAMME VTT 2018

# 2018 MTB RANGE

## GRAVITY / ENDURO

DH

DH Ultimate

DH 727



## CROSS-COUNTRY

XR

XR 929 Ultimate

XR 729

XR 529



## SPICY

SPICY TEAM Ultimate

SPICY 527

SPICY 327



## PRORACE SAT

PRORACE SAT 929 Ultimate

PRORACE SAT 729 Ultimate

PRORACE SAT 629



## PRORACE ALLOY

PRORACE 529

PRORACE 527

PRORACE 429

PRORACE 329

PRORACE 229

## ALL MOUNTAIN / TRAIL

### ZESTY AM

ZESTY AM 827 Ultimate

ZESTY AM 527 Ultimate

ZESTY AM 427

ZESTY AM 327

ZESTY AM 227



## SPORT

### EDGE

EDGE+ 527/327

EDGE 529/527

EDGE 329/327

EDGE 229/227



## WOMEN

### X-CONTROL W

X-CONTROL 127 W

### PRORACE W

PRORACE 229 W

### EDGE W

EDGE 327 W

EDGE 227 W

EDGE 127 W



### X-CONTROL

X-CONTROL 227

X-CONTROL 127



OFFROAD

# TECHNOLOGIES VTT



## OST+ SPICY - ZESTY - XR

Notre suspension brevetée OST+ pour un maximum de confort et une efficacité au pédalage optimale. Basée sur une cinématique à point de pivot virtuel, l'effet de pompage induit par le pédalage est en permanence contré par l'effort exercé par la chaîne. Le point de pivot virtuel ramène systématiquement la suspension en position d'équilibre pour empêcher toute apparition de kickback. La courbe de suspension se montre très sensible sur les petits chocs puis plus progressive en fin de course.



## FPS+ X-CONTROL

Basée sur un cinématique à point de pivot virtuel, la suspension FPS+ donne au X-Control une motricité sans égal et le rend imbattable au pédalage. La conception de la cinématique FPS+ est telle qu'elle permet de garder le point de pivot virtuel au plus proche de la ligne de chaîne. En situation de pédalage, dès que le triangle arrière s'écarte de sa position d'équilibre, il est ramené par la tension de la chaîne. Le phénomène de pompage est ainsi contré avant même de pouvoir s'amplifier : le vélo est stabilisé et la roue arrière colle littéralement au sol, offrant une adhérence incomparable !



## SLT (SUPRA LINK TECHNOLOGY) DH

La technologie SLT, qu'est-ce que c'est ?

- Une cinématique mono-pivot spécifiquement développée pour la descente.
- Une suspension offrant 210 mm de débattement.
- Une courbe d'amortissement maximisant la sensibilité sur les petits chocs et ultra-progressive en fin de course pour éviter tout talonnage.
- Un jeu bielles – basculeur unique pour une courbe d'amortissement optimale.
- Une position du point de pivot principal qui limite l'impact du pédalage sur la suspension.



## TDT (TRAPDOOR TECHNOLOGY) XR - PRORACE

Ce brevet déposé par Lapierre permet le placement de la batterie Di2 dans le cadre au niveau du boîtier de pédales. Facilement accessible via un cache de protection, cette technologie possède un double avantage : elle facilite la vie des mécaniciens et permet également d'abaisser le centre de gravité avec un poids au plus près du sol.



## POWERBOX TECHNOLOGY PRORACE

La technologie PowerBox englobe le tube diagonal, le boîtier de pédales et les bases arrières comme un ensemble dédié à la performance. Une rigidité latérale accrue pour un maximum de réactivité, une transmission maximale de la puissance de pédalage, que ce soit sur des accélérations franches, en montée ou en sprint.



## SAT (SHOCK ABSORPTION TECHNOLOGY) PRORACE SAT

Un élastomère qui relie le tube supérieur et le tube de selle permet d'absorber et de dissiper les vibrations, pour un meilleur confort et une meilleure tenue de route. Les vibrations (verticales) sont filtrées par les haubans, puis le rubber et enfin le tube de selle. Le pouvoir d'absorption réside principalement dans nos méthodes de construction carbone et la technologie SAT permet d'accentuer ce pouvoir de flexion notamment au niveau du tube de selle en l'isolant du reste du cadre. Un confort inégalé sur les longues distances et routes difficiles.



## TECHNOLOGIE ALUMINIUM

Le choix du matériau de votre cadre est déterminant pour les performances de votre vélo. Nous travaillons sans relâche pour perfectionner nos cadres en aluminium.

En travaillant avec les meilleurs spécialistes de l'industrie, nous avons créé un alliage très haut de gamme : Alloy Supreme. 3 niveaux de résistance et de poids. Le Supreme 6, 12% plus résistant et 1,5% plus léger que l'aluminium Alu 7005, c'est un alliage d'une longévité exceptionnelle.



LIGHT : +  
RESISTANCE : +



LIGHT : ++  
RESISTANCE : ++



LIGHT : +++  
RESISTANCE : +++



## TECHNOLOGIE CARBONE

Chez Lapierre, nous utilisons 4 types de fibres distinctes avec des caractéristiques qui leur sont propres. En utilisant ces différentes fibres, nos ingénieurs sont en mesure d'adapter la rigidité, la souplesse et la résistance nécessaires aux zones du cadre directement concernées. La fibre Haute Résistance est celle dont vous aurez besoin pour l'absorption et le confort : tige de selle, bases, haubans voire même un cadre tout entier, tandis que la fibre Très Haut Module sera d'une efficacité et d'une rigidité à toute épreuve. Les fibres que nous utilisons : Haute résistance (24 tonnes), module intermédiaire (30 tonnes), haut module (40 tonnes) et très haut module (46 tonnes).



## TAILLES DES ROUES

Le bon diamètre pour la bonne pratique. Les différentes tailles de roues de nos VTT nous permettent de vous fournir le meilleur vélo en fonction de votre pratique, de vos terrains favoris, de votre gabarit. Le 29'' est l'arme absolue pour la compétition en cross-country car il prodigue une stabilité et une adhérence accrues à grande vitesse sur les passages techniques, mais aussi en descente, grâce à une surface au sol du pneu supérieure. Le 27.5'', idéalement adapté au all-mountain et à l'enduro, représente le parfait compromis entre maniabilité, nervosité et franchissement. Le 27.5+ est plus ludique et plus sécurisant du fait de son confort et de son adhérence supérieurs, notamment au freinage. Ce standard est parfaitement adapté aux VTT à assistance électrique ainsi qu'aux VTT de notre gamme sport.



TRAPDOOR TECHNOLOGY - XR & PRORACE



## OFFROAD



## OST+ SPICY - ZESTY - XR

Our patented OST+ suspension offers maximum comfort and optimal pedalling efficiency. The virtual pivot point takes the suspension back to the equilibrium point for maximum efficiency and the suspension curve is very sensitive for little bumps and more progressive at the end of the travel.



## FPS+ X-CONTROL

Based on a virtual pivot point, the FPS+ suspension gives the X-Control an unrivalled momentum and makes it unbeatable at pedaling. We obtain a suspension that permanently corrects itself. The conception of the FPS+ kinematics enables us to keep the virtual pivot point as close as possible to the line of the chain. As soon as the rear triangle is forced out of the equilibrium position by pedaling, the chain tension brings it back into position. Pedal bob is therefore counteracted before becoming problematic. The bike is stabilised and the rear wheel is literally glued to the ground, offering unbeatable adherence!



## SLT (SUPRA LINK TECHNOLOGY) DH

What's SLT technology?

- A single-pivot kinematics specifically developed for downhill with 210 mm of travel.
- A suspension curve that maximizes sensitivity on small shocks and becomes ultra-progressive at the end of the travel to avoid bottoming out.
- A unique linkage system for an optimal suspension curve.
- A main pivot point position that limits the impact of pedaling on the suspension.



## TDT (TRAPDOOR TECHNOLOGY) XR - PRORACE

This Lapierre patent pending Technology integrates the Di2 battery neatly in the frame. With a quick and easy trap door to access, TDT makes the mechanics job faster and lowers the centre of gravity, making pedalling more efficient.



## POWERBOX TECHNOLOGY PRORACE

Power Box technology is made up of the down tube, bottom bracket shell and chainstays, which comprise one performance-dedicated whole. Increased lateral stiffness for maximum responsiveness and best possible pedal-power transfer, whether during bursts of acceleration, climbs or sprints.



## SAT (SHOCK ABSORPTION TECHNOLOGY) PRORACE SAT

An elastomer damper between top tube and seat tube, which absorbs and dissipates vibration for better comfort and roadholding. Vertical vibration is cut out by the seatstays, then by the rubber and, lastly, by the seat tube. SAT's shock-absorption capacity is mainly based on our carbon build methods and it makes it possible, in particular, to produce seat tubes that flex more, since they are cut off from the rest of the frame. The elastomer damper acts as a buffer for better cushioning of bumps and vibration. Unbeatable comfort over long distances and on tough road surfaces.



## ALLOY TECHNOLOGY

The material chosen for your frame is critical to your bike's performance. We work tirelessly to perfect our aluminium frames. Working with the best specialists in the industry, we have created our very high-end Alloy Supreme. It has three levels of strength and weight. Supreme 6 is 12% stronger and 1.5% lighter than Alu 7005 aluminium. It is an exceptionally durable alloy.



LIGHT : +  
RESISTANCE : +



LIGHT : ++  
RESISTANCE : ++



LIGHT : +++  
RESISTANCE : +++



## CARBON TECHNOLOGY

We at Lapierre use four distinct fibre types, each with its own characteristics. Our engineers can use these different fibres to adapt the stiffness, flex and strength needed for the parts of the frame in question. High-strength fibre is what you will need for shock absorption and comfort: seatpost, chainstays, seatstays or even the whole frame. Very high-modulus, meanwhile, will have unyielding stiffness and efficiency. In our MTBs, we use 4 different type of fibres and we know how to get the best of each one: high resistance (24 tons), intermediate modulus (30 tons), high modulus (40 tons) and very high modulus (46 tons).



## WHEEL SIZE

The right diameter for the right discipline. Our different MTB wheel sizes enable us to provide you with the best bike for the way you ride, for your favourite terrain and for your build. The 29" is the ultimate weapon for X-country competition and trails because it boasts increased stability and grip at high speeds for technical sections and downhills, thanks to the tire's greater surface area. Perfectly suited to all-mountain and enduro, the 27.5" represents the perfect compromise between handling, responsiveness and rollover. The 27.5+ is more fun and reassuring because of its better comfort and grip, particularly when braking. This standard is perfectly suited to power-assisted MTBs and to MTBs from our sport range.



SHOCK ABSORPTION TECHNOLOGY - PRORACE SAT



# DOWN



FAST & FURIOUS

GRAVITY      ● ● ● ● ●

ENDURO      ● ○ ○ ○ ○

ALL MOUNTAIN      ● ○ ○ ○ ○

TRAIL      ● ○ ○ ○ ○

NHILL



FAST & FURIOUS



SUPRALINK  
TECHNOLOGY



ALU  
SUPREME 6



WHEEL  
SIZE

# DH OVERVIEW

Avec deux victoires consécutives sur la Coupe du Monde de Fort William dès sa sortie et un titre de Champion du Monde Elites descente avec Loïc Bruni, le DH a su s'imposer aux mains des meilleurs pilotes de la discipline. Une géométrie DH compétition et des évolutions qui ne laissent rien au hasard pour rester le plus rapide sur la piste : cadre en aluminium avec 200mm de débattement et roues en 27,5". Monopivot directement inspiré du motocross pour un maximum de contrôle sur les terrains difficiles.

## PROFIL UTILISATEUR

Pour les fous du guidon, les champions du monde. Ceux qui veulent être les plus rapides sur la piste ou ceux qui veulent simplement dévaler tous les terrains en toute confiance.

## POINTS FORTS

- Supra Link Technology : un amortissement ultra progressif pour éviter tout talonnage et stabiliser le vélo dans les conditions les plus extrêmes.
- Douille de direction réglable sur deux positions pour ajuster l'angle de la fourche selon les pistes.
- Disponible uniquement en 27,5" pour une meilleure stabilité.
- Cadre aluminium Supreme 6 avec amortisseur Vivid.
- Débattements : **210 mm** Arrière • **200 mm** Avant.

Ridden by Loïc Bruni for back-to-back victories at the World Cup in Fort William and a Downhill World Championships win, the DH is established as the bike of choice for some of the sport's best riders. It has competition DH geometry and developments that leave nothing to chance for remaining the fastest on the trail: aluminium frame with 200 mm travel and 27.5" wheels. Single pivot directly inspired by motocross for maximum control on tough terrain.

## USER PROFILE

For riders with a bit of a screw loose and world champions. People who want to be the fastest on the trail or who just want to feel totally confident with tackling any terrain at full pelt.


## HIGHLIGHTS

- Supra Link Technology: sensitive on small shocks, ultra progressive at the end of the travel.
- Adjustable Headtube. Two positions for a perfect fork rake angle in every situation.
- Supreme 6 alloy frame with Vivid shock
- Only available with 27.5" wheels for better stability
- Travels: **210 mm** Rear • **200 mm** Front.

## GÉOMÉTRIE

Size	S	M	L
ST (cm)	<b>40</b>	<b>40</b>	<b>40</b>
TT (mm)	<b>600</b>	<b>620</b>	<b>640</b>
HA (°)	<b>63.7</b>	<b>63.7</b>	<b>63.7</b>
SA (°)	<b>73</b>	<b>73</b>	<b>72.5</b>
RC (mm)	<b>445</b>	<b>445</b>	<b>445</b>
HT (mm)	<b>115</b>	<b>115</b>	<b>115</b>
BB (mm)	<b>5</b>	<b>5</b>	<b>5</b>
Reach	<b>414</b>	<b>434</b>	<b>454</b>
Stack	<b>607</b>	<b>607</b>	<b>607</b>

## GEOMETRY



User	<174	172-180	>178
Ref.	B28XSS00	B28XMM00	B28XLLO0

**DH*****Ultimate*****SLT****6****1x7****27.5"**SUPRALINK  
TECHNOLOGY ALU SUPREME 6

SPEED

WHEEL  
SIZE

Cadre - Frame  
**DH 27.5" SUPREME 6 ALLOY SLT 210mm**

Fourche - Fork  
**ROCKSHOX BOXXER WORLD CUP 27.5 SOLO AIR 200mm**

Amortisseur - Rear Shock  
**ROCKSHOX VIVID COIL R2C 240x76**

Dérailleur arrière - Rear Derailleur  
**SRAM X01 DH 7s TYPE 2.1 SHORT CAGE**

Guide Chaîne - Chain Guide  
**E-13 LG1+ GUIDE**

Pédalier - Crankset  
**SRAM X01 DH CARBON 165mm XSYNC 36T**

Boîtier Pédalier - Bottom Bracket  
**SRAM PRESS FIT DH (104.5/107)**

Cassette - Cassette  
**SRAM XG 795 7s 10-24T DH**

Chaîne - Chain  
**SRAM PCX1**

Freins - Brakes  
**SRAM CODE RSC**

Disques - Rotors  
**SRAM CENTERLINE 200mm / 200mm**

Manettes - Shifters  
**SRAM X0 DH 7s**

Jeu de direction - Headset  
**FSA ORBIT 1.5Z SC NO.57SC**

Cintre - Handlebar  
**RACE FACE ATLAS 35 HB 20x800mm**

Poignées - Grips  
**LAPIERRE DD34 LOCK ON**

Potence - Stem  
**RACE FACE ATLAS DIRECT MOUNT Ø35 L: 50mm**

Tige de selle - Seatpost  
**RACE FACE CHESTER 31.6x325mm**

Selle - Saddle  
**SDG CIRCUIT DH**

Moyeu avant - Front hub  
**FORMULA DHL92 20x110 32H**

Moyeu arrière - Rear hub  
**FORMULA DHG-1501 SHIMANO DRIVER 150x12 32H**

Jantes - Rims  
**E-13 LG1+ EXALITE 30C 32H, 110x20mm/ LG1+ EXALITE 30C 32H, 12x150mm**

Pneus - Tyres  
**27.5x2.4 HIGH ROLLER II DUAL PLY 3C**

Pédales - Pedals  
**FP917**

**Ref. → B281**



Cadre - Frame  
**DH 27.5" SUPREME 6 ALLOY SLT 210mm**

Fourche - Fork  
**ROCKSHOX BOXXER RC 27.5 COIL 200mm SHORT MED SPRING**

Amortisseur - Rear Shock  
**ROCKSHOX VIVID COIL R2C 240x76**

Dérailleur arrière - Rear Derailleur  
**SRAM GX DH 7s MID CAGE**

Guide Chaîne - Chain Guide  
**E-13 LG1 GUIDE**

Pédalier - Crankset  
**SRAM DESCENDANT DH 165mm 36T**

Boîtier Pédalier - Bottom Bracket  
**SRAM PRESS FIT DH (104.5/107)**

Cassette - Cassette  
**SRAM PG-720 7s 11-25T**

Chaîne - Chain  
**SRAM PC1110**

Freins - Brakes  
**SRAM GUIDE RE**

Disques - Rotors  
**SRAM CENTERLINE 200mm / 200mm**

Manettes - Shifters  
**SRAM GX DH 7s**

Jeu de direction - Headset  
**FSA ORBIT 1.5Z SC NO.57SC**

Cintre - Handlebar  
**LAPIERRE W: 780mm R: 20mm Ø: 31.8mm**

Poignées - Grips  
**LAPIERRE DD34 LOCK ON**

Potence - Stem  
**LAPIERRE DIRECT MOUNT CNC Ø: 31.8mm L: 50mm**

Tige de selle - Seatpost  
**RACE FACE CHESTER 31.6x325mm**

Selle - Saddle  
**SDG CIRCUIT DH**

Moyeu avant - Front hub  
**FORMULA DHL92 20x110 32H**

Moyeu arrière - Rear hub  
**FORMULA DHG-150 SHIMANO XD DRIVER 150x12 32H**

Jantes - Rims  
**E-13 LG1+ 30C 32H, 110x20mm / LG1+ 30C 32H, 12x150mm**

Pneus - Tyres  
**27.5x2.4 HIGH ROLLER II DUAL PLY SUPER TACKY**

Pédales - Pedals  
**FP917**

A dynamic photograph of a mountain biker performing a wheelie on a rocky trail. The rider is leaning into the turn, wearing a black helmet and dark cycling gear. The background is a blurred forest, suggesting speed. A large yellow diagonal banner across the top right contains the text.

OFF ROAD

**GRAVITY**

# SPI



L'ENDURO VERSION ÉPICÉE !

GRAVITY      ◇ ◇ ◇ ◇ ◇

ENDURO      ◇ ◇ ◇ ◇ ◇

ALL MOUNTAIN      ◇ ◇ ◇ ◇ ◇

TRAIL      ◇ ◇ ◇ ◇ ◇

# ICY



RIDE IT LIKE YOU STOLE IT



SUSPENSION  
SYSTEM



CARBON  
FRAME



ALU  
SUPREME 6



# SPICY OVERVIEW

Développé sur le terrain par nos pilotes Nico Vouilloz et Adrien Dailly (champion du monde d'Enduro U21 2016), le Spicy symbolise l'essence même de l'enduro. En mode descente, le Spicy est capable de tout encaisser à haute vitesse, les sentiers les plus durs, virages techniques, rochers, racines, boue. En mode montée, la technologie OST+ entre en action pour une efficacité optimale au pédalage et une position plus équilibrée dans les ascensions. La perte d'énergie est limitée lors des transitions pour vous permettre de vous exprimer pleinement à l'attaque quel que soit le sens de la pente.

## PROFIL UTILISATEUR

Pour les amateurs de sensations fortes à la recherche du mix parfait un DH et un XR.

## POINTS FORTS

- Suspension brevetée OST+ : un meilleur confort et un pédalage plus efficace.
- Standards Boost et Metric.
- Cadre carbone ou aluminium Supreme 6 avec amortisseur à ressort ROCKSHOX Super Deluxe Coil.
- Disponible uniquement en 27,5" pour une meilleure stabilité.
- Débattements : **165 mm** Arrière • **170 mm** Avant.

Developed out on the trails with our riders Nico Vouilloz and Adrien Dailly (2016 U21 World Enduro Champion), the Spicy represents the very essence of enduro. In downhill mode, the Spicy can handle anything at high speed: the toughest trails, technical bends, rocks, roots and mud. In uphill mode, OST+ technology comes into play, giving optimum pedalling efficiency and a more balanced position for climbs. Energy loss is limited during transitions, so that you can fully express yourself and go on the attack, however steep the slope.

## USER PROFILE

For adrenaline junkies looking for the perfect blend of DH and XR.


## HIGHLIGHTS

- OST+ suspension optimized for better comfort & pedaling efficiency.
- Metric Shock & Boost.
- Carbon and Aluminium Supreme 6 frame with ROCKSHOX Super Deluxe Coil Shock.
- Only available with 27.5" tyres for better stability.
- Travels: **165 mm** Rear • **170 mm** Front.

## GÉOMÉTRIE

## GEOMETRY

Size	S	M	L	XL
ST (cm)	<b>39</b>	<b>43</b>	<b>46</b>	<b>50</b>
TT (mm)	<b>580</b>	<b>605</b>	<b>625</b>	<b>650</b>
HA (°)	<b>66</b>	<b>66</b>	<b>66</b>	<b>66</b>
SA (°)	<b>75</b>	<b>75</b>	<b>75</b>	<b>75</b>
RC (mm)	<b>435</b>	<b>435</b>	<b>435</b>	<b>435</b>
HT (mm)*	<b>100</b>	<b>110</b>	<b>120</b>	<b>130</b>
BB (mm)	-5	-5	-5	-5
Reach	<b>421</b>	<b>444</b>	<b>461</b>	<b>484</b>
Stack	<b>593</b>	<b>602</b>	<b>611</b>	<b>620</b>



\* Spicy Aluminium > HT +10 mm

\* Spicy Alloy > HT +10 mm

User	<b>155-170</b>	<b>168-176</b>	<b>174-184</b>	<b>&gt;182</b>
Ref.	B27X3900	B27X4300	B27X4600	B27X5000



Cadre - Frame

SPICY 27.5" CARBON OST+ 165mm, PRESSFIT, BOOST, METRIC, THRU AXLE 12x148

Fourche - Fork

ROCKSHOX LYRIK RCT3 CROWN ADJUST 27.5" Boost 15x110 SOLO AIR 170mm

Amortisseur - Rear Shock

ROCKSHOX SUPER DELUXE COIL RCT 230x60

Dérailleur arrière - Rear Derailleur

SRAM X01 EAGLE TYPE 2.1 CARBON

Guide Chaîne - Chain Guide

E13 TRS RACE SL GUIDE

Pédalier - Crankset

SRAM DESCENDANT CARBON BOOST 34T 170mm (S), 175mm (M, L, XL)

Boîtier Pédalier - Bottom Bracket

SRAM PRESS FIT MTB (89/91.5)

Cassette - Cassette

SRAM XG 1295 12s 10-50T

Chaîne - Chain

SRAM GX EAGLE 120L POWER LOCK

Freins - Brakes

SRAM GUIDE RSC

Disques - Rotors

SRAM CENTERLINE 200mm / 200mm

Manettes - Shifters

SRAM X01 EAGLE 12s

Jeu de direction - Headset

FSA ORBIT 1.5E ZS NO.57ECF

Cintre - Handlebar

RACEFACE SIXC CARBON 3/4x785 31.8mm

Poignées - Grips

LAPIERRE DD34 LOCK ON

Potence - Stem

LAPIERRE CNC Ø: 31.8mm L: 35mm

Tige de selle - Seatpost

ROCKSHOX REVERB 150mm travel (125mm on S,M) Ø: 31.6mm

Selle - Saddle

SDG FLY Mtn Crmo

Roues Complètes - Wheelset

DT SWISS EX1501 SPLINE ONE 584-30 UST 15x110/ 584-25 12x148 XD DRIVER

Pneus - Tyres

MICHELIN 2.35 WILDGRIP'R2 Advanced Magix Reinforced/ Wild Am Competition TS TLR

Pédales - Pedals

FP917

# SPICY 527

*Ultimate*

OST  
+

C

1x12

27.5"

SUSPENSION  
SYSTEM

CARBON  
FRAME

SPEED

WHEEL  
SIZE



Cadre - Frame

SPICY 27.5" CARBON OST+ 165mm, PRESSFIT, BOOST, METRIC, THRU AXLE 12x148

Fourche - Fork

ROCKSHOX LYRIK RC CROWN ADJUST 27.5" BOOST 15x110 SOLO AIR 170mm

Amortisseur - Rear Shock

ROCKSHOX SUPER DELUXE COIL RCT 230x60

Dérailleur arrière - Rear Derailleur

SRAM GX EAGLE 12s

Guide Chaîne - Chain Guide

E13 TRS RACE SL GUIDE

Pédalier - Crankset

SRAM DESCENDANT 7K EAGLE 12S 34T 170mm (S), 175mm (M, L, XL)

Boîtier Pédalier - Bottom Bracket

SRAM PRESS FIT MTB (89/91.5)

Cassette - Cassette

SRAM XG 1275 12s 10-50T

Chaîne - Chain

SRAM GX EAGLE 120L POWER LOCK

Freins - Brakes

SRAM GUIDE RS

Disques - Rotors

SRAM CENTERLINE 200mm / 200mm

Manettes - Shifters

SRAM GX EAGLE 12s

Jeu de direction - Headset

FSA ORBIT 1.5Z SC NO.57ECF

Cintre - Handlebar

LAPIERRE W: 780mm R: 20mm Ø: 31.8mm

Poignées - Grips

LAPIERRE DD34 LOCK ON

Potence - Stem

LAPIERRE 6061DB Ø: 31.8mm L: 35mm

Tige de selle - Seatpost

LAPIERRE DROPPER 150mm travel (125mm on S,M) Ø: 31.6mm

Selle - Saddle

SDG FLY MTN Crmo

Roues Complètes - Wheelset

LAPIERRE AM 27.5 30c 15x110 STRAIGHT PULL TORQUE CAPS

LAPIERRE AM 27.5 25c 12x148 XD DRIVER STRAIGHT PULL

Pneus - Tyres

MICHELIN 2.35 WILDGRIP'R2 Advanced Magix Reinforced / Wild Am Competition TS TLR

Pédales - Pedals

FP917



Cadre - Frame

SPICY 27.5" SUPREME 6 ALLOY OST+ 165mm, PRESSFIT, BOOST, METRIC,  
THRU AXLE 12x148

Fourche - Fork

ROCKSHOX YARI RC CROWN ADJUST 27.5" BOOST 15x110 SOLO AIR 170mm

Amortisseur - Rear Shock

ROCKSHOX SUPER DELUXE COIL R 230x60

Dérailleur arrière - Rear Derailleur

SRAM NX 11s

Guide Chaîne - Chain Guide

E-13 TRS GUIDE

Pédalier - Crankset

RACEFACE AFFECT DM 30T STEEL 170mm (S), 175mm (M, L, XL)

Boîtier Pédalier - Bottom Bracket

SHIMANO SMBB7141A

Cassette - Cassette

SRAM PG1110 11-42T

Chaîne - Chain

SRAM PC1110 POWERLINK

Freins - Brakes

SRAM GUIDE R

Disques - Rotors

SRAM CENTERLINE 200mm / 200mm

Manettes - Shifters

SRAM NX

Jeu de direction - Headset

FSA ORBIT 1.5Z SC NO.57SC

Cintre - Handlebar

LAPIERRE W: 780mm R: 20mm Ø: 31.8mm

Poignées - Grips

LAPIERRE DD34 LOCK ON

Potence - Stem

LAPIERRE THETA Ø: 31.8mm L: 45mm

Tige de selle - Seatpost

LAPIERRE DROPPER 150mm travel (125mm on S,M) Ø: 31.6mm

Selle - Saddle

SDG FLY MTN Crmo

Moyeu avant - Front hub

FORMULA DC7131 15x110 BOOST W/TORQUE CAPS 32H

Moyeu arrière - Rear hub

FORMULA DHT-148S 12x148 BOOST SHIMANO DRIVER 32H

Jantes - Rims

MAVIC EN427 / XM424 32H 27.5"

Pneus - Tyres

MICHELIN 2.35 WILDGRIP'R2 Advanced Magix Reinforced/ Wild Am Competition TS TLR

Pédales - Pedals

FP917

# ZEST



UNE DOSE DE LIBERTÉ

GRAVITY      ◻ ◻ ◻ ◻

ENDURO      ◻ ◻ ◻ ◻ ◻

ALL MOUNTAIN      ◻ ◻ ◻ ◻ ◻

TRAIL      ◻ ◻ ◻ ◻ ◻

# YAM



A UNIQUE FORM OF FREEDOM



SUSPENSION  
SYSTEM



CARBON  
FRAME



ALU  
SUPREME 6



WHEEL  
SIZE

# ZESTY AM OVERVIEW

L'essence même du vélo tout terrain c'est de savoir tout faire. Un débattement de 150 mm pour une polyvalence extrême en montagne, le Zesty a été revu en profondeur et reçoit le standard Boost, un amortisseur métrique et la compatibilité avec les roues 27.5+. Tous nos modèles sont équipés du package spécial all-mountain pour tous les adeptes de la discipline. Paré aux sorties quotidiennes sur les sentiers techniques ou aux grandes escapades en montagne, notre Zesty s'adapte en toutes conditions et quel que soit le sens de la pente. En mode trail ou enduro light, le Zesty est un vélo efficace, rapide et maniable pour une expérience de pilotage 100% all-mountain !

## PROFIL UTILISATEUR

Pour les amateurs de trails techniques et exigeants, à la recherche d'une machine qui se prête aussi bien à l'enduro light qu'à un usage all-mountain.

## POINTS FORTS

- Suspension brevetée OST+ : un meilleur confort et un pédalage plus efficace.
- 150 mm de débattement avant et arrière : polyvalence extrême en montagne et sur sentiers techniques.
- Standards Boost et Metric.
- Cadre carbone ou aluminium Supreme 6.
- Compatible 27,5+: deux vélos en un !
- Débattements : **150 mm Arrière** • **150 mm Avant**.

Being able to do it all is the absolute essence of the mountain bike. The Zesty's 150 mm travel makes it extremely versatile in mountains, but it has been given a thorough overhaul, with the addition of the Boost standard, a metric shock and 27.5+ wheel compatibility. All our models are fitted with the special all-mountain package for any lover of the discipline. Suited to hitting technical trails every day or covering large distances in the mountains, our Zesty can handle any conditions, however steep the slope. In trail or enduro light mode, the Zesty is an efficient and fast bike with great handling for a 100% all-mountain riding experience.

## USER PROFILE

For lovers of demanding technical trails who want a bike that is just as at home with enduro as with all-mountain.


## HIGHLIGHTS

- OST+ suspension optimized for better comfort & pedaling efficiency.
- 150 mm of travel front and rear: versatile in mountains and on technical trails.
- Metric Shock & Boost.
- Carbon and Aluminium Supreme 6 frame.
- 27.5+ compatible: two bikes in one!
- Travels: **150 mm Rear** • **150 mm Front**.

## GÉOMÉTRIE

Size	S	M	L	XL
ST (cm)	<b>39</b>	<b>43</b>	<b>46</b>	<b>50</b>
TT (mm)	<b>585</b>	<b>610</b>	<b>630</b>	<b>655</b>
HA (°)	<b>66.5</b>	<b>66.5</b>	<b>66.5</b>	<b>66.5</b>
SA (°)	<b>74.5</b>	<b>74.5</b>	<b>74.5</b>	<b>74.5</b>
RC (mm)	<b>430</b>	<b>430</b>	<b>430</b>	<b>430</b>
HT (mm)	<b>110</b>	<b>120</b>	<b>130</b>	<b>140</b>
BB (mm)	-10	-10	-10	-10
Reach	<b>421</b>	<b>444</b>	<b>461</b>	<b>483</b>
Stack	<b>591</b>	<b>600</b>	<b>610</b>	<b>619</b>

## GEOMETRY



User	155-170	168-176	174-184	>182
Ref.	B26X3900	B26X4300	B26X4600	B26X5000

# ZESTY AM 827

*Ultimate*



SUSPENSION  
SYSTEM

CARBON  
FRAME

1x12

27.5"

SPEED

WHEEL  
SIZE



Cadre - Frame  
ZESTY 27.5" CARBON OST+ 150mm, PRESSFIT, BOOST, METRIC, THRU AXLE 12x148



Fourche - Fork  
ROCKSHOX PIKE RC 27.5+ BOOST 15x110 SOLO AIR 150mm



Amortisseur - Rear Shock  
ROCKSHOX SUPER DELUXE RC3 210x50 DEBONAIR



Dérailleur arrière - Rear Derailleur  
SRAM X01 EAGLE 12s



Pédalier - Crankset  
SRAM DESCENDANT CARBON EAGLE BOOST 32T 170mm (S), 175mm (M, L, XL)



Boîtier Pédalier - Bottom Bracket  
SRAM PRESS FIT MTB (89/91.5)



Cassette - Cassette  
SRAM XG 1295 EAGLE 12s 10-50T



Chaîne - Chain  
SRAM GX EAGLE POWER LOCK



Freins - Brakes  
SRAM GUIDE RS



Disques - Rotors  
SRAM CENTERLINE 180mm / 180mm



Manettes - Shifters  
SRAM X01 EAGLE 12s



Jeu de direction - Headset  
FSA ORBIT 1.5E ZS NO.57ECF



Cintre - Handlebar  
LAPIERRE 6061DB W: 760mm R: 20mm Ø: 31.8mm



Poignées - Grips  
LAPIERRE DD34 LOCK ON



Potence - Stem  
LAPIERRE CNC 6° Ø: 31.8mm L: 55mm



Tige de selle - Seatpost  
LAPIERRE DROPPER 150mm travel (125mm on S,M) Ø: 31.6mm



Selle - Saddle  
FIZIK TUNDRA M5 ALLOY RAILS



Roues complètes- Wheelset  
LAPIERRE CARBON AM 27.5 30c 15x110 STRAIGHT PULL TORQUE CAPS  
LAPIERRE CARBON AM 27.5 30c 12x148 XD DRIVER STRAIGHT PULL



Pneus - Tyres  
MAXXIS REKON 27.5x2.60, 60TPI, FOLDING, EXO PROTECTION, TUBELESS READY



Pédales - Pedals  
FP917



# ZESTY AM 527

*Ultimate*

OST  
+

C

1x12

27.5"

SUSPENSION  
SYSTEM

CARBON  
FRAME

SPEED

WHEEL  
SIZE



Cadre - Frame  
ZESTY 27.5" CARBON OST+ 150mm, PRESSFIT, BOOST, METRIC, THRU AXLE 12x148



Fourche - Fork  
ROCKSHOX REVELATION 35 RC 27.5+ BOOST 15x110 SOLO AIR 150mm



Amortisseur - Rear Shock  
ROCKSHOX DELUXE RT 210x50 DEBONAIR 2 TOKENS



Dérailleur arrière - Rear Derailleur  
SRAM GX EAGLE 12s



Pédalier - Crankset  
SRAM DESCENDANT CARBON EAGLE BOOST 32T 170mm (S), 175mm (M, L, XL)



Boîtier Pédalier - Bottom Bracket  
SRAM PRESS FIT MTB (89/91.5)



Cassette - Cassette  
SRAM XG 1275 12s 10-50T



Chaîne - Chain  
SRAM GX EAGLE POWER LOCK



Freins - Brakes  
SRAM GUIDE R



Disques - Rotors  
SRAM CENTERLINE 180mm / 180mm



Manettes - Shifters  
SRAM GX EAGLE 12s



Jeu de direction - Headset  
FSA ORBIT 1.5E ZS NO.57ECF



Cintre - Handlebar  
LAPIERRE 6061DB W: 760mm R: 20mm Ø: 31.8mm



Poignées - Grips  
LAPIERRE DD34 LOCK ON



Potence - Stem  
LAPIERRE CNC 6° Ø: 31.8mm L: 55mm



Tige de selle - Seatpost  
LAPIERRE DROPPER 150mm travel (125mm on S,M) Ø: 31.6mm



Selle - Saddle  
FIZIK TUNDRA M5 ALLOY RAILS



Roues complètes- Wheelset  
LAPIERRE AM 27.5 30c 15x110 STRAIGHT PULL TORQUE CAPS  
LAPIERRE AM 27.5 25c 12x148 XD DRIVER STRAIGHT PULL



Pneus - Tyres  
MAXXIS HIGH ROLLER II 27.5x2.30, 60TPI, FOLDING, EXO PROTECTION, TB READY



Pédales - Pedals  
FP917



ALL MOUNTAIN

B263 ◀ Ref.

# ZESTY AM 427

**OST+**  
SUSPENSION  
SYSTEM

**6**  
ALU  
SUPREME 6

**1x11**  
SPEED

**27.5"**  
WHEEL  
SIZE



## Cadre - Frame

ZESTY 27.5" SUPREME 6 ALLOY OST+ 150mm, PRESSFIT, BOOST, METRIC,  
THRU AXLE 12x148

## Fourche - Fork

ROCKSHOX REVELATION 35 RC 27.5+ BOOST 15x110 SOLO AIR 150mm

## Amortisseur - Rear Shock

ROCKSHOX DELUXE RT 210x50 DEBONAIR 2 TOKENS

## Dérailleur arrière - Rear Derailleur

SRAM GX 11s

## Pédalier - Crankset

RACEFACE AFFECT DM 30T STEEL 170mm (S), 175mm (M, L, XL)

## Boîtier Pédalier - Bottom Bracket

SHIMANO SMBB7141A

## Cassette - Cassette

SRAM PG1130 11-42T

## Chaîne - Chain

SRAM PC1110 POWERLOCK

## Freins - Brakes

SHIMANO MT500

## Disques - Rotors

SHIMANO SMRT56 180mm / 180mm 6 BOLT TYPE

## Manettes - Shifters

SRAM NX

## Jeu de direction - Headset

FSA ORBIT 1.5Z SC NO.57SC

## Cintre - Handlebar

LAPIERRE 6061DB W: 760mm R: 20mm Ø: 31.8mm

## Poignées - Grips

LAPIERRE DD34 LOCK ON

## Potence - Stem

LAPIERRE ST123A 6° Ø: 31.8mm L: 50mm

## Tige de selle - Seatpost

JD YSP12L DROPPER 125mm travel (100mm on S) Ø: 31.6mm

## Selle - Saddle

LAPIERRE by VELO

## Moyeu avant - Front hub

FORMULA DC7131 15x110 BOOST TORQUE CAPS 32H

## Moyeu arrière - Rear hub

FORMULA DC-1248 12x148 BOOST SHIMANO DRIVER 32H

## Jantes - Rims

MAVIC EN627 / XM624 32H 27.5"

## Pneus - Tyres

MICHELIN WILD ROCK'R2 LIGHT EDITION GUMX 27.5x2.35 TS TLR

## Pédales - Pedals

FP917



# ZESTY AM 327

**OST+**  
SUSPENSION  
SYSTEM

**6**  
ALU  
SUPREME 6

**1x11**  
SPEED

**27.5"**  
WHEEL  
SIZE



## Cadre - Frame

ZESTY 27.5" SUPREME 6 ALLOY OST+ 150mm, PRESSFIT, BOOST, METRIC, THRU AXLE 12x148

## Fourche - Fork

SUNTOUR AION 35 BOOST LOR 15QLC32 27.5+ 150mm

## Amortisseur - Rear Shock

LAPIERRE AF2 AIR

## Dérailleur arrière - Rear Derailleur

SRAM NX 11s

## Pédalier - Crankset

RACEFACE AEFFECT DM 30T STEEL 170mm (S), 175mm (M, L, XL)

## Boîtier Pédalier - Bottom Bracket

SHIMANO SMBB7141A

## Cassette - Cassette

SRAM PG1130 11-42T

## Chaîne - Chain

SRAM PC1110 POWERLOCK

## Freins - Brakes

SHIMANO BRM425

## Disques - Rotors

SHIMANO SMRT26 180mm / 180mm 6 BOLT TYPE

## Manettes - Shifters

SRAM NX

## Jeu de direction - Headset

FSA ORBIT 1.5Z SC NO.57SC

## Cintre - Handlebar

LAPIERRE MTB479A W: 740mm R: 15mm Ø: 31.8mm

## Poignées - Grips

VLG975 11D2P

## Potence - Stem

LAPIERRE ST123A 6° Ø: 31.8mm L: 50mm

## Tige de selle - Seatpost

JÖ YSP12L DROPPER 125mm travel (100mm on S) Ø: 31.6mm

## Selle - Saddle

LAPIERRE by VELO

## Moyeu avant - Front hub

FORMULA DC511 15x110 BOOST 32H

## Moyeu arrière - Rear hub

FORMULA DC-1248 12x148 BOOST SHIMANO DRIVER 32H

## Jantes - Rims

RODI TRY 25c 32H 27.5" TUBELESS READY

## Pneus - Tyres

MICHELIN WILD ROCK'R2 LIGHT EDITION GUMX 27.5x2.35 TS TLR

## Pédales - Pedals

FP917



ALL MOUNTAIN

# ZESTY AM 227

**OST+**  
SUSPENSION  
SYSTEM

**6**  
ALU  
SUPREME 6

**1x10**  
SPEED

**27.5"**  
WHEEL  
SIZE



## Cadre - Frame

ZESTY 27.5" SUPREME 6 ALLOY OST+ 150mm, PRESSFIT, BOOST, METRIC,  
THRU AXLE 12x148

## Fourche - Fork

SUNTOUR AION 35 BOOST LOR 15QLC32 27.5+ 150mm

## Amortisseur - Rear Shock

LAPIERRE AF2 AIR

## Dérailleur arrière - Rear Derailleur

SHIMANO DEORE RDM6000GS 10s

## Pédalier - Crankset

FSA GAMMA PRO 30T 170mm (S), 175mm (M, L, XL)

## Boîtier Pédalier - Bottom Bracket

FSA BB-CFM92/CZ BB92 COMPOSITE CUPS

## Cassette - Cassette

HG500 10s11-42T

## Chaîne - Chain

SHIMANO HG54

## Freins - Brakes

SHIMANO BRM315

## Disques - Rotors

SHIMANO SMRT26 180mm / 180mm 6 BOLT TYPE

## Manettes - Shifters

SHIMANO DEORE SLM6000R

## Jeu de direction - Headset

FSA ORBIT 1.5Z SC NO.57SC

## Cintre - Handlebar

LAPIERRE MTB479A W: 740mm R: 15mm Ø: 31.8mm

## Poignées - Grips

VLG975 11D2P

## Potence - Stem

LAPIERRE ST123A 6° Ø: 31.8mm L: 50mm

## Tige de selle - Seatpost

LAPIERRE SP37.1 Ø: 31.6mm L: 350mm

## Selle - Saddle

LAPIERRE by VELO

## Moyeu avant - Front hub

FORMULA DC511 15x110 BOOST 32H

## Moyeu arrière - Rear hub

FORMULA DC-1248 12x148 BOOST SHIMANO DRIVER 32H

## Jantes - Rims

RODI TRYp 25c 32H 27.5" TUBELESS READY

## Pneus - Tyres

MICHELIN WILD ROCK'R2 LIGHT EDITION GUMX 27.5x2.35 TS TLR

## Pédales - Pedals

FP917



# X-COM



UN BEST SELLER SE BONIFIE AVEC LE TEMPS



# NITROL



A BEST SELLER IMPROVES WITH AGE



SUSPENSION  
SYSTEM



ALU  
SUPREME 6



WHEEL  
SIZE

# X-CONTROL OVERVIEW

Notre X-Control est à l'aise partout. Son système de suspension FPS+ diminue l'effet de pompage et vous offre une courbe de suspension progressive, idéale pour le trail et la randonnée sportive sur terrain cassant. Efficace, polyvalent, rassurant et ludique à la fois, ce vélo est capable de vous emmener sur les plus beaux spots avec ses roues en 27,5".

## PROFIL UTILISATEUR

Pour les explorateurs à la recherche d'un vélo pour faire ses premières armes sur les sentiers techniques. Idéal pour le trail et la randonnée sportive sur terrain cassant.

## POINTS FORTS

- Suspension FPS+ : basée sur une cinématique à point de pivot virtuel conçue pour privilégier la motricité sans effet de pompage au pédalage.
- Cadre en aluminium Supreme 6: solidité et légèreté.
- Roues en 27,5".
- Débattements : **100 mm** Arrière • **120 mm** Avant.

Our full-suspension X-Control is comfortable anywhere. Its FPS+ suspension system minimises pedal bob and gives you a progressive suspension curve, ideal for trails and touring on rugged terrain. Efficient, versatile, reassuring and fun at the same time, this bike can take you to the most beautiful spots on its 27.5" wheels.

## USER PROFILE

For explorers who want a bike for getting their first taste of technical trails. Ideal for trails and touring on rugged terrain.


## HIGHLIGHTS

- 100 mm FPS+ suspension that eliminates pedal bob, and gives a progressive suspension curve
- Supreme 6 alloy frame.
- 27.5" wheels.
- Travels: **100 mm** Rear • **120 mm** Front.

## GÉOMÉTRIE

## GEOMETRY

Size	S	M	L	XL
ST (cm)	40	44	48	53
TT (mm)	565	590	610	635
HA (°)	68	68	68	68
SA (°)	73.5	73.5	73.5	73.5
RC (mm)	435	435	435	435
HT (mm)	110	120	130	150
BB (mm)	-16	-16	-16	-16
Reach	396	418	435	455
Stack	572	581	590	609



User	150-170	168-178	176-186	>184
Ref.	B22X4000	B22X4400	B22X4800	B22X5300

# X-CONTROL 227

**FPS+**  
SUSPENSION  
SYSTEM

**6**  
ALU  
SUPREME 6

**1x11**  
SPEED

**27.5"**  
WHEEL  
SIZE



Cadre - Frame

X-CONTROL 27.5" SUPREME 6 ALLOY FPS+ 100mm, PRESSFIT, THRU AXLE 12x142

Fourche - Fork

ROCKSHOX RECON GOLD RL 15mm SOLO AIR 120mm

Amortisseur - Rear Shock

LAPIERRE AIR WITH REBOUND ADJUST

Dérailleur arrière - Rear Derailleur

SRAM NX 11s

Pédalier - Crankset

RACEFACE AFFECT 30T DIRECT MOUNT 170mm (XS, S), 175mm (M, L, XL)

Boîtier Pédalier - Bottom Bracket

SHIMANO SMBB7141A PRESSFIT

Cassette - Cassette

SRAM PG1130 11-42T

Chaîne - Chain

SRAM PC1110 POWERLOCK

Freins - Brakes

SHIMANO BRM365

Disques - Rotors

SHIMANO SMRT26 180mm / 160mm 6 BOLT TYPE

Manettes - Shifters

SRAM NX

Jeu de direction - Headset

FSA ORBIT 1.5Z SC NO.57SC

Cintre - Handlebar

LAPIERRE MTB479A W: 740mm R: 15mm Ø: 31.8mm

Poignées - Grips

LAPIERRE DD34 LOCK ON

Potence - Stem

LAPIERRE ST92A 7° Ø: 31.8mm L: 60mm (S) / 75mm (M, L) / 80mm (XL)

Tige de selle - Seatpost

JD YSP12L DROPPER 125mm travel Ø: 31.6mm

Selle - Saddle

LAPIERRE by VÉLO

Moyeu avant - Front hub

FORMULA DC51 15QR 32H

Moyeu arrière - Rear hub

FORMULA DHT142 142x12 32H

Jantes - Rims

MACH1 ER20 32H 27.5"

Pneus - Tyres

MICHELIN WILD GRIP'R 27.5x2.25 TS TLR

Pédales - Pedals

FP917

# X-CONTROL 127

**FPS**  
+  
**SUSPENSION  
SYSTEM**

**6**  
**ALU  
SUPREME 6**

**3x9**  
**SPEED**

**27.5"**  
**WHEEL  
SIZE**



Cadre - Frame  
**X-CONTROL 27.5" SUPREME 6 ALLOY FPS+ 100mm, PRESSFIT, THRU AXLE 12x142**

Fourche - Fork  
**ROCKSHOX 30 SILVER TURNKEY SOLO AIR 120mm**

Amortisseur - Rear Shock  
**LAPIERRE AIR WITH REBOUND ADJUST**

Dérailleur arrière - Rear Derailleur  
**SHIMANO ALIVIO RDM4000 9s SHADOW DESIGN**

Dérailleur avant - Front Derailleur  
**SHIMANO DEORE FDM611D DIRECT MOUNT**

Pédalier - Crankset  
**SHIMANO ALIVIO 40/30/22T 170mm(S), 175mm(M, L, XL)**

Boîtier Pédalier - Bottom Bracket  
**SHIMANO SMBB7141A PRESSFIT**

Cassette - Cassette  
**SHIMANO HG201 9s 11-36T**

Chaîne - Chain  
**SHIMANO HG53**

Freins - Brakes  
**SHIMANO BRM 315**

Disques - Rotors  
**SHIMANO SMRT56 180mm / 160mm 6 BOLT TYPE**

Manettes - Shifters  
**SHIMANO ALTUS SLM2000**

Jeu de direction - Headset  
**FSA ORBIT 1.5ZS SC NO.57SC**

Cintre - Handlebar  
**LAPIERRE MTB479A W: 720mm R: 15mm Ø: 31.8mm**

Poignées - Grips  
**LAPIERRE DD34 LOCK ON**

Potence - Stem  
**LAPIERRE JD-ST123A 8° Ø: 31.8mm L: 60mm (S, M) / 75mm (L, XL)**

Tige de selle - Seatpost  
**LAPIERRE SP37.1 Ø: 31.6mm L: 350mm**

Selle - Saddle  
**LAPIERRE by VÉLO**

Moyeu avant - Front hub  
**FORMULA DC20LW 32H**

Moyeu arrière - Rear hub  
**FORMULA DHT 142x12 32H**

Jantes - Rims  
**MACH1 ER20 32H 27.5"**

Pneus - Tyres  
**KENDA SLANT SIX 27.5x2.2**

Pédales - Pedals  
**FP917**

A dynamic photograph of a mountain biker in mid-air, performing a jump over a fallen log on a forest trail. The rider is wearing a black jersey, orange shorts, and a blue helmet. The background is filled with tall evergreen trees. A large yellow diagonal banner across the top right contains the text.

**OFF ROAD**

**TRAIL**



ATTRAPE-MOI SI TU PEUX

ALL MOUNTAIN	○ ○ ○ ○ ○
TRAIL	○ ○ ○ ○ ○
X-COUNTRY	○ ○ ○ ○ ○
SPORT	○ ○ ○ ○ ○

# R



CATCH ME IF YOU CAN



TRAPDOOR  
TECHNOLOGY



CARBON  
FRAME



WHEEL  
SIZE

# XR OVERVIEW

Le XR est dédié au XC marathon et aux parcours techniques. Uniquement proposé en carbone pour ses qualités dynamiques, en roues de 29" pour le grip et le confort et au standard Boost pour accroître la rigidité et la précision en courbe. La cinématique offre un excellent compromis entre motricité au pédalage et sensibilité sur les chocs. Très à l'aise en côte, sa géométrie a été pensée pour gagner du temps dans les descentes techniques. Une maniabilité hors-pair et un confort exceptionnel pour avaler les kilomètres sans sourciller. Que ce soit en montée technique, sur le plat ou en descente raide, c'est le moment de passer à l'attaque ! Catch me if you can !

## PROFIL UTILISATEUR

Pour les passionnés de Cross-Country à la recherche d'un vélo de XC marathon tout-suspendu et full carbone synonyme de confort, légèreté et contrôle sur les sentiers techniques.

## POINTS FORTS

- Technologie Trap Door : batterie Di2 plus accessible et centre de gravité abaissé.
- Roues de 29": pour le grip et le confort.
- Standard Boost : rigidité et précision en courbe.
- Proposé en monoplateau, il reste compatible avec un dérailleur avant type direct mount.
- Possibilité de monter une tige de selle dropper en routing interne.
- Débattements : **100 mm** Arrière • **100 mm** Avant.

The XR is specifically designed for marathon and technical trails. Only available in carbon because of its dynamic qualities, in 29" wheels for grip and comfort, and in the Boost standard to increase stiffness and precision on bends. The kinematics offer an excellent compromise between power from pedalling and sensitivity to bumps. It handles steep slopes with ease and has been designed to gain time on technical descents. It has peerless handling and exceptional comfort to chew up the miles without a second thought. Whether on technical uphills, on the flat or long downhills, now is the time to go on the attack! Catch me if you can!

## USER PROFILE

For X-Country lovers looking for a full-suspension, all-carbon XC marathon bike that is a byword for comfort, lightness and control on technical trails.


## HIGHLIGHTS

- Lapierre's patented Trap Door Technology: Di2 battery more easily accessible and low centre of gravity.
- 29" wheels: better grip and comfort.
- Boost Standard: stiffness and curve precision.
- Supplied in OneBy, but still compatible with direct mount front derailleur.
- Vario seatpost internal routing.
- Travels: **150 mm** Rear • **100 mm** Front.

## GÉOMÉTRIE

Size	S	M	L	XL
ST (cm)	<b>39</b>	<b>43</b>	<b>47</b>	<b>51</b>
TT (mm)	<b>575</b>	<b>600</b>	<b>620</b>	<b>645</b>
HA (°)	<b>69</b>	<b>69</b>	<b>69</b>	<b>69</b>
SA (°)	<b>74.5</b>	<b>74.5</b>	<b>74.5</b>	<b>74.5</b>
RC (mm)	<b>441</b>	<b>441</b>	<b>441</b>	<b>441</b>
HT (mm)	<b>100</b>	<b>100</b>	<b>120</b>	<b>120</b>
BB (mm)	<b>-40</b>	<b>-40</b>	<b>-40</b>	<b>-40</b>
Reach	<b>412</b>	<b>437</b>	<b>452</b>	<b>477</b>
Stack	<b>587</b>	<b>587</b>	<b>605</b>	<b>605</b>

## GEOMETRY



User	150-170	168-178	176-186	>184
Ref.	B20X3900	B20X4300	B20X4700	B20X5100




(1) Cadre - Frame

XR 29" FULL CARBON ULTIMATE 100mm PRESSFIT, BOOST, METRIC, THRU AXLE

(2) Fourche - Fork

ROCKSHOX SID WORLD CUP 29" BOOST SOLO AIR100 + ONELOC

(3) Amortisseur - Rear Shock

ROCKSHOX DELUXE RL REMOTE 190x40 DEBONAIR

(4) Dérailleur arrière - Rear Derailleur

SRAM XX1 EAGLE GOLD TYPE 2.1 CARBON 12s

(5) Pédalier - Crankset

SRAM XX1 EAGLE GOLD DIRECT MOUNT XSYNC 32T 170mm(S), 175mm (M,L,XL)

(6) Boîtier Pédalier - Bottom Bracket

SRAM PRESS FIT MTB (89/91.5)

(7) Cassette - Cassette

SRAM XG 1299 GOLD 12s 10-50T

(8) Chaîne - Chain

SRAM XX1 EAGLE GOLD

(9) Freins - Brakes

SRAM LEVEL ULTIMATE CARBON GOLD

(10) Disques - Rotors

SRAM CENTERLINE 180mm / 160mm 6 BOLT TYPE

(11) Manettes - Shifters

SRAM X01 EAGLE

(12) Jeu de direction - Headset

FSA ORBIT 1.5E ZS NO.57ECF

(13) Cintre - Handlebar

RACEFACE NEXT CARBON W: 720mm Ø: 31.8mm

(14) Poignées - Grips

PRE FOAM GRIPS

(15) Potence - Stem

LAPIERRE ST148A 7050 ALLOY 7° Ø: 31.8mm L: 60mm (S, M) / 70mm (L, XL)

(16) Tige de selle - Seatpost

LAPIERRE ST66-TC CARBON Ø: 31.6mm L: 400mm

(17) Selle - Saddle

FIZIK TUNDRA M5

(18) Roues complètes- Wheelset

LAPIERRE CARBON XC 29" 15x110/ 12x148

(19) Pneus - Tyres

MAXXIS ARDENT 2.25 / MAXXIS IKON 2.20 FOLDING SKINWALL 60TPI TLR

(20) Pédales - Pedals

FP917



# XR 729

*Ultimate*



CARBON  
FRAME



1x12



29"

SPEED

WHEEL  
SIZE



Cadre - Frame  
XR 29" FULL CARBON 100mm travel PRESSFIT, BOOST, METRIC, THRU AXLE



Fourche - Fork  
ROCKSHOX SID RL 29" BOOST SOLO AIR100 + ONELOC



Amortisseur - Rear Shock  
ROCKSHOX DELUXE RL REMOTE 190x40 DEBONAIR



Dérailleur arrière - Rear Derailleur  
SRAM X01 EAGLE TYPE 2.1 CARBON 12s



Pédalier - Crankset  
SRAM X1 CARBON EAGLE DIRECT MOUNT BOOST XSYNC 32T  
170mm (S), 175mm (M,L,XL)



Boîtier Pédalier - Bottom Bracket  
SRAM PRESS FIT MTB (89/91.5)



Cassette - Cassette  
SRAM XG 1275 12s 10-50T



Chaîne - Chain  
SRAM GX EAGLE WITH POWER LOCK



Freins - Brakes  
SRAM LEVEL TL



Disques - Rotors  
SRAM CENTERLINE 180mm / 160mm 6 BOLT TYPE



Manettes - Shifters  
SRAM GX EAGLE



Jeu de direction - Headset  
FSA ORBIT 1.5Z SC NO.57SC



Cintre - Handlebar  
RACEFACE NEXT CARBON W: 720mm Ø: 31.8mm



Poignées - Grips  
PRE FOAM GRIPS



Potence - Stem  
LAPIERRE ST148A 7050 ALLOY 7° Ø: 31.8mm L: 60mm (S, M) / 70mm (L, XL)



Tige de selle - Seatpost  
LAPIERRE ST66-TC CARBON Ø: 31.6mm L: 400mm



Selle - Saddle  
FIZIK TUNDRA M5



Roues complètes- Wheelset  
MAVIC CROSSMAX ELITE 29" 15x110/ 12x148



Pneus - Tyres  
MAXXIS ARDENT 2.25 / MAXXIS IKON 2.20 FOLDING SKINWALL 60TPI TLR



Pédales - Pedals  
FP917



CROSS-COUNTRY

B205 Ref.



 Cadre - Frame  
**XR 29" FULL CARBON 100mm travel PRESSFIT, BOOST, METRIC, THRU AXLE**

 Fourche - Fork  
**ROCKSHOX REBA RL 29" BOOST 15x110 SOLO AIR 100 + ONELOC**

 Amortisseur - Rear Shock  
**ROCKSHOX DELUXE RL 190x40 DEBONAIR**

 Dérailleur arrière - Rear Derailleur  
**SRAM NX 11s**

 Pédalier - Crankset  
**RACEFACE AEFFECT 30T DIRECT MOUNT STEEL 170mm (S), 175mm (M, L, XL)**

 Boîtier Pédalier - Bottom Bracket  
**SHIMANO SMBB7141A PRESSFIT**

 Cassette - Cassette  
**SRAM PG1130 11-42T**

 Chaîne - Chain  
**SRAM PC1110 POWERLOCK**

 Freins - Brakes  
**SRAM LEVEL**

 Disques - Rotors  
**SRAM G2 CLEANSWEEP 180mm / 160mm 6 BOLT TYPE**

 Manettes - Shifters  
**SRAM NX**

 Jeu de direction - Headset  
**FSA ORBIT 1.5Z SC NO.57SC**

 Cintre - Handlebar  
**LAPIERRE MTB11AFS FLAT TOP W: 720mm Ø: 31.8mm**

 Poignées - Grips  
**PRE FOAM GRIPS**

 Potence - Stem  
**LAPIERRE ST112AT 7050 ALLOY 7° Ø: 31.8mm L: 60mm (S, M) / 70mm (L, XL)**

 Tige de selle - Seatpost  
**LAPIERRE SP66-2 2014 ALLOY Ø: 31.6mm L: 400mm**

 Selle - Saddle  
**LAPIERRE by VÉLO**

 Moyeu avant - Front hub  
**FORMULA DC-7131 15x110 32H WITH TORQUE CAPS**

 Moyeu arrière - Rear hub  
**FORMULA DCL-348S 12x148 BOOST 32H**

 Jantes - Rims  
**MAVIC XC 421 32H 29"**

 Pneus - Tyres  
**MAXXIS ARDENT 2.25 / MAXXIS IKON 2.20 FOLDING SKINWALL 60TPI TLR**

 Pédales - Pedals  
**FP917**

# PRORA



PREMIUM HARDFAIL EXPERIENCE



# RACE SAT



PREMIUM HARDFAIL EXPERIENCE



SHOCK ABS  
TECHNOLOGY



CARBON  
FRAME



WHEEL  
SIZE

# PRORACE CARBON SAT OVERVIEW

Pour les terrains les plus exigeants et pour le confort de pilotage, nous avons déployé sur les nouveaux modèles PRORACE notre technologie SAT (Shock Absorption Technology). Directement issu du fleuron de notre gamme route endurance, le Pulsium, ce système breveté d'élastomère permet au triangle arrière d'absorber les vibrations et d'optimiser l'adhérence dans les portions techniques. Une sensation de confort inégalé qui invite à enchaîner les kilomètres avec la certitude de ne pas en subir les conséquences physiques. Un gain de confort qui n'impacte en rien l'efficacité en montée. La géométrie spécifique du PRORACE SAT est résolument orientée vers la performance en XC. Lorsque le terrain est propre et lisse, ce nouveau PRORACE active le mode hardtail pur et dur. Et une fois assis, il filtre une bonne partie des vibrations et atténue les chocs. L'avant est vif mais précis, et reste stable dès que l'allure augmente.

## PROFIL UTILISATEUR

Pour les puristes, les spécialistes, les compétiteurs XC pour qui confort rime avec performance à la recherche d'un VTT qui excelle sur tous les tableaux.

## POINTS FORTS

- Cadre 100% carbone.
- Technologie Shock Absorption : confort optimal sur les longues distances et routes difficiles.
- Technologie Powerbox pour une transmission totale de la puissance au pédalage.
- Un poids record de 1070 grammes (taille M).
- Roues en 29" uniquement pour optimiser le grip et la vitesse.
- Débattement : **100 mm** Avant.

## GÉOMÉTRIE

Size	S	M	L	XL
ST (cm)	40	45	50	55
TT (mm)	575	600	625	650
HA (°)	69.5	69.5	69.5	69.5
SA (°)	73	73	73	73
RC (mm)	428	428	428	428
HT (mm)	90	95	105	120
BB (mm)	-65	-60	-60	-60
Reach	390	415	437	458
Stack	605	605	614	628
User	150-170	168-178	176-186	>184
Ref.	B1XX4000	B1XX4500	B1XX5000	B1XX5500

Our SAT (Shock Absorption Technology) has been taken directly from the Pulsium, our top-of-the-range endurance racer, and added to the ProRace for the most demanding terrain and for riding comfort. Thanks to its patented elastomer system, the rear triangle absorbs vibration and optimises grip on the technical parts. This gives a feeling of unbeatable comfort, begging you to clock up some miles, safe in the knowledge that your body won't suffer for it. There's no need to choose between comfort and stiffness. The specific geometry is uncompromisingly designed with XC in mind. When the ground is clear and smooth, this new ProRace activates an out-and-out hardtail mode. And, when you're sat down, it cuts out lots of vibration and cushions bumps. The front end responds quickly but precisely and remains stable as soon as the speed picks up.


## USER PROFILE

For purists, specialists and XC competitors who see comfort as synonymous with performance and are looking for an MTB that excels on all surfaces.

## HIGHLIGHTS

- Full carbon frame.
- Shock Absorption Technology (SAT) vibration damper: improved comfort and reduced energy loss.
- Powerbox technology for efficient pedaling.
- A record weight of 1070 grams (M size).
- Only available with 29" wheels for better grip and optimized speed.
- Travel: **100 mm** Front.

## GEOMETRY



# PRORACE 929 SAT

*Ultimate*



SHOCK ABS  
TECHNOLOGY



CARBON  
FRAME



SPEED



WHEEL  
SIZE



Cadre - Frame  
PRORACE SAT 29" CARBON ULTIMATE, PRESSFIT, BOOST, THRU AXLE



Fourche - Fork  
ROCKSHOX SID WORLD CUP 29" MXL ULTIMATE SOLO AIR 100mm + ONELOC



Dérailleur arrière - Rear Derailleur  
SRAM XX1 EAGLE GOLD TYPE 2.1 CARBON 12s



Pédalier - Crankset  
SRAM X1 XX1 EAGLE GOLD DIRECT MOUNT XSYNC 32T 170mm(S), 175mm (M,L,XL)



Boîtier Pédalier - Bottom Bracket  
SRAM PRESS FIT MTB (89/91.5)



Cassette - Cassette  
SRAM XG 1299 GOLD 12s 10-50T



Chaîne - Chain  
SRAM XX1 EAGLE GOLD



Freins - Brakes  
SRAM LEVEL ULTIMATE CARBON GOLD



Disques - Rotors  
SRAM CENTERLINE 180mm / 160mm 6 BOLT TYPE



Manettes - Shifters  
SRAM X01 EAGLE



Jeu de direction - Headset  
FSA ORBIT 1.5E ZS NO.57ECF



Cintre - Handlebar  
RACEFACE NEXT CARBON W: 720mm Ø: 31.8mm



Poignées - Grips  
PRE FOAM GRIPS



Potence - Stem  
LAPIERRE ST148A 7050 ALLOY 7° Ø: 31.8mm L: 70mm (S, M, L) / 90mm (XL)



Tige de selle - Seatpost  
LAPIERRE ST66-TC CARBON Ø: 27.2mm L: 400mm



Selle - Saddle  
FIZIK TUNDRA



Roues complètes- Wheelset  
LAPIERRE CARBON XC 29" 15x110 / 12x148



Pneus - Tyres  
MAXXIS ARDENT 2.25 / MAXXIS IKON 2.20 FOLDING SKINWALL 60TPI TLR



Pédales - Pedals  
FP917



# PRORACE 729 SAT

*Ultimate*



SHOCK ABS  
TECHNOLOGY



CARBON  
FRAME



1x12



29"

WHEEL  
SIZE



Cadre - Frame  
PRORACE SAT 29" CARBON ULTIMATE, PRESSFIT, BOOST, THRU AXLE



Fourche - Fork  
ROCKSHOX SID RL 29" BOOST SOLO AIR 100mm + ONELOC



Dérailleur arrière - Rear Derailleur  
SRAM X01 EAGLE TYPE 2.1 CARBON 12s



Pédalier - Crankset  
SRAM X1 CARBON EAGLE BOOST DIRECT MOUNT XSYNC 32T  
170mm (S), 175mm (M,L,XL)



Boîtier Pédalier - Bottom Bracket  
SRAM PRESS FIT MTB (89/91.5)



Cassette - Cassette  
SRAM XG 1275 12s 10-50T



Chaîne - Chain  
SRAM GX EAGLE WITH POWER LOCK



Freins - Brakes  
SRAM LEVEL TL



Disques - Rotors  
SRAM CENTERLINE 180mm / 160mm 6 BOLT TYPE



Manettes - Shifters  
SRAM GX EAGLE



Jeu de direction - Headset  
FSA ORBIT 1.5Z SC NO.57SC



Cintre - Handlebar  
RACEFACE NEXT CARBON W: 720mm Ø: 31.8mm



Poignées - Grips  
PRE FOAM GRIPS



Potence - Stem  
LAPIERRE ST148A 7050 ALLOY 7° Ø: 31.8mm L: 70mm (S, M, L) / 90mm (XL)



Tige de selle - Seatpost  
LAPIERRE ST66-TC CARBON Ø: 27.2mm L: 400mm



Selle - Saddle  
FIZIK TUNDRA



Roues complètes- Wheelset  
MAVIC CROSSMAX ELITE 29" 15x110/ 12x148



Pneus - Tyres  
MAXXIS ARDENT 2.25 / MAXXIS IKON 2.20 FOLDING SKINWALL 60TPI TLR



Pédales - Pedals  
FP917



CROSS-COUNTRY

B179 Ref.

# PRORACE 629 SAT



SHOCK ABS  
TECHNOLOGY



CARBON  
FRAME



1x11



WHEEL  
SIZE



Cadre - Frame

PRORACE SAT 29" CARBON, PRESSFIT, BOOST, THRU AXLE

Fourche - Fork

ROCKSHOX REBA RL 29" BOOST 15x110 SOLO AIR 100mm + ONELOC

Dérailleur arrière - Rear Derailleur

SRAM NX 11s

Pédalier - Crankset

RACEFACE AEFFECT 30T DIRECT MOUNT ALLOY 170mm (S), 175mm (M, L, XL)

Boîtier Pédalier - Bottom Bracket

SHIMANO SMBB7141A PRESSFIT

Cassette - Cassette

SRAM PG1130 11-42T

Chaîne - Chain

SRAM PC1110 POWERLOCK

Freins - Brakes

SRAM LEVEL

Disques - Rotors

SRAM G2 CLEANSWEEP 180mm / 160mm 6 BOLT TYPE

Manettes - Shifters

SRAM NX

Jeu de direction - Headset

FSA ORBIT 1.5Z SC NO.57SC

Cintre - Handlebar

LAPIERRE MTB11AFS TOP FLAT W: 720mm Ø: 31.8mm

Poignées - Grips

PRE FOAM GRIPS

Potence - Stem

LAPIERRE ST112AT 7050 ALLOY 7° Ø: 31.8mm L: 70mm (S, M, L) / 90mm (XL)

Tige de selle - Seatpost

LAPIERRE SP66-2 2014 ALLOY Ø: 27.2mm L: 400mm

Selle - Saddle

LAPIERRE by VÉLO

Moyeu avant - Front hub

FORMULA DC-7131 15x110 32H WITH TORQUE CAPS

Moyeu arrière - Rear hub

FORMULA DCL-348S 12x148 BOOST 32H

Jantes - Rims

MAVIC XC421 DISC 622x21 32H

Pneus - Tyres

MAXXIS ARDENT 2.25 / MAXXIS IKON 2.20 FOLDING SKINWALL 60TPI TLR

Pédales - Pedals

FP917



# PRO



## SECONDE GÉNÉRATION

ALL MOUNTAIN	● ○ ○ ○ ○
TRAIL	● ● ● ○ ○
X-COUNTRY	● ● ● ● ●
SPORT	● ● ● ○ ○

# RACE



SECOND GENERATION



ALU  
SUPREME 5



CARBON  
FRAME



WHEEL  
SIZE

# PRORACE ALU OVERVIEW

Le PRORACE revient en 2018 avec un nouveau cadre aluminium Suprême 5 Boost et une géométrie moderne adaptée aux épreuves de cross-country (poids 1,6kg environ). Équipé de roues 29" uniquement pour optimiser l'adhérence et la performance. La rigidité et la précision ont également été optimisées grâce au nouveau standard Boost avant et arrière. Précis, affûté, prêt à en découdre et à semer vos adversaires les plus coriaces !

## PROFIL UTILISATEUR

Pour les puristes, les spécialistes, les compétiteurs XC à la recherche d'un semi-rigide aluminium calibré pour les longues sorties, courses XC ou excursions en montagne.

## POINTS FORTS

- Cadre aluminium Supreme 5 Boost.
- Cadre carbone pour PRORACE 527/529.
- Roues en 29" uniquement pour optimiser le grip et la vitesse.
- Roues en 27,5 / 29" pour PRORACE 527/529.
- Monté uniquement en 1x pour optimiser le poids et se concentrer sur le pilotage.
- Débattement : **100 mm** Avant.

## GÉOMÉTRIE

Size	S	M	M	L
ST (cm)	40	45	45	50
TT (mm)	580	600	600	620
HA (°)	70	70	69	69
SA (°)	73	73	73	73
RC (mm)	420	420	435	435
HT (mm)	110	120	100	110
BB (mm)	-50	-50	-65	-65
Reach	397	413	413	430
Stack	590	612	612	621
27"	B1574000	B1574500	B1594500	B1595000
29"				

The ProRace is back in 2018, with a new Boost standard Supreme 5 aluminium frame and a modern geometry adapted to cross-country event (weighing around 1.6 kg). It is fitted with 29" wheels, just to optimise grip and performance. Stiffness and precision have also been optimised with the new Boost standard, front and rear. Precise, sharp and with an aggressive look, it will enable you to leave the toughest competitors in your dust.



## USER PROFILE

For purists, specialists and XC competitors looking for an aluminium hardtail purpose built for long rides, XC races or mountain touring.

## HIGHLIGHTS

- Supreme 5 alloy frame.
- Carbon frame for PRORACE 527/529.
- Available with 29" wheels for better grip and optimized speed.
- 27,5 / 29" wheels for PRORACE 527/529.
- Only available in OneBy for better performances and lower weight.
- Travel: **100 mm** Front.

## GEOMETRY



User	< 150	150-170	168-178	176-186	>184
Ref.	B14X3500	B14X4000	B14X4400	B14X4800	B14X5300



# PRORACE 527/529



CARBON  
FRAME

SPEED

WHEEL  
SIZE



Cadre - Frame  
**PRORACE 27.5'' / 29'' CARBON PRESSFIT THRU AXLE 12x142**



Fourche - Fork  
**SUNTOUR RAIDON RLR 15QLC32 AIR 100mm**



Dérailleur arrière - Rear Derailleur  
**SRAM NX 11s**



Pédalier - Crankset  
**RACEFACE AEFFECT 30T DIRECT MOUNT ALLOY 170mm (XS, S), 175mm (M, L, XL)**



Boîtier Pédalier - Bottom Bracket  
**SHIMANO SMBB7141A PRESSFIT**



Cassette - Cassette  
**SRAM PG1030 11-42T**



Chaîne - Chain  
**SRAM PC1110 POWERLINK**



Freins - Brakes  
**SHIMANO BRM365 INTERNAL ROUTING WITH J-KIT**



Disques - Rotors  
**SHIMANO SMRT26 180mm / 160mm 6 BOLT TYPE**



Manettes - Shifters  
**SRAM NX**



Jeu de direction - Headset  
**FSA ORBIT 1.5Z SC NO.57SC**



Cintre - Handlebar  
**LAPIERRE MTB11AFS FLAP TOP W: 720mm Ø: 31.8mm**



Poignées - Grips  
**PRE FOAM GRIPS**



Potence - Stem  
**LAPIERRE ST92A 7° Ø: 31.8mm L: 60mm (XS, S) / 75mm (M, L) / 80mm (XL)**



Tige de selle - Seatpost  
**LAPIERRE SP37.1 Ø: 27.2mm L: 400mm**



Selle - Saddle  
**LAPIERRE by VÉLO**



Moyeu avant - Front hub  
**FORMULA DC51**



Moyeu arrière - Rear hub  
**FORMULA DHT142**



Jantes - Rims  
**MACH1 390 SL 32H TUBELESS READY**



Pneus - Tyres  
**MAXXIS ARDENT 2.25 / MAXXIS IKON 2.20 FOLDING SKINWALL 60TPI**



Pédales - Pedals  
**FP917**

**27"** → B157

**29"** → B159



# PRORACE 429



ALU  
SUPREME 5



1x11  
SPEED



29"  
WHEEL  
SIZE



## Cadre - Frame

PRORACE 29" SUPREME 5 ALLOY DISC, BOOST, PRESSFIT, THRU AXLE 12x148

## Fourche - Fork

ROCKSHOX RECON GOLD RL 15mm SOLO AIR 100mm BOOST + ONE LOC

## Dérailleur arrière - Rear Derailleur

SHIMANO XT RDM8000 SHADOW PLUS

## Pédalier - Crankset

RACEFACE AEFFECT 30T DIRECT MOUNT ALLOY 170mm (XS, S), 175mm (M, L, XL)

## Boîtier Pédalier - Bottom Bracket

SHIMANO SMBB7141A PRESSFIT

## Cassette - Cassette

SHIMANO SLX CSM7000 11-46T

## Chaîne - Chain

SHIMANO HG601

## Freins - Brakes

SHIMANO BRM425 INTERNAL ROUTING WITH J-KIT

## Disques - Rotors

SHIMANO SMRT26 180mm / 160mm 6 BOLT TYPE

## Manettes - Shifters

SHIMANO SLX SLM7000R 11s

## Jeu de direction - Headset

FSA ORBIT 1.5Z SC NO.57SC

## Cintre - Handlebar

LAPIERRE MTB11AFS FLAP TOP W: 720mm Ø: 31.8mm

## Potence - Stem

PRE FOAM GRIPS

## Poignées - Grips

LAPIERRE ST92A 7° Ø: 31.8mm L: 60mm(XS, S) / 75mm (M, L)/ 80mm (XL)

## Tige de selle - Seatpost

LAPIERRE SP37.1 Ø: 27.2mm L: 400mm

## Selle - Saddle

LAPIERRE by VÉLO

## Moyeu avant - Front hub

FORMULA DC71131 WITH TORQUE CAPS

## Moyeu arrière - Rear hub

FORMULA DHT148S

## Jantes - Rims

MACH1 390 SL 622x19C 32H TUBELESS READY

## Pneus - Tyres

MAXXIS ARDENT 29x2.25 / MAXXIS IKON 29x2.20 FOLDING SKINWALL 60TPI

## Pédales - Pedals

FP-917



CROSS-COUNTRY



Cadre - Frame  
**PRORACE 29" SUPREME 5 ALLOY DISC, BOOST, PRESSFIT, THRU AXLE 12x148**

Fourche - Fork  
**ROCHSHOX JUDY GOLD RL 15mm SOLO AIR 100mm BOOST + ONELOC**

Dérailleur arrière - Rear Derailleur  
**SRAM NX 11s**

Pédalier - Crankset  
**RACEFACE AEFFECT 30T DIRECT MOUNT STEEL 170mm (XS, S), 175mm (M, L, XL)**

Boîtier Pédalier - Bottom Bracket  
**SHIMANO SMBB7141A PRESSFIT**

Cassette - Cassette  
**SRAM PG1130 11-42T**

Chaîne - Chain  
**SRAM PC1110 POWERLOCK**

Freins - Brakes  
**SHIMANO BRM365 INTERNAL ROUTING WITH J-KIT**

Disques - Rotors  
**SHIMANO SMRT26 180mm / 160mm 6 BOLT TYPE**

Manettes - Shifters  
**SRAM NX**

Jeu de direction - Headset  
**FSA ORBIT 1.5Z SC NO.57SC**

Cintre - Handlebar  
**LAPIERRE MTB11AFS FLAP TOP W: 720mm Ø: 31.8mm**

Poignées - Grips  
**PRE FOAM GRIPS**

Potence - Stem  
**LAPIERRE ST92A 7° Ø: 31.8mm L: 60mm(XS, S) / 75mm (M, L)/ 80mm (XL)**

Tige de selle - Seatpost  
**LAPIERRE SP37.1 Ø: 27.2mm L: 400mm**

Selle - Saddle  
**LAPIERRE by VÉLO**

Moyeu avant - Front hub  
**FORMULA DC511**

Moyeu arrière - Rear hub  
**FORMULA DC1248**

Jantes - Rims  
**RODI EXCALIBUR XC2 622x19C 32H**

Pneus - Tyres  
**MAXXIS ARDENT 29x2.25 / MAXXIS IKON 29x2.20 FOLDING SKINWALL 60TPI**

Pédales - Pedals  
**FP-917**





- Frame Cadre - Frame  
**PRORACE 29" SUPREME 5 ALLOY DISC, BOOST, PRESSFIT, THRU AXLE 12x148**
- Fork Fourche - Fork  
**SUNTOUR XCR34 BOOST RLR 15QLC32 AIR 100mm + REMOTE**
- Rear Derailleur Dérailleur arrière - Rear Derailleur  
**SRAM NX 11s**
- Crankset Pédalier - Crankset  
**FSA GAMMA PRO 30T 170mm (XS, S), 175mm (M, L, XL)**
- Bottom Bracket Boîtier Pédalier - Bottom Bracket  
**FSA BB-CFM92/CZ BB92 COMPOSITE CUPS**
- Cassette Cassette - Cassette  
**SRAM PG1130 11-42T**
- Chain Chaîne - Chain  
**SRAM PC1110 POWERLOCK**
- Brakes Freins - Brakes  
**SHIMANO BRM315 INTERNAL ROUTING WITH J-KIT**
- Rotors Disques - Rotors  
**SHIMANO SMRT26 180mm / 160mm 6 BOLT TYPE**
- Shifters Manettes - Shifters  
**SRAM NX**
- Headset Jeu de direction - Headset  
**FSA ORBIT 1.5Z SC NO.57SC**
- Handlebar Cintre - Handlebar  
**LAPIERRE MTB11AFS FLAP TOP W: 720mm Ø: 31.8mm**
- Grips Poignées - Grips  
**LAPIERRE by HERRMANS DD30B**
- Stem Potence - Stem  
**LAPIERRE ST92A 7° Ø: 31.8mm L: 60mm(XS, S) / 75mm (M, L) / 80mm (XL)**
- Seatpost Tige de selle - Seatpost  
**LAPIERRE SP37.1 Ø: 27.2mm L: 400mm**
- Saddle Selle - Saddle  
**LAPIERRE by VÉLO**
- Front hub Moyeu avant - Front hub  
**FORMULA DC511**
- Rear hub Moyeu arrière - Rear hub  
**FORMULA DC1248**
- Rims Jantes - Rims  
**RODI EXCALIBUR XC2 622x19C 32H**
- Tyres Pneus - Tyres  
**MICHELIN WILD GRIP'R 29x2.25 / MICHELIN COUNTRY GRIP'R 29x2.10**
- Pedals Pédales - Pedals  
**FP917**

A photograph of two mountain bikers riding on a wooden boardwalk in a dense forest. The biker in the foreground is wearing a black jersey with green stripes on the shoulders, black shorts, and a blue helmet. The biker in the background is wearing a black jersey with green stripes, orange shorts, and a yellow helmet. They are both riding black mountain bikes. The boardwalk consists of wooden planks laid across a rocky path. The forest is filled with tall, thin trees and green ferns. A large tree trunk is visible on the right side of the image.

**OFF ROAD**

**X-COUNTRY**

# EPO



PLUS DE FUN !

ALL MOUNTAIN	○ ○ ○ ○ ○
TRAIL	○ ○ ○ ○ ○
X-COUNTRY	○ ○ ○ ○ ○
SPORT	○ ○ ○ ○ ○

GE+  
+



JUST WANT TO HAVE FUN!



TELESCOPIC  
SEATPOST



ALU  
SUPREME 6



WHEEL  
SIZE

# EDGE+ OVERVIEW

Avec Edge +, confort, confiance et stabilité sont les maîtres-mots. Les pneus "plus" offrent le supplément de grip qui vous offrira plus de fun et d'assurance au guidon de votre Edge. Si vous cherchez à vous amuser, prendre confiance sans vous compliquer la vie, ne cherchez plus, c'est un Edge+ qu'il vous faut.

## PROFIL UTILISATEUR

Pour ceux qui découvrent le VTT et qui veulent faire l'acquisition de leur premier vrai vélo tout terrain.

## POINTS FORTS

- Cadre en aluminium supreme 6.
- Géométrie Sport parfaitement adaptée aux débutants.
- Roues en 27,5 + pour passer partout.
- Tige de selle télescopique.
- Débattement : **120 mm** Avant.

With Edge +, it's all about comfort, confidence and stability. Your Edge's plus tires give you the extra grip that will make your rides more fun and safer. If you're looking to have some fun while feeling confident without making life complicated, look no more: what you need is an Edge +.

## USER PROFILE

For people getting into MTB who want to buy their first "proper" mountain bike.


## HIGHLIGHTS

- Supreme 6 alloy frame.
- Sport geometry for beginners.
- 27.5+ tyres to get over the worst obstacles.
- Dropper seatpost.
- Travel: **120 mm** Front.

## GÉOMÉTRIE

## GEOMETRY

Size	S	M	L	XL
ST (cm)	39	43	46	50
TT (mm)	585	610	630	655
HA (°)	67	67	67	67
SA (°)	74.5	74.5	74.5	74.5
RC (mm)	420	420	420	420
HT (mm)	100	100	110	120
BB (mm)	-45	-45	-45	-45
Reach	417	442	460	482
Stack	605	605	614	623



User	150-170	168-178	176-186	>184
Ref.	A24X3900	A24X4300	A24X4600	A24X5000

# EDGE+ 527



TELESCOPIC  
SEATPOST



ALU  
SUPREME 6



SPEED



WHEEL  
SIZE



Cadre - Frame  
**EDGE + ALLOY SUPREME 6**

Fourche - Fork  
**ROCKSHOX REBA RL 29 / 27+ BOOST SOLO AIR 120mm MAXLE STEALTH**

Dérailleur arrière - Rear Derailleur  
**SRAM GX LONG CAGE BLACK 11-Speed**

Pédalier - Crankset  
**RACE FACE AEFFECT DM 30T BOOST 170mm (S) / 175mm (M, L, XL)**

Boîtier Pédalier - Bottom Bracket  
**SHIMANO KSMBB7141A PRESSFIT**

Cassette - Cassette  
**SRAM XG1150 10x42 11s**

Chaîne - Chain  
**SRAM PC X1 11-Speed**

Freins - Brakes  
**SRAM HYDRAULIC LEVEL T**

Disques - Rotor  
**SRAM CENTERLINE 180mm 6 Bolt Type**

Manettes - Shifters  
**SRAM GX TRIGGER 11s**

Jeu de direction - Headset  
**FSA ORBIT 1.5E ZS NO.57E + 8mm Top Cap**

Cintre - Handlebar  
**LAPIERRE Nico Vouilloz Signature W: 760mm R: 15mm Ø: 31.8mm**

Poignées - Grips  
**LAPIERRE Nico Vouilloz Signature Ø: 31.8mm L: 55mm**

Potence - Stem  
**LAPIERRE LOCK-ON BLACK / BLACK**

Tige de selle - Seatpost  
**LAPIERRE YSP-12 DROPPER POST Ø: 31.6mm L: 400mm Travel: 125mm**

Selle - Saddle  
**LAPIERRE VL-1353 by VELO**

Moyeu avant - Front hub  
**FORMULA DC711 BOOST 15x110 32H BLACK**

Moyeu arrière - Rear hub  
**FORMULA DHT1481 BOOST 12x148 XD DRIVER 32H BLACK**

Jantes - Rims  
**ALEX MD 40 27.5x40C**

Pneus - Tyres  
**SCHWALBE NOBBY NIC 27.5x2.8 TRAILSTAR / PACESTAR TUBELESS SNAKE SKIN**

Pédales - Pedals  
**FP-917**

# EDGE+ 327

TELESCOPIC  
SEATPOSTALU  
SUPREME 61x11  
SPEED27.5  
+  
WHEEL  
SIZE

Cadre - Frame  
**EDGE + ALLOY SUPREME 6**

Fourche - Fork  
**ROCKSHOX RECON SILVER 29 / 27+ BOOST SOLO AIR 120mm MAXLE STEALTH**

Dérailleur arrière - Rear Derailleur  
**SRAM NX LONG CAGE BLACK 11s**

Pédalier - Crankset  
**SRAM NX DM 30T BOOST 170mm (S) / 175mm (M, L, XL)**

Boîtier Pédalier - Bottom Bracket  
**SRAM GXP PRESS FIT**

Cassette - Cassette  
**SRAM PG1130 11x42 11s**

Chaîne - Chain  
**SRAM PC X1 11-Speed**

Freins - Brakes  
**SRAM HYDRAULIC LEVEL T**

Disques - Rotors  
**SRAM CENTERLINE 180mm 6 BOLT TYPE**

Manettes - Shifters  
**SRAM NX TRIGGER 11s**

Jeu de direction - Headset  
**FSA ORBIT 1.5E ZS NO.57E + 8mm TOP CAP**

Cintre - Handlebar  
**LAPIERRE NICO VOUILLOZ SIGNATURE W: 760mm R: 15mm Ø: 31.8mm**

Poignées - Grips  
**LAPIERRE LOCK-ON BLACK / BLACK**

Potence - Stem  
**LAPIERRE NICO VOUILLOZ SIGNATURE Ø: 31.8mm L: 55mm**

Tige de selle - Seatpost  
**LAPIERRE YSP-12 DROPPER POST Ø: 31.6mm L: 400mm Travel: 125mm**

Selle - Saddle  
**LAPIERRE REV-1353 by VELO**

Moyeu avant - Front hub  
**FORMULA DC711 BOOST 15x110 32H BLACK**

Moyeu arrière - Rear hub  
**FORMULA DHT148S BOOST 12x148 32H BLACK**

Jantes - Rims  
**ALEX MD 40 27.5x40C**

Pneus - Tyres  
**SCHWALBE NOBBY NIC 27.5x2.8 TRAILSTAR / PACESTAR TUBELESS SNAKE SKIN**

Pédales - Pedals  
**FP-917**

**OFF ROAD**

**SPORT**



ED



## POUR BIEN DÉBUTER

ALL MOUNTAIN	● ○ ○ ○ ○
TRAIL	● ● ○ ○ ○
X-COUNTRY	● ● ● ○ ○
SPORT	● ● ● ● ●

# GE



ALL YOU NEED TO GET OUT ON THE TRAILS !



DISC  
BRAKES



ALU  
SUPREME 4



ALU  
SUPREME 5



27"  
29"  
WHEEL  
SIZE

# EDGE 27/29 OVERVIEW

Pour vos premiers coups de pédale à VTT, vous défouler sur les sentiers du coin et pour les sorties dominicales... Notre gamme EDGE est idéale pour commencer le VTT. Des vélos qui bénéficient de tout le savoir-faire Lapierre acquis sur les vélos haut de gamme, autrement dit, des valeurs sûres pour vous faire progresser. Des vélos simples, efficaces, qui vous aideront à progresser sur les sentiers ! Leur cadre en Alu Supreme 4 et Supreme 5 vous garantissent un vélo à la fois accessible et fiable. EDGE, c'est LE VTT pour les petits budgets qui n'a rien à envier aux grands !

## PROFIL UTILISATEUR

Pour ceux qui découvrent le VTT et qui veulent faire l'acquisition de leur premier vrai vélo tout terrain.

## POINTS FORTS

- Cadre en aluminium Supreme 4 ou Supreme 5.
- Géométrie Sport parfaitement adaptée aux débutants.
- Disponibles en 27,5'' (homme ou femme) et aussi en 29''(homme seulement).
- Débattement : **100 mm** Avant. **75 mm** (Edge 127/129)

For your first pedal strokes in the world of MTB, letting off steam on your local trails or riding on a Sunday, our Edge range is perfect for starting out with MTB. They are bikes that benefit from all the know-how on top-of-the range bikes that we at Lapierre have built up – the perfect values to get you ahead, in other words. Simple and efficient bikes that will help you to improve on the trails! Their Supreme 5 and Supreme 6 aluminium frame guarantee you a bike that is both affordable and reliable. Edge is the budget MTB that can hold its own against pricier options.

## USER PROFILE

For people getting into MTB who want to buy their first "proper" mountain bike.


## HIGHLIGHTS

- Supreme 4 or Supreme 5 alloy frame.
- Sport geometry for beginners
- Available with 27.5'' (for men & women) and 29'' (men only) wheels.
- Travel: **100 mm** Avant. **75 mm** (Edge 127/129)

## GÉOMÉTRIE

## GEOMETRY

Size	XS	S	M	L	XL
ST (cm)	<b>36</b>	<b>40</b>	<b>44</b>	<b>48</b>	<b>53</b>
TT (mm)	540	565	590	615	640
HA (°)	68	68	68	68	68
SA (°)	73.5	73.5	73.5	73.5	73.5
RC (mm)	425	425	425	425	425
HT (mm)	100	110	120	130	140
BB (mm)	-50	-50	-45	-45	-45
Reach	366	388	412	434	456
Stack	588	597	601	611	620




User ➤ 145-155 150-170 168-178 176-186 >184


Ref. ➤ B12X3600 B12X4000 B12X4400 B12X4800 B12X5300

# EDGE 27/29 OVERVIEW


Size	S	M	L	XL
ST (cm)	40	44	48	53
TT (mm)	565	590	615	640
HA (°)	69.5	69.5	69.5	69.5
SA (°)	73	73	73	73
RC (mm)	444	444	444	444
HT (mm)	95	95	110	125
BB (mm)	-65	-60	-60	-60
Reach	375	401	422	443
Stack	622	617	631	645
User	150-170	168-178	176-186	>184
Ref.	B12X4000	B12X4400	B12X4800	B12X5300



Size	XS	S	M	L	XL
ST (cm)	36	40	44	48	53
TT (mm)	540	565	590	615	640
HA (°)	68	68	68	68	68
SA (°)	73.5	73.5	73.5	73.5	73.5
RC (mm)	425	425	425	425	425
HT (mm)	100	110	120	130	140
BB (mm)	-50	-50	-45	-45	-45
Reach	368	390	414	436	458
Stack	581	591	595	604	613
User	145-155	150-170	168-178	176-186	>184
Ref.	B1203600	B1204000	B1204400	B1204800	B1205300



Size	S	M	L	XL
ST (cm)	40	44	48	53
TT (mm)	565	590	615	640
HA (°)	69.5	69.5	69.5	69.5
SA (°)	73	73	73	73
RC (mm)	444	444	444	444
HT (mm)	105	105	120	135
BB (mm)	-65	-60	-60	-60
Reach	379	406	426	447
Stack	608	603	617	631
User	150-170	168-178	176-186	>184
Ref.	B1224000	B1224400	B1224800	B1225300



# EDGE 527/529



DISC  
BRAKES



ALU  
SUPREME 5



2x10  
SPEED



27"  
29"  
WHEEL  
SIZE



Cadre - Frame  
EDGE 27.5" / 29" SUPREME 5 ALLOY DISC INTERNAL ROUTING

Fourche - Fork  
SUNTOUR XCR AIR-RL-DS-27.5" / 29" 100mm + REMOTE

Dérailleur arrière - Rear Derailleur  
SHIMANO DEORE RDM6000 10s SHADOW DESIGN

Dérailleur avant - Front Derailleur  
SHIMANO DEORE FDM6025H 2x10s

Pédalier - Crankset  
SHIMANO FCMT500-2 36/26 170mm (XS, S) / 175mm (M, L, XL)

Boîtier Pédalier - Bottom Bracket  
SHIMANO

Cassette - Cassette  
SHIMANO HG500 10s 11-42T

Chaîne - Chain  
S10 S2 10-Speed

Freins - Brakes  
SHIMANO BRM315

Disques - Rotors  
SHIMANO SMRT26 180mm / 160mm

Manettes - Shifters  
SHIMANO DEORE SLM6000 2/3x10s

Jeu de direction - Headset  
FSA NO. 10 ZS 50/44 1.6 TOP CAP

Cintre - Handlebar  
29" > LAPIERRE MTB11AFS FLAP TOP W: 720mm Ø: 31.8mm  
27.5" > LAPIERRE MTB479A W: 720mm R: 15mm Ø: 31.8mm

Poignées - Grips  
LAPIERRE by HERRMANS DD30B

Potence - Stem  
LAPIERRE ST123A 7° Ø: 31.8mm L: 60mm (XS, S, M, L) / 75mm (XL)

Tige de selle - Seatpost  
LAPIERRE SP37.1 Ø: 27.2mm L: 350mm

Selle - Saddle  
LAPIERRE by VELO

Moyeu avant - Front hub  
FORMULA DC20LW

Moyeu arrière - Rear hub  
FORMULA DC22LW

Jantes - Rims  
RODI FW DOUBLE WALL 27.5x19C DISC / 622x19C DISC

Pneus - Tyres  
MICHELIN WILD GRIP'R 27.5/29x2.25 / MICHELIN COUNTRY GRIP'R 27.5/29x2.10

Pédales - Pedals  
FP-917

# EDGE 327/329



DISC  
BRAKES



ALU  
SUPREME 5



3x9  
SPEED



27"  
29"  
WHEEL  
SIZE



Cadre - Frame  
EDGE 27.5" / 29" SUPREME 5 ALLOY DISC INTERNAL ROUTING

Fourche - Fork  
SUNTOUR XCM-RL-DS-27.5" / 29" 100mm+ REMOTE

Dérailleur arrière - Rear Derailleur  
SHIMANO ALIVIO RDM4000 9s SHADOW DESIGN

Dérailleur avant - Front Derailleur  
SHIMANO ACERA FDM3000

Pédalier - Crankset  
SHIMANO FCMT200 40x30x22 170mm (S) / 175mm (M, L, XL)

Boîtier Pédalier - Bottom Bracket  
SHIMANO

Cassette - Cassette  
SHIMANO HG201 9s 11-36T

Chaîne - Chain  
S9 S 9-Speed

Freins - Brakes  
SHIMANO BRM315

Disques - Rotors  
SHIMANO SMRT30 180mm / 160mm CENTERLOCK

Manettes - Shifters  
SHIMANO ALTUS SLM2000 3x9s

Jeu de direction - Headset  
FSA NO. 10 ZS 50/44 1.6 TOP CAP

Cintre - Handlebar  
29" > LAPIERRE MTB11AFS FLAP TOP W: 720mm Ø: 31.8mm  
27.5" > LAPIERRE MTB479A W: 720mm R: 15mm Ø: 31.8mm

Poignées - Grips  
LAPIERRE by HERRMANS DD30B

Potence - Stem  
LAPIERRE ST123A 7° Ø: 31.8mm L: 60mm (XS, S, M, L) / 75mm (XL)

Tige de selle - Seatpost  
LAPIERRE SP37.1 Ø: 27.2mm L: 350mm

Selle - Saddle  
LAPIERRE by VELO

Moyeu avant - Front hub  
SHIMANO HBTX505 32H CENTER LOCK

Moyeu arrière - Rear hub  
SHIMANO FHTX505 32H CENTER LOCK

Jantes - Rims  
RODI FW DOUBLE WALL 27.5x19C DISC / 622x19C DISC

Pneus - Tyres  
MICHELIN WILD GRIP'R 27.5/29x2.25 / MICHELIN COUNTRY GRIP'R 27.5/29x2.10

Pédales - Pedals  
FP-917

27.5" B126  
29" B127



DISC  
BRAKES



ALU  
SUPREME 4



3x9  
SPEED



27"  
29"  
WHEEL  
SIZE



Cadre - Frame  
EDGE 27.5" / 29" SUPREME 4 ALLOY DISC



Fourche - Fork  
SUNTOUR XCT-HLO-PM-27.5" / 29" 100mm



Dérailleur arrière - Rear Derailleur  
SHIMANO ALTUS RDM2000 9s SHADOW DESIGN



Dérailleur avant - Front Derailleur  
SHIMANO ALTUS FDM2000



Pédalier - Crankset  
SHIMANO FCMT100 40x30x22 170mm (S) / 175mm (M, L, XL)



Boîtier Pédalier - Bottom Bracket  
CH 52 127mm



Cassette - Cassette  
SHIMANO HG200 9s 11-36T



Chaîne - Chain  
S9 S 9-Speed



Freins - Brakes  
SHIMANO HYDRAULIC BRM315



Disques - Rotors  
SHIMANO SMRT10 160mm / 160mm CENTERLOCK



Manettes - Shifters  
COMBO SHIMANO STEF505 3x9s / hydraulic brake lever



Jeu de direction - Headset  
FSA NO. 10 ZS 50/44 1.6 TOP CAP



Cintre - Handlebar  
LAPIERRE MTB479A W: 720mm R: 15mm Ø: 31.8mm



Poignées - Grips  
LAPIERRE by HERRMANS DD30B



Potence - Stem  
LAPIERRE ST123A 7° Ø: 31.8mm L: 60mm (XS, S, M, L) / 75mm (XL)



Tige de selle - Seatpost  
LAPIERRE SP37.1 Ø: 27.2mm L: 350mm



Selle - Saddle  
LAPIERRE by VÉLO



Moyeu avant - Front hub  
SHIMANO HBTX505 32H CENTER LOCK



Moyeu arrière - Rear hub  
SHIMANO FHTX505 32H CENTER LOCK



Jantes - Rims  
RODI FW DOUBLE WALL 27.5x19C DISC / 622x19C DISC



Pneus - Tyres  
MICHELIN WILD GRIP'R 27.5/29x2.25 / MICHELIN COUNTRY GRIP'R 27.5/29x2.10



Pédales - Pedals  
FP-917

# EDGE 127/129



V-BRAKES



4  
ALU SUPREME 4



3x8  
SPEED



27"  
29"  
WHEEL  
SIZE



Cadre - Frame  
EDGE 27.5" / 29" SUPREME 4 ALLOY V-BRAKE



Fourche - Fork  
SUNTOUR M3030-P-700 75mm



Dérailleur arrière - Rear Derailleur  
SHIMANO TX RDTX800 8s



Dérailleur avant - Front Derailleur  
SHIMANO TOURNEY FDTY500



Pédalier - Crankset  
SHIMANO FCTY301 42x34x24 170mm (S) / 175mm (M, L, XL)



Boîtier Pédalier - Bottom Bracket  
CH 52 127mm



Cassette - Cassette  
SHIMANO TX HG200 8s 12x32T



Chaîne - Chain  
S8 1/2x3/32" 8-Speed



Freins - Brakes  
ALONGHA HJ-725AD7 V-BRAKE



Manettes - Shifters  
SHIMANO ALTUS STEF500 3x8s



Jeu de direction - Headset  
FSA NO. 10 ZS 50/44 1.6 TOP CAP



Cintre - Handlebar  
LAPIERRE MTB479A W: 720mm R: 15mm Ø: 31.8mm



Poignées - Grips  
LAPIERRE by HERRMANS DD30B



Potence - Stem  
LAPIERRE ST123A 7° Ø: 31.8mm L: 60mm(XS, S, M, L) / 75mm (XL)



Tige de selle - Seatpost  
LAPIERRE SPC208 Ø: 27.2mm L: 350mm



Selle - Saddle  
SELL ROYAL SHADOW



Moyeu avant - Front hub  
FORMULA FM21 32H



Moyeu arrière - Rear hub  
FORMULA FM32 32H



Jantes - Rims  
RODI SKORPION DOUBLE WALL 27.5x19c / 622x19c



Pneus - Tyres  
MICHELIN COUNTRY RACE'R 27.5x2.10 / 29x2.10



Pédales - Pedals  
FP-917

27.5" B120  
29" B122



**OFF ROAD**

**WOMEN**

# X-CONTROL WOMEN OVERVIEW

## UN BEST SELLER SE BONIFIE AVEC LE TEMPS

Notre X-Control est à l'aise partout. Son système de suspension FPS+ diminue l'effet de pompage et vous offre une courbe de suspension progressive, idéale pour le trail et la randonnée sportive sur terrain cassant. Efficace, polyvalent, rassurant et ludique à la fois, ce vélo est capable de vous emmener sur les plus beaux spots avec ses roues en 27,5".

Nos vélos femme s'approprient l'ensemble des technologies de nos modèles homme et unisex. Nous nous adressons avant tout à des cyclistes désireux de vivre la meilleure expérience possible. La seule différence; une sélection de composants parfaitement adaptés à la morphologie féminine pour optimiser le confort et l'ergonomie.

## PROFIL UTILISATEUR

Pour les exploratrices à la recherche d'un vélo pour faire ses premières armes sur les sentiers techniques. Idéal pour le trail et la randonnée sportive sur terrain cassant.

## POINTS FORTS

- Suspension FPS+ : basée sur une cinématique à point de pivot virtuel conçue pour privilégier la motricité sans effet de pompage au pédalage.
- Cadre en aluminium Supreme 6: solidité et légèreté.
- Roues en 27,5".
- Débattements : **100 mm** Arrière • **120 mm** Avant.

## A BEST SELLER IMPROVES WITH AGE

Our full-suspension X-Control is comfortable anywhere. Its FPS+ suspension system minimises pedal bob and gives you a progressive suspension curve, ideal for trails and touring on rugged terrain. Efficient, versatile, reassuring and fun at the same time, this bike can take you to the most beautiful spots on its 27.5" wheels.

Our women's bike ranges make use of all the technologies featured on our men's and unisex models. First and foremost, our bikes are aimed at anyone who wants the best possible cycling experience. The only difference is that the components selected are perfectly adapted to women's body shapes, so as to optimise comfort and ergonomics.

## USER PROFILE

For explorers who want a bike for getting their first taste of technical trails. Ideal for trails and touring on rugged terrain.


## HIGHLIGHTS

- 100 mm FPS+ suspension that eliminates pedal bob, and gives a progressive suspension curve
- Supreme 6 alloy frame.
- 27.5" wheels.
- Travels: **100 mm** Rear • **120 mm** Front.

## GÉOMÉTRIE

Size	S	M	L
ST (cm)	<b>36</b>	<b>40</b>	<b>45</b>
TT (mm)	<b>540</b>	<b>555</b>	<b>575</b>
HA (°)	<b>68.5</b>	<b>68.5</b>	<b>68.5</b>
SA (°)	<b>73</b>	<b>73</b>	<b>73</b>
RC (mm)	<b>435</b>	<b>435</b>	<b>435</b>
HT (mm)	<b>100</b>	<b>110</b>	<b>120</b>
BB (mm)	<b>-16</b>	<b>-16</b>	<b>-16</b>
Reach	<b>367</b>	<b>380</b>	<b>397</b>
Stack	<b>565</b>	<b>574</b>	<b>583</b>

## GEOMETRY



User	135-155	150-165	160-175
Ref.	B2203600	B2204000	B2204500



# X-CONTROL 127 W



Cadre - Frame  
X-CONTROL 27.5" SUPREME 6 ALLOY FPS+ 100mm, PRESSFIT, THRU AXLE 12x142



Fourche - Fork  
ROCKSHOX 30 SILVER TURNKEY SOLO AIR 120mm



Amortisseur - Rear Shock  
LAPIERRE AIR WITH REBOUND ADJUST



Dérailleur arrière - Rear Derailleur  
SHIMANO ALIVIO RDM4000 9s SHADOW DESIGN



Dérailleur avant - Front Derailleur  
SHIMANO DEORE FDM611D DIRECT MOUNT



Pédalier - Crankset  
SHIMANO ALIVIO 40/30/22T 165mm(S), 170mm(M), 175mm(L)



Boîtier Pédalier - Bottom Bracket  
SHIMANO SMBB7141A PRESSFIT



Cassette - Cassette  
SHIMANO HG201 9s 11-36T



Chaîne - Chain  
SHIMANO HG53



Freins - Brakes  
SHIMANO BRM 315



Disques - Rotors  
SHIMANO SMRT56 180mm / 160mm 6 BOLT TYPE



Manettes - Shifters  
SHIMANO ALTUS SLM2000



Jeu de direction - Headset  
FSA ORBIT 1.5ZS SC NO.57SC



Cintre - Handlebar  
LAPIERRE MTB479A W: 700mm R: 15mm Ø: 31.8mm



Poignées - Grips  
LAPIERRE DD34 LOCK ON



Potence - Stem  
LAPIERRE JD-ST123A 8° Ø: 31.8mm L: 60mm



Tige de selle - Seatpost  
LAPIERRE SP37.1 Ø: 31.6mm L: 350mm



Selle - Saddle  
LAPIERRE by VÉLO



Moyeu avant - Front hub  
FORMULA DC20LW 32H



Moyeu arrière - Rear hub  
FORMULA DHT 142x12 32H



Jantes - Rims  
MACH1 ER20 32H 27.5"



Pneus - Tyres  
MICHELIN WILD GRIP'R 27.5x2.25 TS TLR



Pédales - Pedals  
FP917

Ref. → B220



# PRORACE WOMEN OVERVIEW

## SECONDE GÉNÉRATION

Le PRORACE revient en 2018 avec un nouveau cadre aluminium Suprême 5 Boost et une géométrie moderne adaptée aux épreuves de cross-country (poids 1,6kg environ). Équipé de roues 29'' uniquement pour optimiser l'adhérence et la performance. La rigidité et la précision ont également été optimisées grâce au nouveau standard Boost avant et arrière. Précis, affûté, prêt à en découdre et à semer vos adversaires les plus coriaces !

Nos vélos femme s'approprient l'ensemble des technologies de nos modèles homme et unisex. Nous nous adressons avant tout à des cyclistes désireux de vivre la meilleure expérience possible. La seule différence; une sélection de composants parfaitement adaptés à la morphologie féminine pour optimiser le confort et l'ergonomie.

## PROFIL UTILISATEUR

Pour les puristes, les spécialistes, les compétitrices XC à la recherche d'un semi-rigide aluminium calibré pour les longues sorties, courses XC ou excursions en montagne.

## POINTS FORTS

- Cadre aluminium Supreme 5 Boost.
- Roues en 29'' uniquement pour optimiser le grip et la vitesse.
- Monté uniquement en 1x pour optimiser le poids et se concentrer sur le pilotage.
- Débattement : **100 mm** Avant.

## SECOND GENERATION

The ProRace is back in 2018, with a new Boost standard Supreme 5 aluminium frame and a modern geometry adapted to cross-country event (weighing around 1.6 kg). It is fitted with 29" wheels, just to optimise grip and performance. Stiffness and precision have also been optimised with the new Boost standard, front and rear. Precise, sharp and with an aggressive look, it will enable you to leave the toughest competitors in your dust. Our women's bike ranges make use of all the technologies featured on our men's and unisex models. First and foremost, our bikes are aimed at anyone who wants the best possible cycling experience. The only difference is that the components selected are perfectly adapted to women's body shapes, so as to optimise comfort and ergonomics.

## USER PROFILE

For purists, specialists and XC competitors looking for an aluminium hardtail purpose built for long rides, XC races or mountain touring.


## HIGHLIGHTS

- Supreme 5 Boost alloy frame.
- Available with 29" wheels for better grip and optimized speed.
- Only available in OneBy for better performances and lower weight.
- Travel: **100 mm** Front.

## GÉOMÉTRIE

Size	S	M	L
ST (cm)	<b>35</b>	<b>40</b>	<b>45</b>
TT (mm)	<b>550</b>	<b>580</b>	<b>610</b>
HA (°)	<b>69</b>	<b>69.5</b>	<b>69.5</b>
SA (°)	<b>73</b>	<b>73</b>	<b>73</b>
RC (mm)	<b>428</b>	<b>428</b>	<b>428</b>
HT (mm)	<b>90</b>	<b>90</b>	<b>100</b>
BB (mm)	<b>-65</b>	<b>-65</b>	<b>-60</b>
Reach	<b>371</b>	<b>401</b>	<b>424</b>
Stack	<b>584</b>	<b>587</b>	<b>610</b>

## GEOMETRY



User	135-155	150-165	160-175
Ref.	B1413500	B1414000	B1414500



# PRORACE 229 W



ALU  
SUPREME 5

1x11  
SPEED

WHEEL  
SIZE



Cadre - Frame  
**PRORACE W 29" SUPREME 5 ALLOY DISC, BOOST, PRESSFIT, THRU AXLE 12x148**

Fourche - Fork  
**SUNTOUR XCR34 BOOST RLR 15QLC32 AIR 100mm + REMOTE**

Dérailleur arrière - Rear Derailleur  
**SRAM NX 11s**

Pédalier - Crankset  
**FSA GAMMA PRO 30T 170mm (S), 175mm (M, L)**

Boîtier Pédalier - Bottom Bracket  
**FSA BB-CFM92/CZ BB92 COMPOSITE CUPS**

Cassette - Cassette  
**SRAM PG1130 11-42T**

Chaîne - Chain  
**SRAM PC1110 POWERLOCK**

Freins - Brakes  
**SHIMANO BRM315 INTERNAL ROUTING WITH J-KIT**

Disques - Rotors  
**SHIMANO SMRT26 180mm / 160mm 6 BOLT TYPE**

Manettes - Shifters  
**SRAM NX**

Jeu de direction - Headset  
**FSA ORBIT 1.5Z SC NO.57SC**

Cintre - Handlebar  
**LAPIERRE MTB11AFS FLAP TOP W: 720mm Ø: 31.8mm**

Poignées - Grips  
**LAPIERRE by HERRMANS DD30B**

Potence - Stem  
**LAPIERRE ST92A 7° Ø: 31.8mm L: 60mm**

Tige de selle - Seatpost  
**LAPIERRE SP37.1 Ø: 27.2mm L: 400mm**

Selle - Saddle  
**LAPIERRE WOMEN by VELO**

Moyeu avant - Front hub  
**FORMULA DC511**

Moyeu arrière - Rear hub  
**FORMULA DC1248**

Jantes - Rims  
**RODI EXCALIBUR XC2 622x19C 32H**

Pneus - Tyres  
**MICHELIN WILD GRIP'R 29x2.25 / MICHELIN COUNTRY GRIP'R 29x2.10**

Pédales - Pedals  
**FP917**

# EDGE WOMEN OVERVIEW

## POUR BIEN DÉBUTER

Pour vos premiers coups de pédale à VTT, vous dérouler sur les sentiers du coin et pour les sorties dominicales... Notre gamme EDGE est idéale pour commencer le VTT. Des vélos qui bénéficient de tout le savoir-faire Lapierre acquis sur les vélos haut de gamme, autrement dit, des valeurs sûres pour vous faire progresser. Des vélos simples, efficaces, qui vous aideront à progresser sur les sentiers ! Leur cadre en Alu Supreme 4 et Supreme 5 vous garantissent un vélo à la fois accessible et fiable. EDGE, c'est LE VTT pour les petits budgets qui n'a rien à envier aux grands ! Nos vélos femme s'approprient l'ensemble des technologies de nos modèles homme et unisex. Nous nous adressons avant tout à des cyclistes désireux de vivre la meilleure expérience possible. La seule différence; une sélection de composants parfaitement adaptés à la morphologie féminine pour optimiser le confort et l'ergonomie.

## PROFIL UTILISATEUR

Pour ceux qui découvrent le VTT et qui veulent faire l'acquisition de leur premier vrai vélo tout terrain.

## POINTS FORTS

- Cadre en aluminium Supreme 4 ou Supreme 5.
- Géométrie Sport parfaitement adapté aux débutants.
- Disponibles en 27,5''.
- Débattement : **100 mm** Avant. **75 mm** (Edge 127/129)

## ALL YOU NEED TO GET OUT ON THE TRAILS !

For your first pedal strokes in the world of MTB, letting off steam on your local trails or riding on a Sunday, our Edge range is perfect for starting out with MTB. They are bikes that benefit from all the know-how on top-of-the-range bikes that we at Lapierre have built up – the perfect values to get you ahead, in other words. Simple and efficient bikes that will help you to improve on the trails! Their Supreme 5 and Supreme 6 aluminium frame guarantee you a bike that is both affordable and reliable. Edge is the budget MTB that can hold its own against pricier options.

Our women's bike ranges make use of all the technologies featured on our men's and unisex models. The only difference is that the components selected are perfectly adapted to women's body shapes, so as to optimise comfort and ergonomics.

## USER PROFILE

For people getting into MTB who want to buy their first "proper" mountain bike.


## HIGHLIGHTS

- Supreme 4 or Supreme 5 alloy frame.
- Sport geometry for beginners
- Available with 27.5'' wheels.
- Travel: **100 mm** Avant. **75 mm** (Edge 127/129)

## GÉOMÉTRIE

Size	S	M	L
ST (cm)	<b>35</b>	<b>40</b>	<b>45</b>
TT (mm)	<b>550</b>	<b>580</b>	<b>610</b>
HA (°)	<b>68</b>	<b>68</b>	<b>68</b>
SA (°)	<b>73.5</b>	<b>73.5</b>	<b>73.5</b>
RC (mm)	<b>425</b>	<b>425</b>	<b>425</b>
HT (mm)	<b>115</b>	<b>125</b>	<b>135</b>
BB (mm)	<b>-50</b>	<b>-50</b>	<b>-45</b>
Reach	<b>372</b>	<b>399</b>	<b>428</b>
Stack	<b>602</b>	<b>611</b>	<b>615</b>

## GEOMETRY



User	135-155	150-165	160-175
Ref.	B12X3500	B12X4000	B12X4500



# EDGE 327 W

DISC  
BRAKESALU  
SUPREME 53x9  
SPEED27.5  
WHEEL  
SIZECadre - Frame  
**EDGE WOMEN 27.5" SUPREME 5 ALLOY DISC INTERNAL ROUTING**Fourche - Fork  
**SUNTOUR XCM-RL-DS-27.5" 100mm WITH REMOTE**Dérailleur arrière - Rear Derailleur  
**SHIMANO ALIVIO RDM4000 9s SHADOW DESIGN**Dérailleur avant - Front Derailleur  
**SHIMANO ACERA FDM3000**Pédalier - Crankset  
**SHIMANO FC-MT200 40x30x22 170mm (S) / 175mm (M, L, XL)**Boîtier Pédalier - Bottom Bracket  
**SHIMANO**Cassette - Cassette  
**SHIMANO HG201 9s 11-36T**Chaîne - Chain  
**S9 S 9-Speed**Freins - Brakes  
**SHIMANO BRM315**Disques - Rotors  
**SHIMANO SMRT30 180mm / 160mm CENTERLOCK**Manettes - Shifters  
**SHIMANO ALTUS SLM2000 3x9s**Jeu de direction - Headset  
**FSA NO. 10 ZS 50/44 1.6 TOP CAP**Cintre - Handlebar  
**LAPIERRE MTB479A W: 720mm R: 15mm Ø: 31.8mm**Poignées - Grips  
**LAPIERRE by HERRMANS DD30B**Potence - Stem  
**LAPIERRE ST123A 7° Ø: 31.8mm L: 60mm**Tige de selle - Seatpost  
**LAPIERRE SP37.1 Ø: 27.2mm L: 350mm**Selle - Saddle  
**LAPIERRE WOMEN by VELO**Moyeu avant - Front hub  
**SHIMANO HBTX505 32H CENTER LOCK**Moyeu arrière - Rear hub  
**SHIMANO FHTX505 32H CENTER LOCK**Jantes - Rims  
**RODI FW DOUBLE WALL 27.5x19C DISC**Pneus - Tyres  
**MICHELIN WILD GRIP'R 27.5x2.25 / MICHELIN COUNTRY GRIP'R 27.5x2.10**Pédales - Pedals  
**FP-917**

# EDGE 227 W



DISC  
BRAKES



ALU  
SUPREME 4



SPEED



WHEEL  
SIZE



Cadre - Frame  
**EDGE WOMEN 27.5" SUPREME 4 ALLOY DISC**



Fourche - Fork  
**SUNTOUR XCT-HLO-PM-27.5" 100mm**



Dérailleur arrière - Rear Derailleur  
**SHIMANO ALTUS RDM2000 9s SHADOW DESIGN**



Dérailleur avant - Front Derailleur  
**SHIMANO ALTUS FDM2000**



Pédalier - Crankset  
**SHIMANO FCMT100 40x30x22 170mm (S) / 175mm (M, L)**



Boîtier Pédalier - Bottom Bracket  
**CH 52 127mm**



Cassette - Cassette  
**SHIMANO HG200 9s 11-36T**



Chaîne - Chain  
**S9 S 9-Speed**



Freins - Brakes  
**SHIMANO HYDRAULIC BRM315**



Disques - Rotors  
**SHIMANO SMRT10 160mm / 160mm CENTERLOCK**



Manettes - Shifters  
**COMBO SHIMANO STEF505 3x9s / hydraulic brake lever**



Jeu de direction - Headset  
**FSA NO. 10 ZS 50/44 1.6 TOP CAP**



Cintre - Handlebar  
**LAPIERRE MTB479A W: 700mm R: 15mm Ø: 31.8mm**



Poignées - Grips  
**LAPIERRE by HERRMANS DD30B**



Potence - Stem  
**LAPIERRE ST123A 7° Ø: 31.8mm L: 60mm**



Tige de selle - Seatpost  
**LAPIERRE SP37.1 Ø: 27.2mm L: 350mm**



Selle - Saddle  
**LAPIERRE WOMEN by VELO**



Moyeu avant - Front hub  
**SHIMANO HBTX505 32H CENTER LOCK**



Moyeu arrière - Rear hub  
**SHIMANO FHTX505 32H CENTER LOCK**



Jantes - Rims  
**RODI FW DOUBLE WALL 27.5x19C DISC**



Pneus - Tyres  
**MICHELIN WILD GRIP'R 27.5x2.25 / MICHELIN COUNTRY GRIP'R 27.5x2.10**



Pédales - Pedals  
**FP-917**

# EDGE 127 W



Cadre - Frame  
EDGE WOMEN 27.5" SUPREME 4 ALLOY V-BRAKE



Fourche - Fork  
SUNTOUR M3030-P-27.5" 75mm



Dérailleur arrière - Rear Derailleur  
SHIMANO TX RDTX800 8s



Dérailleur avant - Front Derailleur  
SHIMANO TOURNEY FD'TY500



Pédalier - Crankset  
SHIMANO FCTY301 42x34x24 170mm (S) / 175mm (M, L)



Boîtier Pédalier - Bottom Bracket  
CH 52 127mm



Cassette - Cassette  
SHIMANO TX HG200 8s 12x32T



Chaîne - Chain  
SR 1/2x3/32" 8-Speed



Freins - Brakes  
ALONGHA HJ-725AD7 V-BRAKE



Manettes - Shifters  
SHIMANO ALTUS STEF500 3x8s



Jeu de direction - Headset  
FSA NO. 10 ZS 50/44 1.6 TOP CAP



Cintre - Handlebar  
LAPIERRE MTB479A W: 700mm R: 15mm Ø: 31.8mm



Poignées - Grips  
LAPIERRE by HERRMANS DD30B



Potence - Stem  
LAPIERRE ST123A 7° Ø: 31.8mm L: 60mm



Tige de selle - Seatpost  
LAPIERRE SPC208 Ø: 27.2mm L: 350mm



Selle - Saddle  
SELLÉ ROYAL SHADOW WOMEN



Moyeu avant - Front hub  
FORMULA FM21 32H



Moyeu arrière - Rear hub  
FORMULA FM32 32H



Jantes - Rims  
RODI SKORPION DOUBLE WALL 27.5x19C



Pneus - Tyres  
MICHELIN COUNTRY RACE'R 27.5x2.10



Pédales - Pedals  
FP-917

# TAND



A DEUX C'EST MIEUX !



VTT  
MTB



DISC  
BRAKES



ALU  
SUPERLITE



27.5"  
WHEEL  
SIZE

# OEMS



TWO IS BETTER THAN ONE



ROUTE  
ROAD



DISC  
BRAKES



ALU  
7005



WHEEL  
SIZE

# TANDEM VTT / MTB TANDEM OVERVIEW

Plutôt qu'une virée solitaire, profitez de nos tandem et faites défiler les kilomètres à deux ! Depuis plus de 10 ans, Lapierre étoffe sa gamme en vous proposant 2 modèles : un tandem VTT et un tandem route. Leur géométrie a été pensée pour vous apporter confort de pilotage et stabilité. Maintenant disponibles en pneus de 27,5 pour un rendement optimal et une confiance totale, voyager à deux devient une nouvelle façon de partager sa passion.

## PROFIL UTILISATEUR

Pour les grandes balades et randonnées sportives en duo.

## POINTS FORTS

- Géométrie exclusive adaptée au plus grand nombre.
- Transmission Shimano spécifique tandem.
- Potence réglable pour le passager.
- Roues en 27,5.
- Débattement : **160 mm** Avant.

Rather than a solo ride, enjoy our tandems and scroll the kilometers in pairs. Looking for new sensations? We have what you need. For more than 10 years, Lapierre has extended its range by offering you two models: a mountain bike and a road. Concerned about your well-being, their geometry has been entirely reflected and will bring you comfort and stability. Now available in 27.5 tires for optimum performance and total confidence, traveling together becomes a new way to share your passion.

## USER PROFILE

For distance cycling in pairs, on- or off-road.


## HIGHLIGHTS

- Geometry adapted to suit as many people as possible.
- Tandem specific Shimano drivetrain.
- Adjustable stem for the rear rider.
- 27.5" wheels.
- Travel: **160 mm** Front.

## GÉOMÉTRIE

Size	REAR	FRONT
ST (cm)	<b>44</b>	<b>48</b>
TT (mm)	<b>735</b>	<b>605</b>
HA (°)	-	<b>70</b>
SA (°)	<b>73</b>	<b>73</b>
RC (mm)	<b>435</b>	-
HT (mm)	-	<b>130</b>
BB (mm)	<b>-45</b>	<b>-15</b>
Reach	-	-
Stack	-	-

## GEOMETRY



# TANDEM VTT / MTB TANDEM



DISC  
BRAKES



ALU  
SUPERLITE



3x9  
SPEED



27.5  
WHEEL  
SIZE



Cadre - Frame  
**MTB TANDEM SUPERLITE ALLOY DISC 27.5" THRU AXLE 12x142**



Fourche - Fork  
**ROCKSHOX YARI RC 27.5" 160mm THRU AXLE 15mm**



Dérailleur arrière - Rear Derailleur  
**SHIMANO XT RDM772SGS**



Dérailleur avant - Front Derailleur  
**SHIMANO XT FDM591L**



Pédalier - Crankset  
**TRUVATIV FIREX 44x32x22 32/38 170mm (REAR) / 175mm (FRONT)**



Boîtier Pédalier - Bottom Bracket  
**SRAM GXP XR TD MTB73 ROAD68**



Cassette - Cassette  
**SHIMANO CSHG400 9s 11-34T**



Chaîne - Chain  
**KMC X9**



Freins - Brakes  
**FORMULA CURA**



Disques - Rotors  
**FORMULA 203mm / 203mm**



Manettes - Shifters  
**SHIMANO SLM590**



Jeu de direction - Headset  
**FSA 1/DX PRO (I/E)**



Cintre - Handlebar  
**LAPIERRE 6061DB W: 740mm R: 15mm Ø: 31.8mm/ W: 580mm Ø: 25.4mm**



Poignées - Grips  
**LAPIERRE by HERRMANS DD34 LOCK ON**



Potence - Stem  
**LAPIERRE CNC 7° Ø: 31.8mm L: 55mm/ TDS A-169**



Tige de selle - Seatpost  
**LAPIERRE SP66-2 Ø: 27.2mm L: 350mm/ ELEGANCE LT Ø: 31.6mm L: 350mm SUSPENDED**



Selle - Saddle  
**LAPIERRE by VELO**



Moyeu avant - Front hub  
**FORMULA DC51 32H**



Moyeu arrière - Rear hub  
**SHIMANO FHM8010E 32H Centerlock**



Jantes - Rims  
**MAVIC XM424 27.5x24C DISC**



Pneus - Tyres  
**MICHELIN WILD GRIP'R ADVANCED 27.5x2.35**



Pédales - Pedals  
**FP-917**

Ref. ➤ A6000000

# TANDEM ROUTE / ROAD TANDEM OVERVIEW

Plutôt qu'une virée solitaire, profitez de nos tandems et faites défiler les kilomètres à deux ! Depuis plus de 10 ans, Lapierre étoffe sa gamme en vous proposant 2 modèles : un tandem VTT et un tandem route. Leur géométrie a été pensée pour vous apporter confort de pilotage et stabilité. Voyager à deux devient une nouvelle façon de partager sa passion.

## PROFIL UTILISATEUR

Pour les grandes balades et randonnées sportives en duo.

## POINTS FORTS

- Géométrie exclusive adaptée au plus grand nombre.
- Transmission Shimano spécifique tandem.
- Potence réglable pour le passager.

Rather than a solo ride, enjoy our tandems and scroll the kilometers in pairs. Looking for new sensations? We have what you need. For more than 10 years, Lapierre has extended its range by offering you two models: a mountain bike and a road. Concerned about your well-being, their geometry has been entirely reflected and will bring you comfort and stability.

## USER PROFILE

For distance cycling in pairs, on- or off-road.


## HIGHLIGHTS

- Geometry adapted to suit as many people as possible.
- Tandem specific Shimano drivetrain.
- Adjustable stem for the rear rider.

## GÉOMÉTRIE

## GEOMETRY

Size	REAR	FRONT
ST (cm)	45	50
TT (mm)	708	570
HA (°)	-	71
SA (°)	73	73
RC (mm)	425	-
HT (mm)	-	130
BB (mm)	-30	-5
Reach	-	-
Stack	-	-



# TANDEM ROUTE / ROAD TANDEM



DISC  
BRAKES



ALU  
SUPERLITE



3x9  
SPEED



26"  
WHEEL  
SIZE



Cadre - Frame  
FITNESS TANDEM SUPERLITE ALLOY DISC 27.5" THRU AXLE 12x172



Fourche - Fork  
LAPIERRE CHROMOLY DISC



Dérailleur arrière - Rear Derailleur  
SHIMANO XT RDM772SGS



Dérailleur avant - Front Derailleur  
SHIMANO XT FDM591M6



Pédalier - Crankset  
TRUVATIV FIREX 44x32X22 32/38 170mm (REAR) / 175mm (FRONT)



Boîtier Pédalier - Bottom Bracket  
SRAM GXP XR TD MTB73 ROAD68



Cassette - Cassette  
SHIMANO CSHG400 9s 11-34T



Chaîne - Chain  
KMC X9



Freins - Brakes  
FORMULA CURA



Disques - Rotors  
FORMULA 203mm / 203mm



Manettes - Shifters  
SHIMANO SLM590



Jeu de direction - Headset  
JD PT-1808S 1"1/8



Cintre - Handlebar  
LAPIERRE HBR11 W: 680mm R: 15mm Ø: 31.8mm / W: 580mm Ø: 25.4mm



Poignées - Grips  
LAPIERRE by HERRMANS DD34 LOCK ON



Potence - Stem  
LAPIERRE ST161A 17° Ø: 31.8mm L: 100mm / TDS A-169



Tige de selle - Seatpost  
LAPIERRE SP66-2 Ø: 27.2mm L: 350mm FRONT & REAR



Selle - Saddle  
FIZIK RONDINE



Moyeu avant - Front hub  
SHIMANO HBM525ABLS 32H



Moyeu arrière - Rear hub  
SHIMANO FHM8000BZB 32H



Jantes - Rims  
MACH1 MX DISC 32H



Pneus - Tyres  
SCHWALBE KOJAK 26x2.0



Pédales - Pedals  
FP-917

Ref. → A6010000

KI



LE PLAISIR DE ROULER N'ATTEND PAS  
LE NOMBRE DES ANNÉES

# DS



NO NEED TO WAIT



# KIDS OVERVIEW

Apprendre à rouler en toute confiance. Nos vélos et draisiniennes KIDS sont spécialement conçus pour les besoins de vos enfants : cadres légers, géométries adaptées, composants ergonomiques. Chez Lapierre, tout est pensé pour les accompagner dans leurs premières aventures sur deux roues ! Le choix d'un bon matériel participe pleinement au plaisir sur le vélo. Pour cela nous adaptons sans cesse nos gammes pour vos enfants.

## PROFIL UTILISATEUR

Kick up 12 est conçue pour les enfants de 3 à 5 ans. ( 0.90 > 1.10 m).  
ProRace 16 pour les enfants de 4 à 6 ans. ( 1.05 > 1.20 m).  
ProRace 20 pour les enfants de 6 à 9 ans. ( 1.15 > 1.35 m).  
ProRace 24 pour les enfants de 9 à 12 ans. ( 1.30 > 1.55 m).

## POINTS FORTS

- Cadre en aluminium supreme 4.
- Ergonomie adaptée aux enfants.
- Fourche suspendue (ProRace 20 et 24).

Learn to ride with complete confidence. Our bicycles and balance bikes are specially designed for your kids' needs: light frames, suitable geometries and ergonomic components. We at lapierre think of everything to help them out with their first adventures on two wheels! Choosing the right equipment plays a major role in the enjoyment of cycling. With that in mind, we are continuously adapting our ranges for your kids.

## USER PROFILE

The Kick Up is designed for children aged 3 to 5. ( 0.90 > 1.10 m).  
ProRace 16 for children aged 4 to 6. ( 1.05 > 1.20 m).  
ProRace 20 for children aged 6 to 9. ( 1.15 > 1.35 m).  
ProRace 24 for children aged 9 to 12. ( 1.30 > 1.55 m).


## HIGHLIGHTS

- Alloy Supreme 4 frame.
- Ergonomics adapted for children.
- Suspension fork (ProRace 20 and 24).

## GÉOMÉTRIE 24"

## 24" GEOMETRY

Size	XS
ST (cm)	36
TT (mm)	486
HA (°)	70
SA (°)	73
RC (mm)	405
HT (mm)	100
BB (mm)	-35
Reach	333
Stack	499



BOY


GIRL

User ➔ 130-155  
Ref. ➔ B83X0000

# KIDS OVERVIEW


## GÉOMÉTRIE 20'' / 20'' GEOMETRY

Size	XS
ST (cm)	30
TT (mm)	440
HA (°)	71
SA (°)	72
RC (mm)	366
HT (mm)	100
BB (mm)	-10
Reach	305
Stack	416
User	115-135
Ref.	B82X0000




## GÉOMÉTRIE 16'' / 16'' GEOMETRY

Size	XS
ST (cm)	25.4
TT (mm)	395
HA (°)	73
SA (°)	73
RC (mm)	300
HT (mm)	102
BB (mm)	-1
User	105-120
Ref.	B81X0000



## GÉOMÉTRIE 12'' / 12'' GEOMETRY

Size	XS
ST (cm)	18.3
TT (mm)	320
HA (°)	69
SA (°)	71
RC (mm)	299
HT (mm)	78
BB (mm)	-25
User	90-110
Ref.	B80X0000



# PRORACE 24 BOY



ALU  
SUPREME 4



SPEED



WHEEL  
SIZE



Cadre - Frame  
**PRORACE 24" SUPREME 4 ALLOY**



Fourche - Fork  
**SUNTOUR SF15 24" M3010**



Dérailleur arrière - Rear Derailleur  
**SHIMANO TOURNEY RD TY300 D 7s**



Dérailleur avant - Front Derailleur  
**SHIMANO TOURNEY FD TY300 DSDM6 HIGH CLAMP 31.8mm DOWN PULL 42T 66-69°**



Pédalier - Crankset  
**TCSH-ME 42x34x24 152mm STEEL BLACK WITH CHAIN GUARD**



Boîtier Pédalier - Bottom Bracket  
**SHIMANO BBUN100B22B**



Cassette - Cassette  
**SHIMANO MFTZ217428T 7s 14-28T**



Chaîne - Chain  
**YBN S52 1/2"x3/32" 7/8s**



Freins - Brakes  
**ALHONGA V-BRAKE HJ-721 BLACK**



Manettes - Shifters  
**SHIMANO STEF500 3x7s**



Jeu de direction - Headset  
**CH-281 TCBW THREADLESS 1.1/8" STEEL**



Cintre - Handlebar  
**MTB KID ALLOY AL-001 W: 600mm Ø: 25.4 / 22.2mm**



Poignées - Grips  
**HERRMANS ZALMIAC 96B**



Potence - Stem  
**MTB KID ALLOY AS-601 A-HEADSET E: 70mm R: 7° Ø: 28.6mm**



Tige de selle - Seatpost  
**MTB KID ALLOY SP-242 BLACK L: 300mm Ø: 27.2mm**



Selle - Saddle  
**MTB KID VL-5061 with BLACK STEEL RAIL**



Moyeu avant - Front hub  
**KT-A15F ALLOY BLACK 32H QR 9mm**



Moyeu arrière - Rear hub  
**KT-A12R ALLOY BLACK 32H 130x140mm THREADED 7s**



Jantes - Rims  
**RIM MTB KID ALLOY 24"x1.75 SINGLE WALL BLACK CNC SIDE 32H**



Pneus - Tyres  
**KENDA K-817 24x1.95**



Pédales - Pedals  
**SP-931S**

# PRORACE 24 GIRL

**4**

ALU  
SUPREME 4

**3x7**

SPEED

**24"**

WHEEL  
SIZE



 Cadre - Frame  
**PRORACE 24" SUPREME 4 ALLOY**

 Fourche - Fork  
**SUNTOUR SF15 24" M3010**

 Dérailleur arrière - Rear Derailleur  
**SHIMANO TOURNEY RD TY300 D 7s**

 Dérailleur avant - Front Derailleur  
**SHIMANO TOURNEY FD TY300 DSDM6 HIGH CLAMP 31.8mm DOWN PULL 42T 66-69°**

 Pédalier - Crankset  
**TCSH-ME 42x34x24 152mm STEEL BLACK WITH CHAIN GUARD**

 Boîtier Pédalier - Bottom Bracket  
**SHIMANO BBUN100B22B**

 Cassette - Cassette  
**SHIMANO MFTZ217428T 7s 14-28T**

 Chaîne - Chain  
**YBN S52 1/2"x3/32" 7/8s**

 Freins - Brakes  
**ALHONGA V-BRAKE HJ-721 BLACK**

 Manettes - Shifters  
**SHIMANO STEF500 3x7s**

 Jeu de direction - Headset  
**CH-281 TCBW THREADLESS 1.1/8" STEEL**

 Cintre - Handlebar  
**MTB KID ALLOY AL-001 W: 600mm Ø: 25.4 / 22.2mm**

 Poignées - Grips  
**HERRMANS ZALMIAC 96B**

 Potence - Stem  
**MTB KID ALLOY AS-601 A-HEADSET E: 70mm R: 7° Ø: 28.6mm**

 Tige de selle - Seatpost  
**MTB KID ALLOY SP-242 BLACK L: 300mm Ø: 27.2mm**

 Selle - Saddle  
**MTB KID VL-5061 with BLACK STEEL RAIL**

 Moyeu avant - Front hub  
**KT-A15F ALLOY BLACK 32H QR 9mm**

 Moyeu arrière - Rear hub  
**KT-A12R ALLOY BLACK 32H 130x140mm THREADED 7s**

 Jantes - Rims  
**RIM MTB KID ALLOY 24"x1.75 SINGLE WALL BLACK CNC SIDE 32H**

 Pneus - Tyres  
**KENDA K-817 24x1.95**

 Pédales - Pedals  
**SP-931S**

# PRORACE 20 BOY

4

2x6

20"

ALU  
SUPREME 4

SPEED

WHEEL  
SIZE



Cadre - Frame  
**PRORACE 20" SUPREME 4 ALLOY**

Fourche - Fork  
**SUNTOUR SF14 20" M3010**

Dérailleur arrière - Rear Derailleur  
**SHIMANO TOURNEY RDTY21 6s**

Dérailleur avant - Front Derailleur  
**SHIMANO TOURNEY FDTZ30DM6T BAND TYPE 31.8 DOWN ROUTE 42T 66-69°**

Pédalier - Crankset  
**MY-S647 28x38 140mm STEEL BLACK with CHAIN GUARD**

Boîtier Pédalier - Bottom Bracket  
**CH-63 AXLE: 124.5mm**

Cassette - Cassette  
**SHIMANO MFTZ206428 - 6s 14-28T**

Chaîne - Chain  
**YBN S50 1/2"x3/32" 6/7s**

Freins - Brakes  
**ALHONGA V-BRAKE HJ-721 BLACK**

Manettes - Shifters  
**SHIMANO SLR36 2x6s REVO SHIFTER**

Jeu de direction - Headset  
**CH-281 TCBW THREADLESS 1.1/8" STEEL**

Cintre - Handlebar  
**MTB KID ALLOY AL-025 W: 560mm Ø: 25.4 / 22.2mm**

Poignées - Grips  
**HERRMANS ZALMIAC 96C**

Potence - Stem  
**MTB KID ALLOY TDS-C41 A-HEADSET E: 60mm R: 15° Ø: 28.6mm**

Tige de selle - Seatpost  
**MTB KID ALLOY SP-102 BLACK L: 300mm Ø: 27.2mm**

Selle - Saddle  
**MTB KID VL-5061 with BLACK STEEL RAIL**

Moyeu avant - Front hub  
**KT-A15F ALLOY BLACK 28H QR 9mm**

Moyeu arrière - Rear hub  
**KT-A12R ALLOY BLACK 28H 130x140mm THREADED 7s**

Jantes - Rims  
**RIM MTB KID ALLOY 20"x1.75 SINGLE WALL BLACK CNC SIDE 28H**

Pneus - Tyres  
**KENDA K-817 20x1.95**

Pédales - Pedals  
**SP-875 PLASTIC**

# PRORACE 20 GIRL



ALU  
SUPREME 4



SPEED



WHEEL  
SIZE



Cadre - Frame  
**PRORACE 20" SUPREME 4 ALLOY**

Fourche - Fork  
**SUNTOUR SF14 20" M3010**

Dérailleur arrière - Rear Derailleur  
**SHIMANO TOURNEY RDTY21 6s**

Dérailleur avant - Front Derailleur  
**SHIMANO TOURNEY FDTZ30DM6T BAND TYPE 31.8 DOWN ROUTE 42T 66-69°**

Pédalier - Crankset  
**MY-S647 28x38 140mm STEEL BLACK with CHAIN GUARD**

Boîtier Pédalier - Bottom Bracket  
**CH-63 AXLE: 124.5mm**

Cassette - Cassette  
**SHIMANO MFTZ206428 - 6s 14-28T**

Chaîne - Chain  
**YBN S50 1/2"x3/32" 6/7s**

Freins - Brakes  
**ALHONGA V-BRAKE HJ-721 BLACK**

Manettes - Shifters  
**SHIMANO SLR36 2x6s REVO SHIFTER**

Jeu de direction - Headset  
**CH-281 TCBW THREADLESS 1.1/8" STEEL**

Cintre - Handlebar  
**MTB KID ALLOY AL-025 W: 560mm Ø: 25.4 / 22.2mm**

Poignées - Grips  
**HERRMANS ZALMIAC 96C**

Potence - Stem  
**MTB KID ALLOY TDS-C41 A-HEADSET E: 60mm R: 15° Ø: 28.6mm**

Tige de selle - Seatpost  
**MTB KID ALLOY SP-102 BLACK L: 300mm Ø: 27.2mm**

Selle - Saddle  
**MTB KID VL-5061 with BLACK STEEL RAIL**

Moyeu avant - Front hub  
**KT-A15F ALLOY BLACK 28H QR 9mm**

Moyeu arrière - Rear hub  
**KT-A12R ALLOY BLACK 28H 130x140mm THREADED 7s**

Jantes - Rims  
**RIM MTB KID ALLOY 20"x1.75 SINGLE WALL BLACK CNC SIDE 28H**

Pneus - Tyres  
**KENDA K-817 20x1.95**

Pédales - Pedals  
**SP-875 PLASTIC**

# PRORACE 16 BOY



STABILISERS  
SYSTEM

ALU  
SUPREME 4

WHEEL  
SIZE



Cadre - Frame  
**PRORACE 16" SUPREME 4 ALLOY**

Fourche - Fork  
**LAPIERRE 16" BMX800 28.6mm**

Pédalier - Crankset  
**LAPIERRE GS-Z004 47x43x65mm BLACK with CHAIN GUARD**

Boîtier Pédalier - Bottom Bracket  
**LAPIERRE GS-B909 47x43x65mm**

Chaîne - Chain  
**C-410 1/2" SF-HB29F STEEL BLACK 1 ROLL**

Freins - Brakes  
**V-BRAKE VBR-227A 95mm**

Manettes - Shifters  
**LAPIERRE MBL-308P RESIN BLACK**

Jeu de direction - Headset  
**H-840SW THREADLESS 1.1/8" STEEL**

Cintre - Handlebar  
**MTB KID STEEL BC-SK-2 W: 500mm Ø: 20mm**

Poignées - Grips  
**MUSHROOM MCI-084**

Potence - Stem  
**MTB KID STEEL ITC-7705-30 E: 40mm R: 7° Ø: 28.6mm**

Tige de selle - Seatpost  
**MTB KID STEEL YP-01 L: 200mm Ø: 27.2mm**

Selle - Saddle  
**MTB KID D242**

Moyeu avant - Front hub  
**SF-HB29F STEEL BLACK 28H 100x140mm**

Moyeu arrière - Rear hub  
**SF-HB29R STEEL BLACK 28H 114x175mm**

Jantes - Rims  
**RIM MTB KID ALLOY 16" 28H**

Pneus - Tyres  
**KENDA K-817 16x1.95**

Pédales - Pedals  
**FP-650**

# PRORACE 16 GIRL



Cadre - Frame  
**PRORACE 16" SUPREME 4 ALLOY**

Fourche - Fork  
**LAPIERRE 16" BMX800 28.6mm**

Pédalier - Crankset  
**LAPIERRE GS-Z004 47x43x65mm BLACK with CHAIN GUARD**

Boîtier Pédalier - Bottom Bracket  
**LAPIERRE GS-B909 47x43x65mm**

Chaîne - Chain  
**C-410 1/2" SF-HB29F STEEL BLACK 1 ROLL**

Freins - Brakes  
**V-BRAKE VBR-227A 95mm**

Manettes - Shifters  
**LAPIERRE MBL-308P RESIN BLACK**

Jeu de direction - Headset  
**H-840SW THREADLESS 1.1/8" STEEL**

Cintre - Handlebar  
**MTB KID STEEL BC-SK-2 W: 500mm Ø: 20mm**

Poignées - Grips  
**MUSHROOM MCI-084**

Potence - Stem  
**MTB KID STEEL ITC-7705-30 E: 40mm R: 7° Ø: 28.6mm**

Tige de selle - Seatpost  
**MTB KID STEEL YP-01 L: 200mm Ø: 27.2mm**

Selle - Saddle  
**MTB KID D242**

Moyeu avant - Front hub  
**SF-HB29F STEEL BLACK 28H 100x140mm**

Moyeu arrière - Rear hub  
**SF-HB29R STEEL BLACK 28H 114x175mm**

Jantes - Rims  
**RIM MTB KID ALLOY 16" 28H**

Pneus - Tyres  
**KENDA K-817 16x1.95**

Pédales - Pedals  
**FP-650**

# KICK UP 12 BOY

PEGS  
SYSTEMALU  
SUPREME 4WHEEL  
SIZE

Cadre - Frame  
**KICK UP 12" SUPREME 4 ALLOY**

Fourche - Fork  
**LAPIERRE 12" BMX800 28.6mm**

Jeu de direction - Headset  
**H-840SW THREADLESS 1.1/8" STEEL**

Cintre - Handlebar  
**STEEL BC-MTB W: 400mm**

Poignées - Grips  
**MUSHROOM MCI-084**

Potence - Stem  
**STEEL ITC-7705-30 E: 40mm R: 7° Ø: 28.6mm**

Tige de selle - Seatpost  
**STEEL BLACK L: 155mm Ø: 27.2mm**

Selle - Saddle  
**AFT-2124**

Moyeu avant - Front hub  
**SF-HB01F STEEL BLACK 16H 100x140mm**

Moyeu arrière - Rear hub  
**SF-HB01F STEEL BLACK 16H 100x140mm**

Jantes - Rims  
**RIM MTB KID ALLOY LA-07 12" 16H**

Pneus - Tyres  
**KENDA K-905 12x2.125"**

Pegs - Hub step  
**HUS-006 STEEL 37x40x15mm**

# KICK UP 12 GIRL



Cadre - Frame  
**KICK UP 12" SUPREME 4 ALLOY**

Fourche - Fork  
**LAPIERRE 12" BMX800 28.6mm**

Jeu de direction - Headset  
**H-840SW THREADLESS 1.1/8" STEEL**

Cintre - Handlebar  
**STEEL BC-MTB W: 400mm**

Poignées - Grips  
**MUSHROOM MCI-084**

Potence - Stem  
**STEEL ITC-7705-30 E: 40mm R: 7° Ø: 28.6mm**

Tige de selle - Seatpost  
**STEEL BLACK L: 155mm Ø: 27.2mm**

Selle - Saddle  
**AFT-2124**

Moyeu avant - Front hub  
**SF-HB01F STEEL BLACK 16H 100x140mm**

Moyeu arrière - Rear hub  
**SF-HB01F STEEL BLACK 16H 100x140mm**

Jantes - Rims  
**RIM MTB KID ALLOY LA-07 12" 16H**

Pneus - Tyres  
**KENDA K-905 12x2.125"**

Pegs - Hub step  
**HUS-006 STEEL 37x40x15mm**