



Tableau des tailles SIZE CHART

Comment choisir la taille de votre vélo ?

La taille d'un vélo dépend en premier lieu de la taille du cadre, même s'il est ensuite possible d'ajuster légèrement en combinant longueur de potence, sortie et recul de selle. Pour choisir son vélo, il faut se demander quelle taille de cadre de vélo vous convient le mieux en fonction de votre morphologie et de votre pratique.

Vous pouvez vérifier la taille de votre vélo à l'aide des chiffres que nous vous donnons à titre indicatif. Si vous hésitez entre deux tailles, merci de vous adresser à votre détaillant qui pourra vous guider dans votre choix en fonction de votre morphologie.

How do I choose the right size ?

The size of a bike depends first and foremost on the size of the frame, even if it's possible to adjust certain components such as the seatpost, the stem and the position of the saddle to fine-tune your set-up. To choose the correct frame size, you'll need to know your style of riding and the kind of bike you're interested in.

The following recommendations will help you choose the right size. If you are hesitating between two sizes, please see your local authorized Lapierre dealer who can help you pick the frame that will be best adapted to your morphology.

SIZES	XS	S	M	L	XL
SPICY	-	1.55 • 1.70	1.70 • 1.80	1.78 • 1.88	>1.86
ZESTY AM	-	1.55 • 1.70	1.70 • 1.80	1.78 • 1.88	>1.86
ZESTY TR	-	1.55 • 1.70	1.70 • 1.80	1.78 • 1.88	>1.86
PRORACE SAT	-	1.50 • 1.70	1.68 • 1.78	1.76 • 1.86	>1.84
PRORACE	<1.50	1.50 • 1.70	1.68 • 1.78	1.68 • 1.78	>1.84
EDGE 29"	-	1.50 • 1.70	1.68 • 1.78	1.68 • 1.78	>1.84
EDGE 27"	1.45 • 1.55	1.50 • 1.70	1.68 • 1.78	-	-
WOMEN SERIES					
PRORACE	-	1.35 • 1.55	1.50 • 1.65	1.60 • 1.75	-
EDGE	1.45 • 1.55	1.35 • 1.55	1.50 • 1.65	-	-

LP BOX

Dans un soucis d'intégration et de fonctionnalité, la LP Box située à côté du BB vous permet d'y loger une chambre à air et autres objets utiles en cas de dépannage afin que vous puissiez piloter tout en légèreté.

To ensure integration and functionality, the LP Box by the BB lets you stow a tube and other useful items in case of breakdown, so you can ride unencumbered.

TDT (TRAPDOOR TECHNOLOGY)

Ce brevet déposé par Lapierre permet le placement de la batterie Di2 dans le cadre au niveau du boîtier de pédalier. Facilement accessible via un cache de protection, cette technologie possède un double avantage : elle facilite la vie des mécaniciens et permet également d'abaisser le centre de gravité avec un poids au plus près du sol.

This Lapierre patent pending Technology integrates the Di2 battery neatly in the frame. With a quick and easy trap door to access, TDT makes the mechanics job faster and lowers the centre of gravity, making pedalling more efficient.

POWERBOX TECHNOLOGY

La technologie PowerBox englobe le tube diagonal, le boîtier de pédalier et les bases arrières comme un ensemble dédié à la performance. Une rigidité latérale accrue pour un maximum de réactivité, une transmission maximale de la puissance de pédalage, que ce soit sur des accélérations franches, en montée ou en sprint.

Power Box technology is made up of the down tube, bottom bracket shell and chainstays, which comprise one performance-dedicated whole. Increased lateral stiffness for maximum responsiveness and best possible pedal-power transfer, whether during bursts of acceleration, climbs or sprints.

SAT (SHOCK ABSORPTION TECHNOLOGY)

Un élastomère qui relie le tube supérieur et le tube de selle permet d'absorber et de dissiper les vibrations, pour un meilleur confort et une meilleure tenue de route. Les vibrations (verticales) sont filtrées par les haubans, puis le caoutchouc et enfin le tube de selle. Le pouvoir d'absorption réside principalement dans nos méthodes de construction carbone et la technologie SAT permet d'accentuer ce pouvoir de flexion notamment au niveau du tube de selle en l'isolant du reste du cadre. Un confort inégalé sur les longues distances et routes difficiles.

This new anti-chainsuck system is compatible with all Bosch MY18 models (boost). It is made of an aluminium connector fixed on the motor, a stainless steel system to draw back the chain, blocks to keep it in place and a plastic guide on the upper part.

TECHNOLOGIE ALUMINIUM

Le choix du matériau de votre cadre est déterminant pour les performances de votre vélo. Nous travaillons sans relâche pour perfectionner nos cadres en aluminium. En travaillant avec les meilleurs spécialistes de l'industrie, nous avons créé un alliage très haut de gamme : Alloy Supreme. 3 niveaux de résistance et de poids. Le Supreme 6, 12% plus résistant et 1,5% plus léger que l'aluminium Alu 7005, c'est un alliage d'une longévité exceptionnelle.

The material chosen for your frame is critical to your bike's performance. We work tirelessly to perfect our aluminium frames. Working with the best specialists in the industry, we have created our very high-end Alloy Supreme. It has three levels of strength and weight. Supreme 6 is 12% stronger and 1.5% lighter than Alu 7005 aluminium. It is an exceptionally durable alloy.



LIGHT : +
RESISTANCE : +



LIGHT : ++
RESISTANCE : ++



LIGHT : +++
RESISTANCE : +++

TECHNOLOGIE CARBON

Chez Lapierre, nous utilisons 4 types de fibres distinctes avec des caractéristiques qui leur sont propres. En utilisant ces différentes fibres, nos ingénieurs sont en mesure d'adapter la rigidité, la souplesse et la résistance nécessaires aux zones du cadre directement concernées. La fibre Haute Résistance est celle dont vous aurez besoin pour l'absorption et le confort : tige de selle, bases, haubans voire même un cadre tout entier, tandis que la fibre Très Haut Module sera d'une efficacité et d'une rigidité à toute épreuve. Les fibres que nous utilisons : Haute résistance (24 tonnes), module intermédiaire (30 tonnes), haut module (40 tonnes) et très haut module (46 tonnes).

We at Lapierre use four distinct fibre types, each with its own characteristics. Our engineers can use these different fibres to adapt the stiffness, flex and strength needed for the parts of the frame in question. High-strength fibre is what you will need for shock absorption and comfort: seatpost, chainstays, seatstays or even the whole frame. Very high-modulus, meanwhile, will have unyielding stiffness and efficiency. In our MTBs, we use 4 different type of fibres and we know how to get the best of each one: high resistance (24 tons), intermediate modulus (30 tons), high modulus (40 tons) and very high modulus (46 tons).

TAILLE DE ROUE

Le bon diamètre pour la bonne pratique. Les différentes tailles de roues de nos VTT nous permettent de vous fournir le meilleur vélo en fonction de votre pratique, de vos terrains favoris, de votre gabarit. Le 29" est l'arme absolue pour la compétition en cross-country car il prodigue une stabilité et une adhérence accrues à grande vitesse sur les passages techniques, mais aussi en descente, grâce à une surface au sol du pneu supérieure. Le 27.5", idéalement adapté au all-mountain et à l'enduro, représente le parfait compromis entre maniabilité, nervosité et franchissement. Le 27.5+ est plus ludique et plus sécurisant du fait de son confort et de son adhérence supérieurs, notamment au freinage. Ce standard est parfaitement adapté aux VTT à assistance électrique ainsi qu'aux VTT de notre gamme sport.

The right diameter for the right discipline. Our different MTB wheel sizes enable us to provide you with the best bike for the way you ride, for your favourite terrain and for your build. The 29" is the ultimate weapon for X-country competition and trails because it boasts increased stability and grip at high speeds for technical sections and downhills, thanks to the tire's greater surface area. Perfectly suited to all-mountain and enduro, the 27.5" represents the perfect compromise between handling, responsiveness and rollover. The 27.5+ is more fun and reassuring because of its better comfort and grip, particularly when braking. This standard is perfectly suited to power-assisted MTBs and to MTBs from our sport range.




Technologies VTT
MTB TECHNOLOGIES




SIZE	S	M	L	XL
ST (mm)	400	430	460	500
TT (mm)	573	610	639	668
HA (°)	64,5	65	65	65
SA (°)	75	74,5	74,5	74,5
RC (mm)	425	433	433	433
HT (mm)	90	105	120	135
BB (mm)	-15	-28	-28	-28
Frk Travel	170	170	170	170
Frk Length	580	570	570	570
Frk Offset	44	44	44	44
Stack	602	622	636	649
Reach	415	440	465	490
WB	1163	1195	1227	1258

User	S 155-170	M 170-180	L 178-188	XL >186
Ref.	E28X4000	E28X4300	E28X4600	E28X5000



CARBON

SPICY TEAM CF
SPICY 7.9 CF
SPICY 6.9 CF



ALLOY

SPICY 4.9



Carbon Ultimate
LP Box Int.
29"

Spicy Team CF

Illustrations non-contractuelles. Non-binding illustrations.



	Cadre - Frame	SPICY FULL CARBON ULTIMATE 170mm travel (29") PRESSFIT, BOOST, METRIC, THRU AXLE
	Fourche - Fork	NEW ROCKSHOX ZEB ULTIMATE CHARGER 2.1 RC2 29" BOOST™ DEBONAIR 170 1.5 TAPER (29) (SIGNATURES SERIE SLAB GREY) 44mm offset
	Amortisseur - Shock	ROCKSHOX SUPER DELUXE COIL ULTIMATE RCT TRUNNION 205*62,5MM Spring rate: 300(S) 350(M) 400(L) 450(XL)
	Dérailleur arrière - Rear derailleuer	SRAM X01 EAGLE CARBON 12SPD
	Pédalier - Crankset	SRAM DESCENDANT CARBON EAGLE BOOST148 DUB 12SPD. 170/32T (S, M, L) 175/32 (XL)
	Boîtier pédalier - Bottom bracket	DUB PRESS FIT MTB 92
	Cassette - Sprocket	SRAM XG1275 EAGLE 10-50 12SPD
	Chaîne - Chain	SRAM GX EAGLE 12SPD
	Freins - Brakes	SRAM G2 RSC
	Disques - Rotors	SRAM CENTERLINE ROUNDED 200/200
	Manettes - Shiftlevers	SRAM X01 EAGLE MATCHMAKER 12SPD
	Jeu de direction - Headset	FSA ORBIT ZERO STACK
	Cintre - Handlebar	RACE FACE SIXC Carbon 785mm / 20mm Rise Custom Stealth Color
	Poignées - Grips	LP Grips "FIT", (Size Small on S,M / Size Large on L,XL)
	Potence - Stem	LP FULL CNC ALLOY 0° 35MM (S) 40MM (M) 45MM (L/XL)
	Tige de selle - Seatpost	S : ROCK SHOX REVERB 31.6mm 125mm Travel w/ 1X remote M, L/XL : ROCK SHOX REVERB 31.6mm 150mm Travel w/ 1X remote
	Selle - Saddle	Lapierre by Velo
	Roues complètes - Wheelset	LAPIERRE AM CARBON 29x30c (29"), BOOST, XD DRIVER
	Pneu avant - Front tire	MAXXIS ASSEGAI 3C MaxxGrip/DD/TR 29X2.50 WT (29")
	Pneu arrière - Rear tire	MAXXIS MINION DHR II 2,40WT 60TPI 3C Maxxterra EXO TR (29")
	Pédales - Pedals	NW-91K
	Accessoires - Accessories	VALVES + ThruAxe Bottle opener lever

Ref. E283

Carbon Ultimate
LP Box Int.
29"

Spicy 7.9 CF

Illustrations non-contractuelles. Non-binding illustrations.



	Cadre - Frame	SPICY FULL CARBON ULTIMATE 170mm travel (29") PRESSFIT, BOOST, METRIC, THRU AXLE
	Fourche - Fork	Öhns RXF36 R TTX18 3 air 170mm 29" Offset 44mm
	Amortisseur - Shock	Öhlins - TTX22M coil shock TM - 205x62.5mm TRUNION Spring rate: 297(S) 343(M) 388(L) 434(XL)
	Dérailleur arrière - Rear derailleuer	SHIMANO K-RDM8100 XT SGS 12 Spd
	Pédalier - Crankset	SHIMANO XT FC-M8120 165/32T (S), 170/32T (M, L), 175/32T (XL)
	Boîtier pédalier - Bottom bracket	SHIMANO BBMT800 Pressfit
	Cassette - Sprocket	SHIMANO NEW Deore 10-51T 12 Spd
	Chaîne - Chain	SHIMANO NEW SLX 12 Spd
	Freins - Brakes	SHIMANO NEW XT B-LM 8100/BR8120 (4pist)
	Disques - Rotors	SHIMANO RT - MT800 (203/203)
	Manettes - Shiftlevers	SHIMANO SLX 1x12
	Jeu de direction - Headset	FSA ORBIT ZERO STACK
	Cintre - Handlebar	LP 6061DB 31.8 BAR BORE 760MM, 15MM RISE (S,M) 780MM, 30MM RISE (L,XL)
	Poignées - Grips	LP Grips "FIT", (Size Small on S,M / Size Large on L,XL)
	Potence - Stem	LP FULL CNC ALLOY 0° 35MM (S) 40MM (M) 45MM (L/XL)
	Tige de selle - Seatpost	JD DROPPER "RAD Travel adjust" 125(S), 150(M), 170 (L, XL)
	Selle - Saddle	Lapierre by Velo
	Roues complètes - Wheelset	DT SWISS EX1700 SPLINE 30c BOOST Tubeless ready (Centerlock - MICROSPLINE body)
	Pneu avant - Front tire	MAXXIS ASSEGAI 3C MaxxGrip/DD/TR 29X2.50 WT (29")
	Pneu arrière - Rear tire	MAXXIS MINION DHR II 2,40WT 60TPI 3C Maxxterra EXO TR (29")
	Pédales - Pedals	NW-91K
	Accessoires - Accessories	VALVES + ThruAxe Bottle opener lever

Ref. E282

ENDURO

Carbon Ultimate
 LP Box Int.
 29"

Spicy 6.9 CF

Illustrations non-contractuelles. Non-binding illustrations.



	Cadre - Frame	SPICY FULL CARBON ULTIMATE 170mm travel (29") PRESSFIT, BOOST, METRIC, THRU AXLE
	Fourche - Fork	NEW FOX 38 FLOAT PERFORMANCE BOOST 15x110 170MM (29) 44mm offset
	Amortisseur - Shock	FOX DHX2 PERFORMANCE Se 2pos Adjust TRUNNION 205*62,5MM Spring rate: 350(S/M) 400(L) 450(XL)
	Dérailleur arrière - Rear derailleuer	SRAM NEW GX LUNAR EAGLE 12SPD
	Pédalier - Crankset	SRAM DESCENDANT 7K EAGLE BOOST148 DUB 12SPD. 165/32T (S), 170/32T (M, L), 175/32T (XL)
	Boîtier pédalier - Bottom bracket	DUB PRESS FIT MTB 92
	Cassette - Sprocket	SRAM PG1210 EAGLE 11-50 12SPD
	Chaîne - Chain	SRAM NX EAGLE 12SPD
	Freins - Brakes	SRAM G2 R GLOSS BLACK (4pist)
	Disques - Rotors	SRAM CENTERLINE ROUNDED 200/200
	Manettes - Shiftlevers	SRAM NX EAGLE MATCHMAKER 12SPD
	Jeu de direction - Headset	FSA ORBIT ZERO STACK
	Cintre - Handlebar	LP 6061DB 31.8 BAR BORE 760MM, 15MM RISE (S,M) 780MM, 30MM RISE (L,XL)
	Poignées - Grips	LP Grips "FIT", (Size Small on S,M / Size Large on L,XL)
	Potence - Stem	LP FULL CNC ALLOY 0° 35MM (S) 40MM (M) 45MM (L/XL)
	Tige de selle - Seatpost	LP DROPPER by JD 130mm(S, M), 150mm (L, XL)
	Selle - Saddle	Lapierre by Velo
	Moyeu avant - Front hub	LAPIERRE BY FASTACE DF813 , BOOST 15x110, 32H
	Moyeu arrière - Rear hub	LAPIERRE BY FASTACE DR813, 4 SEALED BEARINGS, BOOST 12x148, 32H
	Jantes - Rims	MAVIC EX630 32H, TUBELESS READY
	Pneu avant - Front tire	MAXXIS ASSEGAI 3C MaxxTerra/EXO/TR (29")
	Pneu arrière - Rear tire	MINION DHR II 29x2.40 WT 60TPI 3C MaxxTerra/EXO/TR (29")
	Pédales - Pedals	NW-91K
	Accessoires - Accessories	TUBELESS FLAP + VALVES + ThruAxle Bottle opener lever

Ref. → E281

ENDURO

Alloy Suprême 5
 29"

Spicy 4.9

Illustrations non-contractuelles. Non-binding illustrations.



	Cadre - Frame	SPICY SUPREME 5 170mm (29) travel PRESSFIT, BOOST, METRIC, THRU AXLE
	Fourche - Fork	NEW FOX 38 FLOAT PERFORMANCE BOOST 15x110 170MM (29) 44mm offset
	Amortisseur - Shock	FOX VAN P-S shock Trunion 205*62,5mm Spring rate : 350 (S/M) 400 (L) et 450 (XL)
	Dérailleur arrière - Rear derailleuer	Shimano NEW DEORE 12Spd RD-M6100
	Pédalier - Crankset	Shimano NEW DEORE FCM-511 12spd 170mm/32T (S,M,L), 175mm/32T (XL)
	Boîtier pédalier - Bottom bracket	SHIMANO BBMT800 Pressfit
	Cassette - Sprocket	Shimano NEW Deore 12spd 10-51T (CSM6100)
	Chaîne - Chain	Shimano NEW Deore 12spd (CN-M6100)
	Freins - Brakes	Shimano NEW Deore M6100/6120 (4pist)
	Disques - Rotors	Shimano SMRT 64 203/203mm
	Manettes - Shiftlevers	Shimano NEW DEORE 12spd
	Jeu de direction - Headset	FSA ORBIT ZERO STACK
	Cintre - Handlebar	LP 6061DB 31.8 BAR BORE 760MM, 15MM RISE (S,M) 780MM, 30MM RISE (L,XL)
	Poignées - Grips	LP Grips "FIT", (Size Small on S,M / Size Large on L,XL)
	Potence - Stem	LP FULL CNC ALLOY 0° 35MM (S) 40MM (M) 45MM (L/XL)
	Tige de selle - Seatpost	LP DROPPER by JD 130mm(S, M), 150mm (M,L, XL)
	Selle - Saddle	Lapierre by Velo
	Moyeu avant - Front hub	Shimano MT400
	Moyeu arrière - Rear hub	Shimano MT410 Microspine
	Jantes - Rims	MAVIC EX630 32H, TUBELESS READY
	Pneu avant - Front tire	MAXXIS ASSEGAI 3C MaxxTerra/EXO/TR (29")
	Pneu arrière - Rear tire	MINION DHR II 29x2.40 WT 60TPI 3C MaxxTerra/EXO/TR (29")
	Pédales - Pedals	NW-91K
	Accessoires - Accessories	TUBELESS FLAP + VALVES + ThruAxle Bottle opener lever

Ref. → E280

ENDURO

Zesty AM

OVERVIEW



Géométrie


GEOMETRY

VTTAE eMTB

VTT MTB


SIZE	S	M	L	XL
ST (mm)	400	430	460	500
TT (mm)	571	608	637	666
HA (°)	65.5	66	66	66
SA (°)	75.7	75	75	75
RC (mm)	425	433	433	433
HT (mm)	90	105	120	135
BB (mm)	-20	-32	-32	-32
Frk Travel	150	140	140	140
Frk Length	560	550	550	550
Frk Offset	42	42	42	42
Stack	594	613	627	641
Reach	420	445	470	495
WB	1157	1188	1218	1250

User	S 155-170	M 170-180	L 178-188	XL >186
Ref.	E28X4000	E28X4300	E28X4600	E28X5000



CARBON

ZESTY AM 9.9 CF
ZESTY AM 6.9 CF



ALLOY

ZESTY AM 5.9
ZESTY AM 4.9

ALL MOUNTAIN

Carbon Ultimate
 1x 12 Speed
 29"

Zesty AM 9.9 CF

Illustrations non-contractuelles. Non-binding illustrations.



	Cadre - Frame	ZESTY AM FULL CARBON ULTIMATE 150mm (29") travel PRESSFIT, BOOST, METRIC, THRU AXLE
	Fourche - Fork	NEW FOX 36 FACTORY KASHIMA BOOST 150MM (29") 44mm offset
	Amortisseur - Shock	FOX DPX2 FACTORY KASHIMA TRUNNION 205*57,5mm
	Dérailleur arrière - Rear derailleur	Shimano Deore XT 12Spd
	Pédalier - Crankset	Shimano Deore XT (8120) 12SPD. 165/32T (S) 170/32T (M) 175/32T (L, XL)
	Boîtier pédalier - Bottom bracket	SHIMANO BBMT800 Pressfit
	Cassette - Sprocket	Shimano NEW Deore 12spd 10-51T (CSM6100)
	Chaîne - Chain	Shimano NEW Deore 12spd (CN-M6100)
	Freins - Brakes	SHIMANO NEW XT B-LM 8100/BR8120 (4pist)
	Disques - Rotors	Shimano SMRT 76 203/180mm
	Manettes - Shiftlevers	Shimano NEW DEORE 12spd
	Jeu de direction - Headset	FSA ORBIT ZERO STACK
	Cintre - Handlebar	LP 6061DB 31.8 BAR BORE 760MM, 15MM RISE (S,M) 780MM, 30MM RISE (L,XL)
	Poignées - Grips	LP Grips "FIT", (Size Small on S,M / Size Large on L,XL)
	Potence - Stem	LP FULL CNC ALLOY 0° 40MM (S) 45MM (M) 50MM (L/XL)
	Tige de selle - Seatpost	JD DROPPER "RAD Travel adjust" 125(S), 150(M), 170 (L, XL)
	Selle - Saddle	Lapierre by Velo
	Roues complètes - Wheelset	LAPIERRE AM CARBON 29x30c BOOST, Microspline DRIVER
	Pneu avant - Front tire	MAXXIS HIGH ROLLER II WIDE TRAIL 29x2.5
	Pneu arrière - Rear tire	MINION DHR 29x2.4 WT
	Pédales - Pedals	NW-91K
	Accessoires - Accessories	TUBELESS FLAP + VALVES + ThruAxle Bottle opener lever

Ref. E274

ALL MOUNTAIN

Carbon Ultimate
 1x 12 Speed
 29"

Zesty AM 6.9 CF

Illustrations non-contractuelles. Non-binding illustrations.



	Cadre - Frame	ZESTY AM FULL CARBON ULTIMATE 150mm (29") travel PRESSFIT, BOOST, METRIC, THRU AXLE
	Fourche - Fork	NEW FOX Performance 36 FLOAT 3 Pos Micro Adj Lever 150mm 29" 44mm offset
	Amortisseur - Shock	FOX Float DPS Performance FLOAT 3 Pos Lever, LV EVOL 205*57,5mm (Trunion type)
	Dérailleur arrière - Rear derailleur	SRAM NEW GX LUNAR EAGLE 12SPD
	Pédalier - Crankset	SRAM GX LUNAR EAGLE BOOST148 DUB 12SPD. 165/32T (S) 170/32T (M) 175/32T (L, XL)
	Boîtier pédalier - Bottom bracket	DUB PRESS FIT MTB 92
	Cassette - Sprocket	SRAM PG1210 EAGLE 11-50 12spd
	Chaîne - Chain	SRAM SX EAGLE 12SPD
	Freins - Brakes	SRAM G2 R GLOSS BLACK (4pist)
	Disques - Rotors	SRAM CENTERLINE ROUNDED 200/180
	Manettes - Shiftlevers	SRAM NX EAGLE MATCHMAKER 12SPD
	Jeu de direction - Headset	FSA ORBIT ZERO STACK
	Cintre - Handlebar	LP 6061DB 31.8 BAR BORE 760MM, 15MM RISE (S,M) 780MM, 30MM RISE (L,XL)
	Poignées - Grips	LP Grips "FIT", (Size Small on S,M / Size Large on L,XL)
	Potence - Stem	LP FULL CNC ALLOY 0° 40MM (S) 45MM (M) 50MM (L/XL)
	Tige de selle - Seatpost	LP DROPPER by JD 100(S), 130(M), 150 (L, XL)
	Selle - Saddle	Lapierre by Velo
	Moyeu avant - Front hub	LAPIERRE BY FASTACE DF813 BOOST 15x110, 32H
	Pneu avant - Front tire	LAPIERRE BY FASTACE DR813 4 SEALED BEARINGS, BOOST 12x148, 32H
	Pneu arrière - Rear tire	RODI TRYPS0 TBLS 30 622*30
	Pédales - Pedals	MAXXIS HIGH ROLLER II WIDE TRAIL 29x2.5
	Accessoires - Accessories	MINION DHR 29x2.4 WT
		NW-91K
		TUBELESS FLAP + VALVES + ThruAxle Bottle opener lever

Ref. E273

ALL MOUNTAIN

Zesty AM 5.9

- Alloy Supreme 5
- 1x 12 Speed
- 29"

Illustrations non-contractuelles. Non-binding illustrations.



	Cadre - Frame	ZESTY AM SUPREME 5 150mm (29) travel PRESSFIT, BOOST, METRIC, THRU AXLE
	Fourche - Fork	ROCKSHOX REVELATION RC MOTION CONTROL BOOST 150MM (29") 42mm offset
	Amortisseur - Shock	ROCKSHOX DELUXE SELECT + 205X57,5mm DEBONAIR - Trunion type
	Dérailleur arrière - Rear derailleur	SRAM NEW GX LUNAR EAGLE 12SPD
	Pédalier - Crankset	TRUVATIV DESCENDANT 6K ALLOY EAGLE BOOST 148 DUB 12SPD. 165MM/32T (S), 170/32T (M), 175/32T (L,XL)
	Boîtier pédalier - Bottom bracket	DUB PRESS FIT MTB 92
	Cassette - Sprocket	SRAM PG1210 EAGLE 11-50 12spd
	Chaîne - Chain	SRAM SX EAGLE
	Freins - Brakes	SRAM G2 R GLOSS BLACK (4pist)
	Disques - Rotors	CENTERLINE ROUNDED 200/180 (29)
	Manettes - Shiftlevers	SRAM NX EAGLE 12SPD
	Jeu de direction - Headset	FSA ORBIT ZERO STACK
	Cintre - Handlebar	LP 6061DB 31.8 BAR BORE 760MM, 15MM RISE (S,M) 780MM, 30MM RISE (L,XL)
	Poignées - Grips	LP Grips "FIT", (Size Small on S,M / Size Large on L,XL)
	Potence - Stem	LP FULL CNC ALLOY 0° 40MM (S) 45MM (M) 50MM (L/XL)
	Tige de selle - Seatpost	LP DROPPER by JD 80(S), 100(M), 130 (L, XL)
	Selle - Saddle	Lapierre by Velo
	Moyeu avant - Front hub	LAPIERRE BY FASTACE DF813 , BOOST 15x110, 32H
	Moyeu arrière - Rear hub	LAPIERRE BY FASTACE DR813, 4 SEALED BEARINGS, BOOST 12x148, 32H
	Jantes - Rims	RODI TRYPO30 TBLS 30 622*30
	Pneu avant - Front tire	MAXXIS HIGH ROLLER II WIDE TRAIL 29x2.5
	Pneu arrière - Rear tire	MAXXIS MINION DHR 29x2.4 WT
	Pédales - Pedals	NW-91K
	Accessoires - Accessories	TUBELESS FLAP + VALVES + ThruAxle Bottle opener lever

Ref. E272

ALL MOUNTAIN

Zesty AM 4.9

- Alloy Supreme 5
- 1x 12 Speed
- 29"

Illustrations non-contractuelles. Non-binding illustrations.



	Cadre - Frame	ZESTY AM SUPREME 5 150mm (29) travel PRESSFIT, BOOST, METRIC, THRU AXLE
	Fourche - Fork	ROCKSHOX 35 GOLD RL BOOST 150MM (29") 44mm offset
	Amortisseur - Shock	LAPIERRE AF2 AIR TRUNNION METRIC REBOUND & LOCKOUT (205*57,5mm)
	Dérailleur arrière - Rear derailleur	Shimano NEW DEORE 12Spd RD-M6100
	Pédalier - Crankset	Shimano FCM-510 12spd 170mm/32T (S,M,L), 175mm/32T (XL)
	Boîtier pédalier - Bottom bracket	SHIMANO BBMT800 Pressfit
	Cassette - Sprocket	Shimano NEW Deore 12spd 10-51T (CSM6100)
	Chaîne - Chain	Shimano NEW Deore 12spd (CN-M6100)
	Freins - Brakes	SHIMANO MT401 4pist
	Disques - Rotors	SHIMANO SM-RT30 180MM
	Manettes - Shiftlevers	Shimano NEW DEORE 12spd
	Jeu de direction - Headset	FSA ORBIT ZERO STACK
	Cintre - Handlebar	LP 6061DB 31.8 BAR BORE 760MM, 15MM RISE (S,M) 780MM, 30MM RISE (L,XL)
	Poignées - Grips	LP Grips "FIT", (Size Small on S,M / Size Large on L,XL)
	Potence - Stem	LP FULL CNC ALLOY 0° 40MM (S) 45MM (M) 50MM (L/XL)
	Tige de selle - Seatpost	LP DROPPER by JD 80(S), 100(M), 130 (L, XL)
	Selle - Saddle	Lapierre by Velo
	Moyeu avant - Front hub	SHIMANO MT400, BOOST 15x110, CENTERLOCK, 32H
	Moyeu arrière - Rear hub	SHIMANO MT410, BOOST 12x148, CENTERLOCK, 32H
	Jantes - Rims	RODI TRYPO30 TBLS 30 622*30
	Pneu avant - Front tire	MAXXIS HIGH ROLLER II 29 *2,30 60 TPI EXO-TR
	Pneu arrière - Rear tire	MAXXIS HIGH ROLLER II 29 *2,30 60 TPI EXO-TR
	Pédales - Pedals	NW-91K
	Accessoires - Accessories	TUBELESS FLAP + VALVES + ThruAxle Bottle opener lever

Ref. E271

ALL MOUNTAIN

Zesty TR

OVERVIEW




Géométrie

GEOMETRY

VTTAE eMTB

VTT MTB

SIZE	XS	S	M	L	XL
ST (mm)	370	390	430	470	510
TT (mm)	546	591	613	633	655
HA (°)	66,5	66	66	66	66
SA (°)	74	74,5	75	75,5	76
RC (mm)	425	428	428	428	428
HT (mm)	95	100	110	120	130
BB (mm)	-25	-40	-40	-35	-35
Reach	385	425	450	475	500
Stack	561	598	608	612	621
User	XS 135-155	S 150-170	M 168-178	L 176-186	XL >184
Ref.	E22X3700	E22X3900	E22X4300	E22X4700	E22X5100



TRAIL

Alloy Supreme 5
 1x 12 Speed
 29"

Zesty TR 5.9

Illustrations non-contractuelles. Non-binding illustrations.



	Cadre - Frame	ZESTY TR SUPREME 5 120mm travel (29") PRESSFIT, BOOST, METRIC, THRU AXLE
	Fourche - Fork	FOX RYTHM 34 Float 2 Pos /Remote BOOST 130MM (29")
	Amortisseur - Shock	FOX FLOAT DPS PERF 3 POS lever, LV EVOL 165*45 TRUNNION
	Dérailleur arrière - Rear derailleur	SRAM GX LUNAR EAGLE 12SPD
	Pédalier - Crankset	SRAM GX LUNAR EAGLE BOOST148 DUB 12SPD. 165/32T (S) 170/32T (M,L) 175/32T (XL)
	Boîtier pédalier - Bottom bracket	DUB PRESS FIT MTB 92
	Cassette - Sprocket	SRAM PG 1210 12 Spd 11-50T
	Chaîne - Chain	SRAM SX Eagle 12 Spd
	Freins - Brakes	SRAM G2 R GLOSS BLACK (4pist)
	Disques - Rotors	SRAM CENTERLINE ROUNDED 200/180
	Manettes - Shiftlevers	SRAM NX EAGLE MATCHMAKER 12SPD
	Jeu de direction - Headset	FSA ORBIT ZERO STACK
	Cintre - Handlebar	LP 6061DB 760MM, 15MM RISE, 31.8 BAR BORE
	Poignées - Grips	LAPIERRE DD34 Lock-on
	Potence - Stem	LP FULL CNC 0° 45MM (S/M), 50MM (L), 55MM (XL)
	Tige de selle - Seatpost	LP DROPPER by JD 80(S), 100(M), 130 (L, XL)
	Selle - Saddle	Selle Royal VIVO
	Moyeu avant - Front hub	LAPIERRE BY FASTACE DF813, BOOST 15x110, 32H
	Moyeu arrière - Rear hub	LAPIERRE BY FASTACE DR813, 4 SEALED BEARINGS, BOOST 12x148, 32H
	Jantes - Rims	RODI RYOT 29" (25mm Wd) TUBELESS READY. 32H
	Pneu avant - Front tire	MAXXIS ARDENT 29*2,40 EXO TR
	Pneu arrière - Rear tire	FOREKASTER29*2,35 EXO TR
	Pédales - Pedals	NW-91K
	Accessoires - Accessories	TUBELESS FLAP + VALVES + ThruAxle Bottle opener lever

Ref. E222

TRAIL

Alloy Supreme 5
 1x 12 Speed
 29"

Zesty TR 4.9

Illustrations non-contractuelles. Non-binding illustrations.



	Cadre - Frame	ZESTY TR SUPREME 5 120mm travel (29") PRESSFIT, BOOST, METRIC, THRU AXLE
	Fourche - Fork	ROCKSHOX 35 Gold RL BOOST 130MM (29") W: REMOTE LO
	Amortisseur - Shock	LAPIERRE AF2 AIR TRUNNION METRIC REBOUND & LOCKOUT (165*45)
	Dérailleur arrière - Rear derailleur	SRAM GX LUNAR EAGLE 12SPD
	Pédalier - Crankset	SRAM NX EAGLE BOOST148 DUB 12SPD. 165/32T (S) 170/32T (M,L) 175/32T (XL)
	Boîtier pédalier - Bottom bracket	DUB PRESS FIT MTB 92
	Cassette - Sprocket	SRAM PG 1210 12 Spd 11-50T
	Chaîne - Chain	SRAM SX Eagle 12 Spd
	Freins - Brakes	NEW Shimano DEORE 4100 - 420 (4pist) (FR-203mm) 4100 - 410 (2pist) (FR-180mm)
	Disques - Rotors	Shimano SMRT30 (203/180)
	Manettes - Shiftlevers	SRAM SX EAGLE 12SPD
	Jeu de direction - Headset	FSA ORBIT ZERO STACK
	Cintre - Handlebar	LP 6061DB 760MM, 15MM RISE, 31.8 BAR BORE
	Poignées - Grips	LAPIERRE DD34 Lock-on
	Potence - Stem	LP FULL CNC 0° 45MM (S/M), 50MM (L), 55MM (XL)
	Tige de selle - Seatpost	LP DROPPER by JD 80(S), 100(M), 130 (L, XL)
	Selle - Saddle	Selle Royal VIVO
	Moyeu avant - Front hub	LAPIERRE BY FASTACE DF813, BOOST 15x110, 32H
	Moyeu arrière - Rear hub	LAPIERRE BY FASTACE DR813, 4 SEALED BEARINGS, BOOST 12x148, 32H
	Jantes - Rims	RODI RYOT 29" (25mm Wd) TUBELESS READY. 32H
	Pneu avant - Front tire	MAXXIS ARDENT 29*2,40 EXO TR
	Pneu arrière - Rear tire	FOREKASTER29*2,35 EXO TR
	Pédales - Pedals	NW-91K
	Accessoires - Accessories	TUBELESS FLAP + VALVES + ThruAxle Bottle opener lever

Ref. E221

TRAIL

- Alloy Supreme 5
- 1 x 11 Speed
- 29"

Zesty TR 3.9

Illustrations non-contractuelles. Non-binding illustrations.



	Cadre - Frame	ZESTY TR SUPREME 5 120mm travel (29") PRESSFIT, BOOST, METRIC, THRU AXLE
	Fourche - Fork	SUNTOUR RAIDON32 RLR BOOST 120mm
	Amortisseur - Shock	LAPIERRE AF2 AIR TRUNNION METRIC REBOUND & LOCKOUT (165*45)
	Dérailleur arrière - Rear derailleur	Shimano NEW DEORE 11Spd (M5100)
	Pédalier - Crankset	NEW SHIMANO DEORE FCM-5100 10/11 SPD 170mm/32T
	Boîtier pédalier - Bottom bracket	SHIMANO BBMT800 Pressfit
	Cassette - Sprocket	NEW Shimano DEORE CS- M5100 - 11 SPD 11-51T
	Chaîne - Chain	KMC X11 Black/Silver 11SPd
	Freins - Brakes	SHIMANO MT401
	Disques - Rotors	SHIMANO SM-RT30 180/180MM
	Manettes - Shiftlevers	NEW Shimano DEORE M5100 11Spd
	Jeu de direction - Headset	FSA ORBIT ZERO STACK
	Cintre - Handlebar	LP 6061DB 760MM, 15MM RISE, 31.8 BAR BORE
	Poignées - Grips	LP Single LOCK-ON by Hermans
	Potence - Stem	LP ALLOY 0° 35MM (XS, S)
	Tige de selle - Seatpost	LP DROPPER by JD 80(S), 100(M), 130 (L, XL)
	Selle - Saddle	Selle Royal VIVO Men
	Moyeu avant - Front hub	SHIMANO MT400, BOOST 15x110, CENTERLOCK, 32H
	Moyeu arrière - Rear hub	SHIMANO MT400, BOOST 12x148, CENTERLOCK, 32H
	Jantes - Rims	RODI RYOT 29" (25mm Wd) TUBELESS READY. 32H
	Pneu avant - Front tire	MAXXIS ARDENT 29*2,40 EXO TR
	Pneu arrière - Rear tire	MAXXIS FOREKASTER 29*2,35 EXO TR
	Pédales - Pedals	NW-91K
	Accessoires - Accessories	TUBELESS FLAP + VALVES + ThruAxle Bottle opener lever

Ref. E220

TRAIL

- Alloy Supreme 5
- 1 x 11 Speed
- 27.5"

Zesty TR 3.7

Illustrations non-contractuelles. Non-binding illustrations.



	Cadre - Frame	ZESTY TR SUPREME 5 120mm travel (27") PRESSFIT, BOOST, METRIC, THRU AXLE
	Fourche - Fork	SUNTOUR RAIDON32 RLR BOOST 120mm
	Amortisseur - Shock	LAPIERRE AF2 AIR TRUNNION METRIC REBOUND & LOCKOUT (165*45)
	Dérailleur arrière - Rear derailleur	Shimano NEW DEORE 11Spd (M5100)
	Pédalier - Crankset	NEW SHIMANO DEORE FCM-5100 10/11 SPD 170mm/32T
	Boîtier pédalier - Bottom bracket	SHIMANO BBMT800 Pressfit
	Cassette - Sprocket	NEW Shimano DEORE CS- M5100 - 11 SPD 11-51T
	Chaîne - Chain	KMC X11 Black/Silver 11SPd
	Freins - Brakes	SHIMANO MT401
	Disques - Rotors	SHIMANO SM-RT30 180/180MM
	Manettes - Shiftlevers	NEW Shimano DEORE M5100 11Spd
	Jeu de direction - Headset	FSA ORBIT ZERO STACK
	Cintre - Handlebar	LP 6061DB 760MM, 15MM RISE, 31.8 BAR BORE
	Poignées - Grips	LP Single LOCK-ON by Hermans
	Potence - Stem	LP ALLOY 0° 35MM (XS, S)
	Tige de selle - Seatpost	LP DROPPER by JD 80mm (XS, S)
	Selle - Saddle	Selle Royal VIVO Men
	Moyeu avant - Front hub	SHIMANO MT400, BOOST 15x110, CENTERLOCK, 32H
	Moyeu arrière - Rear hub	SHIMANO MT400, BOOST 12x148, CENTERLOCK, 32H
	Jantes - Rims	RODI RYOT 27,5" (25mm Wd) TUBELESS READY. 32H
	Pneu avant - Front tire	MAXXIS ARDENT 27*2,40 EXO TR
	Pneu arrière - Rear tire	MAXXIS FOREKASTER 27*2,35 EXO TR
	Pédales - Pedals	NW-91K
	Accessoires - Accessories	TUBELESS FLAP + VALVES + ThruAxle Bottle opener lever

Ref. E219

TRAIL

Prorace SAT

OVERVIEW

Géométrie


GEOMETRY

VTTAE eMTB

VTT MTB



SIZE	S	M	L	XL
ST (mm)	400	450	500	550
TT (mm)	575	600	625	650
HA (°)	69.5	69.5	69.5	69.5
SA (°)	73	73	73	73
RC (mm)	428	428	428	428
HT (mm)	90	95	105	120
BB (mm)	-65	-60	-60	-60
Reach	390	415	437	458
Stack	605	605	614	628
User	S 150-170	M 168-178	L 176-186	XL >184
Ref.	E15X4000	E15X4500	E15X5000	E15X5500



CROSS-COUNTRY

Prorace SAT 9.9 CF

- Carbon SL
- SAT System
- 1x 12 Speed
- 29"

Illustrations non-contractuelles. Non-binding illustrations.



	Cadre - Frame	PRORACE SAT 29" CARBON SL, BOOST, PRESSFIT, THRU AXLE 12x148
	Fourche - Fork	ROCK SHOX NEW SID ULTIMATE 100mm, OFFSET 44mm, CHARGER RACE DAY REMOTE GLOSS BK RAINBOW DECALS
	Dérailleur arrière - Rear Derailleur	SRAM XX1 Eagle 12 Spd
	Pédalier - Crankset	SRAM X1 CARBON Eagle DUB 32T 170mm/32T (S), 175mm/32T (M, L, XL)
	Boîtier pédalier - Bottom bracket	SRAM DUB PRESSFIT 92
	Cassette - Sprocket	SRAM NEW XG1275 EAGLE 10-52
	Chaîne - Chain	SRAM NX Eagle 12spd
	Freins - Brakes	SHIMANO XT B-LM 8100
	Disques - Rotors	SHIMANO SMRT76 180mm / 160mm
	Manettes - Shiftlevers	SRAM NEW GX LUNAR Eagle 12 Spd
	Jeu de direction - Headset	FSA ORBIT 1.5Z SC NO.57SC
	Cintre - Handlebar	FSA SLK CARBON FLAT W: 740mm Ø: 31.8mm
	Poignées - Grips	PRE FOAM GRIPS
	Potence - Stem	LAPIERRE 7050 ALLOY 3D FORGED 7° Ø: 31.8mm L: 70mm(S,M,L)/80mm (XL)
	Tige de selle - Seatpost	LAPIERRE ALLOY FORGED Ø: 27.2mm L: 400mm
	Selle - Saddle	FIZIK TAIGA BLACK
	Jantes - Rims	LAPIERRE CARBON XC 29" BOOST XD DRIVER / 6T
	Pneu avant - Front tire	29X2.25 MAXXIS ARDEN FOLDING BLACK 60TPI TLR
	Pneu arrière - Rear tire	29X2.20 MAXXIS IKON FOLDING BLACK 60TPI TLR
	Pédales - Pedals	NW 91K steel cage
	Accessoires - Accessories	CHAINGUIDE LAPIERRE

Ref. E153

CROSS-COUNTRY

Prorace SAT 8.9 CF

- Carbon SL
- SAT System
- 1x 12 Speed
- 29"

Illustrations non-contractuelles. Non-binding illustrations.



	Cadre - Frame	PRORACE SAT 29" CARBON SL, BOOST, PRESSFIT, THRU AXLE 12x148
	Fourche - Fork	FOX 32 STEP CAST FACTORY 15mm 29" 100mm BOOST OFFSET 44mm + 2 POSITION REMOTE - Stealth Decal
	Dérailleur arrière - Rear Derailleur	SRAM X01 CARBON EAGLE 12Spd
	Pédalier - Crankset	SRAM NEW GX LUNAR EAGLE 170mm/32T (S), 175mm/32T (M, L, XL)
	Boîtier pédalier - Bottom bracket	SRAM DUB PRESSFIT 92
	Cassette - Sprocket	SRAM PG1230 EAGLE 12 Spd
	Chaîne - Chain	SRAM SX 12Spd
	Freins - Brakes	SRAM LEVEL TL BLACK
	Disques - Rotors	SRAM CENTERLINE 180mm / 160mm
	Manettes - Shiftlevers	SRAM GX EAGLE 12Spd
	Jeu de direction - Headset	FSA ORBIT 1.5Z SC NO.57SC
	Cintre - Handlebar	LAPIERRE 6061 TOP FLAT W: 720mm Ø: 31.8mm
	Poignées - Grips	PRE FOAM GRIPS
	Potence - Stem	LAPIERRE 7050 ALLOY 3D FORGED 7° Ø: 31.8mm L: 70mm(S,M,L)/80mm (XL)
	Tige de selle - Seatpost	LAPIERRE ALLOY FORGED Ø: 27.2mm L: 400mm
	Selle - Saddle	LAPIERRE by VELO
	Jantes - Rims	DT SWISS X1900 SPLINE BOOST
	Pneu avant - Front tire	29X2.25 MAXXIS ARDEN FOLDING BLACK 60TPI TLR
	Pneu arrière - Rear tire	29X2.20 MAXXIS IKON FOLDING BLACK 60TPI TLR
	Pédales - Pedals	NW 91K steel cage
	Accessoires - Accessories	CHAINGUIDE LAPIERRE

Ref. E152

CROSS-COUNTRY

- Carbon SL
- SAT System
- 1x 12 Speed
- 29"

Prorace SAT 7.9 CF

Illustrations non-contractuelles. Non-binding illustrations.



	Cadre - Frame	PRORACE SAT 29" CARBON, BOOST, PRESSFIT, THRU AXLE 12x148
	Fourche - Fork	FOX 32 FLOAT SC PERF 15mm 100mm BOOST OFFSET 44mm + REMOTE
	Dérailleur arrière - Rear derailleur	SRAM NEW GX LUNAR EAGLE 12s
	Pédalier - Crankset	SRAM NX EAGLE DUB 32T DIRECT MOUNT ALLOY 170mm/32T (S), 175mm/32T (M, L, XL)
	Boîtier pédalier - Bottom bracket	SRAM DUB PRESSFIT 92
	Cassette - Sprocket	SRAM EAGLE PG1210 11-50 12spd
	Chaîne - Chain	SRAM SX EAGLE
	Freins - Brakes	SRAM LEVEL BLACK
	Disques - Rotors	SRAM G2 CLEANSWEEP 180mm / 160mm
	Manettes - Shifters	SRAM SX EAGLE 1x12
	Jeu de direction - Headset	FSA ORBIT 1.5Z SC NO.57SC
	Cintre - Handlebar	LAPIERRE 6061 TOP FLAT W: 720mm Ø: 31.8mm
	Poignées - Grips	PRE FOAM GRIPS
	Potence - Stem	LAPIERRE 7050 ALLOY 3D FORGED 7° Ø: 31.8mm L: 70mm(S,M,L)/90mm (XL)
	Tige de selle - Seatpost	LAPIERRE ALLOY FORGED Ø: 27.2mm L: 400mm
	Selle - Saddle	LAPIERRE by VELO
	Moyeu avant - Front hub	FASTACE DF813
	Moyeu arrière - Rear hub	FASTACE DR813
	Jantes - Rims	MAVIC XC621 TBL DISC 29"
	Pneu avant - Front tire	29X2.25 MAXXIS ARDENT
	Pneu arrière - Rear tire	29X2.20 MAXXIS IKON FOLDING SKINWALL 60TPI TLR
	Pédales - Pedals	NW 91K steel cage
	Accessoires - Accessories	CHAINGUIDE LAPIERRE
		TUBELESS FLAPS

Ref. E151

CROSS-COUNTRY

- Carbon SL
- SAT System
- 1x 12 Speed
- 29"

Prorace SAT 6.9 CF

Illustrations non-contractuelles. Non-binding illustrations.



	Cadre - Frame	PRORACE SAT 29" CARBON, BOOST, PRESSFIT, THRU AXLE 12x148
	Fourche - Fork	SUNTOUR RAIDON32 REMOTE QR15mm AIR 100mm BOOST
	Dérailleur arrière - Rear derailleur	Shimano NEW DEORE 12spd
	Pédalier - Crankset	Shimano NEW DEORE FCM-511 12spd 170mm/32T (S), 175mm/32T (M, L, XL)
	Boîtier pédalier - Bottom bracket	Shimano PF MTB92
	Cassette - Sprocket	Shimano NEW Deore 12spd 10-51T (CSM6100)
	Chaîne - Chain	Shimano NEW Deore 12spd (CN-M6100)
	Freins - Brakes	SHIMANO MT401 INTERNAL ROUTING WITH J-KIT
	Disques - Rotors	SHIMANO SMRT30 180mm / 160mm CENTER LOCK
	Manettes - Shifters	Shimano NEW DEORE 12spd
	Jeu de direction - Headset	FSA ORBIT 1.5Z SC NO.57SC
	Cintre - Handlebar	LAPIERRE 6061 TOP FLAT W: 720mm Ø: 31.8mm
	Poignées - Grips	PRE FOAM GRIPS
	Potence - Stem	LAPIERRE ALLOY 3D FORGED 7° Ø: 31.8mm L: 70mm(S,M,L)/90mm (XL)
	Tige de selle - Seatpost	LAPIERRE ALLOY FORGED Ø: 27.2mm L: 400mm
	Selle - Saddle	LAPIERRE by VELO
	Moyeu avant - Front hub	SHIMANO MT400 THRU AXLE
	Moyeu arrière - Rear hub	SHIMANO MT410 - Microspine
	Jantes - Rims	MAVIC XC621 TBL DISC 29"
	Pneu avant - Front tire	MAXXIS ARDENT 29x2.25 FOLDING 60 TPI TLR EXO
	Pneu arrière - Rear tire	MAXXIS IKON 29x2.2 FOLDING 60 TPI TLR EXO
	Pédales - Pedals	NW 91K steel cage
	Accessoires - Accessories	CHAINGUIDE LAPIERRE
		TUBELESS FLAPS

Ref. E150

CROSS-COUNTRY

Prorace

OVERVIEW



Géométrie

GEOMETRY


VTTAE eMTB

VTT MTB

SIZE	XS	S	M	L	XL	S	M	L
ST (mm)	350	400	440	480	530	350	400	450
TT (mm)	550	575	600	625	650	550	580	610
HA (°)	69	69.5	69.5	69.5	69.5	69	69.5	69.5
SA (°)	73	73	73	73	73	73	73	73
RC (mm)	428	428	428	428	428	428	428	428
HT (mm)	90	90	90	105	120	90	90	100
BB (mm)	-65	-65	-60	-60	-60	-65	-65	-60
Reach	371	390	416	437	458	371	401	424
Stack	584	605	600	614	628	584	587	610
User	XS < 150	S 150-170	M 168-178	L 176-186	XL >184	S 135-155	M 150-165	L 160-175
Ref.	E14X3500	E14X4000	E14X4400	E14X4800	E14X5300	E1413500	E1414000	E1414500

MEN
SERIES

WOMEN
SERIES



CROSS-COUNTRY

-  Alloy Supreme 5
-  1x12 Speed
-  29"

Prorace 5.9

Illustrations non-contractuelles. Non-binding illustrations.



 Cadre - Frame	PRORACE 29" SUPREME 5 ALLOY DISC, BOOST, PRESSFIT, THRU AXLE 12x148 INT BRAKE RR
 Fourche - Fork	FOX 32 RYTHM FLOAT 100mm BOOST OFFSET 44mm + REMOTE
 Dérailleur arrière - Rear derailleur	Shimano Deore XT 12spd
 Pédalier - Crankset	Shimano NEW DEORE FCM-511 170mm/32T (XS,S), 175mm/32T (M,L,XL)
 Boîtier pédalier - Bottom bracket	Shimano PF MTB92
 Cassette - Sprocket	Shimano NEW Deore 12spd 10-51T (CSM6100)
 Chaîne - Chain	Shimano NEW Deore 12spd (CN-M6100)
 Freins - Brakes	SHIMANO MT401 WITH J-KIT
 Disques - Rotors	SHIMANO SMRT30 180mm / 160mm CENTER LOCK
 Manettes - Shiftavers	Shimano NEW DEORE 12spd
 Jeu de direction - Headset	FSA ORBIT 1.5Z SC NO.57SC
 Cintre - Handlebar	LAPIERRE 6061 TOP FLAT W: 720mm Ø: 31.8mm
 Poignées - Grips	PRE FOAM GRIPS
 Potence - Stem	LAPIERRE ALLOY 3D FORGED 7° Ø: 31.8mm L: 60mm(XS,S) / 70mm (M,L) / 80mm (XL)
 Tige de selle - Seatpost	LAPIERRE ALLOY FORGED Ø: 27.2mm L: 400mm
 Selle - Saddle	LAPIERRE by VÉLO
 Moyeu avant - Front hub	SHIMANO MT400
 Moyeu arrière - Rear hub	SHIMANO MT410 - Microspline
 Jantes - Rims	RODI RYOT TBL READY 622x25C 32H TAPERED SPOKES
 Pneu avant - Front tire	29X2.25 MAXXIS ARDENT 29x2.25 FOLDING BLACK TL
 Pneu arrière - Rear tire	29X2.20 MAXXIS IKON FOLDING BLACK 60TPI
 Pédales - Pedals	NW 91K steel cage

Ref. E143

CROSS-COUNTRY

-  Alloy Supreme 5
-  1x12 Speed
-  29"

Prorace 4.9

Illustrations non-contractuelles. Non-binding illustrations.



 Cadre - Frame	PRORACE 29" SUPREME 5 ALLOY DISC, BOOST, PRESSFIT, THRU AXLE 12x148 INT BRAKE RR
 Fourche - Fork	ROCKSHOX JUDY GOLD RL 15mm SOLO AIR 100mm BOOST OFFSET 44mm + ONELOC
 Dérailleur arrière - Rear derailleur	SRAM GX LUNAR Eagle 12spd
 Pédalier - Crankset	SRAM SX Eagle 12spd 30T 170mm/32T (XS,S), 175mm/32T (M,L,XL)
 Boîtier pédalier - Bottom bracket	SRAM DUB PF MTB 92
 Cassette - Sprocket	SRAM Eagle PG1210 11-50 12spd
 Chaîne - Chain	SRAM SX Eagle 12spd
 Freins - Brakes	SHIMANO MT401 WITH J-KIT
 Disques - Rotors	SHIMANO SMRT30 180mm / 160mm 6 CENTER LOCK
 Manettes - Shiftavers	Sram SX Eagle 12spd
 Jeu de direction - Headset	FSA ORBIT 1.5Z SC NO.57SC
 Cintre - Handlebar	LAPIERRE 6061 TOP FLAT W: 720mm Ø: 31.8mm
 Poignées - Grips	PRE FOAM GRIPS
 Potence - Stem	LAPIERRE ALLOY 3D FORGED 7° Ø: 31.8mm L: 60mm(XS,S) / 70mm (M,L) / 80mm (XL)
 Tige de selle - Seatpost	LAPIERRE ALLOY Ø: 27.2mm L: 400mm
 Selle - Saddle	LAPIERRE by VÉLO
 Moyeu avant - Front hub	SHIMANO HB-MT400-B - CENTER LOCK
 Moyeu arrière - Rear hub	SHIMANO FH-MT400-B - CENTER LOCK
 Jantes - Rims	RODI EXCALIBUR XC2 622x19C 32H TAPERED SPOKES (1)
 Pneu avant - Front tire	29X2.25 MAXXIS ARDENT
 Pneu arrière - Rear tire	29X2.20 MAXXIS IKON
 Pédales - Pedals	NW 91K steel cage

Ref. E142

CROSS-COUNTRY

-  Alloy Supreme 5
-  1x12 Speed
-  29"

Prorace 3.9

Illustrations non-contractuelles. Non-binding illustrations.



 Cadre - Frame	PRORACE 29" SUPREME 5 ALLOY DISC, BOOST, PRESSFIT, TA 12x148, INT BRAKE RR
 Fourche - Fork	SUNTOUR RAIDON REMOTE QR15mm AIR 100mm BOOST
 Dérailleur arrière - Rear derailleur	Shimano NEW Deore M6100 12spd
 Pédalier - Crankset	Shimano FCM-510 12spd 170mm/32T (XS, S), 175mm/32T (M, L, XL)
 Boîtier pédalier - Bottom bracket	Shimano PF MTB92
 Cassette - Sprocket	Shimano NEW Deore 12spd 10-51T (CSM6100)
 Chaîne - Chain	Shimano NEW Deore 12spd (CN-M6100)
 Freins - Brakes	SHIMANO MT200 WITH J-KIT
 Disques - Rotors	SHIMANO SMRT30 180mm / 160mm CENTER LOCK
 Manettes - Shiftavers	Shimano NEW Deore 12spd (SL-M6100)
 Jeu de direction - Headset	FSA ORBIT 1.5Z SC NO.57SC
 Cintre - Handlebar	LAPIERRE 6061 TOP FLAT W: 720mm Ø: 31.8mm
 Poignées - Grips	LAPIERRE by HERRMANS DD30B
 Potence - Stem	LAPIERRE ALLOY 3D FORGED 7° Ø: 31.8mm L: 60mm(XS, S) / 70mm (M, L) / 80mm (XL)
 Tige de selle - Seatpost	LAPIERRE ALLOY Ø: 27.2mm L: 400mm
 Selle - Saddle	LAPIERRE by VELO
 Moyeu avant - Front hub	SHIMANO MT400
 Moyeu arrière - Rear hub	SHIMANO MT410 - Microspline
 Jantes - Rims	RODI EXCALIBUR XC2 622x19C 32H
 Pneu avant - Front tire	TOUGH TOM K-Guard 29X2.25 (FRONT)
 Pneu arrière - Rear tire	RAPID ROB K-Guard 29X2.25 (REAR)
 Pédales - Pedals	NW 91K steel cage

Ref. E140

CROSS-COUNTRY

-  Alloy Supreme 5
-  1x12 Speed
-  29"

Prorace 3.9 W

WOMEN
SERIES

Illustrations non-contractuelles. Non-binding illustrations.



 Cadre - Frame	PRORACE 29" W, SUPREME 5 ALLOY DISC, BOOST, PRESSFIT, TA 12x148, INT BRAKE RR
 Fourche - Fork	SUNTOUR RAIDON REMOTE QR15mm AIR 100mm BOOST
 Dérailleur arrière - Rear derailleur	Shimano NEW Deore M6100 12spd
 Pédalier - Crankset	Shimano FCM-510 12spd 170mm/32T S,M & L
 Boîtier pédalier - Bottom bracket	Shimano PF MTB92
 Cassette - Sprocket	Shimano NEW Deore 12spd 10-51T (CSM6100)
 Chaîne - Chain	Shimano NEW Deore 12spd (CN-M6100)
 Freins - Brakes	SHIMANO MT200 WITH J-KIT
 Disques - Rotors	SHIMANO SMRT30 180mm / 160mm CENTER LOCK
 Manettes - Shiftavers	Shimano NEW Deore 12spd (SL-M6100)
 Jeu de direction - Headset	FSA ORBIT 1.5Z SC NO.57SC
 Cintre - Handlebar	LAPIERRE 6061 TOP FLAT W: 720mm Ø: 31.8mm
 Poignées - Grips	LAPIERRE by HERRMANS DD30B
 Potence - Stem	LAPIERRE ALLOY 3D FORGED 7° Ø: 31.8mm 60mm (S,M & L)
 Tige de selle - Seatpost	LAPIERRE ALLOY Ø: 27.2mm L: 400mm
 Selle - Saddle	LAPIERRE by VELO
 Moyeu avant - Front hub	SHIMANO MT400
 Moyeu arrière - Rear hub	SHIMANO MT410 - Microspline
 Jantes - Rims	RODI EXCALIBUR XC2 622x19C 32H
 Pneu avant - Front tire	TOUGH TOM K-Guard 29X2.25 (FRONT)
 Pneu arrière - Rear tire	RAPID ROB K-Guard 29X2.25 (REAR)
 Pédales - Pedals	NW 91K steel cage

Ref. E141

CROSS-COUNTRY

Edge

OVERVIEW




Géométrie

GEOMETRY

VTTAE eMTB


VTT MTB



SIZE	XS	S	M	S	M	L	XL
ST (mm)	360	400	440	400	440	480	520
TT (mm)	545	570	590	575	595	615	635
HA (°)	68	68	68	68	68	68	68
SA (°)	73.5	73.5	73.5	73.5	73.5	73.5	73.5
RC (mm)	430	430	430	450	450	450	450
HT (mm)	105	115	125	105	115	125	135
BB (mm)	-45	-45	-45	-60	-60	-60	-60
Reach	370	393	410	391	408	425	443
Stack	588	597	606	620	629	639	648
User	XS 145-155	S 150-170	M 168-178	S 150-170	M 168-178	L 176-186	XL > 184
Ref.	F12X3600	F12X4000	F12X4400	F11X4000	F11X4400	F11X4800	F11X5200
				F12X4000	F12X4400	F12X4800	F12X5200
				F13X4000	F13X4400	F13X4800	F13X5200

27.5"

29"



SIZE	XS	S	M
ST (mm)	360	400	440
TT (mm)	545	570	590
HA (°)	68	68	68
SA (°)	73.5	73.5	73.5
RC (mm)	430	430	430
HT (mm)	105	115	125
BB (mm)	-45	-45	-45
Reach	370	393	410
Stack	588	597	606
User	XS 135-155	S 150-165	M 160-175
Ref.	F12X3600	F12X4000	F12X4400

WOMEN
SERIES

SPORT

Edge 9.9

- Alloy Supreme 4
- 1x 12 Speed
- 29"

Illustrations non-contractuelles. Non-binding illustrations.



	Cadre - Frame	EDGE 29" SUPREME 4 ALLOY DISC BRAKE, INT'L CABLE ROUTING
	Fourche - Fork	SR SUNTOUR AIR RL-R 29 AIR 29" 100mm TRAVEL
	Dérailleur arrière - Rear derailleur	SHIMANO DEORE RD-M6100 SHADOW PLUS SGS 12s
	Pédalier - Crankset	SHIMANO DEORE FC-MT510-1 2PC 30T 170mm (S) 175mm (M, L, XL)
	Boîtier pédalier - Bottom bracket	SHIMANO EXTERNAL CUPS
	Cassette - Sprocket	SHIMANO DEORE CS-M6100-12 12s HYPERGLIDE+
	Chaîne - Chain	KMC X-12 12s
	Freins - Brakes	SHIMANO MT200 HYDRAULIC DISC
	Disques - Rotors	SHIMANO SMRT30 F: 180mm/R: 160mm CENTRELOCK
	Manettes - Shifters	SHIMANO DEORE SL-M6100-R 12s
	Jeu de direction - Headset	FSA NO.10 SEMI-INTEGRATED
	Cintre - Handlebar	XLC ALLOY 6061 TOP FLAT W: 720mm Ø: 31.8mm
	Poignées - Grips	HERRMANS LOCK-ON DD30B 130mm
	Potence - Stem	XLC ALLOY Ø: 31.8mm L: 60mm R: 6°
	Tige de selle - Seatpost	XLC ALLOY Ø: 31.6mm L: 400mm
	Selle - Saddle	XLC by DDK
	Moyeu avant - Front hub	SHIMANO HBTX505 32H CENTER LOCK QR
	Moyeu arrière - Rear hub	SHIMANO FHMT401 32H CENTER LOCK QR
	Jantes - Rims	LAPIERRE DISC 32H 29" 622-21c
	Pneu avant - Front tire	SCHWALBE TOUGH TOM 29x2.25 622-57
	Pneu arrière - Rear tire	SCHWALBE RAPID ROB 29x2.25 622-57
	Pédales - Pedals	FPD NW-91K STEEL CAGE

Ref. → F131

SPORT

Edge 7.9

- Alloy Supreme 4
- 1x 11 Speed
- 29"

Illustrations non-contractuelles. Non-binding illustrations.



	Cadre - Frame	EDGE 29" SUPREME 4 ALLOY DISC BRAKE, INT'L CABLE ROUTING
	Fourche - Fork	SR SUNTOUR XCR AIR RL-R 29" 100mm TRAVEL
	Dérailleur arrière - Rear derailleur	SHIMANO DEORE RD-M5100 SHADOW PLUS SGS 11s
	Pédalier - Crankset	SHIMANO DEORE FC-M5100-1 2PC 32T 170mm (S) 175mm (M, L, XL)
	Boîtier pédalier - Bottom bracket	SHIMANO EXTERNAL CUPS
	Cassette - Sprocket	SHIMANO DEORE CS-M5100-11 11s 11-51t
	Chaîne - Chain	KMC X11 1/2"x11/128" 11s
	Freins - Brakes	SHIMANO MT200 HYDRAULIC DISC
	Disques - Rotors	SHIMANO SMRT30 F: 180mm / R: 160mm CENTRE LOCK
	Manettes - Shifters	SHIMANO DEORE SL-M5100-R RAPIDFIRE 11s
	Jeu de direction - Headset	FSA NO.10 SEMI-INTEGRATED
	Cintre - Handlebar	XLC ALLOY 6061 TOP FLAT W: 720mm Ø: 31.8mm
	Poignées - Grips	HERRMANS LOCK-ON DD30B 130mm
	Potence - Stem	XLC ALLOY Ø: 31.8mm L: 60mm R: 6°
	Tige de selle - Seatpost	XLC ALLOY Ø: 31.6mm L: 400mm
	Selle - Saddle	XLC by DDK
	Moyeu avant - Front hub	SHIMANO HBTX505 32H CENTER LOCK QR
	Moyeu arrière - Rear hub	SHIMANO FHMT401 32H CENTER LOCK QR
	Jantes - Rims	LAPIERRE DISC 32H 29" 622-21c
	Pneu avant - Front tire	SCHWALBE TOUGH TOM 29x2.25 622-57
	Pneu arrière - Rear tire	SCHWALBE RAPID ROB 29x2.25 622-57
	Pédales - Pedals	FPD NW-91K STEEL CAGE

Ref. → F130

SPORT

Edge 5.9

- Alloy Supreme 4
- 2 x 9 Speed
- 29"

Illustrations non-contractuelles. Non-binding illustrations.



	Cadre - Frame	EDGE 29" SUPREME 4 ALLOY DISC BRAKE, INT'L CABLE ROUTING
	Fourche - Fork	SR SUNTOUR XCM-RL-DS 29" 100mm TRAVEL
	Dérailleur avant - Front derailleur	SHIMANO ALTUS FDM2020 SIDESWING
	Dérailleur arrière - Rear derailleur	SHIMANO ALTUS SHADOW RDM2000 9s
	Pédalier - Crankset	SHIMANO FCMT101 36x22T 170mm (S) 175mm (M, L, XL)
	Boîtier pédalier - Bottom bracket	SQUARE 122mm
	Cassette - Sprocket	SUNRACE CSM90 9s 11-36T
	Chaîne - Chain	KMC X9 1/2"x 11/128" 9s
	Freins - Brakes	SHIMANO MT200 HYDRAULIC DISC
	Disques - Rotors	SHIMANO SMRT10S 160mm CENTRE LOCK
	Manettes - Shifters	SHIMANO ALVIO SL-M3100 9s
	Jeu de direction - Headset	FSA NO.10 SEMI-INTEGRATED
	Cintre - Handlebar	XLC ALLOY 6061 TOP FLAT W: 720mm Ø: 31.8mm
	Poignées - Grips	HERRMANS LOCK-ON DD30B 130mm
	Potence - Stem	XLC ALLOY Ø: 31.8mm L: 60mm R: 6°
	Tige de selle - Seatpost	XLC ALLOY Ø: 31.6mm L: 400mm
	Selle - Saddle	XLC by DDK
	Moyeu avant - Front hub	SHIMANO HBTX505 32H CENTER LOCK QR
	Moyeu arrière - Rear hub	SHIMANO FHTX505 32H CENTER LOCK QR
	Jantes - Rims	LAPIERRE DISC 32H 29" 622-21c
	Pneu avant - Front tire	SCHWALBE TOUGH TOM 29x2.25 622-57
	Pneu arrière - Rear tire	SCHWALBE RAPID ROB 29x2.25 622-57
	Pédales - Pedals	XERAMA SP-400

Ref. → F127

SPORT

Edge 5.7

- Alloy Supreme 4
- 2 x 9 Speed
- 27.5"

Illustrations non-contractuelles. Non-binding illustrations.



	Cadre - Frame	EDGE 27.5" SUPREME 4 ALLOY DISC BRAKE, INT'L CABLE ROUTING
	Fourche - Fork	SR SUNTOUR XCM-RL-DS 27.5" 100mm TRAVEL
	Dérailleur avant - Front derailleur	SHIMANO ALTUS FDM2020 SIDE SWING
	Dérailleur arrière - Rear derailleur	SHIMANO ALTUS SHADOW RDM2000 9s
	Pédalier - Crankset	SHIMANO FCMT101 36x22T 170mm (XS/S) 175mm (M)
	Boîtier pédalier - Bottom bracket	SQUARE 120mm
	Cassette - Sprocket	SUNRACE CSM90 9s 11-36T
	Chaîne - Chain	KMC X9 1/2"x 11/128" 9s
	Freins - Brakes	SHIMANO MT200 HYDRAULIC DISC
	Disques - Rotors	SHIMANO SMRT10S 160mm CENTRE LOCK
	Manettes - Shifters	SHIMANO ALVIO SL-M3100 9s
	Jeu de direction - Headset	FSA NO.10 SEMI-INTEGRATED
	Cintre - Handlebar	XLC ALLOY 6061 W: 720mm R: 15mm Ø: 31.8mm
	Poignées - Grips	HERRMANS LOCK-ON DD30B 130mm
	Potence - Stem	XLC ALLOY Ø: 31.8mm L: 60mm R: 6°
	Tige de selle - Seatpost	XLC ALLOY Ø: 31.6mm L: 400mm
	Selle - Saddle	XLC by DDK
	Moyeu avant - Front hub	SHIMANO HBTX505 32H CENTER LOCK QR
	Moyeu arrière - Rear hub	SHIMANO FHTX505 32H CENTER LOCK QR
	Jantes - Rims	LAPIERRE DISC 32H 27.5" 584-21c
	Pneu avant - Front tire	SCHWALBE TOUGH TOM 27.5x2.25 584-57
	Pneu arrière - Rear tire	SCHWALBE RAPID ROB 27.5x2.25 584-57
	Pédales - Pedals	XERAMA SP-400

Ref. → F125

SPORT

- Alloy Supreme 4
- 2 x 9 Speed
- 27.5"

Edge 5.7 W

WOMEN
SERIES

Illustrations non-contractuelles. Non-binding illustrations.



	Cadre - Frame	EDGE 27.5" WOMAN SUPREME 4 ALLOY DISC BRAKE, INT'L CABLE ROUTING
	Fourche - Fork	SR SUNTOUR XCM-RL-DS 27.5" 100mm TRAVEL
	Dérailleur avant - Front derailleur	SHIMANO ALTUS FDM2020 SIDE SWING
	Dérailleur arrière - Rear derailleur	SHIMANO ALTUS SHADOW RDM2000 9s
	Pédalier - Crankset	SHIMANO FCMT101 36x22T 170mm (XS) 175mm (S/M)
	Boîtier pédalier - Bottom bracket	SQUARE 120mm
	Cassette - Sprocket	SUNRACE CSM90 9s 11-36T
	Chaîne - Chain	KMC X9 1/2"x 11/128" 9s
	Freins - Brakes	SHIMANO MT200 HYDRAULIC DISC
	Disques - Rotors	SHIMANO SMRT10S 160mm CENTRE LOCK
	Manettes - Shifters	SHIMANO ALVIO SL-M3100 9s
	Jeu de direction - Headset	FSA NO.10 SEMI-INTEGRATED
	Cintre - Handlebar	XLC ALLOY 6061 W: 700mm R: 15mm Ø: 31.8mm
	Poignées - Grips	HERRMANS LOCK-ON DD30B 130mm
	Potence - Stem	XLC ALLOY Ø: 31.8mm L: 60mm R: 6°
	Tige de selle - Seatpost	XLC ALLOY Ø: 31.6mm L: 400mm
	Selle - Saddle	XLC by DDK
	Moyeu avant - Front hub	SHIMANO HBTX505 32H CENTER LOCK QR
	Moyeu arrière - Rear hub	SHIMANO FHTX505 32H CENTER LOCK QR
	Jantes - Rims	LAPIERRE DISC 32H 27.5" 584-21c
	Pneus - Tires	SCHWALBE TOUGH TOM 27.5x2.25 584-57 / SCHWALBE RAPID ROB 27.5x2.25 584-57
	Pédales - Pedals	XERAMA SP-400

Ref. → F126

SPORT

- Alloy Supreme 4
- 3 x 8 Speed
- 29"

Edge 3.9

Illustrations non-contractuelles. Non-binding illustrations.



	Cadre - Frame	EDGE 29" SUPREME 4 ALLOY DISC BRAKE, INT'L CABLE ROUTING
	Fourche - Fork	SR SUNTOUR XCT30-HLO-DS 29" 100mm TRAVEL
	Dérailleur avant - Front derailleur	SHIMANO TOURNEY FD TY500
	Dérailleur arrière - Rear derailleur	SHIMANO ACERA RDM360 8s
	Pédalier - Crankset	SHIMANO TY301 42x34x24T 170mm (S) 175mm (M/L/XL)
	Boîtier pédalier - Bottom bracket	SQUARE 124.5mm
	Cassette - Sprocket	SUNRACE CSM400 8s 12-32T
	Chaîne - Chain	S52 1/2"x 3/32" 8s
	Freins - Brakes	SHIMANO MT200 HYDRAULIC DISC
	Disques - Rotors	SHIMANO SMRT10S 160mm CENTRE LOCK
	Manettes - Shifters	SHIMANO ALTUS STEF505 8s
	Jeu de direction - Headset	FSA NO.10 SEMI-INTEGRATED
	Cintre - Handlebar	XLC ALLOY 6061 TOP FLAT W: 720mm Ø: 31.8mm
	Poignées - Grips	VELO DOUBLE DENSITY 130mm
	Potence - Stem	XLC ALLOY Ø: 31.8mm L: 60mm R: 6°
	Tige de selle - Seatpost	XLC ALLOY Ø: 31.6mm L: 400mm
	Selle - Saddle	XLC by DDK
	Moyeu avant - Front hub	SHIMANO HBTX505 32H CENTER LOCK QR
	Moyeu arrière - Rear hub	SHIMANO FHTX505 32H CENTER LOCK QR
	Jantes - Rims	LAPIERRE DISC 32H 29" 622-21c
	Pneus - Tires	MITAS OCELOT 29x2.1 622-54
	Pédales - Pedals	XERAMA SP-400

Ref. → F124

SPORT

-  Alloy Supreme 4
-  3 x 8 Speed
-  27.5"

Edge 3.7

Illustrations non-contractuelles. Non-binding illustrations.



 Cadre - Frame	EDGE 27.5" SUPREME 4 ALLOY DISC BRAKE, INT'L CABLE ROUTING
 Fourche - Fork	SR SUNTOUR XCT30-HLO-DS 27.5" 100mm TRAVEL
 Dérailleur avant - Front derailleur	SHIMANO TOURNEY FDTY500
 Dérailleur arrière - Rear derailleur	SHIMANO ACERA RDM360 8s
 Pédalier - Crankset	SHIMANO TY301 42x34x24T 170mm (XS/S) 175mm (M)
 Boîtier pédalier - Bottom bracket	SQUARE 124.5mm
 Cassette - Sprocket	SUNRACE CSM400 8s 12-32T
 Chaîne - Chain	S52 1/2"x3/32" 8s
 Freins - Brakes	SHIMANO MT200 HYDRAULIC DISC
 Disques - Rotors	SHIMANO SMRT10S 160mm CENTRE LOCK
 Manettes - Shifters	SHIMANO ALTUS STEF505 8s
 Jeu de direction - Headset	FSA NO.10 SEMI-INTERGRATED
 Cintre - Handlebar	XLC ALLOY 6061 W: 720mm R: 15mm Ø: 31.8mm
 Poignées - Grips	VELO DOUBLE DENSITY 130mm
 Potence - Stem	XLC ALLOY Ø: 31.8mm L: 60mm R: 6°
 Tige de selle - Seatpost	XLC ALLOY Ø: 31.6mm L: 400mm
 Selle - Saddle	XLC by DDK
 Moyeu avant - Front hub	SHIMANO HBTX505 32H CENTER LOCK QR
 Moyeu arrière - Rear hub	SHIMANO FHTX505 32H CENTER LOCK QR
 Jantes - Rims	LAPIERRE DISC 32H 27.5"/584-21c
 Pneus - Tires	MITAS OCELOT 27.5x2.1 584-54
 Pédales - Pedals	XERAMA SP-400

Ref. F122

 SPORT

-  Alloy Supreme 4
-  3 x 8 Speed
-  27.5"

Edge 3.7 W

WOMEN
SERIES

Illustrations non-contractuelles. Non-binding illustrations.

 Cadre - Frame	EDGE WOMEN 27.5" SUPREME 4 ALLOY DISC BRAKE, INT'L CABLE ROUTING
 Fourche - Fork	SR SUNTOUR XCT30-HLO-DS 27.5" 100mm TRAVEL
 Dérailleur avant - Front derailleur	SHIMANO TOURNEY FDTY500
 Dérailleur arrière - Rear derailleur	SHIMANO ACERA RDM360 8s
 Pédalier - Crankset	SHIMANO TY301 44x34x24T 170mm (XS) 175mm (S/M)
 Boîtier pédalier - Bottom bracket	SQUARE 124.5mm
 Cassette - Sprocket	SUNRACE CSM400 8s 12-32T
 Chaîne - Chain	S52 1/2"x3/32" 8s
 Freins - Brakes	SHIMANO MT200 HYDRAULIC DISC
 Disques - Rotors	SHIMANO SMRT10S 160mm CENTRE LOCK
 Manettes - Shifters	SHIMANO ALTUS STEF505 8s
 Jeu de direction - Headset	FSA NO.10 SEMI-INTERGRATED
 Cintre - Handlebar	XLC ALLOY 6061 W: 700mm R: 15mm Ø: 31.8mm
 Poignées - Grips	VELO DOUBLE DENSITY 130mm
 Potence - Stem	XLC ALLOY Ø: 31.8mm L: 60mm R: 6°
 Tige de selle - Seatpost	XLC ALLOY Ø: 31.6mm L: 400mm
 Selle - Saddle	XLC by DDK
 Moyeu avant - Front hub	SHIMANO HBTX505 32H CENTER LOCK QR
 Moyeu arrière - Rear hub	SHIMANO FHTX505 32H CENTER LOCK QR
 Jantes - Rims	LAPIERRE DISC 32H 27.5"/584-21c
 Pneus - Tires	MITAS OCELOT 27.5x2.1 584-54
 Pédales - Pedals	XERAMA SP-400

Ref. F123

 SPORT

Edge 2.9

- Alloy Supreme 4
- 3 x 7 Speed
- 29"

Illustrations non-contractuelles. Non-binding illustrations.



	Cadre - Frame	EDGE 29" SUPREME 4 ALLOY DISC BRAKE, INTL CABLE ROUTING
	Fourche - Fork	SR SUNTOUR XCE28 29" 100mm TRAVEL
	Dérailleur avant - Front derailleur	SHIMANO TOURNEY FDTY300
	Dérailleur arrière - Rear derailleur	SHIMANO TOURNEY RDTY300 7s
	Pédalier - Crankset	SHIMANO TY301 42x34x24T 170mm (S) 175mm (M/L/XL)
	Boîtier pédalier - Bottom bracket	SQUARE 124.5mm
	Cassette - Sprocket	SHIMANO HG20 7s 12-32T
	Chaîne - Chain	S52 1/2"x 3/32" 7s
	Freins - Brakes	SHIMANO MT200 HYDRAULIC DISC
	Disques - Rotors	SHIMANO SMRT10S 160mm CENTRE LOCK
	Manettes - Shifters	SHIMANO ALTUS STEF505 7s
	Jeu de direction - Headset	FSA NO.10 SEMI-INTERGRATED
	Cintre - Handlebar	XLC ALLOY 6061 TOP FLAT W: 720mm Ø: 31.8mm
	Poignées - Grips	VELO DOUBLE DENSITY 130mm
	Potence - Stem	XLC ALLOY Ø: 31.8mm L: 60mm R:6°
	Tige de selle - Seatpost	XLC ALLOY Ø: 31.6mm L: 400mm
	Selle - Saddle	XLC by DDK
	Moyeu avant - Front hub	SHIMANO HBTX505 32H CENTER LOCK QR
	Moyeu arrière - Rear hub	SHIMANO FHTX505 32H CENTER LOCK QR
	Jantes - Rims	LAPIERRE DISC 32H 29"/622-21c
	Pneus - Tires	MITAS OCELOT 29x2.1 622-54
	Pédales - Pedals	XERAMA SP-400

Ref. → F119

SPORT

Edge 2.7

- Alloy Supreme 4
- 3 x 7 Speed
- 27.5"

Illustrations non-contractuelles. Non-binding illustrations.



	Cadre - Frame	EDGE 27.5" SUPREME 4 ALLOY DISC BRAKE, INTL CABLE ROUTING
	Fourche - Fork	SR SUNTOUR XCE28 27.5" 100mm TRAVEL
	Dérailleur avant - Front derailleur	SHIMANO TOURNEY FDTY300
	Dérailleur arrière - Rear derailleur	SHIMANO TOURNEY RDTY300 7s
	Pédalier - Crankset	SHIMANO TY301 42x34x24T 170mm (XS/S) 175mm (M)
	Boîtier pédalier - Bottom bracket	SQUARE 124.5mm
	Cassette - Sprocket	SHIMANO HG20 7s 12-32T
	Chaîne - Chain	S52 1/2"x 3/32" 7s
	Freins - Brakes	SHIMANO MT200 HYDRAULIC DISC
	Disques - Rotors	SHIMANO SMRT10S 160mm CENTRE LOCK
	Manettes - Shifters	SHIMANO ALTUS STEF505 7s
	Jeu de direction - Headset	FSA NO.10 SEMI-INTERGRATED
	Cintre - Handlebar	XLC ALLOY 6061 W: 720mm R: 15mm Ø: 31.8mm
	Poignées - Grips	VELO DOUBLE DENSITY 130mm
	Potence - Stem	XLC ALLOY Ø: 31.8mm L: 60mm R:6°
	Tige de selle - Seatpost	XLC ALLOY Ø: 31.6mm L: 400mm
	Selle - Saddle	XLC by DDK
	Moyeu avant - Front hub	SHIMANO HBTX505 32H CENTER LOCK QR
	Moyeu arrière - Rear hub	SHIMANO FHTX505 32H CENTER LOCK QR
	Jantes - Rims	LAPIERRE DISC 32H 27.5"/584-21c
	Pneus - Tires	MITAS OCELOT 27.5x2.1 584-54
	Pédales - Pedals	XERAMA SP-400

Ref. → F120

SPORT

- Alloy Supreme 4
- 3 x 7 Speed
- 27.5"

Illustrations non-contractuelles. Non-binding illustrations.



Edge 2.7 W

WOMEN
SERIES

	Cadre - Frame	EDGE WOMAN 27.5" SUPREME 4 ALLOY DISC BRAKE, INT'L CABLE ROUTING
	Fourche - Fork	SR SUNTOUR XCE28 27.5" 100mm TRAVEL
	Dérailleur avant - Front derailleur	SHIMANO TOURNEY FDTY300
	Dérailleur arrière - Rear derailleur	SHIMANO TOURNEY RDTY300 7s
	Pédalier - Crankset	SHIMANO TY301 44x34x24T 170mm (XS) 175mm (S/M)
	Boîtier pédalier - Bottom bracket	SQUARE 124.5mm
	Cassette - Sprocket	SHIMANO HG20 7s 12-32T
	Chaîne - Chain	S52 1/2" x 3/32" 7s
	Freins - Brakes	SHIMANO MT200 HYDRAULIC DISC
	Disques - Rotors	SHIMANO SMRT10S 160mm CENTRE LOCK
	Manettes - Shiftlevers	SHIMANO ALTUS STEF505 7s
	Jeu de direction - Headset	FSA NO.10 SEMI-INTERGRATED
	Cintre - Handlebar	XLC ALLOY 6061 W: 700mm R: 15mm Ø: 31.8mm
	Poignées - Grips	VELO DOUBLE DENSITY 130mm
	Potence - Stem	XLC ALLOY Ø: 31.8mm L: 60mm R: 6°
	Tige de selle - Seatpost	XLC ALLOY Ø: 31.6mm L: 400mm
	Selle - Saddle	XLC by DDK
	Moyeu avant - Front hub	SHIMANO HBTX505 32H CENTER LOCK QR
	Moyeu arrière - Rear hub	SHIMANO FHTX505 32H CENTER LOCK QR
	Jantes - Rims	LAPIERRE DISC 32H 27.5"/584-21c
	Pneus - Tires	MITAS OCELOT 27.5x2.1 584-54
	Pédales - Pedals	XERAMA SP-400

Ref. F121

SPORT



