




**-** 03 ---






# LOGO HISTORY

Over the years, our logo has evolved with the business. For the 2015 range a new clean modern logo has been developed to represent the business as it is today.



# LAPIERRE HAS ALWAYS PRIVILIGED

# **FRENCH SAVOIR-FAIRE**



- 06 ----





# PROGRAMME

# IMAGINE IT. CHOOSE IT CREATE THE BIKE OF YOUR DREAMS.

Because each cycle lover is unique, we have created the Lapierre Ultimate programme. Starting with the frame of your choice, select each part to create your bike from A to Z.

Your bike, created with your passion. With Lapierre

Ultimate, it's your choice.

What's new in 2015? Firstly, our 2 new road frames will now be available « à la carte »: as well as the Xelius EFI you can choose an Aircode or a Pulsium. Aero or endurance? Make your choice.

We've gone further than ever in deciding to offer Lapierre Ultimate to as many as possible. Previously only available for road frames, Lapierre Ultimate now has 3 MTB frames! For the 1st time, you can pick the MTB of your dreams. Fox or RockShox? Shimano or Sram? Now it's your choice.

# CHOOSE BETWEEN THE BEST...

# TRUE LUXURY

# **LIES IN CHOICE**

### IN CHOOSING YOUR LAPIERRE ULTIMATE.

you are not just buying a bike. You are buying the exclusivity to ride on a bike that suits you, that expresses your personality and corresponds to your needs. To be at one with your bike.







# 1 - **GO TO**

Choose your bike in 6 stages.

# **CHOOSE YOUR BIKE**

Our Ultimate configurator helps you select your parts, and create your bike according to your size, your kind of riding and your preferences. At each stage you can see the evolution of your build and the price and weight.

# 3 - FINISH **YOUR ORDER**

Via the configurator, choose the Lapierre stockist closest to you and send your chosen build.





# 4 - CONFIRM WITH **YOUR LOCAL DEALER**

Once the order is received your retailer will contact you to confirm and order your Lapierre Ultimate.

# **5 - FINAL ASSEMBLY OF YOUR BIKE**

For optimal quality, your bike will be assembled in Dijon by a specialist technician.

# 6 - RECEPTION

Once finished, your bike is sent to your chosen Lapierre dealer. They will check the bike with you and do the final adjustments.



<del>----</del> 10 <del>----</del>

# **FRAMES**

## TRUE MTB LUXURY!

Our Ultimate programme is designed to offer you infinite choice and the best of Lapierre technology. 3 models are on offer in the first year of bringing Ultimate to mountain bikers: ProRace, XR and Zesty AM. The holy grail of MTB is here! Three top end models in their segment: the ProRace for cross-country hardtail fans, the XR for a full-sus XC option, and the Zesty AM for All Mountain riders.

The ProRace and the XR are 100% carbon with a monocoque front triangle. The Zesty AM has a rear triangle constructed from Supreme 6 and a monocoque front triangle (for more information, see the chapters on Carbon and on Supreme 6). Thanks to the expertise of our engineers,

the Ultimate frames guarantee you an exceptional quality of fabrication and finish. These frames are equipped with the best suspension systems on the market (fork and rear shock). These have been carefully selected for Ultimate and have specific settings in order to correspond perfectly to each of our bikes (for more info on the models, please go to the chapters on ProRace, XR and Zesty AM).

As well as the best of Lapierre technology, the Ultimate frames have a special design: red, black matt... A finish to make your friends green with envy.

In selecting the Ultimate programme, you are choosing the best. The best of Lapierre expertise.

# COMPONENTS

### YOUR BIKE: YOUR UNIQUE RIDE.

Thanks to the Ultimate programme, you can transform an exceptional frame into an amazing bike, by choosing your dream parts!

Ultimate offers different groupsets – such as Shimano or Sram, wheels from Mavic or Sram, ... also RockShox or Easton seatposts and Fizik saddles.

Thousands of combinations are possible for one dream bike: yours!



# ZESTYAM

The OST+ 150mm suspension system is now available in Ultimate: become the king of the mountain! Geometry designed for 27.5" wheels, available with e:i Shock Auto or mechanical: the do anything bike now has a luxury version!

# XR

You'll be unbeatable when wielding this full suspension carbon XC race machine! A frame built around 29" wheels, available with e:i Shock Auto or mechanical.

There's only one limit: you.



Pure cross country performance! The new 100% carbon cross country hardtail in Ultimate: perfection in your reach! With geometry adapted to different wheel sizes (sizes XS, S, M in 27.5" and sizes M, L, XL in 29"), the ProRace Ultimate 2015 adapts perfectly to your needs.



# **ULTIMATE**

# **FRAMES**

### **CHOOSING EXCELLENCE!**

Our 2015 Ultimate road range now has two new frames! Aircode and Pulsium are now alongside the Xelius EFI to offer even more choice.

The Ultimate frame kits have a special carbon construction that has a different carbon layup from the series models. The proportions of different types of fibres have been specially studied for the Ultimate frames, offering the highest quality possible: thanks to the usage of 40 ton fibres, our Ultimate models are even stiffer (For more information,

see the Carbon technology section). This extra usage of HM fibres gives a considerable weight loss as well as improved stiffness (for all technical characteristics please see the Aircode and Pulsium sections).

Our Ultimate programme offers you more choice than ever with special designs for each frame.

In opting for Ultimate you are offering yourself the very best of Lapierre's

# **COMPONENTS**

# YOUR BIKE: YOUR UNIQUE RIDE.

Thanks to the Ultimate programme, you can transform an exceptional frame into an amazing bike, by choosing your dream parts!

Ultimate offers different groupsets – such as Shimano Dura Ace Di2;

numerous choices of wheels including Mavic Cosmic 40C; a large choice of saddles and cockpits, for example Zipp stems, handlebars and seatposts; and bar tape in all colours of the rainbow.

Thousands of combinations are possible for one dream bike: yours.

# - FOTE

# **AIRCODEFDJ**

The new weapon of choice for Team FDJ.fr. Aerodynamics, speed and precision: the new Lapierre aero road bike is built for competition. The Aircode was specially developed for the needs of team FDJ.fr. With this team replica, you can ride in the colours of France's favourite cycling team!



# **AIRCODERED**

This version in bright red, matches perfectly Nacer Bouhanni's red jersey gained by winning best sprinter in the 2014 Giro. Enter cycling's history books with him!



# **PULSIUMFDJ**

The Pulsium is the new Team FDJ.fr standard for long classics and difficult road races. With this team replica, you can ride in the colours of France's favourite cycling team!



# **PULSIUMYELLOW**

The Pulsium is also available in the winning combination of blue and yellow. With this exceptional design, you won't pass by unnoticed!

<del>---- 14 ----</del> <del>----</del> 15 <del>----</del>

# PRESENTATION SECONDARY SEC

# WHEN DREAMS BECOME REALITY!

Just a few of the builds possible from our Ultimate programme. Go to www.ultimate.lapierrebikes.com to create your dream bike.

# **AIRCODEULTIMATE**











## **SPECIFICATIONS**

FRAME: Aircode Ultimate Red

FORK: Aircode Ultimate FRONT DERAILLEUR: Shimano Dura Ace mécanique 2SPD

REAR DERAILLEUR: Shimano Dura Ace mécanique 11SPD

SADDLE: Fizik Arione R3 Braided

BRAKES: Shimano Dura Ace Direct-mount

WHEELS: Mavic R-Sys SLR WTS



# **PULSIUMULTIMATE**











FRAME: Pulsium Ultimate FDJ

FORK: Pulsium Ultimate

FRONT DERAILLEUR: Shimano Dura Ace Di2 2SPD

REAR DERAILLEUR: Shimano Dura Ace Di2 11SPD

SADDLE: Fizik Aliante Delta BRAKES: Shimano Dura Ace WHEELS: Mavic Cosmic SLE WTS









# ZESTYAMULTIMATE













FRAME: Zestv AM Ultimate

FORK: Fox 36 150mm

FRONT DERAILLEUR: Shimano XTR 2SPD

REAR DERAILLEUR: Shimano XTR 11SPD

SADDLE: Fizik Tundra M3 K:ium BRAKES: Shimano XTR AM

WHEELS: Mavic Crossmax XL WTS

# XRULTIMATE TRAVEL TRAVEL TRAVEL TO THE TRAVEL THE TRAVEL TO THE TRAVEL TO THE TRAVEL TO THE TRAVEL THE TR













## **SPECIFICATIONS**

FRAME: XR Ultimate

FORK: Sram RS-1 100mm

REAR DERAILLEUR: Sram XX1 11SPD

SADDLE: Fizik Tundra M3 Braided BRAKES: Sram Guide Ultimate

WHEELS: Sram Roam 50

# PRORACEULTIMATE NO.









# **SPECIFICATIONS**

FRAME : ProRace Ultimate

FORK: Fox 32 100mm

FRONT DERAILLEUR: Shimano XTR Di2 2SPD

REAR DERAILLEUR: Shimano XTR Di2 11SPD

SADDLE: Fizik Tundra M3 Braided


BRAKES: Shimano XTR XC

WHEELS: Mavic Crossmax XL WTS

<del>--- 16 ---</del> <del>---- 17 ----</del>





















# **SPECIFICATIONS**

FRAME: OVERVOLT SUSPENDED ALLOY SUPREME 6 140mm Rear Travel

FORK: ROCKSHOX REVELATION RL FAST 27,5" SOLO AIR 140mm 15QR TAPERED

SHOCK ABSORBER: LAPIERRE R HYDRAULIC DAMPING TECHNOLOGY

REAR DERAILLEUR: SHIMANO XT KRDM786GSL Shadow+ 10 SPEED

SHIFTERSS: SHIMANO SLX KSLM670BIRA 10 SPEED ISpec

BRAKES: SHIMANO HYDRAULIC XT BRM785 BLACK + J-KIT

WHEELS: MAVIC EN321 27,5" 32H

TYRES: MICHELIN WILDGRIP'R REINFORCED 27.5x2.35

# **TECHNOLOGY** OVERVOLT MTB

# OUR OVERVOLTS ARE EXCELLENT POWER-ASSISTED MTBS

but above all they are excellent MTBs! To develop these non-standard bikes, Lapierre engineers started with a blank slate. With reinforced frames and carefully chosen components, these MTBs are not just other models with an engine strapped to them. Reliable, robust and accessible at the same time, they have been entirely designed with the intention of being power-assisted MTBs right from the start.

# **OVERVOLT: AN MTB ABOVE ALL ELSE**

After a year in development, the Overvolt FS finally arrived, ready to take on any challenge! Its 140mm of travel provide comfort: suspension that's both sensitive over little bumps and, at the same time, progressive over major impacts. Its 27.5" wheels provide versatility, handling and rideability (head to the Wheel Size Technologies page for more info). Finally, our FS and HT models are made exclusively from Supreme 6 aluminium, our magic alloy (see the Supreme 6 Technology section for further information).

We've achieved a power-assisted bike with the characteristic features of an MTB, capable of going anywhere, from trails to technical terrain. A hydraulic shock and fork adapted to the bike's weight, 12 and 15mm wheel axles, suspension axes inspired by OST+ technology, internal cable routing, conical head tube... it's all there!

Developed by Nicolas Vouilloz, Overvolt geometry will enable you to make the most of the bike. It is still available in 3 sizes, and the S size has its bottom bracket shell lowered by 5mm to correspond better to the female physique.

# WHY THIS REAR TRIANGLE?

When designing power-assisted bikes, the problems are not the same as for a classic MTB. As well as shock absorption, loss of space is a key issue. The space occupied by the motor, where a standard bottom bracket shell would be, obliged us to find innovative technical solutions.

The first constraint involves the main pivot point: the amount of space taken up by the motor means it has to be positioned very high up. The second issue stems from the chain position: it is particularly low in relation to that of a traditional bike because of the small size of the motor output sprocket. This has led to an exclusively designed swing arm, enabling the chain to be completely released, to prevent all contact between it and the chainstays.

As for the system of links specially developed for the Overvolt, they are responsible for managing shock absorption. The unique design of these singlepivot kinematics gives the most compact rear triangle possible, giving the bike better handling and making it more playful.



# **BOSCH ASSISTANCE: PROVEN EFFECTIVENESS**

The German firm has now managed to establish itself as setting the standard for power assistance in the MTB world. Its versatility and flexibility of use provide top-notch performance – ideal for our Overvolts.

The Bosch motor provides dynamic and direct assistance for the whole range of gears, adjusting automatically, depending on the speed of the bike, and on the rate and force of the pedalling. It is also possible to choose the assistance mode, depending on the terrain conditions encountered. There are 4 power levels available: Eco, Touring, Sport and Turbo

The Bosch Performance system, fitted on the Overvolt FS 900 and HT 900, is the sportiest in the Bosch range. Delivering 250 W of power, it has several advantages over the Activ version (fitted on the Overvolt FS 500 and HT 500): more compact, 4% lighter, more torque, and an assistance curve that is more dynamic and constant as it approaches its 25 km/h limit. What's more, the compact motor design enables perfect incorporation into the frame and increases clearance height.

Extremely light, the Bosch PowerPack drives the entire system in the most optimal manner, thanks to a dedicated management system. With its 400 Wh energy reserve, it has an extended range of 50 to 160 km (depending on the assistance mode selected and the terrain). This ultrahigh performance lithium-ion battery suffers from neither memory effect nor self-discharge. This means it can be partially recharged as soon as you want, without affecting its service life. Easy to install and remove, thanks to its ergonomic handle, the Bosch PowerPack battery is securely attached to the down tube. It can also be recharged directly on the bike. Its position lowers the bike's centre of gravity and therefore improves its stability, balance and handling.

With this bike 100% assembled in France, we guarantee the best possible power-assisted MTB. Quality manufacture, top-notch components, exceptional finish: your Overvolt will give you a boost like never before!

# **2015 OVERVOLT FRAME FEATURES:**

- Overvolt FS: 140mm, front and rear, for best shock absorption
- Geometry and kinematics developed by Nicolas Vouilloz
- 100% Supreme 6 alloy frame
- 27.5" wheels
- Modified hydraulic shock and fork, adapted to the bike's weight [140mm fork on the Overvolt FS and 120mm on the Overvolt HT]
- 12mm and 15mm wheel axles

- Suspension axes inspired by OST+
- Genuine MTB components: Shimano drivetrain and brakes, Mavic wheels, 2.35" Michelin WildGrip'R tires, wide handlebar, etc.
- Internal cable routing
- Conical head tube
- Possibility of attaching a luggage rack to the Overvolt HT

# **BOSCH PERFORMANCE MOTOR FEATURES:**

- Rated power: 250 W
- Top speed: 25 km/h
- Maximum torque: 60 N.m
- Constant assistance up to 25 km/h
- Sporty acceleration curve

- Assistance modes: Eco, Touring, Sport and Turbo
- Automatic speed-change sensor
- Compact
- Mass: 3.9 kg

# **BOSCH POWERPACK BATTERY FEATURES:**

- Energy reserve: 400 Wh
- Range of 50 to 160 km (depending on the assistance and the usage conditions
- Composition: lithium-ion

- Full recharge time: 4 h 30 mins
- Rechargeable while fitted on the bike
- Secured to the down tube
- Easy to fit and remove, thanks to its ergonomic handle

<del>-</del> 22 <del>-</del>



















## **SPECIFICATIONS**

FRAME: OVERVOLT SUSPENDED ALLOY SUPREME 6

FORK: ROCKSHOX SEKTOR 27,5" SOLO AIR 140mm 15QR TAPERED

SHOCK ABSORBER: LAPIERRE R HYDRAULIC DAM-

REAR DERAILLEUR: SHIMANO SLX RDM675GS

SHIFTERS: SHIMANO DEORE KSLM610IRA 10

BRAKES: SHIMANO HYDRAULIC DEORE BRM506 BLACK + J-KIT

WHEELS: MAVIC EN321 27,5" 32H

TYRES: MICHELIN WILDGRIP'R REINFORCED

# OVERVOLT900HT TRAVEL









# **SPECIFICATIONS**

FRAME: OVERVOLT HARDTAIL ALLOY SUPREME 6

FORK: ROCKSHOX REBA RL 27,5" SOLO AIR 120mm 15QR TAPERED

REAR DERAILLEUR: SHIMANO XT KRDM786GSL Shadow+ 10-SPEED

SHIFTERS: SHIMANO SLX KSLM670BIRA 10 SPEED ISpec

BRAKES: SHIMANO HYDRAULIC DEORE BRM506 BLACK + J-KIT

WHEELS: MAVIC EN321 27,5" 32H

TYRES: MICHELIN WILDGRIP'R REINFORCED 27.5x2.35



# OVERVOLT500HT TRAVEL











### **SPECIFICATIONS**

FRAME: OVERVOLT HARDTAIL ALLOY SUPREME 6

**FORK:** ROCKSHOX XC32 27,5" SOLO AIR 120mm 15QR TAPERED

REAR DERAILLEUR: SHIMANO SLX RDM675GS


SHIFTERS: SHIMANO DEORE KSLM610IRA 10 SPEED ISpec

BRAKES: FORMULA HYDRAULIC T1S 203mm

WHEELS: MAVIC EN321 27,5» 32H

TYRES: MICHELIN WILDGRIP'R REINFORCED

- 24 -





# **OVERVOLTTREKKING**









FRAME: OVERVOLT TREKKING DISC ALLOY 6061 28"

FORK: SUNTOUR NEX-ED25DS DISC 28" Travel: 63mm Coil Spring

REAR DERAILLEUR: SHIMANO LX KRDT670SGSL 10-SPEED

SHIFTERS: SHIMANO LX KSLT670RAL 10 SPEED

BRAKES: SHIMANO HYDRAULIC ALTUS BRM355 BLACK

WHEELS: MACH1 630 28" 36H

TYRES: SCHWALBE ENERGIZER PLUS GREENGUARD 700x35C

<del>-</del> 26 <del>-</del>

# **TECHNOLOGY** OVERVOLT URBAN

## THREE MODELS MAKE UP THE NEW URBAN BRANCH OF THE OVERVOLT RANGE:

Overvolt Urban - Bosch Activ system **\*\*\*** 

Overvolt Urban - Shimano STEPS system **\{{** Overvolt Trekking - Bosch Activ system **\\\\**  Their open frame, inspired by our City frames, is made from 100% double-butted aluminium 6061 alloy, guaranteeing excellent service life. The Overvolt Urban is available with two motor types: Bosch Activ or Shimano Steps. The Overvolt Trekking is fitted with a Bosch Activ motor. Its frame is also more rigid than similar bikes, for use on more



These models also possess two distinct geometries, associated with two different wheel diameters. The Overvolt Urban geometry features a high rider position and 26" wheels for better handling; that combination is particularly suited to urban travel. As for the Overvolt Trekking, it has a sportier geometry, coupled with 28" wheels, which make it more versatile, for use on trails or asphalt.

With their specific components, the Overvolt Urban and Trekking are ready to tackle the pressures of the urban environment and respond to the needs of day-to-day travel: suspension fork, hydraulic disc brakes, adjustable power, suspension seat post, royal gel saddle. and numerous useful attachments (luggage rack, mudguards, etc.). Comfort and safety are its watchwords.

As regards the two assistance systems, Bosch's high-performance and well-proven system is fitted on two of our models: the Overvolt Urban Bosch and the Overvolt Trekking (head to the Overvolt MTB Technologies section for all the features of the Bosch system).

Our major innovation this year is the inclusion of the Shimano STEPS power-assistance system (Shimano Total Electric Power System). The Japanese firm offers a state-of-the-art drivetrain, whose performance and appearance are simply breathtaking. This system, in which the power automatically adapts, depending on the rate and force of the pedalling, has 3 operating modes (Eco. Normal and High), to offer assistance that is both effective and discrete. Shimano STEPS is therefore fitted on one of our Overvolt Urban models.

# **2015 OVERVOLT URBAN AND TREKKING FEATURES:**

- Step through frame (very easy to straddle) in double-butted aluminium 6061
- Urban geometry with 26" wheels and Trekking geometry with 28" wheels
- Perfectly adapted components:
  - Suspension fork (30mm of travel on Overvolt Urban and 65mm on Overvolt Trekking)
- Shimano drivetrain (Deore LX with Bosch motor/Alfine with Shimano motor)
- Hydraulic disc brakes
- Adjustable stem to set the rider position
- Suspension seat post
- Royal gel saddle
- luggage rack, mudguard, lights, lock, stand

# **SHIMANO STEPS MOTOR FEATURES:**

- Rated power: 250 W
- Top speed: 25 km/h
- Torque: 50 N.m

- 3 assistance modes (Eco, Normal, High)
- 38-tooth chainring
- Light (3.1 kg), compact and quiet motor

# **SHIMANO STEPS BATTERY FEATURES:**

- Energy reserve: 400 Wh
- Range of 80 to 120 km (depending on the assistance and the usage conditions)
- Composition: lithium-ion

- Full recharge time: 4 h
- Service life: 1,000 charge/discharge cycles
- Secured to luggage rack

<del>-</del> 28 <del>-</del> <del>-</del> 29 <del>-</del>





# **OVERVOLTURBANBOSCH**







# **SPECIFICATIONS**

FRAME: OVERVOLT URBAN DISC ALLOY 6061 26"

FORK: TRANZX JF8-26" DISC Alloy 6061 Travel: 30mm Coil Spring

REAR DERAILLEUR: SHIMANO LX KRDT670SGSL 10-SPEED

SHIFTERS: SHIMANO LX KSLT670RAL 10 SPEED

BRAKES: SHIMANO HYDRAULIC ALTUS BRM355 BLACK

**WHEELS:** MACH1 630 26" 36H

TYRES: SCHWALBE BIG APPLE K-GUARD 26x2.00

# **OVERVOLTURBANSTEPS**







# **SPECIFICATIONS**

FRAME: OVERVOLT URBAN DISC ALLOY 6061 26"


FORK: TRANZX JF8-26" DISC Alloy 6061 Travel: 30mm Coil Spring

SHIFTERS: SHIMANO ALFINE ASLS70082100LLA 8-SPEED

BRAKES: SHIMANO HYDRAULIC ALTUS BRM355 BLACK

WHEELS: MACH1 630 26" 36H

TYRES: SCHWALBE BIG APPLE K-GUARD 26x2.00







Considered throughout the world as a revolution when it was launched in 2013, our intelligent suspension system, e:i Shock, has evolved.

Redesigned and optimised for 2015, it now gives birth to e:i Shock Auto, which could be the most important innovation on our future MTB ranges.

# **HOW DOES IT WORK?**

The principle of e:i Shock stays the same: The Shock is driven by electronics, taking into account the terrain and pedaling cadence. The e:i Shock Auto system is made up of several components:

- 1 computer placed on the side of the stem, with a control button and an LED light to indicate the mode chosen and the position of the shock.
- 1 ROCKSHOX Monarch RT3 Relay shock with motor.
- 3 captors: 1 accelerometer on the stem, 1 accelerometer on the fork and 1 captor for pedaling cadence on the bottom bracket.
- 1 cyclindrical battery (25h autonomy)



The two accelerometers measure the movements of the fork (speed and intensity of shocks) and the captor on the bottom bracket measures the pedaling frequency. All this data is transmitted immediately to the computer which evaluates the terrain and the pedaling cadence. In automatic mode, the computer puts the shock into the correct position to ensure the suspension is in the ideal position for the rider.

# **MAXIMUM REACTIVITY:**

It takes just one tenth of a second for the information to be sent from the three captors to the computer, and onto the shock (the time taken for the back wheel to arrive at the position of the front wheel when travelling at 36 km/h). Ultra-fast, the rear suspension adapts to the terrain covered by

the front wheel in record time. If a large obstacle is detected by the fork accelerometers, the shock opens instantaneously, before the rear wheel reaches the obstacle.



0,1 SEC



**RESULT:** You can concentrate 100% on riding and your bike performs optimally!

# **3 POSITIONS, 2 MODES**

The shock has 3 positions: open, medium and locked.

There are two ways to use the system: in manual mode the rider chooses the position of the shock using the button on the computer, in auto mode, the computer does everything!

The table below demonstrates how the new e:i Shock Auto functions, as well as the different states of the LED depending on the mode selected and the position of the shock.

MODE	PEDALING	TERRAIN	POSITION OF THE SHOCK	LED
AUT0	No Pedaling		Open	
	Pedaling	Big shocks	Open	
	Pedaling	Little shocks	Medium	
	Pedaling	No shocks	Locked	
MANUAL			Open	
			Medium	
			Locked	
LOW Battery			Open	•••••

The level of sensitivity needed to change from one position to another (open, medium, locked) is determined by the sensitivity in auto mode.

This sensitivity (1 to 3) can be modified by the user and adapted depending on the usage of the bike (cross-country, trail, all-mountain, enduro).

The system is most sensitive at level 1, and the shock will be open most easily (for an enduro usage). At level 3, a greater level of bumpy terrain

will be needed to move the shock to open (sensitivity for cross-country).

e:i Shock Auto adapts to your riding and makes your bike perform optimally, whatever your discipline and your riding style!

# **NEW E:I SHOCK AUTO: WHAT'S CHANGED?**

In order to evolve e:i Shock, the Lapierre engineers had two objectives: simplicity and reliability. In order to achieve them, they took into account all the experience acquired with the first version of e:i Shock. This new version takes it down to the essentials in order to simplify the system for the user. The result is a discrete system that blends in with the bike.

- The principal evolutions concern the simplification of the interface. The objective? To pare down the system to the essentials, clean up the cockpit (enable the addition of GPS and other devices) and improve the look.
  - Removal of the control screen
  - Removal of the handlebar command
  - Computer on the side of the stem (in line with the silhouette of the bike) with one control button and one LED to indicate mode
  - Removal of the magnet on the front wheel



The battery has also been redesigned. It is more compact and enables the usage of a bottle cage.



 Our engineers have also modified the connectors to simplify assembly and maintenance.

The new e:i Shock Auto comes as standard on the Spicy Team and is an optional extra on most Spicy, Zesty AM, Zesty TR and XR models.

The other advantage of e:i Shock Auto: with the shock sag at 30% in open, the e:i Shock Auto puts your shock into 25% sag in medium and 22% in locked. Therefore your bike is more comfortable in descent and ultraperformant in climbing.

With a Lapierre MTB equipped with e:i Shock Auto, your suspension is managed automatically. Your bike will always be in the optimal setting. The benefits of simplicity!

# TECHNOLOGY

### **EFFICIENCY OR COMFORT? HAVE THEM BOTH!**

In 2008, we launched the 1st version of the patented OST (Optimised Suspension Technology), our first virtual pivot point suspension kinematics adapted to medium and long-travel suspensions. On our MTB range, it complemented our FPS technology, included on shorter-travel models (100mm on the X-Control models). Designed to adapt to travel ranging from 120 to 180mm, and dedicated to trail riding, all-mountain, enduro and freeride segments, OST technology is the cornerstone of the success enjoyed by the Zesty, Spicy and Froggy

In 2012 we launched a new version of our famous kinematics: OST+. Slightly revised positioning of the pivot points have made OST+ even more effective. Now featured in the 120mm travel of our Zesty TR, and the 150mm of our Zesty AM and Spicy, OST+ has been universally praised. Its exceptional performances both downhill, with excellent comfort; and uphill, with its unrivalled efficiency, make it the new benchmark.



# VIRTUAL PIVOT POINT

Our OST+ suspension is based on virtual pivot point kinematics. What is a virtual pivot point? You talk about a virtual pivot point when the rear wheel axle is not joined to the frame by a single pivot point. In our case, OST+ has two connecting rods linking the rear wheel axle to the front triangle. Specifically, the virtual pivot point is located at the intersection of the lines running along the axes of the two links, so it moves as the suspension compresses.

This means that the rear wheel does not follow a circular arc trajectory, but the optimal movement resulting from the combined movement of the two links. This trajectory is always perpendicular to the chainline. This feature, characteristic of OST+ technology, prevents any kickback from occurring and therefore prevents the workings of the suspension from disrupting pedalling.

# **HOW DOES IT WORK?**

The bob effect caused by pedalling is continually countered by the force applied on the chain.


- Equilibrium point: when the rider is on the bike, the suspension is at the equilibrium point, which is called "SAG" and which depends on the rider's weight. In this position, the virtual pivot point is in line with the chainline, so there is no pedal-bob effect.
- Compression (positive travel): the rear wheel moves upwards and the virtual pivot point is above the chainline. The chain tension therefore tends to cause the rear wheel axis to move back down towards the equilibrium point.
- Extension (negative travel): the rear wheel moves downwards and the virtual pivot point moves below the chainline. The chain tension therefore tends to cause the rear wheel axis to move back up towards the equilibrium point.


What's more, the ratio curve of OST+ kinematics has been calculated to achieve the best possible suspension performance. In fact, the suspension is very sensitive at the start of the travel (for good absorption of small bumps) and progressive at the end of the travel (the suspension hardens at the end of the travel on major impacts, which prevents it bottoming out).


On bikes fitted with OST+ suspension, the front derailleur is attached to the chainstays, not the front triangle. This position enables the derailleur to move with the rear wheel and, therefore, always stay correctly lined up with the chain. Gear changing remains fluid and effective, whatever the circumstances.

Thanks to OST+ technology, all the versatility of a modern MTB is available to you. From trail to all-mountain to enduro, our bikes marry high performance with ride enjoyment. When combined with our e:i Shock technology, OST+ becomes quite simply unbeatable! Comfort and efficiency like you've never known before.

>>> You can find OST technology on the Froggy (180mm) and OST+ technology on the Zesty TR (120mm), Zesty AM (150mm) and Spicy (150 mm) models.







Our patented FPS (Full Power Suspension) suspension technology appeared on the very first X-Control in 2001. In the following 14 years this virtual pivot point suspension technology has proved its worth. As the X Control developed over the years, so too did FPS, which was entirely reworked in 2005, giving birth to FPS2.

In 2015, Lapierre has innovated once again: FPS2 evolves into FPS+! The 2015 X-Control is in line with its predecessors, but even more efficient! Still based on a virtual pivot point, the FPS+ suspension eliminates pedal bob even better than before. The 2015 X-Control version has unrivalled momentum and is unbeatable at pedaling. With 5mm of extra travel, the shock absorption of the new X-Control is also improved: FPS+ is even more progressive at the end of the curve and will not be perturbed by big impacts.

# **VIRTUAL PIVOT POINT**

As with OST+, our FPS+ suspension is based on a virtual pivot point. What does that mean? We use the term virtual pivot point when the rear wheel is not linked to the frame by one single pivot point. In our case, FPS+ has two linkages to link the rear wheel axle to the front triangle. The virtual pivot point is situated at the intersection of the lines passing from the axles to the linkages, it moves depending on the suspension.

Therefore, the rear wheel axle does not follow a perfectly circular trajectory, but an optimal movement resulting from the combined movement of the two linkages. The trajectory is perpendicular to the line of the chain. This prevents kickback and means that pedaling is not impeded by the suspension.




# **HOW DOES IT WORK?**


The effect of pedal bob caused by pedaling is permanently fought by the effort of the chain:


- Equilibrium position: when the rider is on the bike, the suspension is in an equilibrium position that we call "SAG" and which depends on the weight of the rider. In this position, the virtual pivot point is aligned with the chain, so there is no pedal bob.
- Compression (positive travel): the rear wheel rises, the virtual pivot point is then above the chain. The chain tension brings the rear wheel axle down towards the equilibrium point.
- Extension (negative travel): the rear wheel descends, the virtual pivot point passes below the chain. The chain tension brings the rear wheel axle up towards the equilibrium point.

We therefore obtain a suspension that permanently corrects itself. The conception of the FPS+ kinematics (position of axles, length and inclination of linkages, etc.) enables us to keep the virtual pivot point as close as possible to the line of the chain.

As soon as the rear triangle is forced out of the equilibrium position by pedaling, the chain tension brings it back into position. Pedal bob is therefore counteracted before becoming problematic. The bike is stabilised and the rear wheel is literally glued to the ground, offering unbeatable adherence!







# **FPS+: WHAT'S CHANGED?**

- ---- 5mm more travel
- Better progressivity at the end of the curve

- Reduction of kickback (see OST+ technology pages for more information)
- --- New linkages

# **TECHNOLOGY** CARBON

We have been developing and producing frames for nearly 70 years. In 2003 we took our first steps in commercializing carbon frames with our famous 0.9C road bike, the first monocoque carbon road frame. Thanks to its revolutionary conception for the era, this frame had a record weight of 900g in size 52, and shone on the roads of the Tour de France.

Since 2004, these innovations have impacted on our MTB range with the development of the X-Control Ultimate. Carbon technology rapidly became standard on our XC models, with both the ProRace and the X-Control available in carbon. These bikes quickly took their place on the podiums of the XC circuit.

For over 10 years, our engineers, pro riders and the very best carbon producers have worked in close collaboration to develop and improve the construction of our carbon frames. To make them lighter, more reliable and give our riders the very best performance possible.

From the very first idea through to the production, each new carbon MTB project follows the same process established by our engineers in our R&D department in Dijon. From the final 3D model to defining the fabrication process, passing by determining the layup of the different types of fibres, nothing is left to chance.

# WHICH FIBRES FOR WHICH MTB?

Each Lapierre frame is made using several different types of fibres, of which the proportions are very carefully studied.

Spicy, Zesty AM, Zesty TR & X-Control: 24t fibres for resistance and strength against shocks and 40t fibres for stiffness.

XR & ProRace: 24t and 30t fibres for resistance against shocks, absorption of vibrations and comfort and 40t fibres for power transfer.

Find further information on the fabrication of carbon frames and the different types of fibres used by Lapierre in the carbon technology pages of our Road section.



In 2011 we developed Supreme 6 and used it for the first time. Available then only on our DH model, and chosen for its resistance capabilities, its qualities are such that we now use it on lots of other models. scandium with exceptional reliability and resistance.

- Excellent resistance/deformation ratio and highly resistant to corrosion
- A more resistant fine-grain structure
- One of the lightest and most rigid alloys on the market

Frames made with Supreme 6 alloy have exceptional longevity without losing any of their dynamic qualities.

Compared with the more widely used aluminium 7005, Supreme 6 offers superb performance:

- 12% more resistant
- --- 1.5% lighter
- Longer life, thanks to a more homogeneous microstructure.

In 2015, Supreme 6 is available on the DH, Spicy, Zesty AM, Zesty TR and X-Control models, as well as on the rear triangles of carbon frames. **Exclusive to Lapierre!** 



A few years ago, there was a real boom in 29" wheels, offering a proper alternative to the traditional 26". Nowadays, 27.5" is winning over most of the MTB world, as the ideal compromise. We at Lapierre have believed in this new wheel format from very early on, and we have been offering our OST+ platform in 27.5" for our Spicy and Zesty AM models since 2014. It is also making a name for itself on our brand-new X-Control. For 2015, our 27.5" range is expanding even more: for the first time, we are offering this diameter wheel on our DH models!

This new standard has proved itself, with podium finishes at the Downhill World Cup for Loic Bruni and his fellow Team Lapierre Gravity Republic members.

Our choices in terms of wheel size and the emergence of new standards like 27.5" are in response to a need to optimise performance. Our goal is to provide you with the best bike for the way you ride, for your favourite terrain and for your build.

# **HOW DOES IT WORK?**

It's well known that the smaller the wheels, the more responsive the bike and its handling. The bigger they are, on the other hand, the better suited the bike is to speed and rolling over obstacles.

What's more, larger-diameter wheels have significant inertia (because their rotational mass is greater). You need enough inertia to keep the bike stable, but too much inertia will negatively affect its handling, its acceleration and its braking.

Therefore, we can distinguish 4 criteria that vary significantly with wheel diameter: weight, rollover, grip and acceleration.


>>> Weight



For different assemblies with the same component types (wheel + tire):

- A 27.5" wheel is 5% heavier than a 26" wheel
- A 29" wheel is 11% heavier than a 26" wheel

>>> Rollover




A bike's rollover capacity is determined by the wheel's angle of attack to the obstacle. The bigger the wheel, the smaller the angle of attack, making it easier to roll over.

>>> Grip



The bigger the wheel, the more contact surface between tyre and ground (at the same inflation pressure), which therefore improves grip. Better grip means a bike that is easier to ride and has better braking.

>>> Acceleration



It is wheel inertia that influences a bike's acceleration performance: the bigger the wheels, the greater the rotational mass, the higher the inertia and, therefore, the slower the acceleration. As we can see in the graph, a bike fitted with 29" wheels will have a higher top speed, but more time and energy will be needed to reach that speed.

### IN CONCLUSION:

- The 29" is the ultimate weapon for X-country competition and trails, but it is also suited to larger builds and to riders with more limited skills.
- Perfectly suited to all-mountain and enduro, the 27.5" represents the perfect compromise between handling, responsiveness and rollover.



# EACH DIAMETER

# **HAS ITS STRENGTHS**

	26"	27.5"	29"
WEIGHT	++++	+++	++
ROLLOVER	++	+++	++++
GRIP	++	+++	++++
BRAKING	++	+++	++++
ACCELERATION	++++	+++	++
SPEED	++	+++	++++
EFFICIENCY	++	+++	++++
HANDLING	++++	+++	++
STABILITY	++	+++	++++
WHEEL ROBUSTNESS	++++	+++	++

With all these standards, it is difficult to find your feet. Our engineers, working together with professional riders, have worked out the most appropriate wheel diameter for the intended discipline, and have made the resulting geometry changes.

That's why you'll find 29" on our X-country and trail bikes. As for the 27.5", it is on all segments, from X country to DH. The 26" is not dead yet: the Froggy remains true to its roots, and still has 26", for all you freeride diehards!

This table sets out the distribution of the various wheel diameters across the 2015 MTB range:

	26"	27.5"	29"
DH		•	
FROGGY	•		
SPICY		•	
ZESTY AM		•	
ZESTY TR			•
X-CONTROL		•	
XR			•
PRO RACE		•2	•3
RAID	•1	•2	• 4

<sup>1</sup> Raid 80 only <sup>2</sup> Sizes XS, S, M + Lady <sup>3</sup>Sizes M, L, XL <sup>4</sup>Sizes L, XL

# PICTOS

# 1 - TECHNOLOGY















2 - FRAME MATERIALS













# **3-TRANSMISSION**





















# 4 - WHEEL SIZE











**5 - OTHER TECHNOLOGIES** 












# 6 - SUSPENSION







# **RANGE**

18 **OVERVOLT** 













**SPICY** P/65-66

**ALL MOUNTAIN** 









**TRAIL** 





**CROSS COUNTRY** 







**SPORT** 















94 100 176 182

**TANDEM** 





TANDEMMTB P/179













# LIFE IS MADE OF HIGHS... AND MORE HIGHS!

The life of a pro MTB downhill team is not a gently flowing river. Life on Wheels, the 1st film tracing Team Lapierre Gravity Republic's full season, documents the day-to-day lives of these crazy riders: trips, training, test sessions, crashes, competitions, lots of podiums, a few disappointments, celebrations, sharing... The whole range of emotions.

Still, if we had to choose one word to describe our team, the first that comes to mind following the 2013 season is "exceptional". Every weekend, all over the world, with the same determination, the same passion and the same goal: to win!

How could we miss out on catching up with what our riders have been doing?

For his 1st year on the world circuit as a junior, Loris Vergier is following in the footsteps of his older teammate, Loic Bruni: World Cup-winner and 2nd in the world, no less. The future belongs to him.

Emmeline Ragot, the Team's female flair, has not been off the podiums all season, with a record of 2 World Cup wins and 2nd place in the overall rankings for the World Cup, she is also 2nd in the world. Winning the rainbow jersey again is her main target.

Our 2 Elite riders are not to be outdone. Loic Bruni has once again stunned the world with his talent and blistering progression, aged just 19. That progress has not escaped the notice of Red Bull, which has welcomed him into the stable.

As for Sam Blenkinsop, he has been dazzling other competitors with his class all year. 4th in the World Championships, 5th in the World Cup, podium finish in the Enduro World Series... Hard to do better than that!

More than ever, Team Lapierre has served as a test lab for our new DH. New suspension kinematics, 27.5" wheels, suspension settings: nothing has been left to chance. Still official riders for the SRAM BlackBox programme, our 4 pro racers are armed to the teeth and will give no quarter to anyone in their quest to scale ever greater heights.



EMMELINE RAGOT



LOIC BRUNI DH ELITE M



LORIS VERGIER

DH JUNIOR M



SAM BLENKINSOP DHELITE M

<del>---- 52 -----</del>

















# **SPECIFICATIONS**

FRAME: DH Alloy Supreme 6 MULTIBUTTED 210mm Rear Travel

FORK: ROCKSHOX BOXXER WC FAST Solo Air 27.5" 200mm / short crown / Custom logo

SHOCK ABSORBER: ROCKSHOX VIVID COIL 240x76 (SPRING: Size S: 300lbs / M:350lbs / L:400lbs)

CHAIN GUIDE: E13 LG1R 32-36T ISCG05 with Carbon Plate REAR DERAILLEUR: SRAM X01 DH SHORT CAGE 7-SPEED

SHIFTERS: SRAM X0 TRIGGER 7-SPEED BLUE BRAKES: SRAM HYDRAULIC GUIDE RSC 200mm WHEELS: EASTON HAVOC 27.5" 20x110 / 15x150 XDriver

TYRES: SCHWALBE MAGIC MARY UST 27.5x2.35 VSC Front / TSC Rear











### **SPECIFICATIONS**

FRAME: DH Alloy Supreme 6 MULTIBUTTED 210mm

FORK: ROCKSHOX BOXXER COIL 27,5" 200mm / short crown / Custom logo

SHOCK ABSORBER: FOX VAN R COIL 240x76 [SPRING: Size S: 300lbs / M: 350lbs / L: 400lbs]

REAR DERAILLEUR: SRAM X01 DH SHORT CAGE

SHIFTERS: SRAM X7 TRIGGER 10-SPEED

BRAKES: SRAM HYDRAULIC GUIDE R 200mm WHEELS: E13 LG1+ EXALITE 23C 32H 27.5"

TYRES: SCHWALBE MAGIC MARY UST 27.5x2.35

VSC Front / TSC Rear

10-SPEED RED







All the experience of our engineers, plus the riders and the mechanics of Team Lapierre Gravity Republic, was put to use in order to evolve this new model. Directly inspired from moto-cross, the SLT kinematics provide 210mm of travel and offer a more sensitive and progressive suspension. This new bike is the response to the ever more exacting World Cup courses and the continuously more aggressive riding style of our team athletes.

100% made from Supreme 6 aluminium, the geometry for the new DH was developed following recommendations from Team Lapierre Gravity Republic riders. It was specially conceived for 27.5" wheels. This new standard was the unanimous choice of our riders at the end of the 2013

season, following Sam Blenkinsop's 4th place in the Worlds at Pietermaritzburg and a 2nd place at the Leogang World Cup for Loic

Number 1 in the UCI Gravity Team rankings at the beginning of the 2014 season, Team Lapierre Gravity Republic were put to work harder than ever to perfect their new weapon! Numerous tests were carried out on various prototypes, and proved that our new DH pushes the limits further than ever before. Emmeline Ragot, Loic Bruni, Sam Blenkinsop and Loris Vergier made their choice. They now have their new arm. More than ever, they'll be taking their place on the podium!

# WHAT'S SLT TECHNOLOGY?

- —— Single-pivot kinematics specifically developed for downhill
- 210mm of travel
- A suspension curve that maximizes sensitivity on small shocks and becomes ultra-progressive at the end of the travel to avoid bottoming out
- A unique linkage system for an optimal suspension curve
- A main pivot point position that limits the impact of pedaling on the suspension

THE TWO VERSIONS, TEAM AND 727, BENEFIT FROM ALL THE LAPIERRE « SAVOIR-FAIRE »

## AND THE NUMEROUS INNOVATIONS DEVELOPED BY OUR ENGINEERS:



New oversized axles inspired by OST+ for increased stiffness, better reliability and easy maintenance







- Simplified internal cable routing for easy assembly
- Adjustable head angle (63,7° +/- 1)
- Conical headset for greater stiffness
- Wide clearance of the rear wheel for better mud clearance and more freedom in tyre choice
- New chainstay and seatstay protections
- Rubber protection for the pivot (from chain slap)
- Fork bumpers on the downtube
- New rear mudguard

<del>---- 56 ----</del>

Lapierre now has a real Froggy range: 2 bikes built for freeride and bringing the mountain within reach of the whole family.

Tried and tested, but still bang up-to-date, the Froggy 26 for mum and dad is built on solid foundations, keeping the same aluminium 6061 frame and OST suspension, but with an all-new colourful look, so you

Joining this model, which needs no introduction, is one of Lapierre's great innovations for 2015: the Froggy 24, ready for the big leagues! This new freeride model specially designed for kids has everything its big brother has. No longer will your little terrors have to make do with

jumping and having fun, but that's just as good for pedalling between



A frame that makes the joy of riding accessible to the youngest: from age 9-10 and 130-135 cm tall

- Aluminium 6061
- 24" wheels
- Axles: 15mm front and 12mm rear
- Compact geometry for better control

- from 30 kg upwards: 140mm RockShox Sektor fork and RockShox

- 720mm Nico Vouilloz Signature handlebar
- Large 11-34 cassette















FRAME: FROGGY ALLOY 7005 SL OST 180mm Rear

FORK: ROCKSHOX DOMAIN DUAL CROWN COIL 200mm Soft Spring on S / Medium on M&L

SHOCK ABSORBER: FOX VAN R COIL 240x76 (SPRING: Size S-M:300 / L:350)

CHAIN GUIDE: E13 LG1 ISCG05

REAR DERAILLEUR: SRAM X7 MEDIUM CAGE

SHIFTERS: SRAM X7 TRIGGER 10-SPEED

BRAKES: FORMULA HYDRAULIC T1S 203mm WHEELS: ALEX FR32 LP Logo

TYRES: SCHWALBE MUDDY MARY PERFORMANCE













## **SPECIFICATIONS**

FRAME: FROGGY ALLOY 7005 SL OST 140mm Rear

FORK: ROCKSHOX SEKTOR SILVER Solo Air 140mm

15QR Tapered

SHOCK ABSORBER: ROCKSHOX MONARCH R

CHAIN GUIDE: E13 LG1 ISCG05

REAR DERAILLEUR: SHIMANO Deore Shadow RDM592SGS 9-SPEED

SHIFTERS: SHIMANO ALTUS SLM370RAL 9-SPEED

BRAKES: SHIMANO HYDRAULIC ACERA BRM395

WHEELS: MACH1 610 24" 21C 32H

TYRES: KENDA NEVEGAL K1010 24x2.5

<del>----</del> 58 ----

<del>--</del> 59 ----






"I've always been a perfectionist, finding that little detail that will make the difference. That thing that will shave off a few grams and a few hundredths of a second... and will earn you some wins! I think you're born a competitor and you stay one your whole life. The majority of my career and my titles are behind me now. But I remain a competitor and I still need to be looking ahead! Nowadays, I get most of my motivation

Working alongside the engineers, making the link between the Team Lapierre Gravity Republic riders and the work done in R&D, keeping an eye on the latest trends to make the best possible bikes available to all... My job is a continuous and exciting challenge! People often talk to me about my role as a tester, and it's true that there's no room for error, because in the end, everything depends on it. New standards, new constraints, new technologies... New life!"

Nico

<del>--- 63 ---</del> <del>-- 62 ---</del>





SPICYTEAM (150 (150) (160)













# **SPECIFICATIONS**

FRAME: SPICY 27.5" CARBON / ALLOY SUPREME 6 OST+ 150mm Rear Travel FORK: ROCKSHOX PIKE RCT3 FAST SOLO AIR 27.5" 160mm 15QR TAPERED

SHOCK ABSORBER: ROCKSHOX MONARCH E:i RT3 FAST 200x57mm

REAR DERAILLEUR: SRAM XX1 RED 11-SPEED SHIFTERS: SRAM XX1 TRIGGER RED 11-SPEED

**BRAKES:** SRAM HYDRAULIC GUIDE RSC + Connectamajig

WHEELS: SRAM RAIL 50 UST 27.5" 15x100 / 12x142 XDriver + LAQR-12-E Thru Axle

TYRES: MICHELIN WILDROCK'R MAGI-X (FRONT) WILDGRIP'R GUM-X(REAR) REINFORCED TReady 27.5x2.35











### **SPECIFICATIONS**

FRAME: SPICY 27.5" ALLOY SUPREME 6 OST+ 150mm Rear Travel

FORK: ROCKSHOX PIKE RC FAST SOLO AIR 27.5" 160mm 150R TAPERED

SHOCK ABSORBER: ROCKSHOX MONARCH E:i RT3 FAST 200x57mm (MECHANICAL VERSION: FOX FLOAT CTD PERFORMANCE BV)

FRONT DERAILLEUR: SHIMANO SLX FDM670AE6X

REAR DERAILLEUR: SHIMANO XT SHADOW PLUS

SHIFTERS: SHIMANO SLX KSLM670 ISpec 2x10

BRAKES: SHIMANO HYDRAULIC XT BRM785 BLACK

WHEELS: MAVIC EN423 DISC 23C 27.5" with FLAP + LAQR-12-E Thru Axle

**TYRES:** MICHELIN WILDROCK'R MAGI-X (FRONT) WILDGRIP'R GUM-X(REAR) REINFORCED TReady 27.5x2.35















## **SPECIFICATIONS**

FRAME: SPICY 27.5" ALLOY SUPREME 6 OST+ 150mm Rear Travel

FORK: FOX 34 FLOAT CTD EVOLUTION O/C 27.5"

SHOCK ABSORBER: FOX FLOAT CTD EVOLUTION LV

FRONT DERAILLEUR: SHIMANO SLX FDM670AE6X

REAR DERAILLEUR: SHIMANO XT SHADOW PLUS KRDM786GSL 10-SPEED

SHIFTERS: SHIMANO DEORE KSLM610 2x10 SPEED

**BRAKES:** SHIMANO HYDRAULIC DEORE BRM615

WHEELS: MAVIC EN323 DISC 23C 27.5" 32H

TYRES: MICHELIN WILDROCK'R MAGI-X (FRONT) WILDGRIP'R GUM-X(REAR) REINFORCED TReady 27.5x2.35





Developed around 150mm OST+ kinematics, the Spicy is still just as efficient uphill and fast downhill. Its 27.5" wheels and its geometry developed by Nico Vouilloz make the Spicy a formidable bike over any

The Team version of the Spicy uses a monocoque front triangle in unidirectional carbon fibre (offering an optimal resistance/rigidity ratio) and rear triangle in Supreme 6, our magic alloy (for more information on these materials, head to the MTB Carbon Technology and Supreme 6 Technology sections). Naturally, the Spicy Team comes fitted with the latest version of our e:i Shock Auto smart suspension, as standard (head to the e:i Shock Auto Technology section for all related

To create this exceptional bike, we chose the best of SRAM: 160mm RockShox Pike fork, RockShox Monarch RT3 Relay shock, XX1 drivetrain, Guide brakes, Rail 50 wheels, Black Box handlebar and the essential Reverb Stealth telescopic seat post.

The two other models in the Spicy family are not to be outdone, with their Supreme 6 alloy frame and their meticulously chosen components. This year, all 3 of our models are fitted with a telescopic seat post, essential on all good enduro bikes. Already resolutely mountain-oriented, the Spicy has become even more radical for 2015: new suspension presets, fatter 2.35" Michelin WildRock'R 2 tires, and Race Face crankset with bash guard.


The only limitations it has are yours!

# **2015 SPICY FEATURES:**

- --- 150mm OST+ kinematics
- Carbon version: 24 t and 40 t modulus fibre monocoque front triangle, Supreme 6 rear triangle
- —— Aluminium version: 100% Supreme 6 alloy

- 27.5" wheels and dedicated geometry
- Compatible with new Shimano XTR groups (Di2 and mechanical)
- New sag gauge for even easier sag adjustment







# ZESTYAM 827 NEAR TRAVEL TRAVEL













# **SPECIFICATIONS**

FRAME: ZESTY AM 27.5" CARBON / ALLOY SUPREME 6 OST+ 150mm Rear Travel

FORK: ROCKSHOX PIKE RC FAST SOLO AIR 27.5" 150mm 15QR TAPERED

SHOCK ABSORBER: ROCKSHOX MONARCH E:i RT3 FAST 200x57mm [MECHANICAL VERSION: ROCKSHOX MONARCH RT3 FAST]

REAR DERAILLEUR: SRAM XX1 BLUE 11-SPEED SHIFTERS: SRAM X01 TRIGGER BLACK 11-SPEED **BRAKES** SRAM HYDRAULIC GUIDE R + Connectamajig

WHEELS: SRAM ROAM 40 UST 27.5" 15x100 / 12x142 XDriver + LAQR-12-E Thru Axle

TYRES: SCHWALBE NOBBY NIC Tubeless Easy 27.5x2.35 Snake Skin



FRAME: ZESTY AM 27.5" CARBON / ALLOY SUPREME 6 OST+ 150mm Rear Travel

FORK: ROCKSHOX PIKE RC FAST SOLO AIR 27.5" 150mm 15QR TAPERED

SHOCK ABSORBER: ROCKSHOX MONARCH E:I RT3 FAST 200x57mm [MECHANICAL VERSION: ROCKS-HOX MONARCH RT3 FAST]

FRONT DERAILLEUR: SRAM X7 S3 36T

REAR DERAILLEUR: SHIMANO XT SHADOW PLUS

SHIFTERS: SHIMANO SLX KSLM670 ISpec 2x10

BRAKES: SHIMANO HYDRAULIC XT BRM785 BLACK

WHEELS: RACE FACE 27.5" 15x100 / 12x142 + LAQR-12-E Thru Axle

TYRES: SCHWALBE MUDDY MARY UST [F] 2.35 /





ZESTYAM 427 PROME TRAVEL TRAVEL











#### **SPECIFICATIONS**

FRAME: ZESTY AM 27.5" ALLOY SUPREME 6 OST+

FORK: ROCKSHOX REVELATION RL FAST SOLO AIR 27.5" 150mm 15QR TAPERED (MECHANICAL VERSION:FOX 32 FLOAT CTD EVOLUTION 0/C 27.5" 150mm 15QR TAPERED)

SHOCK ABSORBER: ROCKSHOX MONARCH E:i RT3 FAST 200x57mm (MECHANICAL VERSION: FOX FLOAT CTD EVOLUTION LV)

FRONT DERAILLEUR: SRAM X7 S3 36T

REAR DERAILLEUR: SHIMANO XT SHADOW PLUS KRDM786GSL 10-SPEED

SHIFTERS: SHIMANO SLX KSLM670 ISpec 2x10

BRAKES: SHIMANO HYDRAULIC XT BRM785 BLACK

WHEELS: RACE FACE 27.5" 15x100 / 12x142 +

TYRES: SCHWALBE NOBBY NIC PERF 27.5x2.25

# 11 STINULUUY

The Zesty AM 827 and Zesty AM 527 models are equipped with a frame with front triangle in unidirectional carbon fibre (offering an optimal resistance/rigidity ratio) and rear triangle in Supreme 6, our magic alloy (for more information on these materials, head to the MTB Carbon Technology and Supreme 6 Technology sections)! As for the Zesty AM 427 and 327, they are 100% made of Supreme 6 alloy.

Finally, our Zesty AMs boast our all-new e:i Shock Auto smart suspension technology (head to the e:i Shock Auto Technology section for all related information). It is available optionally on the Zesty AM 827, 527 and 427 models.

#### **2015 ZESTY AM FEATURES:**

- --- 150mm OST+ kinematics
- Carbon version: 24 t and 40 t fibre monocoque front triangle, Supreme 6 rear triangle
- Aluminium version: 100% Supreme 6 alloy
- 27.5" wheels and dedicated geometry

- Compatible with new Shimano XTR groups (Di2 and mechanical)
- Optional e:i Shock Auto on Zesty AM 827, 527 and 427
- New sag gauge for even easier suspension adjustment



ZESTYAM 327 NEAR PROVIDED TO THE PROVIDED TO T











#### **SPECIFICATIONS**

FRAME: ZESTY AM 27.5" ALLOY SUPREME 6 OST+ 150mm Rear Travel

FORK: FOX 32 FLOAT CTD EVOLUTION O/C 27,5" 150mm 15QR TAPERED

SHOCK ABSORBER: FOX FLOAT CTD EVOLUTION LV

FRONT DERAILLEUR: SRAM X7 S3 36T

REAR DERAILLEUR: SHIMANO XT SHADOW PLUS KRDM786GSL 10-SPEED

SHIFTERS: SHIMANO DEORE KSLM610 2x10 SPEED

BRAKES: SHIMANO HYDRAULIC DEORE BRM615


WHEELS: MAVIC EN321 21C 27.5" 32H

TYRES: SCHWALBE NOBBY NIC 27.5x2.25

<del>--- 72 ---</del>

<del>--- 73 ---</del>







## ZESTYTR 829 REAR TRAVEL TRAVEL













#### **SPECIFICATIONS**

FRAME: ZESTY TRAIL 29" CARBON / ALLOY SUPREME 6 OST+ 120mm Rear Travel

FORK: ROCKSHOX SID RL FAST SOLO AIR 29" 120mm 15QR TAPERED

SHOCK ABSORBER: ROCKSHOX MONARCH E:i RT3 FAST 184x44mm (MECHANICAL VERSION: ROCKSHOX MONARCH RT3 FAST)

REAR DERAILLEUR: SRAM X0 CARBON BLACK 10-SPEED

SHIFTERS: SRAM X9 TRIGGER 10-SPEED **BRAKES:** SRAM HYDRAULIC GUIDE RS

WHEELS: SRAM ROAM 40 UST 29" 15x100 / 12x142 XDriver + LAQR-12-E Thru Axle

TYRES: SCHWALBE NOBBY NIC Tubeless Easy 29x2.25 Snake Skin













FRAME: ZESTY TRAIL 29" CARBON / ALLOY SU-PREME 6 OST+ 120mm Rear Travel

FORK: ROCKSHOX REBA RL FAST SOLO AIR 29" 120mm 150R TAPERED (MECHANICAL VERSION: FOX 32 FLOAT CTD EVOLUTION O/C 29" 120mm

SHOCK ABSORBER: ROCKSHOX MONARCH E:i RT3 FAST 184x44mm (MECHANICAL VERSION: FOX FLOAT CTD EVOLUTION LV)

FRONT DERAILLEUR: SRAM X7 S3 36T

REAR DERAILLEUR: SHIMANO XT KRDM781GSL

SHIFTERS: SHIMANO SLX KSLM670 ISpec 2x10

BRAKES: SHIMANO HYDRAULIC XT BRM785 BLACK

WHEELS: RACE FACE 29" 15x100 / 12x142 +

TYRES: SCHWALBE NOBBY NIC PERF 29x2.25





ZESTYTR 429













#### **SPECIFICATIONS**

FRAME: ZESTY TRAIL 29" ALLOY SUPREME 6 OST+

FORK: ROCKSHOX REBA RL FAST SOLO AIR 29" 120mm 15QR TAPERED (MECHANICAL VERSION: FOX 32 FLOAT CTD EVOLUTION O/C 29" 120mm

SHOCK ABSORBER: ROCKSHOX MONARCH E:i RT3 FAST 184x44mm (MECHANICAL VERSION: FOX FLOAT CTD EVOLUTION LV)

FRONT DERAILLEUR: SRAM X7 S3 36T

REAR DERAILLEUR: SHIMANO XT KRDM781GSL

SHIFTERS: SHIMANO SLX KSLM670 ISpec 2x10

BRAKES: SHIMANO HYDRAULIC XT BRM785 BLACK

WHEELS: RACE FACE 29" 15x100 / 12x142 +

TYRES: SCHWALBE NOBBY NIC PERF 29x2.25



The Zesty TR 829 and Zesty TR 529 have a frame with front triangle in unidirectional carbon fibre (offering an optimal resistance/ rigidity ratio) and rear triangle in Supreme 6, our magic alloy (for more information on these materials, head to the MTB Carbon Technology and Supreme 6 Technology sections)! As for the Zesty

TR 429 and 329, they are 100% made of Supreme 6 alloy.

**2015 ZESTY TR FEATURES:** 

- --- 120mm 0ST+ kinematics
- Carbon version: 24 t and 40 t fibre monocogue front triangle, Supreme 6 rear triangle
- Aluminium version: 100% Supreme 6 alloy
- 29" wheels and dedicated geometry

Naturally, our Zesty TRs boast our all-new e:i Shock Auto smart suspension technology (head to the e:i Shock Auto Technology section for all related information). It is available optionally on the Zesty TR 829, 529 and 429 models.

Finally, there is one unmissable development on our Zesty TR range: all models (except the Zesty TR 329) come fitted with a telescopic seat post, for even more versatility and fun.

— Compatible with new Shimano XTR groups (Di2 and mechanical)

Optional e:i Shock Auto on Zesty TR 829, 529 and 429

New sag gauge for even easier suspension adjustment



ZESTYTR 329 REAR FRONT TRAVEL TRAVEL











#### **SPECIFICATIONS**

FRAME: ZESTY TRAIL 29" ALLOY SUPREME 6 OST+ 120mm Rear Travel

FORK: ROCKSHOX RECON GOLD 29" SOLO AIR 120mm 15QR TAPERED

SHOCK ABSORBER: FOX FLOAT CTD EVOLUTION LV

FRONT DERAILLEUR: SRAM X7 S3 36T

REAR DERAILLEUR: SHIMANO XT KRDM781GSL

SHIFTERS: SHIMANO DEORE KSLM610 2x10 SPEED

BRAKES: SHIMANO HYDRAULIC DEORE BRM615

WHEELS: MAVIC EN321 21C 29" 32H

TYRES: SCHWALBE NOBBY NIC PERF 29x2.25

<del>--- 78 ---</del>

<del>--- 79 ---</del>

















FRAME: X-CONTROL 27.5" ALLOY SUPREME 6 FPS2 100mm Rear Travel

FORK: ROCKSHOX RECON GOLD 27.5" SOLO AIR 120mm 15QR TAPERED + REMOTE

SHOCK ABSORBER: LAPIERRE R HYDRAULIC DAMPING TECHNOLOGY 165x38mm

FRONT DERAILLEUR SHIMANO DEORE KFDM 616 D6L

REAR DERAILLEUR: SHIMANO XT KRDM781GSL 10-SPEED

SHIFTERS: SHIMANO DEORE KSLM610 ISpec 2x10 SPEED

BRAKES: SHIMANO HYDRAULIC DEORE BRM506 BLACK

WHEELS: MACH1 NEO DISC 27.5" D.WALL 32H

TYRES: SCHWALBE RAPID ROB PERF 27.5x2.25 57-584 Kevlar GUARD







FRAME: X-CONTROL 27.5" ALLOY SUPREME 6 FPS2

FORK: ROCKSHOX XC30 27.5" SOLO AIR 120mm TAPERED + REMOTE

SHOCK ABSORBER: LAPIERRE R HYDRAULIC DAMPING TECHNOLOGY 165x38mm

FRONT DERAILLEUR: SHIMANO DEORE

REAR DERAILLEUR: SHIMANO SLX KRDM670SGS

SHIFTERS: SHIMANO DEORE SLM610 2x10 SPEED

BRAKES: SHIMANO HYDRAULIC ACERA BRM396 WHEELS: MACH1 NEO DISC 27.5" D.WALL 32H

TYRES: SCHWALBE RAPID ROB PERF 27.5x2.25

# TECHNOLOGY X-CONTROL

The FPS2 suspension that X-Control has been based on since 2005 has reached a new milestone and is becoming FPS+. With its 100mm of travel, this virtual pivot point suspension, designed to eliminate bob, offers excellent pedalling efficiency. Paired with exceptional progressiveness, FPS+ kinematics make the new X-Control the bike with the best efficiency/comfort ratio.

Its 27.5" wheels combined with a specific geometry mean the 2015 X-Control is going all out for versatility. By choosing this wheel diameter, we have opted for the ideal compromise between handling, responsiveness and rollover. Thanks to its 100% Supreme 6 alloy frame, the new X-Control ensures great reliability, as well as the best-possible weight/resistance ratio.

#### **2015 X-CONTROL: A MODERN BIKE**

- New FPS+ kinematics
- --- New 100% Supreme 6 alloy frame

- New dedicated geometry for 27.5"
- Compatible with telescopic seat post with internally routed controls, new Shimano XTR group and 2.35" tires

















FRAME: X-CONTROL 27.5" ALLOY SUPREME 6 FPS2 100mm Rear Travel

FORK: ROCKSHOX XC30 27.5" SOLO AIR 120mm TAPERED + REMOTE

SHOCK ABSORBER: LAPIERRE R HYDRAULIC DAMPING TECHNOLOGY 165x38mm

FRONT DERAILLEUR: SHIMANO DEORE

REAR DERAILLEUR: SHIMANO DEORE KRDM592SGS 9-SPEED

SHIFTERS: SHIMANO ALTUS ASLM370 3x9 SPEED

BRAKES: SHIMANO HYDRAULIC ACERA BRM396

WHEELS: MACH1 NEO DISC 27.5" D.WALL 32H

TYRES: SCHWALBE RAPID ROB PERF 27.5x2.25 57-584 Kevlar GUARD

<del>----</del> 82 ----

<del>---</del> 83 <del>----</del>















FRAME: XR 29" CARBON 100mm Rear Travel

FORK: ROCKSHOX REBA RL FAST 29" SOLO AIR 100mm 15QR TAPERED (MECHANICAL VERSION: REBA RL + PUSHLOC)

SHOCK ABSORBER: ROCKSHOX MONARCH E:i RT3 165X38mm [MECHANICAL VERSION: FOX FLOAT CTD EVOLUTION SV]

REAR DERAILLEUR: SRAM X01 CARBON 11-SPEED

SHIFTERS: SRAM X01 TRIGGER 11-SPEED

BRAKES: SRAM HYDRAULIC X0 + Connectamajig

WHEELS: DT SWISS X1700 UST 29" UST 15x100 / 12x142 XDriver + LAQR-12-E Thru Axle

**TYRES:** SCHWALBE ROCKET RON Tubeless Easy 29x2.25 SSkin / THUNDER BURT Tubeless Easy 29x2.10 SSkin











#### **SPECIFICATIONS**

FRAME: XR 29" CARBON 100mm Rear Travel

FORK: ROCKSHOX RECON GOLD 29" SOLO AIR 100mm 15QR TAPERED (MECHANICAL VERSION: RECON GOLD + PUSHLOC)

SHOCK ABSORBER: ROCKSHOX MONARCH E:i RT3 165X38mm (MECHANICAL VERSION: FOX FLOAT CTD EVOLUTION SV)

FRONT DERAILLEUR: SRAM X7 S3 36T

REAR DERAILLEUR: SHIMANO XT KRDM781GSL

SHIFTERS: SHIMANO DEORE KSLM610 2x10 SPEED

BRAKES: SHIMANO HYDRAULIC DEORE BRM506 BLACK + J-KIT

WHEELS: DT SWISS 466D 29" 19C 32H

TYRES: SCHWALBE ROCKET RON PERF 29x2.25 / ROCKET RON PERF 29x2.10





## PRORACE729/727











#### **SPECIFICATIONS 729**

FRAME: PRORACE 29" CARBON

FORK: ROCKSHOX REBA RL FAST 29" SOLO AIR 100mm 15QR TAPERED + **PUSHLOC** 

REAR DERAILLEUR: SRAM X01 CARBON 11-SPEED

SHIFTERS: SRAM X01 TRIGGER 11-SPEED

**BRAKES:** SRAM HYDRAULIC X0

WHEELS: DT SWISS X1700 UST 29" UST 15x100 / 12x142 XDriver + LAQR-12-E

TYRES: SCHWALBE ROCKET RON Tubeless Easy 29x2.25 SSkin / THUNDER BURT Tubeless Easy 29x2.25 SSkin

#### **SPECIFICATIONS 727**

FRAME: PRORACE 27,5" CARBON

FORK: ROCKSHOX REBA RL FAST 27,5" SOLO AIR 100mm 15QR TAPERED + PUSHL0C

REAR DERAILLEUR: SRAM X01 CARBON 11-SPEED

SHIFTERS: SRAM X01 TRIGGER 11-SPEED

BRAKES: SRAM HYDRAULIC X0

WHEELS: DT SWISS X1700 UST 27.5" UST 15x100 / 12x142 XDriver + LAQR-12-E

TYRES: SCHWALBE ROCKET RON Tubeless Easy 27.5x2.25 SSkin / THUNDER BURT Tubeless Easy 27.5x2.25 SSkin



wheel standards, our ProRace's frame has been revamped from A to Z. Our engineers started from scratch to design a new model that is worthy of its predecessors, but that performs even better. It has been modernised, with revised geometry, internal cable routing (on carbon models), compatibility with the new Shimano XTR groupset.....

The carbon version of the 2015 ProRace is made from several different fibres for an optimal resistance/rigidity ratio: HR, IM and HM unidirectional fibres with a monocoque front triangle. As for the aluminium version, its frame is 100% made of alloy 6061.

grading, with 5 frame sizes, as opposed to just 4 in 2014. For the best possible fit with the characteristics of its rider, the smaller sizes (XS and S) are available with 27.5" wheels and the larger sizes (L and XL) with 29" wheels. The M size is available with both standards, so as to offer medium-sized riders the "big wheels" option.

With a seat tube diameter of 27.2mm and its oversized tubes (head tube, down tube and bottom bracket shell), the new ProRace marries vertical flexibility and lateral rigidity for an unbeatable comfort/power transmission ratio. The weapon of choice for demanding riders. Designed for winning!

#### **2015 PRORACE FEATURES:**

- \_\_\_\_ 100% new frame
  - Carbon version: 24 t (high resistance), 30 t (intermediate modulus) and 40 t (high modulus), monocoque front triangle
  - Aluminium version: alloy 6061
- 5 frame sizes:
  - 27.5" wheels: XS, S, M
  - 29" wheels: M, L, XL
- New geometry: shorter chainstays for better handling
- Integrated headset and internal cable routing on the carbon

- **27.2mm** seat tube for greater comfort
- Compatible with the new Shimano XTR group (Di2 on the carbon version)
- Compatible with telescopic seat post
- Compatible with 2.35" tires
- D direct-mount front derailleur
- New OST+ inspired wrap-around chainstay protector



<del>--- 90 ---</del> <del>--- 91 ---</del>

#### PRORACE629/627









#### **SPECIFICATIONS**

FRAME: PRORACE 29" CARBON / PRORACE 27.5"

FORK: ROCKSHOX REBA RL FAST 29" SOLO AIR 100mm 15QR TAPERED + PUSHLOC / ROCKSHOX REBA RL FAST 27.5" SOLO AIR 100mm 15QR TAPERED

FRONT DERAILLEUR: SHIMANO XT KFDM786TD6L DIRECTMOUNT TOP PULL / SHIMANO XT KFDM786TD6L DIRECTMOUNT TOP PULL

REAR DERAILLEUR: SHIMANO XT KRDM781GSL 10-SPEED / SHIMANO XT KRDM781GSL 10-SPEED

SHIFTERS: SHIMANO XT KSLM780 ISpec 2x10 SPEED /SHIMANO XT KSLM780 ISpec 2x10 SPEED

BRAKES: SHIMANO HYDRAULIC XT BRM785 BLACK + J-KIT / SHIMANO HYDRAULIC XT BRM785 BLACK + J-KIT

WHEELS: DT SWISS 466D 29" 19C 32H / DT SWISS 466D 27.5" 19C 32H

TYRES: SCHWALBE ROCKET RON PERF 29x2.25 54-622 / SCHWALBE ROCKET RON PERF 27.5x2.25 57-584





#### PRORACE329/327 1201









#### **SPECIFICATIONS**

FRAME: PRORACE 29" ALLOY 6061 MULTIBUTTED / PRORACE 27.5" ALLOY 6061 MULTIBUTTED

FORK: ROCKSHOX RECON GOLD 29" SOLO AIR 100mm 15QR TAPERED + REMOTE / ROCKSHOX RECON GOLD 27.5" SOLO AIR 100mm 15QR TAPERED + REMOTE

FRONT DERAILLEUR: SHIMANO DEORE KFDM616D6L DIRECTMOUNT / SHIMANO DEORE KFDM616D6L DIRECTMOUNT

**REAR DERAILLEUR:** SHIMANO XT KRDM781GSL 10-SPEED / SHIMANO XT KRDM781GSL 10-SPEED

SHIFTERS: SHIMANO DEORE KSLM610 ISpec 2x10 SPEED / SHIMANO DEORE KSLM610 ISpec 2x10 SPEED

BRAKES: SHIMANO HYDRAULIC DEORE BRM506 BLACK / SHIMANO HYDRAULIC DEORE BRM506 BLACK

WHEELS: MACH1 NEO DISC 29" D.WALL 32H / MACH1 NEO DISC 27.5" D.WALL 32H

TYRES: SCHWALBE RAPID ROB PERF 29x2.25 57-622 / SCHWALBE RAPID ROB PERF 27.5x2.25

57-584 Kevlar GUARD

#### PRORACE529/527











#### **SPECIFICATIONS**

FRAME: PRORACE 29" CARBON / PRORACE 27.5"

FORK: ROCKSHOX RECON GOLD 29" SOLO AIR 100mm 15QR TAPERED + REMOTE / ROCKSHOX RECON GOLD 27.5" SOLO AIR 100mm 15QR TAPERED + REMOTE

FRONT DERAILLEUR: SHIMANO DEORE
KFDM616TD6L DIRECTMOUNT TOP PULL / SHIMANO
DEORE KFDM616TD6L DIRECTMOUNT TOP PULL

REAR DERAILLEUR: SHIMANO XT KRDM781GSL 10-SPEED / SHIMANO XT KRDM781GSL 10-SPEED

SHIFTERS: SHIMANO DEORE KSLM610 ISpec 2x10 SPEED / SHIMANO DEORE KSLM610 ISpec 2x10 SPEED

BRAKES: SHIMANO HYDRAULIC DEORE BRM506 BLACK + J-KIT / SHIMANO HYDRAULIC DEORE BRM506 BLACK + J-KIT

WHEELS: MACH1 NEO DISC 29" D.WALL 32H / MACH1 NEO DISC 27.5" D.WALL 32H

TYRES: SCHWALBE ROCKET RON PERF 29x2.25 54-622 / SCHWALBE ROCKET RON PERF 27.5x2.25 57-584





#### PRORACE229/227









#### **SPECIFICATIONS**

FRAME: PRORACE 29" ALLOY 6061 MULTIBUTTED / PRORACE 27.5" ALLOY 6061 MULTIBUTTED

FORK: ROCKSHOX XC30 29" SOLO AIR 100mm + REMOTE / ROCKSHOX XC30 27.5" SOLO AIR 100mm

FRONT DERAILLEUR: SHIMANO DEORE
KFDM616D6L DIRECTMOUNT / SHIMANO DEORE
KFDM616D6L DIRECTMOUNT

REAR DERAILLEUR: SHIMANO SLX KRDM670SGS 10-SPEED / SHIMANO SLX KRDM670SGS 10-SPEED

SHIFTERS: SHIMANO DEORE SLM610 2x10 SPEED / SHIMANO DEORE SLM610 2x10 SPEED

BRAKES: SHIMANO HYDRAULIC ACERA BRM396 / SHIMANO HYDRAULIC ACERA BRM396

WHEELS: MACH1 NEO DISC 29" D.WALL 32H / MACH1 NEO DISC 27.5" D.WALL 32H

TYRES: SCHWALBE RAPID ROB PERF 29x2.25 57-622 / SCHWALBE RAPID ROB PERF 27.5x2.25 57-584 Kevlar GUARD

<del>--- 92 ---</del>















FRAME: RAID FX 27.5" ALLOY 6061 120mm Rear Travel

FORK: SUNTOUR XCM HLO 27.5" 120mm 9QR

SHOCK ABSORBER: LAPIERRE R HYDRAULIC DAMPING TECHNOLOGY 190x51mm

FRONT DERAILLEUR: SHIMANO SLX KFDM660E6X

REAR DERAILLEUR: SHIMANO DEORE KRDM592SGS 9-SPEED

SHIFTERS: SHIMANO ALTUS ASLM370 3x9 SPEED **BRAKES: SHIMANO HYDRAULIC ALTUS BRM355** WHEELS: MACH1 NEO DISC 27.5" D.WALL 32H

TYRES: SCHWALBE RAPID ROB PERF 27.5x2.25 57-584 Kevlar GUARD









FRAME: RAID 27.5"/29" ALLOY 6061 DISC

FORK: ROCKSHOX XC30 27.5" COIL 100mm 1.1/8" + REMOTE FRONT DERAILLEUR: SHIMANO DEORE KFDM610L6 34.9mm

REAR DERAILLEUR: SHIMANO SLX KRDM670SGS 10-SPEED

SHIFTERS: SHIMANO DEORE KSLM610 3x10 SPEED

BRAKES: SHIMANO HYDRAULIC ACERA BRM396

WHEELS: MACH1 NEO DISC 27.5"/29" D.WALL 32H

**TYRES:** SCHWALBE RAPID ROB PERF 27.5"/29"x2.25 57-584 Kevlar GUARD











#### RAID127/129 DISC 1200







#### **SPECIFICATIONS**

FRAME: RAID 27.5"/29" ALLOY 6061 DISC

FORK: SUNTOUR XCT HLO 100mm 1.1/8"

FRONT DERAILLEUR: SHIMANO ALTUS AFDM191L6 31,8mm

REAR DERAILLEUR: SHIMANO ALTUS ARDM280SGS 8- SPEED

SHIFTERS: SHIMANO STTX800 3x8 SPEED

BRAKES: SHIMANO MECHANICAL ABRTX805

WHEELS: RAID D-WALL 27.5"/29" 19C 32H

TYRES: KENDA 27.5"/29"X2.10

#### RAID327/329









#### **SPECIFICATIONS**

FRAME: RAID 27.5"/29" ALLOY 6061 DISC

FORK: SUNTOUR XCM HLO 27.5"/29" 100mm 9QR 1.1/8"

FRONT DERAILLEUR: SHIMANO ALIVIO AFDM4000DSL6

REAR DERAILLEUR: SHIMANO ALIVIO ARDM4000SGS 9-SPEED

SHIFTERS: SHIMANO ALTUS ASLM370 3x9 SPEED BRAKES: SHIMANO HYDRAULIC ACERA BRM396

WHEELS:MACH1 NEO DISC 27.5"/29" D.WALL 32H

**TYRES:** SCHWALBE RAPID ROB PERF 27.5"/29"x2.25 57-584









#### **SPECIFICATIONS**

FRAME: RAID 27.5"/29" ALLOY 6061 DISC

FORK: SUNTOUR XCM HLO 27.5"/29" 100mm 9QR 1.1/8"

FRONT DERAILLEUR: SHIMANO ALTUS AFDM313L6 34.9mm

REAR DERAILLEUR: SHIMANO ACERA ARDM360SGSL 8-

SHIFTERS: SHIMANO ACERA ASLM310 3x8 SPEED

BRAKES: SHIMANO HYDRAULIC ALTUS BRM355

WHEELS: MACH1 ER20 DISC 27.5"/29" D.WALL 32H

TYRES: SCHWALBE RAPID ROB PERF 27.5"/29"x2.25 57-584











#### **SPECIFICATIONS**

FRAME: RAID 27.5"/29" ALLOY 6061 V-BRAKE

FORK: SUNTOUR SF14-M3030-AL 75mm 1.1/8"

FRONT DERAILLEUR: SHIMANO ALTUS AFDM191L6 31,8mm

REAR DERAILLEUR: SHIMANO ALTUS ARDM280SGS 8- SPEED

SHIFTERS: SHIMANO STTX800 3x8 SPEED

BRAKES: ALHONGA HJ-811AD6 V-BRAKE BLACK

WHEELS: RAID D-WALL 27.5"/29" 19C 32H

TYRES: KENDA 27.5"/29"X2.10

RAID80 FRONT TRAVEL







#### SPECIFICATIONS

FRAME: RAID 26" ALLOY 6061 V-BRAKE

FORK: SUNTOUR SF14-M3030-AL 75mm 1.1/8"

FRONT DERAILLEUR: SUNTOUR FD8-XCC102 31,8mm

REAR DERAILLEUR: SHIMANO ARDTX35 7- SPEED

SHIFTERS: SHIMANO SLRS36 3x7 SPEED

BRAKES: ALHONGA HJ-811AD6 V-BRAKE BLACK

WHEELS: RAID D-WALL 26 " 19C 32H

TYRES: KENDA 26X2.10

<del>--- 98 ---</del>









FRAME: FROGGY ALLOY 7005 SL OST 140mm Rear

**FORK:** ROCKSHOX SEKTOR SILVER Solo Air 140mm 15QR Tapered

SHOCK ABSORBER: ROCKSHOX MONARCH R

200x51mm

CHAIN GUIDE: E13 LG1 ISCG05

REAR DERAILLEUR: SHIMANO Deore Shadow RDM592SGS 9-SPEED

SHIFTERS: SHIMANO ALTUS SLM370RAL 9-SPEED

BRAKES: SHIMANO HYDRAULIC ACERA BRM395

WHEELS: MACH1 610 24" 21C 32H

TYRES: KENDA NEVEGAL K1010 24x2.5





#### PRORACE24 PRONT FRANK









#### **SPECIFICATIONS**

FRAME: PRORACE KID 24" ALLOY 6061

FORK: SUNTOUR 24" M3020

FRONT DERAILLEUR: SHIMANO TOURNEY AFD-

REAR DERAILLEUR: SHIMANO TOURNEY ARDTX35D 7-SPEED

SHIFTERS: SHIMANO ASTEF51 3x7 SPEED

BRAKES: ALHONGA V-BRAKE HJ-811AD7 BLACK

**WHEELS:** RIM MTB KID ALLOY 24"X1.75 SINGLE WALL BLACK CNC SIDE 32H

**TYRES:** KENDA K-817 24X1.95













#### **SPECIFICATIONS**

FRAME: PRORACE KID 20" ALLOY 6061

FORK: SUNTOUR 20" M3010

FRONT DERAILLEUR: SHIMANO TOURNEY AFDT-Z30DM6T 31.8mm 66-69°

REAR DERAILLEUR: SHIMANO TOURNEY ARD-TY21AGSDL 6-SPEED

SHIFTERS: SHIMANO ASLRS36 3x6 SPEED REVO

BRAKES: ALHONGA V-BRAKE HJ-811AD7 BLACK

**WHEELS:** RIM MTB KID ALLOY 20"X1.75 SINGLE WALL BLACK CNC SIDE 28H

**TYRES:** KENDA K-817 20X1.95

<del>---</del>102---

# ROAD

#### IT'S NOT THE DESTINATION, BUT THE ROAD THAT COUNTS.

Whether it's flat, mountainous, or rolling hills, our bikes have one objective: to make it more enjoyable! Unlimited possibilities, developed by testers as passionate as they are different, from l'Equipe Cycliste FDJ.fr professional riders to amateurs, passing by experienced cyclo-sportive fans, that's where we find our inspiration. This touch of French « savoir-faire » that characterises our bikes since 1946, is especially present on our Ultimate or FDJ Replica models. The road continues!



We have been developing and producing bike frames for nearly 70

years. In 2003 we threw ourselves into carbon with the famous 0.9C,

the first monocogue carbon road frame. Thanks to the revolutionary

concept at this time, this frame weighing just 900g in size 52 shone on

the roads of the Tour de France. For over 10 years, our engineers have

closely collaborated with professional riders and the very best carbon

One of the elements that enables us to achieve such exacting demands is the care we place into developing our tools. When our engineers finish the

3D model of a new frame, the fabrication of the mould is launched. This is

the biggest investment in any carbon project. Several prototypes are built

FABRICATION -

in order to finalise the mould.

The quality of the mould determines the final quality of the finished bike. Accordingly, special attention is paid to it. The layup of different fibres is then entirely done by hand. Each tube has its own structure that must be exactly adhered to so we have a very precise process for creating our frames:

# TECHNOLOGY

frame makers to develop and improve our carbon frame construction, to make them lighter, stronger and better performing.

We have two main criterias: a fabrication that respects the highest standards of quality and a choice of types of fibres that perfectly attain the qualities required of each bike.

# The fabrication of carbon frames requires specialist knowledge to obtain frames with a perfect structure and exceptional finish. For the majority of our bikes, the front triangle, made up of the top tube, the down tube, the head tube and the seat tube is created as

To make the front triangle, the sheets of unidirectional carbon fibre are first cut into the form of the different zones of the frame.

one, therefore it is « monocoque ».



These resin impregnanted sheets (called « pré-impregnated ») are applied onto mandrels giving the internal form of each tube. This stage is crucial because it determines the final structure, adjusting the number of layers of carbon and the orientation of the fibres: the numerous layers of pre-impregnated fibres will be applied on the zones where the greatest stiffness is needed (for example the bottom bracket). Fewer layers are needed in the areas that require more flex (for example the seat tube). These sheets are also applied with a very precise interlacing pattern to optimise the resistance qualities of each tube.





- The front triangle is then placed in the mould, which is squeezed with the aid of a press.
- Bladders, inflated at high pressure inside the frame, give the internal form to each tube.
- The whole frame is then heated to solidify the resin.
- After taking it out of the frame and cooling, the bladders and mandrels are extracted.
- The same process is followed for the rear triangle.
- Once the different parts of the frame have been produced, they
  are assembled. This assemblage is carried out on a jig in order to
  obtain a frame that conforms exactly to the predefined geometry.
- The full frame is heated again to harden the different joints.

The frame is then polished to reach a completely smooth finish. It
is then ready to be painted and varnished.

Throughout this process, the frame and the different parts are submitted for tests to control the quality of production (the quality of surface, structure, fibre cohesion, the resin, joints, etc.), and the geometry.

Before launching the production of a series , the first prototypes are tested, dissected and analysed in every detail by our R&D department, in Dijon. Following this, other prototypes are subjected to very strict tests for fatigue, resistance and stiffness.

Finally, numerous tests are carried out by Lapierre's professional riders: l'équipe cycliste FDJ.fr for road bikes, and Team Lapierre Gravity Republic and Nicolas Vouilloz, amongst others, for mountain bikes. Their exacting eye pushes our frames into their last small changes, and their unique feedback enables us to check the real performance of each new carbon product.

After this series of tests, some modifications can still be done to the assembly of fibres, to the mould, or to the finish in order to achieve the ideal bike.

- 108 ------

The choice of fibres is the second key to success of any carbon project. Each type of fibre has very specific characteristics of stiffness and resistance, and therefore a precise type of usage. To choose the best fibres we work with the best specialist producers of high end carbon.

#### **BETWEEN STIFFNESS AND RESISTANCE**

The types of fibres are characterised by two criteria: stiffness (Young module) and resistance.

The Young module is an indication of the stiffness of a material.

—— The higher the value, the stiffer the fibre.

Young module values are expressed in GPa (Giga-Pascal) or in tonne/mm², usually shortened to « tonne » by the industry.

Resistances denote the level at which a material will break.

The higher the value of resistance, the more the fibre can cope with big shocks. Our engineers work tirelessly to determine the correct mix of different types of fibres to obtain the correct balance between stiffness and resistance.

#### LAPIERRE'S FIBRES

To construct our frames, we use 4 types of fibres:

- 24 tonne module fibres
- **——** 30 tonne module fibres
- 40 tonne module fibres
- --- 46 tonne module fibres

We can also class fibres by the value of their resistance:

High Resistance (HR), Intermediate Module (IM), High Module (HM) and Very High Module (VHM). Below you'll find the details of the different fibres we use, their strong points and their role:

TYPE OF FIBRE	STIFFNESS	RESISTANCE	STRONG POINTS	ROLE
24 tonnes (HR)	++	+++++	Very high capacity for deformation	The best shock absorption and best vibration dampening
30 tonnes (IM)	+++	++++	Very high resistance, excellent stiffness/ resistance	Shock absorption and power transmission
40 tonnes (HM)	++++	+++	Optimal stiffness	Power transmission
46 tonnes (VHM)	+++++	++	The stiffest fibre used by Lapierre	Power transmission

#### WHICH FIBRES FOR WHICH BIKE?

Each Lapierre frame is constructed using several types of fibres that have been carefully studied.

- AIRCODE: aerodynamic race frame
  24t and 30t fibres for resistance and 40t fibres for stiffness.
- XELIUS EFI: road race frame
  24t and 30t fibres for resistance and 40t and 46t fibres for extreme stiffness
- PULSIUM: endurance race frame
   24t et 30t fibres for resistance against shocks and 40t fibres for exceptional stiffness
- SENSIUM: endurance
   24t et 30t fibres for resistance against shocks and vibration absorption
- SHAPER 900 & 700: fitness24t & 30t for vibration absorption and comfort
- AEROSTORM: time trial and triathlons
   30t & 40t fibres for the best compromise between stiffness and fatigue resistance.
- CX Carbon: cyclocross
   24t fibres for optimal vibration and shock absorption



## POWER BOX -

Proven over several seasons of usage on the Xelius EFI, Power Box technology is now standard on our competition bikes. For 2015, Power Box has been integrated into the two new models, used by team FDJ.fr: Aircode and Pulsium.

Despite their different types of usage, aerodynamics for Aircode and endurance for Pulsium, Power Box technology is put into use on both bikes for the same reason: to gain optimal rigidity on the head tube, bottom bracket and rear wheel axle. This enables us to ensure the transmission of power created by pedaling. An indispensable criteria for bikes used on the UCI World Tour.

The principle of Power Box technology rests on two elements: oversized tubes and maximum fibre lengths.

Firstly, the head tube, down tube, bottom bracket and the chain stays are created with noticeably wider tubes than those of the other zones. This zone is exclusively reserved for power transmission and therefore needs to be made as rigid as possible.

Next, we have maximised the lengths of the fibres used between the head tube and the bottom bracket. These fibres, in unidirectional carbon, should be parallel and the maximum length possible for the best power transfer.

In bringing together these two elements, all your power is transmitted directly to the rear wheel. You won't lose a single watt!



— 110 <del>—</del>—

# **TECHNOLOGY**

To make bikes that are ever faster, we have brought together all our «savoir-faire» and knowledge gained about aerodynamics in order to offer you cutting edge technology, all put to the service of speed.

The development of our aerodynamic frames (Aerostorm and Aircode) was done in coordination with the company ACE (Aéro Concept Engineering), specialists in aerodynamic optimalisation.

The latest technology was put to work in the conception of our bikes: from digital calculations for CFD (Computational Fluid Dynamics) to wind tunnel testing, nothing was left to chance.

Created by two former Formula 1 engineers, the company ACE has now accumulated over 30 years of experience in aerodynamics. It's not by chance that their test lab and wind tunnel are based at Magny-Cours (France), close to the mythical Formula 1 circuit. For many years, ACE has put its expertise to the use of companies working in speed sports. This knowledge, previously only used in Formula 1 or aeronautics, is now available to everyone, thanks to team FDJ.fr and to Lapierre.

#### THE AERODYNAMIC STUDY FOR A LAPIERRE FRAME

#### **HAS SEVERAL KEY STAGES:**

The full bike, including rider are modeled in 3D using a specific



- The frame is then divided into different zones (head tube, seat stays, seat tube etc.).
- A global objective is fixed for the full frame: reducing the drag in order to attain the value established in the brief. This objective is measured by a power gain in Watts.
- The phase of digital calculations can then start: the phenomenon of air flowing around the bike and rider is simulated on a computer. Several types of simulations are made in different conditions: without wind, headwind, tailwind. And all this is tested at different speeds, in order to be efficient in all conditions and situations.
- Then the optimisation phase can start: numerous calculations are launched, and according to the results obtained, the design of each part of the frame is reworked stage by stage. The objective being to make the frame penetrate the air as efficiently as possible, whilst maintaining a very rigid frame.



The flow of air around the bike and rider should be perturbed as little as possible when in movement to limit the formation of turbulences.

In order to achieve this the tube profiles are optimised as much as possible. All zones are considered independently of the others, whilst keeping in mind their impact on the rest of the system. For example, a bad orientation of air flow around the fork could create harmful turbulences around the down tube.

- This phase of optimisation continues until the objective fixed for the reduction of drag is achieved. In the case of Aerostorm, we managed to exceed the objective after 3 months of calculations.
- Once optimisation is finished, a series of wind tunnel tests is carried out in order to check and confirm the aerodynamic performance
- Thanks to this process of optimisation by digital simulation and wind tunnel tests, it is no longer necessary to develop numerous "intermediary" prototypes. We can now push the limits further than ever.

#### LAPIERRE BIKES BENEFITING FROM AERODYNAMIC TECHNOLOGY:

#### **AEROSTORM:**

- Down tube and seat tube with Kamm Tail profile (wing profile with truncated trailing edge)
  - → The best compromise of stiffness/weight/aerodynamics
  - → Best behaviour in lateral winds (no turbulences created by a classic trailing edge)
- New aerodynamic fork with brake completely integrated.
- Integrated stem
- Aerodynamic seat post

- New aerodynamic fork with brake completely integrated
- Integrated stem
- Integrated seat post clamp
- Down tube and seat tube with Kamm Tail profile



- 112 -<del>---</del> 113 <del>----</del>

# PICTOS



#### 1 - TECHNOLOGIES











2 - FRAMES













#### **3-TRANSMISSION**

















4 - WHEEL SIZES















**5 - OTHER TECHNOLOGIES** 
























**18 OVERVOLT** 







**RACE** 



**AEROSTORM** 



**XELIUS** P/135-137



**PULSIUM** 



118 138 150 156

**ENDURANCE** 





**SPORT** 

**CYCLO CROSS** 

**CX** P/159

**AUDACIO** 

**160** 

**FITNESS** 





**COMMUTING** 







**TANDEM** 



**TANDEMFITNESS** 

**TANDEMTOURING** P/181

<del>----</del> 117 <del>----</del>

182

**LADIES** 





SENSIUM L



**AUDACIO** L




SHAPER L



**CROSS L** P/190-191







#### A WINNING PARTNERSHIP FOR 13 YEARS

13 years of partnership between Lapierre and Team FDJ.fr.
Is this a sign of a lucky charm between the flagship
french cycling team and us? After all, what unites Lapierre
and Team FDJ.fr for so long? Above all common values:
passion, ethics, love of competition, audacity, a taste for a
challenge... The list is long. A classic love story that's not
yet finished.

Gilles Lapierre and Marc Madiot, at the origin of this partnership, can only congratulate themselves on this success « à la française ». « 13 years, it's not banal, and I think that deserves highlighting. » declares Gilles Lapierre. « I believe this partnership is above all shared story of two men. We're like family now, we know each other so well. Our 100% french partnership has sense, and that shows when we speak with the riders and the staff ». « We're always striving to improve, and that's not a challenge that we can face alone » adds Marc Madiot. « With Lapierre, we are stronger, and vice versa! »

It's simple, for several years, no Lapierre competition model has been produced that has not passed through the expert hands of Team FDJ.fr. Xelius EFI, Aerostorm, and most recently Aircode and Pulsium. All have been tested by the riders, dissected by the mechanics, trainers and test machines: stiffness, aerodynamics, geometry, comfort, precision. Nothing is left to chance


The talented young generation of FDJ.fr riders bear witness to this. Nacer Bouhanni and Arnaud Démare already have several UCI World Tour victories; Thibaut Pinot, Alexandre Geniez and Kenny Elissonde have made their mark on the Grand Tours (Tour de France and Tour of Spain), Arthur Vichot and Yoann Offredo are leading the way for the Classics. Alongside the younger generation, is the old guard, Francis Mourey, indisputable leader of French cyclocross, has just finished an exceptional season: 1 World Cup victory, two 2nd places, his 8th title of French champion.


Riders that can hold their head high with the best in the world. It takes more than a lucky charm to achieve that!

120 -----









The Aerostorm frame has been developed with the company ACE (Aero Concept Engineering). Specialists in aerodynamic optimisation using computational fluid dynamics (CFD), and in wind-tunnel aerodynamic testing, ACE is responsible for large volumes of testing in disciplines like Formula 1 and skiing; it sets the standard in its field! After 3 months of testing and calculations, during which each element of the frame was optimised, the 3D model could be finalised and the 1st mock-up produced.


Wind-tunnel testing then enabled validation of the final frame design and verification of the Aerostorm's exceptional aerodynamic performances (more details available in the Road Technologies -Aerodynamics section).

The end product: a frame with a perfect aerodynamic profile. Aerostorm has come to set the standard for time trials and triathlons. Tried and tested by Team FDJ.fr riders over the last few seasons, the Aerostorm is the weapon you need to win the battle against the wind.


#### **TECHNICAL FEATURES:**

- Dedicated time-trial and triathlon geometry
- Kamm-tail down tube and seat tube (wing profile with truncated trailing edge)
  - → Best-possible rigidity/weight/aerodynamics compromise
  - → Best-possible crosswind performance (none of the turbulence created by a classic trailing edge)
- New fork with aerodynamic profile and fully integrated brakes
- Under-chainstays Shimano aero rear brake (ultra-flat design)
- Aerodynamic vertical seat post for an aerodynamic rider position (very far forward), whatever the rider's size
  - 2 versions available for 3 different offsets, depending on discipline:
  - short offset (saddle forward): very aerodynamic but physically restrictive position → time trial, timed sprint
  - long offset (saddle aft): less aerodynamic position, better suited to endurance  $\rightarrow$  triathlon, ironman

- Completely integrated stem as an extension of the top tube, 100% carbon 2-piece (replaces the previous in aluminium), available in 4
- Integrated seat clamp
- Horizontal rear fork end to enable adjustment of the wheel position and minimisation of the gap between seat tube and tire (too large a gap creates an area of turbulence behind the seat tube, which reduces the bike's aerodynamic performance)
- 1"1/8 to 1"1/2 conical head tube for greater rigidity without sacrificing aerodynamics
- Fully internal cable routing through the stem (no visible cabling between handlebar and frame)



<del>--</del> 126 <del>--</del> <del>--</del> 127 <del>---</del>





## AIRCODE700













#### **SPECIFICATIONS**

FRAME: AIRCODE CARBON

FORK: LAPIERRE AIRCODE CARBON - Carbon Steerer

FRONT DERAILLEUR: SHIMANO ULTEGRA Di2 KFD6870F

REAR DERAILLEUR: SHIMANO ULTEGRA Di2 KRD6870SS 11-SPEED

BOTTOM BRACKET: SHIMANO KSMBB7241B PRESSFIT

**BRAKES:** SHIMANO ULTEGRA KBR6800

WHEELS: MAVIC KSYRIUM ELITE WTS

TYRES: MAVIC YKSION PRO GRIP LINK / POWERLINK 700x23

- 128 -----



The new Aircode is the result of all Lapierre's experience and know-how with aerodynamics and building carbon frames. In fact, this new frame has been developed on the basis of the results of the various aerodynamic studies conducted for the design of the Aerostorm (wind-tunnel testing; digital simulation of airflows around bike and rider, CFD).

Each component has therefore been thought out to optimise the bike's aerodynamics while preserving maximum rigidity and excellent pedal-power transfer. In particular, the integration of Power Box technology, developed and used on the Xelius EFI, was crucial.

Following more than 9 months of development, a first Aircode prototype was handed over to Team FDJ.fr, who have been fully involved in this project. Numerous test sessions were scheduled, enabling riders and team staff to provide Lapierre engineers with precious data. The result is a racing machine, tested and approved by Team FDJ.fr's standard-setting test riders.

The Aircode range is made up of two exclusive versions, available on the Ultimate programme, and three standard versions. For those ranges, components dedicated to performance have been meticulously selected: double or compact drivetrain, 11-speed cassette, Shimano Ultegra brakes, Mavic Ksyrium wheels, Zipp cockpit, Fizik Antares saddle, etc.

#### WHY IS THE LAPIERRE AIRCODE THE BEST?

#### TWO-WORDS: AERODYNAMICS AND EFFICIENCY.

#### FOR AERODYNAMICS:

- Kamm-tail down tube and seat tube (wing profile with truncated trailing edge)
  - → Best-possible rigidity/weight/aerodynamics compromise
  - → Best-possible crosswind performance (none of the turbulence created by a classic trailing edge)
- —— Slender head tube and semi-integrated stem
- --- Profiled fork
- Semi-integrated direct-mount front brake
- Aerostorm-style integrated seat clamp
- Internal cable routing

#### FOR EFFICIENCY:

- Incorporation of Power Box technology: oversized head tube, down tube, bottom bracket shell and chainstays (same lateral rigidity as the Xelius EFI) and maximised carbon fibre length →Optimum pedal-power transfer
- Reworked carbon fibre assembly: Young modulus of 24t, 30t and 40t
   → Better flex capacity of tubes and minimisation of breakage
- High-performance geometry identical to the Xelius EFI, with 1 additional large size (6 sizes in total), the only difference being increased fork offset (50mm instead of the 43mm on the Xelius EFI) for better handling







#### AIRCODE500













#### **SPECIFICATIONS**

FRAME: AIRCODE CARBON

FORK: LAPIERRE AIRCODE CARBON - Carbon

FRONT DERAILLEUR: SHIMANO ULTEGRA

REAR DERAILLEUR: SHIMANO DURA ACE KRD9000SS 11-SPEED

BOTTOM BRACKET: SHIMANO KSMBB7241B

BRAKES: SHIMANO ULTEGRA DIRECTMOUNT KBR6810

WHEELS: MAVIC KSYRIUM EQUIPE WTS

TYRES: MAVIC YKSION COMP 23



#### AIRCODE300











#### SPECIFICATIONS

FRAME: AIRCODE CARBON

FORK: LAPIERRE AIRCODE CARBON - Carbon

FRONT DERAILLEUR: SHIMANO ULTEGRA

REAR DERAILLEUR: SHIMANO ULTEGRA KRD6800SS 11-SPEED

BOTTOM BRACKET: SHIMANO KSMBB7141B

BRAKES: SHIMANO ULTEGRA DIRECTMOUNT KBR6810

WHEELS: MAVIC KSYRIUM EQUIPE WTS

TYRES: MAVIC YKSION COMP 23





### XELIUSEFI400













#### **SPECIFICATIONS**

FRAME: Xelius EFI Carbon

FORK: LAPIERRE XELIUS CARBON - Carbon Steerer FRONT DERAILLEUR: SHIMANO ULTEGRA KFD6800F

REAR DERAILLEUR: SHIMANO ULTEGRA KRD6800SS 11-SPEED

**BOTTOM BRACKET:** SHIMANO KSMBB7141B PRESSFIT

BRAKES: SHIMANO ULTEGRA BR6800

WHEELS: MAVIC KSYRIUM ELITE

TYRES: MAVIC YKSION PRO GRIP LINK / POWERLINK 700x23

# TECHNOLOGY SET

EFI technology, a major innovation developed in 2013 that has really revolutionised Lapierre carbon frame builds since then, divides the frame into two areas:

The **POWER BOX**: oversized chainstays, bottom bracket shell, down tube and head tube for maximum rigidity and, therefore, 100% transfer of

The **ABSORPTION ZONE**: seatstays, seat tube, top tube and fork designed to absorb little bumps and vibrations for maximum control and precision: the shape and thickness of each, as well as the type and orientation of its component fibres have been determined to offer the desired flexibility and reactivity.

**2015 XELIUS EFI FRAME FEATURES:** 

- F40 100% monocogue carbon front triangle: mixture of VHM (very


resistance) fibres, for greater rigidity and reduced weight


high-modulus) fibres (40%) with HM (high-modulus) and HR (high-

Power Box technology gives the frame excellent rigidity in the head tube, bottom bracket shell and rear triangle. This exceptional rigidity, unique to the Xelius EFI, enables you to save 4% of your energy from identical performances, compared with the previous Xelius. The aerodynamic performances of the Xelius EFI have also been tested and approved by Team FDJ.fr riders. Capable of releasing all your pedal power, the Xelius EFI turns every calorie you expend into km/h, making it your weapon of choice for your training or competition rides.

#### Press-fit bottom bracket shell

Internal cable routing (compatible with electronic






— 100% carbon rear fork ends

(350 g) or normal version (330 g)

--- 1,050 g in size 55







#### XELIUSFFI200











#### **SPECIFICATIONS**

FRAME: Xelius EFI Carbon

FORK: LAPIERRE XELIUS CARBON - Carbon Steerer

FRONT DERAILLEUR: SHIMANO ULTEGRA

REAR DERAILLEUR: SHIMANO ULTEGRA KRD6800SS 11-SPEED

BOTTOM BRACKET: SHIMANO KSMBB7141B PRESSFIT

BRAKES: SHIMANO ULTEGRA BR6800

WHEELS: MAVIC KSYRIUM EQUIPE 23C BLACK/

TYRES: MAVIC YKSION COMP 700x23



FRAME: Xelius EFI Carbon

PRESSEIT

FORK: LAPIERRE XELIUS CARBON - Carbon Steerer

FRONT DERAILLEUR: SHIMANO 105 KFD5800FL

REAR DERAILLEUR: SHIMANO 105 KRD5800SSL 11-SPEED

BOTTOM BRACKET: SHIMANO KSMBB7141B


BRAKES: SHIMANO 105 KBR5800

WHEELS: MAVIC AKSIUM WTS 23C

TYRES: MAVIC AKSION 700x23

<del>--</del> 136 <del>--</del> <del>-</del> 137 <del>---</del>







### PULSIUM700

















#### **SPECIFICATIONS**

FRAME: PULSIUM CARBON

FORK: LAPIERRE PULSIUM CARBON - Carbon Steerer

FRONT DERAILLEUR: SHIMANO ULTEGRA Di2 KFD6870F

REAR DERAILLEUR: SHIMANO ULTEGRA Di2 KRD6870GS 11-SPEED

BOTTOM BRACKET: SHIMANO KSMBB7241B PRESSFIT

**BRAKES:** SHIMANO ULTEGRA KBR6800 **WHEELS:** MAVIC KSYRIUM EQUIPE WTS

TYRES: MAVIC YKSION COMP 25

<del>----</del> 140 <del>----</del>



At the launch of the Pulsium project, the Lapierre engineers were given a simple task: creating a bike built for difficult terrain that absorbs vibration better than any other model. After 1 year of development they have nailed it, with this all-new carbon frame. Its geometry and unique tube design make it a frame that is very easy on the body. It offers significant vertical flexibility, while maintaining the lateral rigidity indispensable to any racing bike worthy of a UCI World Tour team. Thanks to its all-new SAT (Shock Absorption Technology), one of the most significant innovations of this year, as well as its new specific assembly of carbon fibres and its endurance geometry, the Pulsium is a frame whose absorption of uneven terrain and rider protection are peerless.

Power Box technology is included (lower part of the frame, dedicated to power), so that nothing goes to waste. Already proven on the Xelius EFI, it gives the bike exceptional rigidity for full-tilt acceleration.

The Pulsium range is made up of 3 standard models, plus 2 models included on the Ultimate programme. They are all equipped with reliable components, 100% dedicated to performance: compact 11-speed Shimano drivetrain, Shimano brakes, Mavic or Shimano wheels, Zipp cockpit, Fizik saddle, etc.

#### **ABSORPTION TECHNOLOGIES:**

- SAT (Shock Absorption Technology)  $\rightarrow$  elastomer ring that absorbs flex between seat tube and top tube
- $\rightarrow$  27.2mm seat tube  $\rightarrow$  27% increase in vertical flex from previous Sensium models
- Curved, slender seatstays: they behave like leaf springs
- --- Front fork with optimised rigidity and increased offset (50mm rather than 43mm, for better handling): works similarly to the seatstays
- Curved top tube → facilitates flex under traction and in compression, as well as fork-flex absorption
- Reworked carbon fibre assembly: specific assembly depending on the function of each tube, all fibres used have a Young modulus of 40t and less, various fibres used (Young modulus of 24t and 30t) for better impact resistance and better vibration absorption.

- **RESULTS:** •Increased flex capacity
  - Better absorption of bumps and vibrations
  - Improved reliability

#### **POWER TECHNOLOGIES:**

---- Incorporation of Power Box technology: oversized head tube, down tube, bottom bracket shell and chainstays (same lateral rigidity as the Xelius EFI) and maximised carbon fibre length  $\rightarrow$  Optimum pedal-power transfer

#### **OTHER TECHNOLOGIES:**

- Geometry specific to endurance (6 sizes): chainstays same length as on the Sensium for stability, shock absorption and tyre clearance; head tube 5mm higher than on the Sensium for a more comfortable ride position
- Integrated seat clamp

- Rear brake calliper adjustable with adapter  $\rightarrow$  compatible with long calliper or short calliper, and compatible with tires up to
- Cabling routed through the top tube →reduced noise on uneven ground

# RPTION

**S**0

m

- SAT
- --- 27.2" SEAT TUBE
- CURVED SEATSTAYS AND TOP TUBE
- OPTIMAL RIGIDITY FORK
- NEW FIBRE ASSEMBLY



- STABILITY AND + GRIP ON DIFFICULT ROADS
  - PHYSICALLY DEMANDING FOR THE RIDER

### 4 **80**

- POWER BOX:
- OVERSIZED TUBES, BB SHELL & CHAINSTAYS
- VERY HIGH LATERAL RIGIDITY



- 143 -

BETTER PEDAL- POWER TRANSFER **VERY FAST SPRINTS & ACCELERATION** 

- 142 -





# PULSIUM500 PULSIUM500











# SPECIFICATIONS

FRAME: PULSIUM CARBON

FORK: LAPIERRE PULSIUM CARBON - Carbon

FRONT DERAILLEUR: SHIMANO ULTEGRA

REAR DERAILLEUR: SHIMANO ULTEGRA

KRD6800GS 11-SPEED

BOTTOM BRACKET: SHIMANO KSMBB7141B PRESSFIT

BRAKES: SHIMANO KBR6800

WHEELS: MAVIC AKSIUM S WTS

TYRES: MAVIC AKSION 25



# PULSIUM300













FRAME: PULSIUM CARBON

FORK: LAPIERRE PULSIUM CARBON - Carbon

FRONT DERAILLEUR: SHIMANO 105 KFD5800FL


REAR DERAILLEUR: SHIMANO 105 KRD5800GSL

BOTTOM BRACKET: SHIMANO KSMBB7141B

BRAKES: SHIMANO KBR5800

WHEELS: SHIMANO RS010

TYRES: MICHELIN DYNAMIC SPORT 700x25





# SENSIUM500













# **SPECIFICATIONS**

FRAME: SENSIUM CARBON

FORK: LAPIERRE SENSIUM CARBON - Carbon Steerer

FRONT DERAILLEUR: SHIMANO ULTEGRA Di2 KFD6870F + CLAMP KSMAD67L 34.9mm

REAR DERAILLEUR: SHIMANO ULTEGRA Di2 KRD6870GS 11-SPEED

BOTTOM BRACKET: SHIMANO KSMBB7241B PRESSFIT

BRAKES: SHIMANO ULTEGRA HYDRAULIC KR785 with J-Kit + SMRT99SS Disc 140mm

WHEELS: SHIMANO WHRX31

TYRES: MICHELIN PRO4 700x25 SERVICE COURSE TS

# **TECHNOLOGY**

Our Sensium is available this year in 5 models, including a female specific model that boasts a 10-speed triple drivetrain. Fitted with ultrahigh performance and versatile components, the 2015 Sensium is ready to take on any challenge: 11-speed compact or 10-speed triple Shimano drivetrain, Mavic or Shimano wheels, Shimano brakes....

The major new feature on the 2015 Sensium is the addition of disc brakes! The Sensium 500 is fitted with 140mm Shimano disc brakes, paired with Shimano RX31 Disc wheels. The 11-speed compact Shimano Ultegra Di2 drivetrain, the Deda cockpit and the Fizik Aliante saddle complete this assembly dedicated to performance and efficiency.

With its perfect geometry and its specific assembly of fibres, the Sensium is built for endurance and really highlights the qualities of

carbon: lightness, rigidity and absorption. The monocoque front triangle is made from HM (high-modulus) and HR (high-resistance) fibres, and encourages vertical flexibility while preserving lateral rigidity. To achieve that, extreme precision is used when orienting the fibres during the manufacture of each tube. The HR-fibre seat stays (tube-to-tube assembly) working together with the lengthened chain stays (+4mm compared to the Xelius EFI) enable perfect vibration dissipation and excellent transfer of pedal power to the rear wheel. With its longer chain stays, for greater stability, and a higher head tube (+10mm compared with Xelius EFI) for a more natural ride position, the Sensium's geometry makes it your steed of choice for long classics.

# **2015 SENSIUM FRAME FEATURES:**

- —— 100% monocoque carbon front triangle, HM and HR fibres
- Curved top tube design (to absorb vertical fork movement)
- 27.2mm-diameter seat tube (for better flex capacity)
- --- 100% carbon Lapierre fork (360 g)
- 1"1/8 to 1"1/4 aerodynamic conical head tube with integrated carbon cups
- --- 100% carbon rear fork ends
- Press-fit bottom bracket shell

- Internal cable routing (compatible with electronic groupsets)
- \_\_\_\_ 1,180 g in size 55
- Special endurance geometry: longer chainstays (+4mm compared to Xelius EFI), higher head tube (+10mm compared with Xelius EFI), shorter top tube (-3mm compared with the Xelius EFI).















### **SPECIFICATIONS**

FRAME: SENSIUM CARBON

FORK: LAPIERRE SENSIUM CARBON - Carbon Steerer

FRONT DERAILLEUR: SHIMANO ULTEGRA KFD6800F + CLAMP KSMAD67L 34.9mm

REAR DERAILLEUR: SHIMANO ULTEGRA KRD6800GS

BOTTOM BRACKET: SHIMANO KSMBB7141B PRESSFIT

BRAKES: SHIMANO ULTEGRA KBR6800

WHEELS: MAVIC AKSIUM ONE

TYRES: MICHELIN DYNAMIC SPORT 700x25

# SENSIUM200













### **SPECIFICATIONS**

FRAME: SENSIUM CARBON

FORK: LAPIERRE SENSIUM CARBON - Carbon Steerer

FRONT DERAILLEUR: SHIMANO 105 FD5800BLL 34.9mm

REAR DERAILLEUR: SHIMANO 105 KRD5800GSL 11-SPEED

BOTTOM BRACKET: SHIMANO KSMBB7141B PRESSFIT

BRAKES: SHIMANO KBR5800

WHEELS: SHIMANO RS010

TYRES: MICHELIN DYNAMIC SPORT 700x25

# SENSIUM<sub>100</sub>











# **SPECIFICATIONS**

FRAME: SENSIUM CARBON

FORK: LAPIERRE SENSIUM CARBON - Carbon Steerer

FRONT DERAILLEUR: SHIMANO TIAGRA KFD4600BL 34.9mm

REAR DERAILLEUR: SHIMANO TIAGRA RD4601SS 10-SPEED

BOTTOM BRACKET: SHIMANO KSMBB7141B PRESSFIT

BRAKES: SHIMANO TIAGRA BR4600

WHEELS: SHIMANO WHR 501

TYRES: MICHELIN DYNAMIC SPORT 700x25



- 148 -

- 149 ---







# **AUDACIO400**









# **SPECIFICATIONS**

FRAME: AUDACIO ALLOY 6061

FORK: LAPIERRE CARBON - ALLOY Steerer

FRONT DERAILLEUR: SHIMANO TIAGRA KFD4600BL 34.9mm

REAR DERAILLEUR: SHIMANO TIAGRA RD4601SS 10-SPEED

BOTTOM BRACKET: SHIMANO SMBB4600

BRAKES: SHIMANO TIAGRA BR4600

WHEELS: SHIMANO WHR 501

TYRES: MICHELIN DYNAMIC SPORT 700x25

# **TECHNOLOGIE**

Lapierre have made all their know-how and technology available to all. The new 2015 Audacio frame enjoys a resolutely high-end level of finish. Made of 100% aluminium 6061, the Audacio benefits from new doublebutted tubes (triple-butted seat tube) inspired by the Sensium and boasts joints achieved with the smooth-welding process on all models.

With an additional large size this year (6 sizes, ranging from 46 to 61)

and geometry taken from the Sensium, the 2015 Audacio goes all out for versatility. With 5 models, including 2 female specific versions, fitted with Shimano triple or compact drivetrain, Shimano wheels, 25c tires, a Ritchey cockpit with even softer handlebar tape, and a Selle Italia saddle, performance has never been so accessible. All riders, whatever their budget and discipline (sport cycling, sport touring, pleasure riding or training), can have a taste of Lapierre know-how.



# AUDACIO300 DECEMBER









# **SPECIFICATIONS**

FRAME: AUDACIO ALLOY 6061

FORK: LAPIERRE CARBON - ALLOY Steerer

FRONT DERAILLEUR: SHIMANO SORA FD3503BL

REAR DERAILLEUR: SHIMANO SORA RD3500GS1

9-SPEED

BOTTOM BRACKET: SHIMANO SMBB4600

BRAKES: PROMAX RC 841

WHEELS: SHIMANO WHR 501

TYRES: MICHELIN DYNAMIC SPORT 700x25

# **2015 AUDACIO FRAME FEATURES:**

- —— 100% aluminium 6061 frame, double-butted tubes (triple-butted seat tube)
- Smooth-welded joints on the head tube and seat tube
- Curved top tube design (to absorb vertical fork movement)
- Curved seatstays (to dissipate rear-wheel vibration)
- Lapierre carbon fork with 1"1/8 aluminium pivot





# **AUDACIO200**









### **SPECIFICATIONS**

FRAME: AUDACIO ALLOY 6061

FORK: LAPIERRE CARBON - ALLOY Steerer

FRONT DERAILLEUR: SHIMANO CLARIS FD2403BL

REAR DERAILLEUR: SHIMANO CLARIS ARD2400GS 8-SPEED

BOTTOM BRACKET: SHIMANO ABBES25B21

BRAKES: PROMAX RC 841

WHEELS: MACH1 CFX 700C 32H

TYRES: MICHELIN DYNAMIC SPORT 700x25

<del>----</del> 154 <del>----</del>



Historically, cyclocross was the preserve of riders who had to have their fun during the winter. Nowadays, it has become its own completely separate discipline, for which out-of-the-ordinary bikes are developed. A cyclocross bike is ultra-high performance and resistant to the demands of the most difficult races. The Lapierre CX is, quite

simply, the machine that has propelled Francis Mourey to the forefront of the global elite in his specialism.

Still available in HM and HR-carbon fibre frame, compatible with disc brakes, or in Supreme 6 aluminium frame, the 2015 CXs are the perfect expression of handling and responsiveness.

# **2015 CX CARBON FRAME FEATURES:**

- 100% carbon, HM and HR fibres, tube-to-tube assembly
- —— 130/135mm rear fork ends compatible with disc brakes
- ---- 100% carbon Lapierre fork compatible with disc brakes
- \_\_\_\_ 1"1/8 to 1"1/2 conical head tube
- —— 86.5mm press-fit bottom bracket shell

# **2015 CX ALUMINIUM FRAME FEATURES:**

— 100% Supreme 6 aluminium

—— 86.5mm press-fit bottom bracket shell





# **CXCARBON**











## **SPECIFICATIONS**

FRAME: CX CARBON

FORK: LAPIERRE CARBON - Carbon Steerer

FRONT DERAILLEUR: SHIMANO KFDCX70DBL

34.9mm

**REAR DERAILLEUR:** SHIMANO 105 KRD5701SSL 10-SPEED

10 31 LL

BOTTOM BRACKET: SHIMANO KSMBB7141B

PRESSFIT

BRAKES: SRAM SHORTY 4

WHEELS: MAVIC AKSIUM ONE

TYRES: SCHWALBE RACING RALPH 700x33C



# **CXALU**









FRAME: CX ALLOY SUPREME 6

FORK: LAPIERRE CARBON - Alloy Steerer

FRONT DERAILLEUR: SHIMANO KFDCX70DBL

34.9mm

**REAR DERAILLEUR:** SHIMANO 105 KRD5701SSL 10-SPEED

10-31-66

BOTTOM BRACKET: SHIMANO KSMBB7141B

PRESSFIT

**BRAKES:** SRAM SHORTY 4

WHEELS: SHIMANO WHR501

TYRES: SCHWALBE RACING RALPH 700x33C







# SHAPER900













FRAME: SHAPER CARBON

FORK: LAPIERRE CARBON Carbon Steerer

FRONT DERAILLEUR: SHIMANO 105 FD5800BLL 34.9mm

REAR DERAILLEUR: SHIMANO ULTEGRA RD6800GS 11-SPEED

BOTTOM BRACKET: SHIMANO KSMBB7141B PRESSFIT

**BRAKES:** SHIMANO BRR451AF73CL

WHEELS: MAVIC AKSIUM ONE

TYRES: MICHELIN DYNAMIC SPORT 700x28







FRAME: SHAPER CARBON

FORK: LAPIERRE CARBON Carbon Steerer

FRONT DERAILLEUR: SHIMANO TIAGRA FD4603BL

REAR DERAILLEUR: SHIMANO 105 RD5701GSS

10-SPEED

BOTTOM BRACKET: SHIMANO KSMBB7141B PRESSFIT

BRAKES: SHIMANO BRR451AF73CS

WHEELS: SHIMANO RS010

TYRES: MICHELIN DYNAMIC SPORT 700x28



Our Shapers, with their flat handlebar, offer a higher cockpit in a more natural position. In fact, the 2015 Shaper geometry, dedicated to comfort and based on that of the Sensium, has evolved from that used on the previous Shaper: raised by 15mm, the head tube offers an even more comfortable position.

The Shaper range is made up of seven models. Two high-end models have 100% carbon frames and forks, providing better performances but staying just as fun. There are also two female specific models available, specially adapted to the female physique. With a Shimano drivetrain, Shimano or Mavic wheels, a Ritchey handlebar and an adjustable stem, the 2015 Shaper is the perfect expression of fun and versatility.

# **SHAPER 2015 FRAME FEATURES:**

- Frame and fork in 100% HM and HR fibre carbon for the 900 and
- Frame and fork in 100% aluminium 7005 for the 500, 300 and 100
- Curved top tube design (to absorb vertical fork movement)
- Curved seatstays (to dissipate rear-wheel vibration)
- Sensium geometry, revised for even greater comfort: head tube raised by 15mm







# SHAPER500









## **SPECIFICATIONS**

FRAME: SHAPER ALLOY 7005

FORK: LAPIERRE CARBON X-F07LAAA Alloy Steerer

FRONT DERAILLEUR: SHIMANO TIAGRA FD4603BL 34.9mm

REAR DERAILLEUR: SHIMANO TIAGRA RD4601GS 10-SPEED

BOTTOM BRACKET: SHIMANO SMBB4600

BRAKES: SHIMANO BRR451AF73CS

WHEELS: MACH1 CFX 700C 32H

TYRES: MICHELIN DYNAMIC SPORT 700x28

# SHAPER300









### **SPECIFICATIONS**

FRAME: SHAPER ALLOY 7005

FORK: LAPIERRE CARBON X-F07LAAA Alloy Steerer

FRONT DERAILLEUR: SHIMANO SORA FD3503BL 34.9mm

REAR DERAILLEUR: SHIMANO SORA RD3500GS1 9-SPEED

**BOTTOM BRACKET: SHIMANO BBES25B21** 

BRAKES: PROMAX RC459

WHEELS: MACH1 CFX 700C 32H

TYRES: MICHELIN DYNAMIC SPORT 700x28

# SHAPER<sub>100</sub>









# **SPECIFICATIONS**

FRAME: SHAPER ALLOY 6061

FORK: LAPIERRE RB-651AX STEEL

FRONT DERAILLEUR: SHIMANO CLARIS FD2403BM 31.8mm

REAR DERAILLEUR: SHIMANO CLARIS ARD2400GS 8-SPEED

BOTTOM BRACKET: CH 52-68 L:122mm

BRAKES: PROMAX RC459

WHEELS: MACH1 CFX 700C 32H

TYRES: MICHELIN DYNAMIC SPORT 700x28







# URBAN**SHAPER600**









FRAME: URBAN SHAPER DISC ALLOY 7005

FORK: URBAN SHAPER DISC ALLOY 7005

**FRONT DERAILLEUR:** SHIMANO DEORE KFDT611L3L 34.9mm 63-66°

REAR DERAILLEUR: SHIMANO XLS KRDM670SGS 10 SPEED

**BOTTOM BRACKET:** SHIMANO SMBB51

BRAKES: SHIMANO HYDRAULIC M355 160mm

**WHEELS:** MACH1 560 32H

TYRES: SCHWALBE SPICER 700X30C

# TECHNOLOGY URBAN SHAPER

Based on the Shaper with a very light 7005 frame, our Urban Shaper is racy and efficient. Equipped with 700x30 tyres, it's a formidable arm for weaving in and out of urban traffic.

Its geometry, identical to that of the Shaper, marries comfort and performance. Teamed with an adjustable stem (for the choice of a relaxed or sporty position), a flat handlebar (for better control), and a touring bike drivetrain (for ease on the climbs), the Urban Shaper is a comfortable ride. Whether you are crossing the town at speed, or simply picking up some groceries the Urban Shaper is a joy to ride!

Whether your daily commute is flat or hilly, the Urban Shaper will take you there in style. Luggage racks and mud guards can also be added

Our Urban Shaper range includes three models, each with carefully chosen parts. The performance of a road bike, but with added comfort: wider tyres in 700x30, Shimano triple transmission, Shimano wheels, adjustable stem, Selle Royal gel saddle, disc brakes for the Urban Shaper 600 and V-Brakes for the Urban Shaper 400 and 200.

Urban Shaper: the bike that makes the daily grind a pleasure!



# URBANSHAPER400









# **SPECIFICATIONS**

FRAME: URBAN SHAPER V-BRAKE ALLOY 7005

FORK: URBAN SHAPER V-BRAKE ALLOY 7005

FRONT DERAILLEUR: SHIMANO DEORE

KFDT611L3L 34.9mm 63-66°

REAR DERAILLEUR: SHIMANO DEORE KRDM610SGSL 10 SPEED


**BOTTOM BRACKET:** SHIMANO SMBB51 BRAKES: TEKTRO V-BRAKE SET 837AL

WHEELS: MACH1 550 32H

TYRES: SCHWALBE SPICER 700X30C

# **CHARACTERISTICS OF THE URBAN SHAPER 2015:**

- Racy frame in 7005 aluminium, based on the Shaper frame
- Shaper geometry, marrying comfort and performance
- Wide 700x30 tyres
- Shimano triple transmission
- Shaper 400 and 200.
- --- Shimano wheels
- sporty position)



--- Selle Roval Gel saddle

Luggage racks and mud guards can also be added easily





# URBANSHAPER200









### **SPECIFICATIONS**

FRAME: URBAN SHAPER V-BRAKE ALLOY 7005

FORK: URBAN SHAPER V-BRAKE ALLOY 7005

FRONT DERAILLEUR: SHIMANO AFDM313L3 34.9mm 63-66°

REAR DERAILLEUR: SHIMANO ACERA ARDM360SGSL 8 SPEED


BOTTOM BRACKET: SHIMANO ABBUN26B23X BSA 68mm L:123mm

BRAKES: TEKTRO V-BRAKE SET 837AL

WHEELS: MACH1 550 32H

TYRES: SCHWALBE SPICER 700X30C

<del>----</del> 170 <del>---</del> <del>-</del> 171 ---





# CROSS400 PACK









# **SPECIFICATIONS**

FRAME: CROSS ALLOY 6061 DISC

FORK: SUNTOUR NEX HLO 700C 63mm DISC

FRONT DERAILLEUR: SHIMANO ALIVIO AFDT4000TSM6 31.8mm 66-69°

REAR DERAILLEUR: SHIMANO DEORE KRDM591SGSL 9 SPEED

BOTTOM BRACKET: SHIMANO ABBUN26B23X

BRAKES: TEKTRO DISC NOVELA MECHANICAL 160mm DISC (180mm for size XL-XXL)

WHEELS: MACH1 ER250 32H

TYRES: SCHWALBE MARATHON MONDIAL 37-622



# CROSS300









## **SPECIFICATIONS**

FRAME: CROSS ALLOY 6061 DISC

FORK: SUNTOUR NEX HLO 700C 63mm DISC

FRONT DERAILLEUR: SHIMANO ACERA AFDM390M6 31.8mm 66-69°

REAR DERAILLEUR: SHIMANO ALIVIO ARDM4000SGS 9 SPEED

BOTTOM BRACKET: SHIMANO ABBUN26B23X

BRAKES: SHIMANO DISC HYDRAULIC BLM355 160mm DISC (180mm for size XL-XXL)

WHEELS: MACH1 ER20 Black / 32H

TYRES: SCHWALBE CX COMP 37-622 700X35C

172 ---





FRAME: CROSS ALLOY 6061 V-BRAKE

FORK: SUNTOUR NEX HLO 700C 63mm V-BRAKE

FRONT DERAILLEUR: SHIMANO AFDM191M3

31.8mm 63-66°

REAR DERAILLEUR: SHIMANO ACERA

ARDM360SGSS 8 SPEED

BOTTOM BRACKET: SHIMANO ABBUN26B23X

BRAKES: TEKTRO 837AL V-BRAKE SET

WHEELS: MACH1 ER10 Black / 36H / CNC Side

TYRES: CST C-1446 42-622 700X40C









# **SPECIFICATIONS**

FRAME: CROSS ALLOY 6061 V-BRAKE

FORK: SUNTOUR NEX 700C 63mm V-BRAKE

FRONT DERAILLEUR: SHIMANO AFDTX51M3

31.8mm 63-66°

REAR DERAILLEUR: SHIMANO TOURNEY ARDTX35D

6-7 SPEED

BOTTOM BRACKET: CH 52-68 L:122mm

BRAKES: TEKTRO 837AL V-BRAKE SET

WHEELS: MACH1 ER10 Black / 36H / CNC Side

TYRES: CST C-1446 42-622 700X40C























# **TANDEMMTB**







# **SPECIFICATIONS**

FRAME: TANDEM MTB Alloy 7005 Hydroformed

FORK: ROCKSHOX DOMAIN R COIL 160mm 1.5"

FRONT DERAILLEUR: SHIMANO XT FDM771L6 34.9mm

REAR DERAILLEUR: SHIMANO XT RDM772GS

SHIFTERS: SHIMANO XT SLM770 9-SPEED

BRAKES: FORMULA RX • FORMULA 203mm 6-BOLT TYPE

WHEELS: ALEX FR32 with LP Logo

TYRES: SCHWALBE HANS DAMPF SUPER GRAVITY 26x2.35





# **TANDEMFITNESS**









# **SPECIFICATIONS**

FRAME: TANDEM FITNESS Alloy 7005 Hydroformed

FORK: LAPIERRE CROMO TANDEM

FRONT DERAILLEUR: SHIMANO XT FDM771M6 31.6mm

REAR DERAILLEUR: SHIMANO XT RDM772SGS

SHIFTERS: SHIMANO XT SLM770 9-SPEED

**BRAKES:** FORMULA RX • FORMULA 203mm 6-BOLT TYPE

WHEELS: MACH1 MX DISC 26" 32H

TYRES: SCHWALBE KOJAK 26x2.00

# **TANDEMTOURING**







# **SPECIFICATIONS**

FRAME: TANDEM TOURING Alloy 7005 Hydroformed

FORK: LAPIERRE CROMO TANDEM

FRONT DERAILLEUR: SHIMANO XT FDM771M6 31.6mm

REAR DERAILLEUR: SHIMANO XT RDM772GS

SHIFTERS: SHIMANO XT SLM770 9-SPEED

**BRAKES:** FORMULA RX • FORMULA 203mm 6-BOLT TYPE

WHEELS: MACH1 MX DISC 26" 36H

TYRES: SCHWALBE MARATHON GREENGUARD 26x2.00

- 180 ---

--- 181 --





# Our Ladies range is inspired by real female riders,

in order to develop bikes that correspond to womens' needs. We use the same innovative technology from our men's range, but adapt it to womens' morphology: a shorter top tube, accentuated sloping, a smaller, lighter frame, lower centre of gravity... Specific ergonomics that give a more natural, comfortable and efficient pedaling position. Then we carefully choose the parts: the saddle, handlebar, stem and levers... All specially chosen to suit the female form. We believe that all elements of the bike need to be perfectly adjusted in order to instill confidence as well as comfort for the rider. With perfect confidence in your equipment, you feel stronger and hence progress rapidly. Whether you're trying to improve your time on the local hill climb, or looking to master that section of techy singletrack, with the right equipment you're one step closer to your goal.

And last, but not least, we strive to make the most beautiful bikes, with parts carefully chosen to ensure Lapierre riders look the part. What else would you expect from the country that created Haute Couture and Prêt-à-Porter! It's the little details that count.

More than a bike, it's your bike.















# **SPECIFICATIONS**

FRAME: ZESTY AM 27.5" ALLOY SUPREME 6 OST+ 150mm Rear Travel

FORK: FOX 32 FLOAT CTD EVOLUTION O/C 27.5" 150mm 15QR TAPERED

SHOCK ABSORBER: FOX FLOAT CTD EVOLUTION LV

FRONT DERAILLEUR: SRAM X7 S3 36T

REAR DERAILLEUR: SHIMANO XT SHADOW PLUS KRDM786GSL 10-SPEED

SHIFTERS: SHIMANO DEORE KSLM610 2x10 SPEED

BRAKES: SHIMANO HYDRAULIC DEORE BRM615

WHEELS: MAVIC EN321 21C 27.5" 32H TYRES: SCHWALBE NOBBY NIC 27.5x2.25















### **SPECIFICATIONS**

FRAME: X-CONTROL 27.5" ALLOY SUPREME 6 FPS2 100mm Rear Travel

FORK: ROCKSHOX XC30 27.5" SOLO AIR 120mm TAPERED + REMOTE

SHOCK ABSORBER: LAPIERRE R HYDRAULIC DAMPING TECHNOLOGY 165x38mm

FRONT DERAILLEUR: SHIMANO DEORE KFDM616D6L

REAR DERAILLEUR: SHIMANO SLX KRDM670SGS 10-SPEED

SHIFTERS: SHIMANO DEORE SLM610 2x10 SPEED

BRAKES: SHIMANO HYDRAULIC ACERA BRM396

WHEELS: MACH1 NEO DISC 27.5" D.WALL 32H

TYRES: SCHWALBE RAPID ROB PERF 27.5x2.25 57-584 Kevlar GUARD









FRAME: PRORACE 27.5" ALLOY 6061 MULTIBUTTED

FORK: ROCKSHOX XC30 27.5" SOLO AIR 100mm +

FRONT DERAILLEUR: SHIMANO DEORE KFDM616D6L DIRECTMOUNT

REAR DERAILLEUR: SHIMANO SLX KRDM670SGS 10-SPEED

SHIFTERS: SHIMANO DEORE SLM610 2x10 SPEED

BRAKES: SHIMANO HYDRAULIC ACERA BRM396

WHEELS: MACH1 NEO DISC 27.5" D.WALL 32H

TYRES: SCHWALBE RAPID ROB PERF 27.5x2.25 57-584 Kevlar GUARD















## **SPECIFICATIONS**

FRAME: RAID 27.5" ALLOY 6061 DISC

FORK: SUNTOUR XCM HLO 27.5" 100mm 9QR 1.1/8"

FRONT DERAILLEUR: SHIMANO ALIVIO

AFDM4000DSL6 34.9mm 66-69°

REAR DERAILLEUR: SHIMANO ALIVIO

ARDM4000SGS 9-SPEED

SHIFTERS: SHIMANO ALTUS ASLM370 3x9 SPEED BRAKES: SHIMANO HYDRAULIC ACERA BRM396

WHEELS: MACH1 NEO DISC 27.5" D.WALL 32H

TYRES: SCHWALBE RAPID ROB PERF 27.5x2.25 57-584 Kevlar GUARD











# **SPECIFICATIONS**

FRAME: RAID 27.5" ALLOY 6061 DISC

FORK: ROCKSHOX XC30 27.5" COIL 100mm 1.1/8" + REMOTE

FRONT DERAILLEUR: SHIMANO DEORE KFDM610L6 34.9mm 66-69°

REAR DERAILLEUR: SHIMANO SLX KRDM670SGS 10-SPEED

SHIFTERS: SHIMANO DEORE KSLM610 3x10 SPEED

BRAKES: SHIMANO HYDRAULIC ACERA BRM396

WHEELS: MACH1 NEO DISC 27.5" D.WALL 32H

TYRES: SCHWALBE RAPID ROB PERF 27.5x2.25 57-584 Kevlar GUARD















# **SPECIFICATIONS**

FRAME: RAID 27.5" ALLOY 6061 V-BRAKE

FORK: SUNTOUR SF14-M3030-AL 75mm 1.1/8"

FRONT DERAILLEUR: SHIMANO ALTUS AFDM191L6 31.8mm 66-69°

REAR DERAILLEUR: SHIMANO ALTUS ARDM280SGS 8- SPEED

SHIFTERS: SHIMANO STTX800 3x8 SPEED

BRAKES: ALHONGA HJ-811AD6 V-BRAKE BLACK

WHEELS: RAID D-WALL 27.5" 19C 32H

**TYRES:** KENDA 27.5X2.10

<del>-</del> 187 ----













FRAME: SENSIUM CARBON

FORK: LAPIERRE SENSIUM CARBON - Carbon

FRONT DERAILLEUR: SHIMANO 105 FD5703BLL

34.9mm

REAR DERAILLEUR: SHIMANO ULTEGRA

KRD6700AGSG 10-SPEED

BOTTOM BRACKET: SHIMANO KSMBB7141B

PRESSFIT

BRAKES: SHIMANO KBR5800

WHEELS: SHIMANO RS010

TYRES: MICHELIN DYNAMIC SPORT 700x25









# **AUDACIO200 L**









## **SPECIFICATIONS**

FRAME: AUDACIO ALLOY 6061

FORK: LAPIERRE CARBON - ALLOY Steerer

FRONT DERAILLEUR: SHIMANO CLARIS FD2403BL 34.9mm

REAR DERAILLEUR: SHIMANO CLARIS ARD2400GS 8-SPEED

BOTTOM BRACKET: SHIMANO ABBES25B21

BRAKES PROMAX RC 841

WHEELS: MACH1 CFX 700C 32H

TYRES: MICHELIN DYNAMIC SPORT 700x25

# SHAPER300 L







# **SPECIFICATIONS**

FRAME: SHAPER ALLOY 7005

FORK: LAPIERRE CARBON X-F07LAAA Alloy Steerer

FRONT DERAILLEUR: SHIMANO SORA FD3503BL 34.9mm

REAR DERAILLEUR: SHIMANO SORA RD3500GS1 9-SPEED

BOTTOM BRACKET: SHIMANO BBES25B21

BRAKES PROMAX RC459

WHEELS: MACH1 CFX 700C 32H

TYRES: MICHELIN DYNAMIC SPORT 700x28

# **SPECIFICATIONS**

FRAME: AUDACIO ALLOY 6061

**AUDACIO400 L** 

FORK: LAPIERRE CARBON - ALLOY Steerer

FRONT DERAILLEUR: SHIMANO TIAGRA

KFD4603BL 34.9mm

REAR DERAILLEUR: SHIMANO TIAGRA RD4601GS

10-SPEED

with Crankset)

BOTTOM BRACKET: SHIMANO SMBB4600 (included

BRAKES: SHIMANO TIAGRA BR4600

WHEELS: SHIMANO WHR 501

TYRES: MICHELIN DYNAMIC SPORT 700x25



# SHAPER100 L





# FRAME: SHAPER ALLOY 6061

FORK: LAPIERRE RB-651AX STEEL

FRONT DERAILLEUR: SHIMANO CLARIS FD2403BM 31.8mm

REAR DERAILLEUR: SHIMANO CLARIS ARD2400GS 8-SPEED

BOTTOM BRACKET: CH 52-68 L:122mm

BRAKES PROMAX RC459

WHEELS: MACH1 CFX 700C 32H

TYRES: MICHELIN DYNAMIC SPORT 700x28

<del>-</del> 189 <del>---</del>









FRAME: CROSS ALLOY 6061 DISC

FORK: SUNTOUR NEX HLO 700C 63mm DISC

FRONT DERAILLEUR: SHIMANO ALIVIO AFDT4000TSM6 31.8mm

REAR DERAILLEUR: SHIMANO DEORE KRDM591SGSL 9 SPEED

BOTTOM BRACKET: SHIMANO ABBUN26B23X

BRAKES: TEKTRO DISC NOVELA MECHANICAL 160mm DISC

WHEELS: MACH1 ER250 32H

TYRES: SCHWALBE MARATHON MONDIAL 37-622 700X35C



# CROSS300 L











## **SPECIFICATIONS**

FRAME: CROSS ALLOY 6061 DISC

FORK: SUNTOUR NEX HLO 700C 63mm DISC

FRONT DERAILLEUR: SHIMANO ACERA AFDM390M6 31.8mm

REAR DERAILLEUR: SHIMANO ALIVIO ARDM4000SGS 9 SPEED

BOTTOM BRACKET: SHIMANO ABBUN26B23X

BRAKES: SHIMANO DISC HYDRAULIC BLM355 160mm DISC

WHEELS: MACH1 ER20 Black / 32H

TYRES: SCHWALBE CX COMP 37-622 700X35C



# CROSS200 L











FRAME: CROSS ALLOY 6061 V-BRAKE

FORK: SUNTOUR NEX HLO 700C 63mm V-BRAKE

FRONT DERAILLEUR: SHIMANO AFDM191M3 31.8mm 63-66°

REAR DERAILLEUR: SHIMANO ACERA ARDM360SGSS 8

BOTTOM BRACKET: SHIMANO ABBUN26B23X

BRAKES: TEKTRO 837AL V-BRAKE SET

WHEELS: MACH1 ER10 Black / 36H / CNC Side

TYRES: CST C-1446 42-622 700X40C









# CLOTHING

# **WINTER**



# Windproof warm jacket

- Colour: black with blue stitching
- Sizes: S, M, L, XL, XXL



### Windproof

- Characteristics: 100% polyester, heavier fabric on upper sleeves for resistance, elastic on base and sleeves, reflective strips
- Colour: black
- Sizes: S, M, L, XL, XXL



## **Bib tights**

- Characteristics: polyamide/elastane antibacterial, reflective
- Colour: black
- Sizes: S, M, L, XL, XXL



### **Gloves**

- Characteristics: 100% polyamide
- Colour: black
- Sizes: XS, S, M, L, XL, XXL



- Characteristics: Windproof fabric with breathable windproof layer, sole, bottom part and cuff in bonded lycra, reflective fabric inserts with print on side, back zip with reflective tape

  Colour: black

  Characteristics: polyamide/elastane, nonslip elastic bands at both ends, reflective strips

  Colour: black
- Colour: black
- Sizes: 36-39, 40-43, 44-47, 48-50



# **Leg-warmers**

- Sizes: S/M, L/XL, XXL/XXXL



### **Arm-warmers**

- Characteristics: polyamide/elastane, nonslip elastic bands at both ends, reflective strips
- Colour: black
- Sizes: S/M, L/XL, XXL/XXXL





### Maillot DH Lapierre - Dainese

- The official jersey of Team Lapierre Gravity Republic
- Characteristics: 100% polvester
- Colours: black/red, black/blue
- Sizes: S, M, L, XL, XXL



### Short DH Lapierre - Dainese

- The official short of Team Lapierre Gravity Republic
- Characteristics: 100% nvlon
- Colours: black/red, black/blue
- Sizes: S, M, L, XL, XXL

# **CASUAL**



### Softshell

- Characteristics: 100% polyester, water-resistant, wind-stopper softshell with fleece lining
- Colour: black/blue
- Sizes: S, M, L, XL, XXL



### **Lapierre Gravity Republic Cap**

Colour: black



### Flexfit cap

- Characteristics: breathable light-weight material, water-resistant
- Colour: black/blue
- Sizes: S/M, L/XL

# **Spicy Beanie**

- Characteristics: 100% polyacryl
- Colour: anthracite



# Trucker cap

- Characteristics: 47% coton / 25% polyester/ 28% nylon
- Colour: black/blue
- Sizes: one-size



### Beanie

- Characteristics: 100% polyacryl, fleece lining
- Colour: blue/orange, white/blue

# ACCESSORIES

### **Coloured bar tape**

- Characteristics: high quality, comfortable, Lapierre bar ends included
- Colour: black/white, black/blue, black/red, black/yellow



## Bar tape

Colour: black, white



### **Bottle-cage**

Colour: black, white







# 10015



### **Multitool 19 tools**

Characteristics: Allen keys 2mm, 2,5mm, 3mm, 4mm, 5mm, 6mm, 8mm, Torx keys T10, T15, T25, flat screwdriver, philipps screwdriver, 4 spoke keys, chain tool, brake pad seperator, bottle opener, neoprene cover



### **Multitool 12 tools**

Characteristics: Allen keys 2mm, 2,5mm, 3mm, 4mm, 5mm, 6mm, 8mm, Torx keys T10, T15, T25, flat screwdriver, philipps screwdriver, neoprene cover



### **Professional track pump**

- Characteristics: new intelligent valve compatible Schrader and Presta, pressure adjustment button, locking lever, gauge positioned low for precision, ergonomic handle, aluminium 6063 T6, anti-slip alu base
- Colour: blue



### Track pump

- Characteristics: compatible Schrader & Presta, locking lever, gauge positioned high for ease of use, aluminium 6063 T6, extra-large steel base
- Colour: black



## **MTB Mini-pump**

- Characteristics: compatible Schrader & Presta, locking lever in aluminium, ergonomic handle, aluminium 6063, support included
- Colour: black



## Road Mini-pump

- Characteristics: presta valve, locking lever, CNC aluminium parts, ultra-light, ultra-compact, support included
- Colour: black/polished aluminium



### **High pressure pump**

- Colour: black/blue



- Characteristics: max pressure of 300 psi (20 bar), pressure adjustment button, flexible valve, compact, ergonomic handle
   Characteristics: compatible Schrader & Presta, neoprene cover, delivered with 2 cartridges

	DH TEAM
FRAME	DH Alloy Supreme 6 MULTIBUTTED 210mm Rear Travel
FORK	ROCK SHOX BOXXER WC FAST Solo Air 27.5" 200mm / short crown / Custom logo
SHOCK ABSORBER	ROCK SHOX VIVID COIL 240x76 (SPRING: Size S: 300lbs / M:350lbs / L:400lbs)
REAR DERAILLEUR	SRAM X01 DH SHORT CAGE 7-SPEED
FRONT DERAILLEUR	E13 LG1R 32-36T ISCG05 with Carbon Plate
CRANKSET	SRAM X0 DH 165mm PF 107mm 36T XSync
BOTTOM BRACKET	SRAM GXP PRESSFIT 107mm
CASSETTE	SRAM XG 795 7-SPEED 10-24T DH
CHAIN	SRAM PC XX1
BRAKES (R-F)	SRAM HYDRAULIC GUIDE RSC 200mm
DISCS (R-F)	SRAM CENTERLINE 200mm 6-BOLT TYPE
SHIFTERS	SRAM X0 TRIGGER 7-SPEED BLUE
HEADSET	FSA Orbit 1.5E ZS NO.57-1 with 8mm Top cap
HANDLEBARS	EASTON HAVOC ALLOY W:800mm DIA:35mm
STEM	EASTON HAVOC 35 BOLT-ON DIA:31.8 E: 45 to 55mm
GRIPS	LAPIERRE RUBBER GRIPS LOCK-ON
SEATPOST	EASTON HAVOC ZERO L:300mm DIA:31.6mm
SADDLE	SDG CIRCUIT TI DH LP Custom
FRONT HUB	-
REAR HUB	-
WHEELS (R-F)	EASTON HAVOC 27.5" 20x110 / 15x150 XDriver
TYRES	SCHWALBE MAGIC MARY UST 27.5x2.35 VSC Front / TSC Rear
	FROGGY 24
FRAME	FROGGY ALL DY 7005 SL OST 140mm Rear Travel
FORK	ROCKSHOX SEKTOR SILVER Solo Air 140mm 15QR Tapered
SHOCK ABSORBER	ROCKSHOX MONARCH R 200x51mm

ROCK SHOX BOXXER COIL 27,5" 200mm / short crown / Custom logo	
FOX VAN R COIL 240x76 (SPRING: Size S: 300lbs / M: 350lbs / L: 400lbs)	
SRAM X01 DH SHORT CAGE 10-SPEED RED	ı
E13 LG1+ 32-36T ISCG05	
E13 LG1 165mm PF 107mm 36T	
E13 Pressfit 107mm	8
SRAM PG 1030 10-SPEED 11-26T	N
SRAM PC 1051 10-SPEED	8
SRAM HYDRAULIC GUIDE R 200mm	8
SRAM CENTERLINE 200mm 6-BOLT TYPE	190
SRAM X7 TRIGGER 10-SPEED	188
FSA Orbit 1.5E ZS NO.57-1 with 8mm Top cap	现
EASTON HAVOC ALLOY W:800mm DIA:35mm	25
EASTON HAVOC 35 BOLT-ON DIA:31.8 E: 45 to 55mm	15
LAPIERRE RUBBER GRIPS LOCK-ON	18
EASTON HAVOC ZERO L:300mm DIA:31.6mm	-83
SDG CIRCUIT TI DH LP Custom	
FORMULA DHL92 32H 20x110mm	
FORMULA DHT150 32H 12x150mm	8
E13 LG1+ EXALITE 23C 32H 27.5"	_93
SCHWALBE MAGIC MARY UST 27.5x2.35 VSC Front / TSC Rear	

SPICY TEAM E:I SHOCK AUTO 7.5" CARBON / ALLOY SUPREME 6 OST+ 150mm Rear Travel ROCKSHOX PIKE RCT3 FAST SOLO AIR 27.5" 160mm 15QR TAPERED

ROCKSHOX MONARCH E:i RT3 FAST 200x57mm

SRAM XX1 RED 30T QF:168 170mm / 175mm (Size: M, L, XL)

SRAM XX1 RED 11-SPEED

SRAM XG 1195 11-SPFFD 10-42T

SRAM GXP PRESSFIT

FOX VAN R COIL 240x76 (SPRING: Size S-M:300 / L:350)
SRAM X7 MEDIUM CAGE 10-SPEED
E13 LG1 ISCG05
RACE FACE CHESTER 36T 165mm
RACE FACE BSA 73mm
SRAM PG 1030 10-SPEED 11-32T
SRAM PC 1051 10-SPEED
FORMULA HYDRAULIC T1S 203mm
FORMULA 203MM 6-BOLT TYPE
SRAM X7 TRIGGER 10-SPEED
PRESTINE F11AS TAPERED - 1"1/8 lower cup
FUNN FATBOY HB-11-RB-FB ALLOY W:785mm R:15mm DIA:31.8mm
FUNN RSX LIGHT BOLT-ON DIA:31.8 E: 45 to 50mm
LAPIERRE RUBBER GRIPS LOCK-ON
FUNN CROSSFIRE L:350mm DIA:31.6mm
SDG DUSTER Shibuya
FORMULA DHL92 20mm 32H
FORMULA DHT142 142x12mm 32H
ALEX FR32 LP Logo
SCHWALBE MUDY MARY PERFORMANCE 26x2.35

FROGGY 26

SRAM X7 M	EDIUM CAGE 10-SPEED
E13 LG1 ISC	CG05
RACE FACE	CHESTER 36T 165mm
RACE FACE	BSA 73mm
SRAM PG 1	030 10-SPEED 11-32T
SRAM PC 1	051 10-SPEED
FORMULA I	HYDRAULIC T1S 203mm
FORMULA:	203MM 6-BOLT TYPE
SRAM X7 TF	RIGGER 10-SPEED
PRESTINE I	F11AS TAPERED - 1"1/8 lower cup
FUNN FATE	30Y HB-11-RB-FB ALLOY W:785mm R:15mm DIA:31.8mm
FUNN RSX	LIGHT BOLT-ON DIA:31.8 E: 45 to 50mm
LAPIERRE I	RUBBER GRIPS LOCK-ON
FUNN CRO	SSFIRE L:350mm DIA:31.6mm
SDG DUSTE	ER Shibuya
FORMULA I	DHL92 20mm 32H
FORMULA I	DHT142 142x12mm 32H
ALEX FR32	LP Logo
SCHWALBE	MUDY MARY PERFORMANCE 26x2.35
	SPICY 527
	ALLOY SUPREME 6 OST+ 150mm Rear Travel
	PIKE RC FAST SOLO AIR 27.5" 160mm 15QR TAPERED
	MONARCH E:i RT3 FAST 200x57mm (MECHANICAL OX FLOAT CTD PERFORMANCE BV)
SHIMANO X	T SHADOW PLUS KRDM786GSL 10-SPEED
SHIMANO S	SLX FDM670AE6X 10-SPEED
RACE FACE	TURBINE + Bashguard 36x22 170mm / 175mm (Size: M, L, XL)
SHIMANO F	PRESSFIT KSMBB7141A
SRAM PG 1	030 10-SPEED 11-36T
CDALLBOAR	754 40 CDEED

Α	LEX FR32 LP Logo
S	CHWALBE MUDY MARY PERFORMANCE 26x2.35
	SPICY 527
S	PICY 27.5" ALLOY SUPREME 6 OST+ 150mm Rear Travel
R	OCKSHOX PIKE RC FAST SOLO AIR 27.5" 160mm 15QR TAPERED
	OCKSHOX MONARCH E:i RT3 FAST 200x57mm (MECHANICAL ERSION: FOX FLOAT CTD PERFORMANCE BV)
S	HIMANO XT SHADOW PLUS KRDM786GSL 10-SPEED
S	HIMANO SLX FDM670AE6X 10-SPEED
R	ACE FACE TURBINE + Bashguard 36x22 170mm / 175mm (Size: M, L, XI
S	HIMANO PRESSFIT KSMBB7141A
S	RAM PG 1030 10-SPEED 11-36T
S	RAM PC1051 10-SPEED
S	HIMANO HYDRAULIC XT BRM785 BLACK
S	HIMANO KSMRT66 200MM /180MM 6-BOLT TYPE
S	HIMANO SLX KSLM670 ISpec 2x10 SPEED
F	SA Orbit 1.5E ZS NO.57ECF + 5.3mm Carbon Top cap
L R	APIERRE Nico Vouilloz Signature by FUNN 7050DB W:740mm :15mm DIA:31.8mm
L	APIERRE CNC by FUNN DIA:31.8 E:55mm
L	APIERRE RUBBER GRIPS LOCK-ON
	OCKSHOX REVERB STEALTH TRAVEL:125mm L:380mm IA:31.6mm
S	DG DUSTER LP Custom
F	ORMULA DC71 15mm 32H
F	ORMULA DCL300 142x12mm 32H
Ν	MAVIC EN423 DISC 23C 27.5" with FLAP + LAQR-12-E Thru Axle
	fiCHELIN WILDROCK'R MAGI-X (FRONT) WILDGRIP'R GUM-X(REAF EINFORCED TReady 27.5x2.35

SHOCK ABSORBER
REAR DERAILLEUR
FRONT DERAILLEUR
CRANKSET
BOTTOM BRACKET
CASSETTE
CHAIN
BRAKES (R-F)
DISCS (R-F)
SHIFTERS
HEADSET
HANDLEBARS
STEM
GRIPS
SEATPOST
SADDLE
FRONT HUB
REAR HUB
WHEELS (R-F)
TYRES
FRAME
FORK
SHOCK ABSORBER
REAR DERAILLEUR
FRONT DERAILLEUR
CRANKSET
BOTTOM BRACKET
CASSETTE
BRAKES (R-F)
DISCS (R-F)
SHIFTERS
HEADSET
HANDLEBARS
STEM
GRIPS
SEATPOST
SADDLE
FRONT HUB
REAR HUB
WHEELS (R-F)
TYRES
FRAME
FORK
SHOCK ABSORBER
SHOCK ABSORBER REAR DERAILLEUR

ROCKSHOX REVELATION RL FAST SOLO AIR 27.5" 150mm 15QR TAPERED (MECHANICAL VERSION:FOX 32 FLOAT CTD EVOLUTION O/C 27.5" 150mm 15QR TAPERED)	FOX 32 FLOAT CTD EVOLUTION O/C 27,5" 150mm 15QR TAPERED
ROCKSHOX MONARCH E:i RT3 FAST 200x57mm (MECHANICAL VERSION: FOX FLOAT CTD EVOLUTION LV)	FOX FLOAT CTD EVOLUTION LV 200x57mm
SHIMANO XT SHADOW PLUS KRDM786GSL 10-SPEED	SHIMANO XT SHADOW PLUS KRDM786GSL 10-SPEED
SRAM X7 S3 36T	SRAM X7 S3 36T
RACE FACE TURBINE 36x22 170mm / 175mm (Size: M, L, XL)	SRAM S1000 36x22 170mm / 175mm (Size: M, L, XL)
SHIMANO PRESSFIT KSMBB7141A	SRAM GXP PRESSFIT
SRAM PG 1030 10-SPEED 11-36T	SHIMANO KCSHG5010136 10-SPEED 11-36T
SRAM PG 1031 10-SPEED	SRAM PG 1031 10-SPEED
SHIMANO HYDRAULIC XT BRM785 BLACK	SHIMANO HYDRAULIC DEORE BRM615 BLACK
SHIMANO KSMRT66 180MM 6-BOLT TYPE	SHIMANO KSMRT66 180MM 6-BOLT TYPE
SHIMANO SLX KSLM670 ISpec 2x10 SPEED	SHIMANO DEORE KSLM610 2x10 SPEED ISpec
FSA Orbit 1.5E ZS NO.57E + 5.3mm Top cap	FSA Orbit 1.5E ZS NO.57E + 5.3mm Top cap
LAPIERRE Nico Vouilloz Signature by FUNN 6061DB W:740mm R:15mm DIA:31.8mm	LAPIERRE Nico Vouilloz Signature by FUNN 6061DB W:740mm R:15mm DIA:31.8mm
LAPIERRE CNC by FUNN DIA:31.8 E:55mm / 70mm (Size L, XL)	EASTON EA50 8° DIA:31.8 E:60mm / 75mm (Size XL)
LAPIERRE RUBBER GRIPS LOCK-ON	LAPIERRE RUBBER GRIPS LOCK-ON
KS LEV INTEGRA TRAVEL:125mm L:385mm DIA:31.6mm	KS LEV INTEGRA TRAVEL:125mm L:385mm DIA:31.6mm
SDG DUSTER LP Custom	SDG DUSTER LP Custom
-	FORMULA DC51 15QR 32H
<u>-</u>	FORMULA DHT142 32H BLACK 12x142mm + LAQR-12-E Thru Axle
RACE FACE 27.5" 15x100 / 12x142 + LAQR-12-E Thru Axle	MAVIC EN321 21C 27.5" 32H
SCHWALBE NOBBY NIC PERF 27.5x2.25 57-584	SCHWALBE NOBBY NIC 27.5x2.25
ZESTY TR 829	ZESTY TR 529
ZESTY TRAIL 29" CARBON / ALLOY SUPREME 6 OST+ 120mm Rear Travel	ZESTY TRAIL 29" CARBON / ALLOY SUPREME 6 OST+ 120mm Rear Travel
ROCKSHOX SID RL FAST SOLO AIR 29" 120mm 15QR TAPERED	ROCKSHOX REBA RL FAST SOLO AIR 29" 120mm 15QR TAPERED (MECHANICAL VERSION: FOX 32 FLOAT CTD EVOLUTION 0/C 29" 120mm 15QP TAPERED)

**ZESTY AM 327** 

**ZESTY AM 427** 

ROCKSHOX MONARCH E: RT3 FAST 184x44mm (MECHANICAL VERSION: ROCKSHOX MONARCH RT3 FAST)

SRAM X0 CARBON BLACK 10-SPEED

SRAM PG 1070 10-SPEED 11-36T

SRAM PC 1051 10-SPEED

SRAM HYDRAULIC GUIDE RS

SRAM X9 TRIGGER 10-SPEED

SDG DUSTER LP Custom

SRAM GXP PRESSFIT

SRAM X0 36x22 170mm / 175mm (Size: M, L, XL)

SRAM CENTERLINE 180MM /160MM 6-BOLT TYPE

FSA Orbit 1.5E ZS NO.57ECF + 5.3mm Carbon Top cap

LAPIERRE CNC by FUNN DIA:31.8 E:70mm

LAPIERRE RUBBER GRIPS LOCK-ON

LAPIERRE Nico Vouilloz Signature by FUNN 7050DB W:720mm R:15mm DIA:31.8mm

ROCKSHOX REVERB STEALTH TRAVEL:125mm L:380mm

	FOX FLOAT CTD EVOLUTION LV 200x57mm
EED	SHIMANO XT SHADOW PLUS KRDM786GSL 10-SPEED
	SRAM X7 S3 36T
]	SRAM S1000 36x22 170mm / 175mm (Size: M, L, XL)
	SRAM GXP PRESSFIT
	SHIMANO KCSHG5010136 10-SPEED 11-36T
	SRAM PG 1031 10-SPEED
	SHIMANO HYDRAULIC DEORE BRM615 BLACK
	SHIMANO KSMRT66 180MM 6-BOLT TYPE
	SHIMANO DEORE KSLM610 2x10 SPEED ISpec
	FSA Orbit 1.5E ZS NO.57E + 5.3mm Top cap
B W:740mm	LAPIERRE Nico Vouilloz Signature by FUNN 6061DB W:680mm R:20mm DIA:31.8mm
_)	EASTON EA50 8° DIA:31.8 E:60mm
	LAPIERRE RUBBER GRIPS LOCK-ON
1.6mm	KS LEV INTEGRA TRAVEL:125mm L:385mm DIA:31.6mm
	FIZIK VESTA LADY MG
	FORMULA DC51 15QR 32H
R-12-E Thru Axle	FORMULA DHT142 32H BLACK 12x142mm + LAQR-12-E Thru Axle
	MAVIC EN321 21C 27.5" 32H
	SCHWALBE NOBBY NIC 27.5x2.25
	ZESTY TR 429
+ 120mm Rear Travel	ZESTY TRAIL 29" / ALLOY SUPREME 6 OST+ 120mm Rear Travel
5QR TAPERED UTION O/C 29"	ROCKSHOX REBA RL FAST SOLO AIR 29" 120mm 15QR TAPERED (MECHANICAL VERSION: FOX 32 FLOAT CTD EVOLUTION O/C 29" 120mm 15QR TAPERED)
MECHANICAL	ROCKSHOX MONARCH E: RT3 FAST 184x44mm (MECHANICAL VERSION: FOX FLOAT CTD EVOLUTION LV)
	CUIMANO VI I/DDM701CCL 10 CDEED

**ZESTY AM LADY** ZESTY AM 27.5" ALLOY SUPREME 6 OST+ 150mm Rear T FOX 32 FLOAT CTD EVOLUTION O/C 27.5" 150mm 15QR TAPERED

FRAME	FROGGY ALLOY 7005 SL OST 140mm Rear Travel
FORK	ROCKSHOX SEKTOR SILVER Solo Air 140mm 15QF
SHOCK ABSORBER	ROCKSHOX MONARCH R 200x51mm
REAR DERAILLEUR	SHIMANO Deore Shadow RDM592SGS 9-SPEED
FRONT DERAILLEUR	E13 LG1 ISCG05
CRANKSET	LAPIERRE FM2132A 32T 152mm
BOTTOM BRACKET	CARTRIDGE CH-51/68/122
CASSETTE	SHIMANO ACSHG20I9134 9-SPEED 11-34T
CHAIN	KMC X9 GREY 9-SPEED
BRAKES (R-F)	SHIMANO HYDRAULIC ACERA BRM395
DISCS (R-F)	SHIMANO SMRT56 6-BOLT TYPE
SHIFTERS	SHIMANO ALTUS SLM370RAL 9-SPEED
HEADSET	PRESTINE F11A TAPERED
HANDLEBARS	LAPIERRE Nico Vouilloz Signature by FUNN 6061D R:15mm DIA:31.8mm
STEM	LAPIERRE LCS-7769 DIA:31.8 E: 40mm
GRIPS	SB3 GRIPS LOCK-ON BLUE/YELLOW
SEATPOST	LAPIERRE LCSP53 L:300mm DIA:31.6mm
SADDLE	LAPIERRE VL5104 Shibuya
FRONT HUB	FORMULA DC51 15mm 32H
REAR HUB	FORMULA DHT142 142x12mm 32H
WHEELS (R-F)	MACH1 610 24" 21C 32H
TYPES	KENDA NEVEGAL K1010 2/v2 5

SHOCK ABSOR REAR DERAILLEUR CRANKSET

BOTTOM BRACKET

CASSETTE

BRAKES (R-F)

**HANDLEBARS** 

CHAIN

SHIFTERS

HEADSET

STEM

**GRIPS** 

SEATPOST

SADDLE

FRONT HUB

WHEELS (R-F)

REAR HUB

KMC X9 GREY 9-SPEED	SRAM PC XX1 11-SPEED
SHIMANO HYDRAULIC ACERA BRM395	SRAM HYDRAULIC GUIDE RSC + Connectamagig
SHIMANO SMRT56 6-BOLT TYPE	SRAM CENTERLINE 200MM / 180MM 6-BOLT TYPE
SHIMANO ALTUS SLM370RAL 9-SPEED	SRAM XX1 TRIGGER RED 11-SPEED
PRESTINE F11A TAPERED	FSA Orbit 1.5E ZS NO.57ECF + 5.3mm Carbon Top cap
LAPIERRE Nico Vouilloz Signature by FUNN 6061DB W:720mm R:15mm DIA:31.8mm	TRUVATIV BLACKBOX LTD CARBON R:20mm W:750mm DIA:31.8mm
LAPIERRE LCS-7769 DIA:31.8 E: 40mm	LAPIERRE CNC by FUNN DIA:31.8 E:55mm
SB3 GRIPS LOCK-ON BLUE/YELLOW	LAPIERRE RUBBER GRIPS LOCK-ON
LAPIERRE LCSP53 L:300mm DIA:31.6mm	ROCKSHOX REVERB STEALTH TRAVEL:125mm L:380mm DIA:31.6mm
LAPIERRE VL5104 Shibuya	SDG DUSTER LP Custom
FORMULA DC51 15mm 32H	-
FORMULA DHT142 142x12mm 32H	-
MACH1 610 24" 21C 32H	SRAM RAIL 50 UST 27.5" 15x100 / 12x142 XDriver + LAQR-12-E Thru Axle
KENDA NEVEGAL K1010 24x2.5	MICHELIN WILDROCK'R MAGI-X (FRONT) WILDGRIP'R GUM-X(REAR) REINFORCED TReady 27.5x2.35
SPICY 327 SPICY 27.5" ALLOY SUPREME 6 OST+ 150mm Rear Travel	ZESTY AM 827 ZESTY AM 27.5" CARBON / ALLOY SUPREME 6 OST+ 150mm Rear Travel
FOX 34 FLOAT CTD EVOLUTION O/C 27.5" 160mm 15QR TAPERED	ROCKSHOX PIKE RC FAST SOLO AIR 27.5" 150mm 15QR TAPERED
FOX FLOAT CTD EVOLUTION LV 200x57mm	ROCKSHOX MONARCH E:i RT3 FAST 200x57mm (MECHANICAL VERSION: ROCKSHOX MONARCH RT3 FAST)
SHIMANO XT SHADOW PLUS KRDM786GSL 10-SPEED	SRAM XX1 BLUE 11-SPEED
SHIMANO SLX FDM670AE6X 10-SPEED	-
RACE FACE RIDE + Bashguard 36x22 170mm / 175mm (Size: M, L, XL)	SRAM X01 BLACK 30T 170mm / 175mm (Size: M, L, XL)
SHIMANO PRESSFIT KSMBB7141A	SRAM GXP PRESSFIT
SRAM PG 1030 10-SPEED 11-36T	SRAM XG 1195 11-SPEED 10-42T
	0.01.00 1.00 1.00 220 10 421

MAVIC EN323 DISC 23C 27.5" 32H

REINFORCED TReady 27.5x2.35

MICHELIN WILDROCK'R MAGI-X (FRONT) WILDGRIP'R GUM-X[REAR]

SPICY 327	ZESTY AM 827
SPICY 27.5" ALLOY SUPREME 6 OST+ 150mm Rear Travel	ZESTY AM 27.5" CARBON / ALLOY SUPREME 6 OST+ 150mm Rear Travel
FOX 34 FLOAT CTD EVOLUTION O/C 27.5" 160mm 15QR TAPERED	ROCKSHOX PIKE RC FAST SOLO AIR 27.5" 150mm 15QR TAPERED
FOX FLOAT CTD EVOLUTION LV 200x57mm	ROCKSHOX MONARCH E:i RT3 FAST 200x57mm (MECHANICAL VERSION: ROCKSHOX MONARCH RT3 FAST)
SHIMANO XT SHADOW PLUS KRDM786GSL 10-SPEED	SRAM XX1 BLUE 11-SPEED
SHIMANO SLX FDM670AE6X 10-SPEED	-
RACE FACE RIDE + Bashguard 36x22 170mm / 175mm (Size: M, L, XL)	SRAM X01 BLACK 30T 170mm / 175mm (Size: M, L, XL)
SHIMANO PRESSFIT KSMBB7141A	SRAM GXP PRESSFIT
SRAM PG 1030 10-SPEED 11-36T	SRAM XG 1195 11-SPEED 10-42T
SRAM PC 1031 10-SPEED	SRAM PC X1 11-SPEED
SHIMANO HYDRAULIC DEORE BRM615 BLACK	SRAM HYDRAULIC GUIDE R + Connectamagig
SHIMANO KSMRT66 200MM / 180MM 6-BOLT TYPE	SRAM CENTERLINE 180MM 6-BOLT TYPE
SHIMANO DEORE KSLM610 2x10 SPEED ISpec	SRAM X01 TRIGGER BLACK 11-SPEED
FSA Orbit 1.5E ZS NO.57ECF + 5.3mm Top cap	FSA Orbit 1.5E ZS NO.57ECF + 5.3mm Carbon Top cap
LAPIERRE Nico Vouilloz Signature by FUNN 6061DB W:740mm R:15mm DIA:31.8mm	LAPIERRE Nico Vouilloz Signature by FUNN 7050DB W:740mm R:15mm DIA:31.8mm
RACE FACE RIDE 6° DIA:31.8 E:60mm	LAPIERRE CNC by FUNN DIA:31.8 E:55mm / 70mm (Size L, XL)
LAPIERRE RUBBER GRIPS LOCK-ON	LAPIERRE RUBBER GRIPS LOCK-ON
KS LEV INTEGRA TRAVEL:125mm L:385mm DIA:31.6mm	ROCKSHOX REVERB STEALTH TRAVEL:125mm L:380mm DIA:31.6mm
SDG DUSTER LP Custom	SDG DUSTER LP Custom
FORMULA DC51 15QR 32H	-
FORMUL A DHT142 32H BLACK 12x142mm + LAQR-12-F Thru Axle	-

Š	ZESTY AM 527
	ESTY AM 27.5" CARBON / ALLOY SUPREME 6 OST+ 150mm Rear ravel
R	OCKSHOX PIKE RC FAST SOLO AIR 27.5" 150mm 15QR TAPERED
	OCKSHOX MONARCH E.; RT3 FAST 200x57mm (MECHANICAL ERSION: ROCKSHOX MONARCH RT3 FAST)
S	HIMANO XT SHADOW PLUS KRDM786GSL 10-SPEED
S	RAM X7 S3 36T
R	ACE FACE TURBINE 36x22 170mm / 175mm (Size: M, L, XL)
S	HIMANO PRESSFIT KSMBB7141A
S	RAM PG 1030 10-SPEED 11-36T
S	RAM PC 1031 10-SPEED
S	HIMANO HYDRAULIC XT BRM785 BLACK + J-KIT
S	HIMANO KSMRT66 180MM 6-BOLT TYPE
S	HIMANO SLX KSLM670 ISpec 2x10 SPEED
P	SA Orbit 1.5E ZS NO.57ECF + 5.3mm Carbon Top cap
	APIERRE Nico Vouilloz Signature by FUNN 6061DB W:740mm :15mm DIA:31.8mm
L	APIERRE CNC by FUNN DIA:31.8 E:55mm / 70mm (Size L, XL)
L	APIERRE RUBBER GRIPS LOCK-ON
K	S LEV INTEGRA TRAVEL:125mm L:385mm DIA:31.6mm
S	DG DUSTER LP Custom
_	

SCHWALBE NOBBY NIC PERF 27.5x2.25 57-584

II IIOD	
HUB	-
ELS (R-F)	SRAM ROAM 40 UST 29" 15x100 / 12x142 XDriver + LAQR-12-E Thru Axle
S	SCHWALBE NOBBY NIC Tubeless Easy 29x2.25 Snake Skin
	ZESTY TR 329
E	ZESTY TRAIL 29" ALLOY SUPREME 6 OST+ 120mm Rear Travel
	ROCKSHOX RECON GOLD 29" SOLO AIR 120mm 15QR TAPERED
K ABSORBER	FOX FLOAT CTD EVOLUTION LV 184x44mm
DERAILLEUR	SHIMANO XT KRDM781GSL 10-SPEED
T DERAILLEUR	SRAM X7 S3 36T
KSET	SRAM S1000 36x22 170mm / 175mm (Size: M, L, XL)
OM BRACKET	SRAM GXP PRESSFIT
ETTE	SHIMANO KCSHG5010136 10-SPEED 11-36T
i i	SHIMANO CNHG54 10-SPEED
ES (R-F)	SHIMANO HYDRAULIC DEORE BRM615 BLACK
(R-F)	SHIMANO KSMRT66 180MM /160MM 6-BOLT TYPE
ERS	SHIMANO DEORE KSLM610 2x10 SPEED ISpec
SET	FSA Orbit 1.5E ZS NO.57E + 5.3mm Top cap
LEBARS	LAPIERRE Nico Vouilloz Signature by FUNN 6061DB W:720mm R:15mm DIA:31.8mm
	EASTON EA50 8° DIA:31.8 E:75mm
;	LAPIERRE RUBBER GRIPS LOCK-ON
POST	EASTON EA50 L:350mm DIA:31,6mm
LE	LAPIERRE by JUSTEK Black
T HUB	FORMULA DC51 15QR 32H
HUB	FORMULA DHT142 32H BLACK 12x142mm + LAQR-12-E Thru Axle
LS (R-F)	MAVIC EN321 21C 29" 32H
2	COLIMAL DE NODDY NIC DEDE 20v2 25 57 422

ZESTY TR 529	ZESTY TR 429
ZESTY TRAIL 29" CARBON / ALLOY SUPREME 6 OST+ 120mm Rear Travel	ZESTY TRAIL 29" / ALLOY SUPREME 6 OST+ 120mm Rear Travel
ROCKSHOX REBA RL FAST SOLO AIR 29" 120mm 15QR TAPERED (MECHANICAL VERSION: FOX 32 FLOAT CTD EVOLUTION 0/C 29" 120mm 15QR TAPERED)	ROCKSHOX REBA RL FAST SOLO AIR 29" 120mm 15QR TAPERED [MECHANICAL VERSION: FOX 32 FLOAT CTD EVOLUTION O/C 29" 120mm 15QR TAPERED]
ROCKSHOX MONARCH E:i RT3 FAST 184x44mm (MECHANICAL VERSION: FOX FLOAT CTD EVOLUTION LV)	ROCKSHOX MONARCH E: RT3 FAST 184x44mm (MECHANICAL VERSION: FOX FLOAT CTD EVOLUTION LV)
SHIMANO XT KRDM781GSL 10-SPEED	SHIMANO XT KRDM781GSL 10-SPEED
SRAM X7 S3 36T	SRAM X7 S3 36T
RACE FACE TURBINE 36x22 170mm / 175mm (Size: M, L, XL)	RACE FACE TURBINE 36x22 170mm / 175mm (Size: M, L, XL)
SHIMANO PRESSFIT KSMBB7141A	SHIMANO PRESSFIT KSMBB7141A
SHIMANO KCSHG5010136 10-SPEED 11-36T	SHIMANO KCSHG5010136 10-SPEED 11-36T
SHIMANO CNHG54 10-SPEED	SHIMANO CNHG54 10-SPEED
SHIMANO HYDRAULIC XT BRM785 BLACK + J-KIT	SHIMANO HYDRAULIC XT BRM785 BLACK
SHIMANO KSMRT66 180MM /160MM 6-BOLT TYPE	SHIMANO KSMRT66 180MM /160MM 6-BOLT TYPE
SHIMANO SLX KSLM670 ISpec 2x10 SPEED	SHIMANO SLX KSLM670 ISpec 2x10 SPEED
FSA Orbit 1.5E ZS NO.57ECF + 5.3mm Carbon Top cap	FSA Orbit 1.5E ZS NO.57ECF + 5.3mm Carbon Top cap
LAPIERRE Nico Vouilloz Signature by FUNN 6061DB W:720mm R:15mm DIA:31.8mm	LAPIERRE Nico Vouilloz Signature by FUNN 6061DB W:720mm R:15mm DIA:31.8mm
LAPIERRE CNC by FUNN DIA:31.8 E:70mm	LAPIERRE CNC by FUNN DIA:31.8 E:70mm
LAPIERRE RUBBER GRIPS LOCK-ON	LAPIERRE RUBBER GRIPS LOCK-ON
KS LEV INTEGRA TRAVEL:125mm L:385mm DIA:31.6mm	KS LEV INTEGRA TRAVEL:125mm L:385mm DIA:31.6mm
SDG DUSTER LP Custom	SDG DUSTER LP Custom
-	-
-	-
RACE FACE 29" 15x100 / 12x142 + LAQR-12-E Thru Axle	RACE FACE 29" 15x100 / 12x142 + LAQR-12-E Thru Axle
SCHWALBE NOBBY NIC PERF 29x2.25 57-622	SCHWALBE NOBBY NIC PERF 29x2.25 57-622

ZESTY AM 27.5" CARBON / ALLOY SUPREME 6 OST+ 150mm Rear Travel
ROCKSHOX PIKE RC FAST SOLO AIR 27.5" 150mm 15QR TAPERED
ROCKSHOX MONARCH E:i RT3 FAST 200x57mm (MECHANICAL VERSION: ROCKSHOX MONARCH RT3 FAST)
SRAM XX1 BLUE 11-SPEED
-
SRAM X01 BLACK 30T 170mm / 175mm (Size: M, L, XL)
SRAM GXP PRESSFIT
SRAM XG 1195 11-SPEED 10-42T
SRAM PC X1 11-SPEED
SRAM HYDRAULIC GUIDE R + Connectamagig
SRAM CENTERLINE 180MM 6-BOLT TYPE
SRAM X01 TRIGGER BLACK 11-SPEED
FSA Orbit 1.5E ZS NO.57ECF + 5.3mm Carbon Top cap
LAPIERRE Nico Vouilloz Signature by FUNN 7050DB W:740mm R:15mm DIA:31.8mm
LAPIERRE CNC by FUNN DIA:31.8 E:55mm / 70mm (Size L, XL)
LAPIERRE RUBBER GRIPS LOCK-ON
ROCKSHOX REVERB STEALTH TRAVEL:125mm L:380mm DIA:31.6mm
SDG DUSTER LP Custom
-
-
SRAM ROAM 40 UST 27.5" 15x100 / 12x142 XDriver + LAQR-12-E Thru Axle
SCHWALBE NOBBY NIC Tubeless Easy 27.5x2.35 Snake Skin

	ZESTY TR 329
FRAME	ZESTY TRAIL 29" ALLOY SUPREME 6 OST+ 120mm Rear Travel
FORK	ROCKSHOX RECON GOLD 29" SOLO AIR 120mm 15QR TAPERED
SHOCK ABSORBER	FOX FLOAT CTD EVOLUTION LV 184x44mm
REAR DERAILLEUR	SHIMANO XT KRDM781GSL 10-SPEED
FRONT DERAILLEUR	SRAM X7 S3 36T
CRANKSET	SRAM S1000 36x22 170mm / 175mm (Size: M, L, XL)
BOTTOM BRACKET	SRAM GXP PRESSFIT
CASSETTE	SHIMANO KCSHG5010136 10-SPEED 11-36T
CHAIN	SHIMANO CNHG54 10-SPEED
BRAKES (R-F)	SHIMANO HYDRAULIC DEORE BRM615 BLACK
DISCS (R-F)	SHIMANO KSMRT66 180MM /160MM 6-BOLT TYPE
SHIFTERS	SHIMANO DEORE KSLM610 2x10 SPEED ISpec
HEADSET	FSA Orbit 1.5E ZS NO.57E + 5.3mm Top cap
HANDLEBARS	LAPIERRE Nico Vouilloz Signature by FUNN 6061DB W:720mm R:15mm DIA:31.8mm
STEM	EASTON EA50 8° DIA:31.8 E:75mm
GRIPS	LAPIERRE RUBBER GRIPS LOCK-ON
SEATPOST	EASTON EA50 L:350mm DIA:31,6mm
SADDLE	LAPIERRE by JUSTEK Black
FRONT HUB	FORMULA DC51 15QR 32H
REAR HUB	FORMULA DHT142 32H BLACK 12x142mm + LAQR-12-E Thru Axle
WHEELS (R-F)	MAVIC EN321 21C 29" 32H
TYRES	SCHWALBE NOBBY NIC PERF 29x2.25 57-622

X-CONTROL 327	
X-CONTROL 27.5" ALLOY SUPREME 6 FPS+ 100mm Rear Travel	X-CONT
ROCKSHOX RECON GOLD 27.5" SOLO AIR 120mm 15QR TAPERED + REMOTE	ROCKSI
LAPIERRE R HYDRAULIC DAMPING TECHNOLOGY 165x38mm	LAPIERI
SHIMANO XT KRDM781GSL 10-SPEED	SHIMAN
SHIMANO DEORE KFDM616D6L	SHIMAN
SHIMANO XT KFCM785EX84XL 38x24 170mm / 175mm (Size: M, L, XL)	SHIMAN
SHIMANO PRESSFIT KSMBB7141A	SHIMAN
SHIMANO KCSHG5010136 10-SPEED 11-36T	SHIMAN
SHIMANO CNHG54 10-SPEED	KMC X1
SHIMANO HYDRAULIC DEORE BRM506 BLACK	SHIMAN
SHIMANO KSMRT56 180MM /160MM 6-BOLT TYPE	SHIMAN
SHIMANO DEORE KSLM610 ISpec 2x10 SPEED	SHIMAN
FSA Orbit 1.5E ZS NO.57E + 8mm Top cap	FSA Orb
LAPIERRE RIZER XC ALLOY HB-RB11L W:720mm R:15mm DIA:31.8mm	LAPIERI DIA:31.8
EASTON EA50 8° DIA:31.8 E:75mm / 90mm (Size L,XL)	LAPIERI (Size L,X
LAPIERRE RUBBER GRIPS LOCK-ON	LAPIERI
EASTON EA50 L:350mm DIA:31.6mm	LAPIERI
LAPIERRE VL-1353 XCONTROL	LAPIERI
FORMULA DC51 15QR 32H	FORMU
FORMULA DHT142 32H BLACK 12x142mm + LAQR-12-E Thru Axle	FORMU

SHIMANU UNHU54 TU-SPEED
SHIMANO HYDRAULIC XT BRM785 BLACK
SHIMANO KSMRT66 180MM /160MM 6-BOLT TYPE
SHIMANO SLX KSLM670 ISpec 2x10 SPEED
FSA Orbit 1.5E ZS NO.57ECF + 5.3mm Carbon Top cap
LAPIERRE Nico Vouilloz Signature by FUNN 6061DB W:720mm R:15mm DIA:31.8mm
LAPIERRE CNC by FUNN DIA:31.8 E:70mm
LAPIERRE RUBBER GRIPS LOCK-ON
KS LEV INTEGRA TRAVEL:125mm L:385mm DIA:31.6mm
SDG DUSTER LP Custom
-
-
RACE FACE 29" 15x100 / 12x142 + LAQR-12-E Thru Axle
SCHWALBE NOBBY NIC PERF 29x2.25 57-622
X-CONTROL 227
X-CONTROL 27.5" ALLOY SUPREME 6 FPS+ 100mm Rear Travel
ROCKSHOX XC30 27.5" SOLO AIR 120mm TAPERED + REMOTE
LAPIERRE R HYDRAULIC DAMPING TECHNOLOGY 165x38mm
SHIMANO SLX KRDM670SGS 10-SPEED
SHIMANO DEORE KFDM616D6L
SHIMANIO AECM/25EY8/Y 38v2/, 170mm / 175mm (Size: M. I., YI.)

ANO AFCM625EX84X 38x24 170mm / 175mm (Size: M, L, XL) NO PRESSFIT KSMBB7141A NO KCSHG5010136 10-SPEED 11-367 10 1/2" x 11/128" 10-SPEED NO HYDRAULIC ACERA BRM396 ANO KSMRT56 180MM /160MM 6-BOLT TYPE ANO DEORE SLM610 2x10 SPEED rbit 1.5E ZS NO.57SC + 8.2mm Top cap RRE RIZER XC ALLOY HB-RB11L W:720mm R:15mm RRE XCONTROL ALLOY AS-DC1 7° DIA:31.8 E:75mm / 90mm RRE RUBBER GRIPS LOCK-ON RRE XCONTROL DC1 L:350mm DIA:31.6mi RRE VL-1353 XCONTROL ULA DC20LW 32H BLACK QR9mm IUI A DHT142 32H BI ACK 12x142mm + LAQR-12-F Thru Axle MACH1 NEO DISC 27.5" D.WALL 32H SCHWALBE RAPID ROB PERF 27.5x2.25 57-584 Kevlar GUARD

**-** 199 ---

MACH1 NEO DISC 27.5" D.WALL 32H

SCHWALBE RAPID ROB PERF 27.5x2.25 57-584 Kevlar GUARD

	X-CONTROL 227 LADY
FRAME	X-CONTROL 27.5" ALLOY SUPREME 6 FPS+ 100mm Rear Travel
FORK	ROCKSHOX XC30 27.5" SOLO AIR 120mm TAPERED + REMOTE
SHOCK ABSORBER	LAPIERRE R HYDRAULIC DAMPING TECHNOLOGY 165x38mm
REAR DERAILLEUR	SHIMANO SLX KRDM670SGS 10-SPEED
FRONT DERAILLEUR	SHIMANO DEORE KFDM616D6L
CRANKSET	SHIMANO AFCM625EX84X 38x24 170mm / 175mm (Size: M, L)
BOTTOM BRACKET	SHIMANO PRESSFIT KSMBB7141A
CASSETTE	SHIMANO KCSHG5010136 10-SPEED 11-36T
CHAIN	KMC X10 1/2" x 11/128" 10-SPEED
BRAKES (R-F)	SHIMANO HYDRAULIC ACERA BRM396
DISCS (R-F)	SHIMANO KSMRT56 180MM/160MM 6-BOLT TYPE
SHIFTERS	SHIMANO DEORE SLM610 2x10 SPEED
HEADSET	FSA Orbit 1.5E ZS NO.57SC + 8.2mm Top cap
HANDLEBARS	LAPIERRE RIZER XC ALLOY HB-RB11 W:680mm R:25mm DIA:31.8mm
STEM	LAPIERRE XCONTROL ALLOY AS-DC1 7° DIA:31.8 E:75mm
GRIPS	LAPIERRE RUBBER GRIPS LOCK-ON
SEATPOST	LAPIERRE XCONTROL DC1 L:350mm DIA:31.6mm
SADDLE	LAPIERRE LADY VL-4045 XCONTROL
FRONT HUB	FORMULA DC20LW 32H BLACK QR9mm
REAR HUB	FORMULA DHT142 32H BLACK 12x142mm + LAQR-12-E Thru Axle
WHEELS (R-F)	MACH1 NEO DISC 27.5" D.WALL 32H
TYRES	SCHWALBE RAPID ROB PERF 27.5x2.25 57-584 Kevlar GUARD
	XR 529
FRAME	XR 29" CARBON 100mm Rear Travel
FORK	ROCKSHOX RECON GOLD 29" SOLO AIR 100mm 15QR TAPERED (MECHANICAL VERSION: RECON GOLD + PUSHLOC)
SHOCK ABSORBER	ROCKSHOX MONARCH E.; RT3 165X38mm (MECHANICAL VERSION: FOX FLOAT CTD EVOLUTION SV)
REAR DERAILLEUR	SHIMANO XT KRDM781GSL 10-SPEED

SRAM X7 S3 36T

SRAM GXP PRESSFIT

SHIMANO CNHG54 10-SPEED

FSA SX Pro N0.55 + 3.5mm Top cap

LAPIERRE FOAM GRIPS LOCK-ON

EASTON EA50 L:350mm DIA:31,6mm

LAPIERRE by JUSTEK Black

FORMULA DC51 15QR 32H

DT SWISS 466D 29" 19C 32H

SRAM S1000 36x22 170mm / 175mm (Size: M, L, XL)

SHIMANO HYDRAULIC DEORE BRM506 BLACK + J-KIT

LAPIERRE XR COMP FLAT ALLOY YC-A113KC-DB1 W:720mm

FORMULA DHL142 32H BLACK 12x142mm + LAQR-12-E Thru Axle

EASTON EA50 8° DIA:31.8 E:75mm / 90mm (Size L,XL)

SHIMANO KSMRT56 180MM /160MM 6-BOLT TYPE SHIMANO DEORE KSLM610 2x10 SPEED ISpec

SHIMANO KCSHG5010136 10-SPEED 11-36T

FRONT DERAILLEUR

**BOTTOM BRACKET** 

CASSETTE

BRAKES (R-F)

DISCS (R-F)

HEADSET

STEM

HANDLEBARS

**SEATPOST** 

SADDLE

FRONT HUB

REAR HUB

WHEELS (R-F)

	DALLETTIC VE 1000 NO GIVITOE
П	FORMULA DC20LW 32H BLACK QR9mm
_	FORMULA DHT142 32H BLACK 12x142mm +LAQR-12-E Thru Axle
Ī	MACH1 NEO DISC 27.5" D.WALL 32H
	SCHWALBE RAPID ROB PERF 27.5x2.25 57-584 Kevlar GUARD
	PRORACE 729
ı	PRORACE 29" CARBON
	ROCKSHOX REBA RL FAST 29" SOLO AIR 100mm 15QR TAPERED + PUSHLOC
	-
	SRAM X01 CARBON 11-SPEED
	-
9	SRAM X1 BLACK 32T 175mm (Size: M, L, XL)
	SRAM GXP PRESSFIT
	SRAM XG 1180 11-SPEED 10-42T
	SRAM PC X1 11-SPEED
	SRAM HYDRAULIC X0
	SRAM CENTERLINE 180MM / 160MM 6-BOLT TYPE
	SRAM X01 TRIGGER 11-SPEED
	FSA Orbit C-40-CF-ACB-A NO.42 + 8.7mm Carbon Top cap
ı	EASTON EA70 FLAT 9° W:720mm DIA:31.8mm
I	EASTON EA70 6° DIA:31.8 E:70mm / 90mm (Size L,XL)
Ī	LAPIERRE FOAM GRIPS LOCK-ON

DT SWISS X1700 UST 29" UST 15x100 / 12x142 XDriver + LAQR-12-E

EASTON EA70 ZERO L:400mm DIA:27.2mm

FIZIK TUNDRA 2 Mg

X-CONTROL 127

SHIMANO ALIVIO AFCM4050EX002X 40x30x22 170mm / 175mm (Size:

X-CONTROL 27.5" ALLOY SUPREME 6 FPS+ 100mm Rear Trave

ROCKSHOX XC30 27.5" SOLO AIR 120mm TAPERED + REMOTE LAPIERRE R HYDRAULIC DAMPING TECHNOLOGY 165x38mm

SHIMANO DEORE KRDM592SGS 9-SPEED SHIMANO DEORE KFDM611D6L

SHIMANO PRESSFIT KSMBB7141A SHIMANO ACSHG2009134 9-SPEED 11-34T KMC X9 1/2X11/128" 9-SPEED SHIMANO HYDRAULIC ACERA BRM396 SHIMANO KSMRT56 180MM /160MM 6-BOLT TYPE SHIMANO ALTUS ASLM370 3x9 SPEED FSA Orbit 1.5E ZS NO.57SC + 8.2mm Top cap LAPIERRE RIZER XC ALLOY HB-RB11L W:720mm R:15mm LAPIERRE XCONTROL ALLOY AS-DC1 7° DIA:31.8 E:75mm / 90mm

LAPIERRE RUBBER GRIPS LOCK-ON LAPIERRE XCONTROL DC1 L:350mm DIA:31.6mm

LAPIERRE VL-1353 XCONTROL

M I XII

WHEELS (R-F)	DT 3WI33 400D 27 17C 32T1	[Sram Pitch] Thru Axle		
TYRES	SCHWALBE ROCKET RON PERF 29x2.25 / ROCKET RON PERF 29x2.10	SCHWALBE ROCKET RON Tubeless Easy 29x2.25 SSkin / THUNDER BURT Tubeless Easy 29x2.25 SSkin		
	PRORACE 629	PRORACE 627		
FRAME	PRORACE 29" CARBON	PRORACE 27.5" CARBON		
FORK	ROCKSHOX REBA RL FAST 29" SOLO AIR 100mm 15QR TAPERED + PUSHLOC	ROCKSHOX REBA RL FAST 27.5" SOLO AIR 100mm 15QR TAPERED + PUSHLOC		
SHOCK ABSORBER	-	-		
REAR DERAILLEUR	SHIMANO XT KRDM781GSL 10-SPEED	SHIMANO XT KRDM781GSL 10-SPEED		
FRONT DERAILLEUR	SHIMANO XT KFDM786TD6L DIRECTMOUNT TOP PULL	SHIMANO XT KFDM786TD6L DIRECTMOUNT TOP PULL		
CRANKSET	SHIMANO XT KFCM785EX84XL 38x24 175mm (Size: M, L, XL)	SHIMANO XT KFCM785EX84XL 38x24 170mm / 175mm (Size: M)		
BOTTOM BRACKET	SHIMANO PRESSFIT KSMBB7141A	SHIMANO PRESSFIT KSMBB7141A		
CASSETTE	SHIMANO KCSHG5010136 10-SPEED 11-36T	SHIMANO KCSHG5010136 10-SPEED 11-36T		
CHAIN	SHIMANO CNHG54 10-SPEED	SHIMANO CNHG54 10-SPEED		
BRAKES (R-F)	SHIMANO HYDRAULIC XT BRM785 BLACK + J-KIT	SHIMANO HYDRAULIC XT BRM785 BLACK + J-KIT		
DISCS (R-F)	SHIMANO KSMRT66 180MM / 160MM 6-BOLT TYPE	SHIMANO KSMRT66 180MM / 160MM 6-BOLT TYPE		
SHIFTERS	SHIMANO XT KSLM780 ISpec 2x10 SPEED	SHIMANO XT KSLM780 ISpec 2x10 SPEED		
HEADSET	FSA Orbit C-40-ACB-A NO.42 + 7.8mm Top cap	FSA Orbit C-40-ACB-A NO.42 + 7.8mm Top cap		
HANDLEBARS	LAPIERRE COMP FLAT ALLOY HB-FB21L W:720mm DIA:31.8mm	LAPIERRE RIZER XC ALLOY HB-RB11L R:15mm W:720mm DIA:31.8mm		
STEM	EASTON EA50 8° DIA:31.8 E:75mm / 90mm (Size L,XL)	EASTON EA50 8° DIA:31.8 E:75mm		
GRIPS	LAPIERRE FOAM GRIPS LOCK-ON	LAPIERRE FOAM GRIPS LOCK-ON		
SEATPOST	EASTON EA50 L:350mm DIA:27.2mm	EASTON EA50 L:350mm DIA:27.2mm		
SADDLE	FIZIK TUNDRA 2 Mg	FIZIK TUNDRA 2 Mg		
FRONT HUB	FORMULA DC71 15QR 32H	FORMULA DC71 15QR 32H		
REAR HUB	FORMULA DCL300 32H BLACK 12x142mm + LAQR-12-E (Sram Pitch) Thru Axle	FORMULA DCL300 32H BLACK 12x142mm + LAQR-12-E (Sram Pitch Thru Axle		
WHEELS (R-F)	DT SWISS 466D 29" 19C 32H	DT SWISS 466D 27.5" 19C 32H		
TYRES	SCHWALBE ROCKET RON PERF 29x2.25 54-622	SCHWALBE ROCKET RON PERF 27.5x2.25 57-584		

XR 29" CARBON 100mm Rear Travel
ROCKSHOX REBA RL FAST 29" SOLO AIR 100mm 15QR TAPERED [MECHANICAL VERSION: REBA RL + PUSHLOC]
ROCKSHOX MONARCH E: i RT3 165X38mm (MECHANICAL VERSION: FOX FLOAT CTD EVOLUTION SV) $$
SRAM X01 CARBON 11-SPEED
-
SRAM X1 32T 170mm / 175mm [Size: M, L, XL]
SRAM GXP PRESSFIT
SRAM XG 1180 11-SPEED 10-42T
SRAM PC X1 11-SPEED
SRAM HYDRAULIC X0 + CONNECTMAGIG
SRAM CENTERLINE 180MM /160MM 6-BOLT TYPE
SRAM X01 TRIGGER 11-SPEED
FSA SX Pro N0.55 + 3.5mm Top cap
LAPIERRE XR PRO FLAT ALLOY YC-A113KC-DB7 W:720mm DIA:31.8mm
EASTON EA70 6° DIA:31.8 E:70mm / 90mm (Size L,XL)
LAPIERRE FOAM GRIPS LOCK-ON
EASTON EA70 ZERO L:400mm DIA:31,6mm
FIZIK TUNDRA 2 Mg
-
-
DT SWISS X1700 UST 29" UST 15x100 / 12x142 XDriver + LAQR-12-E Thru Axl
SCHWALBE ROCKET RON Tubeless Easy 29x2.25 SSkin / THUNDER BURT Tubeless Easy 29x2.10 SSkin

	DT SWISS X1700 UST 29" UST 15x100 / 12x142 XDriver + LAQR-12-E Thru Axle
֡	SCHWALBE ROCKET RON Tubeless Easy 29x2.25 SSkin / THUNDER BURT Tubeless Easy 29x2.10 SSkin
	DONT Tubeless Easy 27x2.10 SSNIT
	PRORACE 727
	PRORACE 27.5" CARBON
	ROCKSHOX REBA RL FAST 27.5" SOLO AIR 100mm 15QR TAPERED + PUSHLOC
	-
9	SRAM X01 CARBON 11-SPEED
	-
	SRAM X1 BLACK 32T 170mm / 175mm (Size: M)
9	SRAM GXP PRESSFIT
	SRAM XG 1180 11-SPEED 10-42T
	SRAM PC X1 11-SPEED
9	SRAM HYDRAULIC X0
	SRAM CENTERLINE 180MM /160MM 6-BOLT TYPE
	SRAM X01 TRIGGER 11-SPEED
	FSA Orbit C-40-CF-ACB-A NO.42 + 8.7mm Carbon Top cap
	EASTON EA70 LOW RISER 20mm W:720mm DIA:31.8mm
	EASTON EA70 6° DIA:31.8 E:70mm
ĺ	LAPIERRE FOAM GRIPS LOCK-ON
I	EASTON EA70 ZERO L:400mm DIA:27.2mm

FIZIK TUNDRA 2 Mg DT SWISS X1700 UST 27.5" UST 15x100 / 12x142 XDriver + LAQR-12-E (Sram Pitch) Thru Axle SCHWALBE ROCKET RON Tubeless Easy 27.5x2.25 SSkin / THUNDER BURT Tubeless Easy 27.5x2.25 SSkin

	PRORACE 529
Р	RORACE 29" CARBON
	OCKSHOX RECON GOLD 29" SOLO AIR 100mm 15QR TAPERED + EMOTE
-	
SI	HIMANO XT KRDM781GSL 10-SPEED
SI	HIMANO DEORE KFDM616TD6L DIRECTMOUNT TOP PULL
SI	HIMANO DEORE AFCM625EX84X 38x24 175mm (Size: M, L, XL)
SI	HIMANO PRESSFIT KSMBB7141A
SI	HIMANO KCSHG5010136 10-SPEED 11-36T
Κ	MC X10 1/2" x 11/128" 10-SPEED
SI	HIMANO HYDRAULIC DEORE BRM506 BLACK + J-KIT
SI	HIMANO KSMRT56 180MM /160MM 6-BOLT TYPE
SI	HIMANO DEORE KSLM610 ISpec 2x10 SPEED
F	SA Orbit C-40-ACB-A NO.42 + 7.8mm Top cap
L	APIERRE COMP FLAT ALLOY HB-FB21L W:720mm DIA:31.8mm
E	ASTON EA50 8° DIA:31.8 E:75mm / 90mm (Size L,XL)
L	APIERRE FOAM GRIPS LOCK-ON
E	ASTON EA50 L:350mm DIA:27.2mm
L	APIERRE by JUSTEK Black
F	DRMULA DC51 15QR 32H
	ORMULA DHT142 32H BLACK 12x142mm + LAQR-12-E (Sram Pitch) nru Axle
М	ACH1 NEO DISC 29" D.WALL 32H
SI	CHWALBE ROCKET RON PERF 29x2.25 54-622

	PRORACE 527
FRAME	PRORACE 27.5" CARBON
FORK	ROCKSHOX RECON GOLD 27.5" SOLO AIR 100mm 15QR TAPERED + REMOTE
SHOCK ABSORBER	-
REAR DERAILLEUR	SHIMANO XT KRDM781GSL 10-SPEED
FRONT DERAILLEUR	SHIMANO DEORE KFDM616TD6L DIRECTMOUNT TOP PULL
CRANKSET	SHIMANO DEORE AFCM625EX84X 38x24 170mm / 175mm (Size: M)
BOTTOM BRACKET	SHIMANO PRESSFIT KSMBB7141A
CASSETTE	SHIMANO KCSHG5010136 10-SPEED 11-36T
CHAIN	KMC X10 1/2" x 11/128" 10-SPEED
BRAKES (R-F)	SHIMANO HYDRAULIC DEORE BRM506 BLACK + J-KIT
DISCS (R-F)	SHIMANO KSMRT56 180MM /160MM 6-BOLT TYPE
SHIFTERS	SHIMANO DEORE KSLM610 ISpec 2x10 SPEED
HEADSET	FSA Orbit C-40-ACB-A NO.42 + 7.8mm Top cap
HANDLEBARS	LAPIERRE RIZER XC ALLOY HB-RB11L R:15mm W:720mm DIA:31.8mm
STEM	EASTON EA50 8° DIA:31.8 E:75mm
GRIPS	LAPIERRE FOAM GRIPS LOCK-ON
SEATPOST	EASTON EA50 L:350mm DIA:27.2mm
SADDLE	LAPIERRE by JUSTEK Black
FRONT HUB	FORMULA DC51 15QR 32H
REAR HUB	FORMULA DHT142 32H BLACK 12x142mm + LAQR-12-E (Sram Pitch Thru Axle
WHEELS (R-F)	MACH1 NEO DISC 27.5" D.WALL 32H
TYRES	SCHWALBE ROCKET RON PERF 27.5x2.25 57-584

PRORACE 229

PRORACE 29" ALLOY 6061 MULTIBUTTED

SHIMANO SLX KRDM670SGS 10-SPEED

SHIMANO PRESSFIT KSMBB7141A

KMC X10 1/2" x 11/128" 10-SPEED

SHIMANO HYDRAULIC ACERA BRM396

ROCKSHOX XC30 29" SOLO AIR 100mm + REMOTE

SHIMANO DEORE KFDM616D6L DIRECTMOUNT

SHIMANO KCSHG5010136 10-SPEED 11-36T

SHIMANO AFCM625EX84X 38x24 175mm (Size: M, L, XL)

SHIM	ANO XT KRDM781GSL 10-SPEED
	ANO DEORE KFDM616D6L DIRECTMOUNT
SHIM	ANO DEORE AFCM625EX84X 38x24 175mm (Size: M, L, XI
SHIM	ANO PRESSFIT KSMBB7141A
	ANO KCSHG5010136 10-SPEED 11-36T
	(10 1/2" x 11/128" 10-SPEED
SHIM	ANO HYDRAULIC DEORE BRM506 BLACK
	ANO KSMRT56 180MM /160MM 6-BOLT TYPE
	ANO DEORE KSLM610 ISpec 2x10 SPEED
FSA 0	rbit 1.5ZS SC NO 57SC + 8.2mm Top cap
LAPIE	RRE COMP FLAT ALLOY HB-FB21L W:720mm DIA:31.8r
EAST	DN EA50 8° DIA:31.8 E:75mm / 90mm (Size L,XL)
LAPIE	RRE FOAM GRIPS LOCK-ON
EAST(	DN EA50 L:350mm DIA:27.2mm
LAPIE	RRE VL-1353 PRORACE
FORM	ULA DC51 15QR 32H
FORM	ULA DC22LW 32H BLACK QR10mm
MACH	11 NEO DISC 29" D.WALL 32H
COLUA	ALBE RAPID ROB PERF 29x2.25 57-622

PRORACE 27.5" ALLOY 6061 MULTIBUTTED

ROCKSHOX XC30 27.5" SOLO AIR 100mm + REMOTE

PRORACE 329

PRORACE 29" ALLOY 6061 MULTIBUTTED

	ROCKSHOX RECON GOLD 27.5" SOLO AIR 100mm 15QR TAPERED + REMOTE
_	-
_	SHIMANO XT KRDM781GSL 10-SPEED
	SHIMANO DEORE KFDM616D6L DIRECTMOUNT
	SHIMANO DEORE AFCM625EX84X 38x24 170mm / 175mm (Size: M)
	SHIMANO PRESSFIT KSMBB7141A
	SHIMANO KCSHG5010136 10-SPEED 11-36T
_	KMC X10 1/2" x 11/128" 10-SPEED
_	SHIMANO HYDRAULIC DEORE BRM506 BLACK
_	SHIMANO KSMRT56 180MM /160MM 6-BOLT TYPE
_	SHIMANO DEORE KSLM610 ISpec 2x10 SPEED
_	FSA Orbit 1.5ZS SC NO 57SC + 8.2mm Top cap
_	LAPIERRE RIZER XC ALLOY HB-RB11L R:15mm W:720mm DIA:31.8mm
	EASTON EA50 8° DIA:31.8 E:75mm
	LAPIERRE FOAM GRIPS LOCK-ON
	EASTON EA50 L:350mm DIA:27.2mm
	LAPIERRE VL-1353 PRORACE
_	FORMULA DC51 15QR 32H
	FORMULA DC22LW 32H BLACK QR10mm
_	MACH1 NEO DISC 27.5" D.WALL 32H
_	SCHWALBE RAPID ROB PERF 27.5x2.25 57-584 Kevlar GUARD

**PRORACE 327** 

14450	
0.00	
3.12	
C + 77.7	
D	

FRAME

CDANKSET

CASSETTE

BRAKES (R-F)

CHAIN

HANDLEBARS

STEM

GRIPS

SEATPOST

FRONT HUB

**REAR HUB** 

TYRES

WHEELS (R-F)

SADDLE

SHOCK ABSORBER REAR DERAILLEUR

FRONT DERAILLEUR

**BOTTOM BRACKET** 

DISCS (R-F)	
DISCS (R-F)	SHIMANO KSMRT56 180MM /160MM 6-BOLT TYPE
SHIFTERS	SHIMANO DEORE SLM610 2x10 SPEED
HEADSET	FSA Orbit 1.5ZS SC NO 57SC + 8.2mm Top cap
HANDLEBARS	LAPIERRE COMP FLAT ALLOY HB-FB21L W:720mm DIA:31.8mm
STEM	LAPIERRE PRORACE ALLOY AS-DC1 7° DIA:31.8 E:75mm / 90mm (Size L,XL)
GRIPS	LAPIERRE FOAM GRIPS LOCK-ON
SEATPOST	LAPIERRE PRORACE DC1 L:350mm DIA:27.2mm
SADDLE	LAPIERRE VL-1353 PRORACE
FRONT HUB	FORMULA DC20LW 32H BLACK QR9mm
REAR HUB	FORMULA DC22LW 32H BLACK QR10mm
WHEELS (R-F)	MACH1 NEO DISC 29" D.WALL 32H
TYRES	SCHWALBE RAPID ROB PERF 29x2.25 57-622
FDAME	PRORACE 24
FRAME FORK	PRORACE KID 24" ALLOY 6061
FRAME FORK SHOCK ABSORBER	
FORK	PRORACE KID 24" ALLOY 6061
FORK SHOCK ABSORBER	PRORACE KID 24" ALLOY 6061 SUNTOUR 24" M3020
FORK SHOCK ABSORBER REAR DERAILLEUR	PRORACE KID 24" ALLOY 6061 SUNTOUR 24" M3020 - SHIMANO TOURNEY ARDTX35D 7-SPEED
FORK SHOCK ABSORBER REAR DERAILLEUR FRONT DERAILLEUR	PRORACE KID 24" ALLOY 6061 SUNTOUR 24" M3020 - SHIMANO TOURNEY ARDTX35D 7-SPEED SHIMANO TOURNEY AFDTY10DM6 31.8mm 66-69°
FORK SHOCK ABSORBER REAR DERAILLEUR FRONT DERAILLEUR CRANKSET	PRORACE KID 24" ALLOY 6061 SUNTOUR 24" M3020 - SHIMANO TOURNEY ARDTX35D 7-SPEED SHIMANO TOURNEY AFDTY10DM6 31.8mm 66-69° TCSH-ME 42X34X24 152MM STEEL BLACK with CHAIN GUARD
FORK SHOCK ABSORBER REAR DERAILLEUR FRONT DERAILLEUR CRANKSET BOTTOM BRACKET	PRORACE KID 24" ALLOY 6061  SUNTOUR 24" M3020  - SHIMANO TOURNEY ARDTX35D 7-SPEED  SHIMANO TOURNEY AFDTY10DM6 31.8mm 66-69°  TCSH-ME 42X34X24 152MM STEEL BLACK with CHAIN GUARD  BSA CH 52-68 L:122mm
FORK SHOCK ABSORBER REAR DERAILLEUR FRONT DERAILLEUR CRANKSET BOTTOM BRACKET CASSETTE	PRORACE KID 24" ALLOY 6061 SUNTOUR 24" M3020 - SHIMANO TOURNEY ARDTX35D 7-SPEED SHIMANO TOURNEY AFDTY10DM6 31.8mm 66-69° TCSH-ME 42X34X24 152MM STEEL BLACK with CHAIN GUARD BSA CH 52-68 L:122mm SHIMANO AMFTZ217428T 7-SPEED 14-28 THREADED
FORK SHOCK ABSORBER REAR DERAILLEUR FRONT DERAILLEUR CRANKSET BOTTOM BRACKET CASSETTE CHAIN	PRORACE KID 24" ALLOY 6061 SUNTOUR 24" M3020 - SHIMANO TOURNEY ARDTX35D 7-SPEED SHIMANO TOURNEY AFDTY10DM6 31.8mm 66-69° TCSH-ME 42X34X24 152MM STEEL BLACK with CHAIN GUARD BSA CH 52-68 L:122mm SHIMANO AMFTZ217428T 7-SPEED 14-28 THREADED KMC Z51 1/2" X 3/32" 7.1mm
FORK SHOCK ABSORBER REAR DERAILLEUR FRONT DERAILLEUR CRANKSET BOTTOM BRACKET CASSETTE CHAIN BRAKES (R-F)	PRORACE KID 24" ALLOY 6061 SUNTOUR 24" M3020 - SHIMANO TOURNEY ARDTX35D 7-SPEED SHIMANO TOURNEY AFDTY10DM6 31.8mm 66-69° TCSH-ME 42X34X24 152MM STEEL BLACK with CHAIN GUARD BSA CH 52-68 L:122mm SHIMANO AMFTZ217428T 7-SPEED 14-28 THREADED KMC Z51 1/2" X 3/32" 7.1mm
FORK SHOCK ABSORBER REAR DERAILLEUR FRONT DERAILLEUR CRANKSET BOTTOM BRACKET CASSETTE CHAIN BRAKES (R-F) DISCS (R-F)	PRORACE KID 24" ALLOY 6061 SUNTOUR 24" M3020 - SHIMANO TOURNEY ARDTX35D 7-SPEED SHIMANO TOURNEY AFDTY10DM6 31.8mm 66-69° TCSH-ME 42X34X24 152MM STEEL BLACK with CHAIN GUARD BSA CH 52-68 L:122mm SHIMANO AMFTZ2174/28T 7-SPEED 14-28 THREADED KMC Z51 1/2" X3/32" 7.1mm ALHONGA V-BRAKE HJ-811AD7 BLACK

MTR KID ALL OY AL -001 W-600mm DIA-25 4/22 2mm

MTB KID ALLOY SP-242 BLACK L:300mm DIA:27.2mm

HERRMANS 7AI MIAC 96B

KENDA K-817 24X1.95

MTB KID VL-5061 BLACK STEEL RAIL

KT-A15F ALLOY BLACK 32H QR9mm

MTB KID ALLOY AS-601 A-HEADSET E:70mm R:7° DIA:28.6mm

KT-A12R ALLLOY BLACK 32H 130X140mm THREADED 7SPEED

RIM MTB KID ALLOY 24"X1.75 SINGLE WALL BLACK CNC SIDE 32H

SHIMANO DEORE KFDM616D6L DIRECTMOUNT  SHIMANO AFCM625EX84X 38x24 170mm / 175mm (Size: M)  SHIMANO PRESSFIT KSMBB7141A  SHIMANO KCSH65010136 10-SPEED 11-36T  KMC X10 1/2" x 11/1/28" 10-SPEED
SHIMANO PRESSFIT KSMBB7141A SHIMANO KCSHG5010136 10-SPEED 11-36T KMC X10 1/2" x 11/128" 10-SPEED
SHIMANO KCSHG5010136 10-SPEED 11-36T KMC X10 1/2" x 11/128" 10-SPEED
KMC X10 1/2" x 11/128" 10-SPEED
CUINTANIO I REPORTUTIO A OFFICE PRIMO
SHIMANO HYDRAULIC ACERA BRM396
SHIMANO KSMRT56 180MM /160MM 6-BOLT TYPE
SHIMANO DEORE SLM610 2x10 SPEED
FSA Orbit 1.5ZS SC NO 57SC + 8.2mm Top cap
LAPIERRE RIZER XC ALLOY HB-RB11L R:15mm W:720mm DIA:31.8mm
LAPIERRE PRORACE ALLOY AS-DC1 7° DIA:31.8 E:75mm
LAPIERRE FOAM GRIPS LOCK-ON
LAPIERRE PRORACE DC1 L:350mm DIA:27.2mm
LAPIERRE VL-1353 PRORACE
FORMULA DC20LW 32H BLACK QR9mm
FORMULA DC22LW 32H BLACK QR10mm
MACH1 NEO DISC 27.5" D.WALL 32H
SCHWALBE RAPID ROB PERF 27.5x2.25 57-584 Kevlar GUARD

	PRORACE 227 LADY
PRORACE 27.5	5" ALLOY 6061 MULTIBUTTED
ROCKSHOX XC	230 27.5" SOLO AIR 100mm + REMOTE
-	
SHIMANO SLX	KRDM670SGS 10-SPEED
SHIMANO DEC	DRE KFDM616D6L DIRECTMOUNT
SHIMANO AFO	CM625EX84X 38x24 170mm / 175mm (Size: M, L)
SHIMANO PRE	ESSFIT KSMBB7141A
SHIMANO KCS	SHG5010136 10-SPEED 11-36T
KMC X10 1/2":	x 11/128" 10-SPEED
SHIMANO HYD	DRAULIC ACERA BRM396
SHIMANO KSN	MRT56 180MM /160MM 6-BOLT TYPE
SHIMANO DEC	DRE SLM610 2x10 SPEED
FSA Orbit 1.5Z	S SC NO 57SC + 8.2mm Top cap
LAPIERRE RIZ DIA:31.8mm	ER XC ALLOY HB-RB11 R:15mm W:680mm
LAPIERRE PR	ORACE ALLOY AS-DC1 7° DIA:31.8 E:75mm
LAPIERRE FO	AM GRIPS LOCK-ON
LAPIERRE PR	ORACE DC1 L:350mm DIA:27.2mm
LAPIERRE LAI	DY VL-4045 PRORACE
FORMULA DC	20LW 32H BLACK QR9mm
FORMULA DC	22LW 32H BLACK QR10mm
MACH1 NEO D	DISC 27.5" D.WALL 32H
SCHWALBE R	APID ROB PERF 27.5x2.25 57-584 Kevlar GUARD

529	
00mm 15QR TAPERED +	
MOUNT TOP PULL	
75mm (Size: M, L, XL)	
6T	
LACK + J-KIT	
DLT TYPE	
EED	
сар	
W:720mm DIA:31.8mm	
n (Size L,XL)	
n + LAQR-12-E (Sram Pitch)	
4-622	

PRORACE 20
PRORACE KID 20" ALLOY 6061
SUNTOUR 20" M3010
-
SHIMANO TOURNEY ARDTY21AGSDL 6-SPEED
SHIMANO TOURNEY AFDTZ30DM6T 31.8mm 66-69°
MY-S647 28X38 STEEL BLACK with CHAIN GUARD
CH63-2 BSA 1.37"X24T
SHIMANO AMFTZ206428T 6-SPEED 14-28 THREADED
KMC Z33 1/2"x 3/32" 7.8mm
ALHONGA V-BRAKE HJ-811AD7 BLACK
-
SHIMANO ASLRS36 3x6 SPEED REVO SHIFTERS
CH-281 THREADLESS 1.1/8"STEEL
MTB KID ALLOY AL-025 W:560mm R:20mm BS:6° DIA:25.4/22.2mm
MTB KID ALLOY TDS-C41-8EN-M A-HEADSET E:60mm R:15° DIA:28.6mm
HERRMANS ZALMIAC 96C
MTB KID ALLOY SP-102 BLACK L:300mm DIA:27.2mm
MTB KID VL-5061 BLACK STEEL RAIL
KT-A15F ALLOY BLACK 28H QR9mm
KT-A12R ALLLOY BLACK 28H 130X140mm THREADED 6-8 SPEED
RIM MTB KID ALLOY 20"X1.75 SINGLE WALL BLACK CNC SIDE 28H
KENDA K-817 20X1 95

RAID FX SUNTOUR XCM HLO 27.5" 120mm 9QR LAPIERRE R HYDRALII IC DAMPING TECHNOLOGY 190x51mm SHIMANO DEORE KRDM592SGS 9-SPEED SHIMANO SLX KFDM660E6X SHIMANO ACERA AFCM371E422XL 42x32x22 170mm / 175mm (Size: SHIMANO ACSHG2009134 9-SPEED 11-34T KMC X9 1/2X11/128" 9-SPEED SHIMANO HYDRAULIC ALTUS BRM355 SHIMANO ASMRT20 180MM /160MM CENTERLOCK SHIMANO ALTUS ASLM370 3x9 SPEED FSA Orbit 1.5E ZS NO.57SC1 + 8.2mm Top cap LAPIERRE RIZER XC ALLOY HB-RB11L W:720mm R:15mm DIA-31 8mm LAPIERRE XCONTROL ALLOY AS-DC1 7° DIA:31.8 E:75mm / 90mm (Size L,XL) LAPIERRE by HERRMANS DD30B ST2 LAPIERRE RAID DC1 L:350mm DIA:31.6mm LAPIERRE VL-1205 RAID FX SHIMANO AHBRM33B 32H BLACK QR9mm CENTERLOCK SHIMANO AFHRM33BZB 32H BLACK QR10mm CENTERLOCK MACH1 NEO DISC 27.5" D.WALL 32H

SCHWALBE RAPID ROB PERF 27.5x2.25 57-584 Kevlar GUARD

- 201 <del>-</del>

	RAID 529
FRAME	RAID 29" ALLOY 6061 DISC
FORK	ROCKSHOX XC30 29" COIL 100mm 1.1/8" + REMOTE
SHOCK ABSORBER	-
REAR DERAILLEUR	SHIMANO SLX KRDM670SGS 10-SPEED
FRONT DERAILLEUR	SHIMANO DEORE KFDM610L6 34.9mm 66-69°
CRANKSET	SHIMANO DEORE AFCM523E002XL 40X30X22 OCTALINK 175mm
BOTTOM BRACKET	SHIMANO BSA ABBES25B13 68MM-113MM
CASSETTE	SHIMANO KCSHG5010136 10-SPEED 11-36T
CHAIN	KMC X10 1/2" x 11/128" 10-SPEED
BRAKES (R-F)	SHIMANO HYDRAULIC ACERA BRM396
DISCS (R-F)	SHIMANO KSMRT56 180MM /160MM 6-BOLT TYPE
SHIFTERS	SHIMANO DEORE KSLM610 3x10 SPEED
HEADSET	FSA NO10 1"1/8mm SEMI INTEGRATED
HANDLEBARS	LAPIERRE RAID ALLOY HB-RB11L W:720mm R:15mm DIA:31.8mm
STEM	LAPIERRE RAID ALLOY AS-DC1 7° DIA:31.8 E:90mm
GRIPS	LAPIERRE by HERRMANS DD30B ST2
SEATPOST	LAPIERRE RAID DC1 L:350mm DIA:31.6mm
SADDLE	LAPIERRE RAID VL-1205 STEEL RAIL
FRONT HUB	FORMULA DC20LW 32H BLACK QR9mm
REAR HUB	FORMULA DC22LW 32H BLACK QR10mm
WHEELS (R-F)	MACH1 NEO DISC 29" D.WALL 32H
TYRES	SCHWALBE RAPID ROB 29X2.10 54-622

RAID 527	RAID 527 LADY
RAID 27.5" ALLOY 6061 DISC	RAID 27.5" ALLOY 6061 DISC
ROCKSHOX XC30 27.5" COIL 100mm 1.1/8" + REMOTE	ROCKSHOX XC30 27.5" COIL 100mm 1.1/8" + REMOTE
-	-
SHIMANO SLX KRDM670SGS 10-SPEED	SHIMANO SLX KRDM670SGS 10-SPEED
SHIMANO DEORE KFDM610L6 34.9mm 66-69°	SHIMANO DEORE KFDM610L6 34.9mm 66-69°
SHIMANO DEORE AFCM523E002XL 40X30X22 OCTALINK 170mm / 175mm (Size M)	SHIMANO DEORE AFCM523E002XL 40X30X22 OCTALINK 170m 175mm (Size M-L)
SHIMANO BSA ABBES25B13 68MM-113MM	SHIMANO BSA ABBES25B13 68MM-113MM
SHIMANO KCSHG5010136 10-SPEED 11-36T	SHIMANO KCSHG5010136 10-SPEED 11-36T
KMC X10 1/2" x 11/128" 10-SPEED	KMC X10 1/2" x 11/128" 10-SPEED
SHIMANO HYDRAULIC ACERA BRM396	SHIMANO HYDRAULIC ACERA BRM396
SHIMANO KSMRT56 180MM /160MM 6-BOLT TYPE	SHIMANO KSMRT56 180MM /160MM 6-BOLT TYPE
SHIMANO DEORE KSLM610 3x10 SPEED	SHIMANO DEORE KSLM610 3x10 SPEED
FSA N010 1"1/8mm SEMI INTEGRATED	FSA N010 1"1/8mm SEMI INTEGRATED
LAPIERRE RAID ALLOY HB-RB11L W:720mm R:15mm DIA:31.8mm	LAPIERRE RAID ALLOY HB-RB11 W:680mm R:15mm DIA:31.8
LAPIERRE RAID ALLOY AS-DC1 7° DIA:31.8 E:75mm	LAPIERRE RAID ALLOY AS-DC1 7° DIA:31.8 E:75mm
LAPIERRE by HERRMANS DD30B ST2	LAPIERRE by HERRMANS DD30B ST2
LAPIERRE RAID DC1 L:350mm DIA:31.6mm	LAPIERRE RAID DC1 L:350mm DIA:31.6mm
LAPIERRE RAID VL-1205 STEEL RAIL	LAPIERRE LADY VL-4045 XCONTROL
FORMULA DC20LW 32H BLACK QR9mm	FORMULA DC20LW 32H BLACK QR9mm
FORMULA DC22LW 32H BLACK QR10mm	FORMULA DC22LW 32H BLACK QR10mm
MACH1 NEO DISC 27.5" D.WALL 32H	MACH1 NEO DISC 27.5" D.WALL 32H
SCHWALBE RAPID ROB PERF 27.5x2.25 57-584 Kevlar GUARD	SCHWALBE RAPID ROB PERF 27.5x2.25 57-584 Kevlar GUARD

_			
_			

FORK SHOCK ABSORBER

CRANKSET **BOTTOM BRACKET** 

CASSETTE

BRAKES (R-F)

DISCS (R-F)

SHIFTERS

HEADSET

STEM

GRIPS

SEATPOST SADDLE

FRONT HUB

WHEELS (R-F)

REAR HUB

TYRES

HANDLEBARS

CHAIN

REAR DERAILLEUR

FRONT DERAILLEUR

SUNTOUR SF14-M3030-AL 75mm 1.1/8"	
-	
SHIMANO ALTUS ARDM280SGS 8- SPEED	
SHIMANO ALTUS AFDM191L6 31.8mm 66-69°	
SHIMANO AFCM171C244X3 42X34X24 BLACK 175mm	
VP-BC73T	
SHIMANO CSHG2008 8-SPEED 12-32 T	
KMC Z8 8-SPEED	
ALHONGA HJ-811AD6 V-BRAKE BLACK	
-	, and the second
SHIMANO STTX800 3x8 SPEED	
VP-Z104PE + 10mm top cap	
LAPIERRE RAID ALLOY HB-RB11L W:720mm R:15mn	n DIA:31.8mm
LAPIERRE RAID ALLOY AS-DC1 7° DIA:31.8 E:90mm	
VELO VLG-311-AD2 BLACK	
LAPIERRE RAID ALLOY SP-DC1 L:350mm DIA:27.2mr	n
LAPIERRE RAID STEEL RAIL	
FORMULA FM21 32H BLACK	
FORMULA FM32 32H BLACK	
RAID D-WALL 29" 19C 32H	
KENDA 29X2 10 54-622	

RAID 129 V-BRAKE

RAID 27.5" ALL 0	//0/1 DICC
SUNTOUR XCT H	ILO 100mm 1.1/8"
-	
SHIMANO ALTUS	ARDM280SGS 8- SPEED
SHIMANO ALTUS	AFDM191L6 31.8mm 66-69°
SHIMANO AFCM	171C244X3 42X34X24 BLACK 170mm / 175 (Size: M)
VP-BC73T	
SHIMANO CSHG	2008 8-SPEED 12-32 T
KMC Z8 8-SPEE	
SHIMANO MECH	IANICAL ABRTX805
-	
SHIMANO STTX8	00 3x8 SPEED
VP-Z104PE + 10r	nm top cap
LAPIERRE RAID.	ALLOY HB-RB11L W:720mm R:15mm DIA:31.8mm
LAPIERRE RAID.	ALLOY AS-DC1 7° DIA:31.8 E:70mm
VELO VLG-311-A	D2 BLACK
LAPIERRE RAID.	ALLOY SP-DC1 L:350mm DIA:27.2mm
LAPIERRE RAID	STEEL RAIL
SHIMANO ALTUS	HBRM33B 32H CENTERLOCK
SHIMANO ALTUS	AFHRM33BZB 32H CENTERLOCK

RAID D-WALL 27.5" 19C 32H

KENDA 27.5X2.10

RAID 127 V-BRAKE
RAID 27.5" ALLOY 6061 V-BRAKE
SUNTOUR SF14-M3030-AL 75mm 1.1/8"
-
SHIMANO ALTUS ARDM280SGS 8- SPEED
SHIMANO ALTUS AFDM191L6 31.8mm 66-69°
SHIMANO AFCM171C244X3 42X34X24 BLACK 170mm / 175 (Size: M)
VP-BC73T
SHIMANO CSHG2008 8-SPEED 12-32 T
KMC Z8 8-SPEED
ALHONGA HJ-811AD6 V-BRAKE BLACK
-
SHIMANO STTX800 3x8 SPEED
VP-Z104PE + 10mm top cap
LAPIERRE RAID ALLOY HB-RB11L W:720mm R:15mm DIA:31.8mm
LAPIERRE RAID ALLOY AS-DC1 7° DIA:31.8 E:70mm
VELO VLG-311-AD2 BLACK
LAPIERRE RAID ALLOY SP-DC1 L:350mm DIA:27.2mm
LAPIERRE RAID STEEL RAIL
FORMULA FM21 32H BLACK
FORMULA FM32 32H BLACK
RAID D-WALL 27.5" 19C 32H
KENDA 27.5X2.10

FRAME
FORK
SHOCK ABSORBER
REAR DERAILLEUR
FRONT DERAILLEUR
CRANKSET
BOTTOM BRACKET
CASSETTE
CHAIN
BRAKES (R-F)
DISCS (R-F)
SHIFTERS
HEADSET
HANDLEBARS

SEATPOST SADDLE FRONT HUB REAR HUB

WHEELS (R-F) TYRES

RAID 329	
RAID 29" ALLOY 6061 DISC	
SUNTOUR XCM HLO 29" 100mm 9QR 1.1/8"	
-	
SHIMANO ALIVIO ARDM4000SGS 9-SPEED	
SHIMANO ALIVIO AFDM4000DSL6 34.9mm 66-69°	
SHIMANO ALIVIO AFCM4000E002X 40X30X22 OCTALINK 175mm	1
SHIMANO BSA ABBES25B13 68MM-113MM	
SHIMANO ACSHG2009134 9-SPEED 11-34T	
KMC X9 1/2X11/128" 9-SPEED	
SHIMANO HYDRAULIC ACERA BRM396	
SHIMANO KSMRT56 180MM /160MM 6-BOLT TYPE	
SHIMANO ALTUS ASLM370 3x9 SPEED	
FSA N010 1"1/8mm SEMI INTEGRATED	
LAPIERRE RAID ALLOY HB-RB11L W:720mm R:15mm DIA:31.8	mm
LAPIERRE RAID ALLOY AS-DC1 7° DIA:31.8 E:90mm	
LAPIERRE by HERRMANS DD30B ST2	
LAPIERRE RAID DC1 L:350mm DIA:31.6mm	
LAPIERRE RAID VL-1205 STEEL RAIL	
FORMULA DC20LW 32H BLACK QR9mm	
FORMULA DC22LW 32H BLACK QR10mm	
MACH1 NEO DISC 29" D.WALL 32H	
SCHWALBE RAPID ROB 29X2.10 54-622	

RAID 327
RAID 27.5" ALLOY 6061 DISC
SUNTOUR XCM HLO 27.5" 100mm 9QR 1.1/8"
-
SHIMANO ALIVIO ARDM4000SGS 9-SPEED
SHIMANO ALIVIO AFDM4000DSL6 34.9mm 66-69°
SHIMANO ALIVIO AFCM4000E002X 40X30X22 OCTALINK 170mm / 175mm (Size M)
SHIMANO BSA ABBES25B13 68MM-113MM
SHIMANO ACSHG2009134 9-SPEED 11-34T
KMC X9 1/2X11/128" 9-SPEED
SHIMANO HYDRAULIC ACERA BRM396
SHIMANO KSMRT56 180MM /160MM 6-BOLT TYPE
SHIMANO ALTUS ASLM370 3x9 SPEED
FSA N010 1"1/8mm SEMI INTEGRATED
LAPIERRE RAID ALLOY HB-RB11L W:720mm R:15mm DIA:31.8mm
LAPIERRE RAID ALLOY AS-DC1 7° DIA:31.8 E:75mm
LAPIERRE by HERRMANS DD30B ST2
LAPIERRE RAID DC1 L:350mm DIA:31.6mm
LAPIERRE RAID VL-1205 STEEL RAIL
FORMULA DC20LW 32H BLACK QR9mm
FORMULA DC22LW 32H BLACK QR10mm
MACH1 NEO DISC 27.5" D.WALL 32H
SCHWALBE RAPID ROB PERF 27.5x2.25 57-584 Kevlar GUARD

RAID 327 LADY	
RAID 27.5" ALLOY 6061 DISC	
SUNTOUR XCM HLO 27.5" 100mm 9QR 1.1/8"	
-	
SHIMANO ALIVIO ARDM4000SGS 9-SPEED	
SHIMANO ALIVIO AFDM4000DSL6 34.9mm 66-69°	
SHIMANO ALIVIO AFCM4000E002X 40X30X22 OCTALINK 170mm / 175mm (Size M-L)	
SHIMANO BSA ABBES25B13 68MM-113MM	
SHIMANO ACSHG2009134 9-SPEED 11-34T	
KMC X9 1/2X11/128" 9-SPEED	
SHIMANO HYDRAULIC ACERA BRM396	
SHIMANO KSMRT56 180MM /160MM 6-BOLT TYPE	
SHIMANO ALTUS ASLM370 3x9 SPEED	
FSA N010 1"1/8mm SEMI INTEGRATED	
LAPIERRE RAID ALLOY HB-RB11 W:680mm R:15mm DIA:31.8mn	n
LAPIERRE RAID ALLOY AS-DC1 7° DIA:31.8 E:75mm	
LAPIERRE by HERRMANS DD30B ST2	
LAPIERRE RAID DC1 L:350mm DIA:31.6mm	
LAPIERRE LADY VL-4045 XCONTROL	
FORMULA DC20LW 32H BLACK QR9mm	
FORMULA DC22LW 32H BLACK QR10mm	
MACH1 NEO DISC 27.5" D.WALL 32H	
SCHWALBE RAPID ROB PERF 27.5x2.25 57-584 Kevlar GUARD	

	RAID 127 V-BRAKE LADY
FRAME	RAID 27.5" ALLOY 6061 V-BRAKE
FORK	SUNTOUR SF14-M3030-AL 75mm 1.1/8"
SHOCK ABSORBER	-
REAR DERAILLEUR	SHIMANO ALTUS ARDM280SGS 8- SPEED
FRONT DERAILLEUR	SHIMANO ALTUS AFDM191L6 31.8mm 66-69°
CRANKSET	SHIMANO AFCM171C244X3 42X34X24 BLACK 170mm / 175 [Size: M, L]
BOTTOM BRACKET	VP-BC73T
CASSETTE	SHIMANO CSHG2008 8-SPEED 12-32 T
CHAIN	KMC Z8 8-SPEED
BRAKES (R-F)	ALHONGA HJ-811AD6 V-BRAKE BLACK
DISCS (R-F)	-
SHIFTERS	SHIMANO STTX800 3x8 SPEED
HEADSET	VP-Z104PE + 10mm top cap
HANDLEBARS	LAPIERRE RAID ALLOY HB-RB11L W:680mm R:15mm DIA:31.8mm
STEM	LAPIERRE RAID ALLOY AS-DC1 7° DIA:31.8 E:70mm
GRIPS	VELO VLG-311-AD2 BLACK
SEATPOST	LAPIERRE RAID ALLOY SP-DC1 L:350mm DIA:27.2mm
SADDLE	LAPIERRE RAID LADY STEEL RAIL
FRONT HUB	FORMULA FM21 32H BLACK
REAR HUB	FORMULA FM32 32H BLACK
WHEELS (R-F)	RAID D-WALL 27.5" 19C 32H
TYRES	KENDA 27.5X2.10

RAID 26" ALL OY 6061 V-BRAKE	
SUNTOUR SE14-M3030-AL 75mm 1.1/8"	
-	
SHIMANO ARDTX35 7- SPEED	
SUNTOUR FD8-XCC102 31.8mm	
SUNTOUR CW13-XCC-T102PBG 42X34X24 BLACK 170mm	
BB8-XCT-SQS-122-BT 122mm	
SHIMANO AMFTZ317434 7-SPEED 14-34 T	
KMC Z51 1/2"x 3/32" 7.1mm 7-SPEED	
ALHONGA HJ-811AD6 V-BRAKE BLACK	
-	
SHIMANO SLRS36 3x7 SPEED	
VP-Z104PE + 10mm top cap	
LAPIERRE RAID ALLOY MTB-152 W:680mm	
LAPIERRE RAID ALLOY TDS-C340-8 E:75mm / 90 (Size: L-XL)	
VELO VLG-311-AD2 BLACK	
LAPIERRE RAID SP-238 ALLOY L:350mm DIA:27.2mm	
LAPIERRE RAID STEEL RAIL	
FORMULA FM21 32H BLACK	
FORMULA FM31-R 32H BLACK	
RAID S-WALL 26" 19C 32H	

RAID 29" ALLOY 60
SUNTOUR XCM H
-
SHIMANO ACERA
SHIMANO ALTUS
SHIMANO AFCM1
VP BC73 122.5mm
SHIMANO ACSHG
KMC Z72 1/2"x 3/3
SHIMANO HYDRA
SHIMANO ASMRT
SHIMANO ACERA
FSA N010 1"1/8m
LAPIERRE RAID A
LAPIERRE RAID A
LAPIERRE by HER
LAPIERRE RAID D
LAPIERRE RAID V
SHIMANO AHBRN
SHIMANO AFHRM
MACH1 ER20 DISC

DAID 20" ALI	0Y 6061 DISC
	CM HLO 29" 100mm 9QR 1.1/8"
SOINTOON A	SMITIEG 27 TOOTHITI 7QIX 1.176
SHIMANO AC	CERA ARDM360SGSL 8- SPEED
SHIMANO AL	TUS AFDM313L6 34.9mm 66-69°
SHIMANO AF	FCM171C244X3 42X34X24 BLACK 175mm
VP BC73 122	.5mm BSA
SHIMANO AC	CSHG2008232 8-SPEED 12-32T
KMC Z72 1/2	"x 3/32" 8-SPEED
SHIMANO H	YDRAULIC ALTUS BRM355
SHIMANO AS	SMRT20 180MM /160MM CENTERLOCK
SHIMANO AC	CERA ASLM310 3x8 SPEED
FSA N010 1"	1/8mm SEMI INTEGRATED
LAPIERRE R	AID ALLOY HB-RB11L W:720mm R:15mm DIA:31.8mm
LAPIERRE R	AID ALLOY AS-DC1 7° DIA:31.8 E:90mm
LAPIERRE by	y HERRMANS DD30B ST2
LAPIERRE R	AID DC1 L:350mm DIA:31.6mm
LAPIERRE R	AID VL-1205 STEEL RAIL
SHIMANO AF	HBRM33B 32H BLACK QR9mm CENTERLOCK
SHIMANO AF	FHRM33BZB 32H BLACK QR10mm CENTERLOCK
MACH1 ER20	DISC 29" D.WALL 32H


RAID 227
RAID 27.5" ALLOY 6061 DISC
SUNTOUR XCM HLO 27.5" 100mm 9QR 1.1/8"
-
SHIMANO ACERA ARDM360SGSL 8- SPEED
SHIMANO ALTUS AFDM313L6 34.9mm 66-69°
SHIMANO AFCM171C244X3 42X34X24 BLACK 170mm / 175mm (Size M)
VP BC73 127mm BSA
SHIMANO ACSHG2008232 8-SPEED 12-32T
KMC Z72 1/2"x 3/32" 8-SPEED
SHIMANO HYDRAULIC ALTUS BRM355
SHIMANO ASMRT20 180MM /160MM CENTERLOCK
SHIMANO ACERA ASLM310 3x8 SPEED
FSA N010 1"1/8mm SEMI INTEGRATED
LAPIERRE RAID ALLOY HB-RB11L W:720mm R:15mm DIA:31.8mm
LAPIERRE RAID ALLOY AS-DC1 7° DIA:31.8 E:75mm
LAPIERRE by HERRMANS DD30B ST2
LAPIERRE RAID DC1 L:350mm DIA:31.6mm
LAPIERRE RAID VL-1205 STEEL RAIL
SHIMANO AHBRM33B 32H BLACK QR9mm CENTERLOCK
SHIMANO AFHRM33BZB 32H BLACK QR10mm CENTERLOCK
MACH1 ER20 DISC 27.5" D.WALL 32H
SCHWALBE RAPID ROB PERF 27.5x2.25 57-584 Kevlar GUARD

THE PERSON	RAID 129 DISC
	ALLOY 6061 DISC
SUNTOUF	R XCT HLO 100mm 1.1/8"
-	
SHIMAN0	ALTUS ARDM280SGS 8- SPEED
SHIMANO	ALTUS AFDM191L6 31.8mm 66-69°
SHIMANO	AFCM171C244X3 42X34X24 BLACK 175mm
VP-BC73T	•
SHIMANO	CSHG2008 8-SPEED 12-32 T
KMC Z88-	-SPEED
SHIMANO	MECHANICAL ABRTX805
-	
SHIMAN0	STTX800 3x8 SPEED
VP-Z104P	E + 10mm top cap
LAPIERRE	RAID ALLOY HB-RB11L W:720mm R:15mm DIA:31.8mm
LAPIERRE	RAID ALLOY AS-DC1 7° DIA:31.8 E:90mm
VELO VLG	-311-AD2 BLACK
LAPIERRE	RAID ALLOY SP-DC1 L:350mm DIA:27,2mm
LAPIERRE	RAID STEEL RAIL
SHIMAN0	ALTUS HBRM33B 32H CENTERLOCK
SHIMANO	ALTUS AFHRM33BZB 32H CENTERLOCK
RAID D-W	ALL 29" 19C 32H
KENDA 29	X2.10 54-622

	TANDEM MTB			
FRAME	TANDEM MTB Alloy 7005 Hydroformed			
FORK	ROCKSHOX DOMAIN R COIL 160mm 1.5"			
REAR DERAILLEUR	SHIMANO XT RDM772GS			
FRONT DERAILLEUR	SHIMANO XT FDM771L6 34.9mm			
CRANKSET	SHIMANO LX Tandem FCM571 26x36x48 170mm (Arrière-Rear) • 175mm (Avant-Front)			
BOTTOM BRACKET	SHIMANO BBES25C18			
CASSETTE	SHIMANO HG509132 9-SPEED 11-32T			
CHAIN	SHIMANO HG53110G • SHIMANO HG73160			
FREINS	FORMULA RX • FORMULA 203mm 6-BOLT TYPE			
SHIFTERS	SHIMANO XT SLM770 9-SPEED			
HEADSET	FSA BIG FAT PIG 1.5 No.7B			
HANDLEBARS	LAPIERRE ALLOY W: 710mm R: 20mm Ø: 31.8mm • LAPIERRE STRAIGHT W: 580mm Ø: 25.4mm			
STEM	TRUVATIC AKA 1.5" Ø: 31.8mm E: 100mm • LAPIERRE TANDEM BLACK			
GRIPS	LAPIERRE RUBBER GRIPS LOCK-ON			
SEATPOST	EASTON EA50 L: 300mm Ø: 27.2mm • SATORI ELEGANCE L: 350mm Ø: 31.6mm			
SADDLE	SELLE ITALIA X1			
FRONT HUB	FORMULA DHL92 20mm 32H			
REAR HUB	SHIMANO FHM788EL 142x12mm 32H + SHIMANO SLX Thru Axle SMAX65A			
RIMS	ALEX FR32 with LP Logo			
TYRES	SCHWALBE HANS DAMPF SUPER GRAVITY 26x2.35			
PEDALS	WELLGO LU-C3 with MT3 Clips			

TANDEM FITNESS
TANDEM FITNESS Alloy 7005 Hydroformed
LAPIERRE CROMO TANDEM
SHIMANO XT RDM772SGS
SHIMANO XT FDM771M6 31.6mm
SHIMANO LX Tandem FCM571 26x36x48 170mm (Arrière-Rear) • 175mm (Avant-Front)
SHIMANO BBES25C13
SHIMANO HG509132 9-SPEED 11-32T
SHIMANO HG53110G • SHIMANO HG73160
FORMULA RX • FORMULA 203mm 6-BOLT TYPE
SHIMANO XT SLM770 9-SPEED
PRESTINE PT-1808S 1"1/8
EASTON EA30 LO W: 685mm R: 20mm Ø: 31.8mm • LAPIERRE STRAIGHT W: 580mm Ø: 25.4mm
EASTON EA70 17° Ø: 31.8mm E: 100mm • LAPIERRE TANDEM BLACK
LAPIERRE RUBBER GRIPS LOCK-ON
EASTON EA30 L: 300mm Ø: 27.2mm
SELLE ITALIA X1
SHIMANO HBM525ABLS 32H
SHIMANO FHM785BZBL 32H
MACH1 MX DISC 26" 32H
SCHWALBE KOJAK 26x2.00
WELLGO LU-C3 with MT3 Clips

	TANDEM TOURING
TA	NDEM TOURING Alloy 7005 Hydroformed
LΑ	PIERRE CROMO TANDEM
SH	HMANO XT RDM772GS
SH	HMANO XT FDM771M6 31.6mm
	HMANO LX Tandem FCM571 26x36x48 170mm (Arrière-Rear) • 5mm (Avant-Front)
SH	HMANO BBES25C13
SH	IIMANO HG509132 9-SPEED 11-32T
SH	IIMANO HG53110G • SHIMANO HG73160
FC	RMULA RX • FORMULA 203mm 6-BOLT TYPE
SH	HIMANO XT SLM770 9-SPEED
PF	RESTINE PT-1808S 1"1/8
	STON EA30 LO W: 685mm R: 20mm Ø: 31.8mm • LAPIERRE RAIGHT W: 580mm Ø: 25.4mm
EΑ	STON EA70 17° Ø: 31.8mm E: 100mm • LAPIERRE TANDEM BLAG
LΑ	PIERRE CORK GRIPS LOCK-ON
SA	TORI SOLO L: 350mm Ø: 27.2mm
SE	LLE ROYAL VIPER
SH	IIMANO DYNAMO DH3D30AAL 36H
SH	HIMANO FHM785AZBL 36H
M	ACH1 MX DISC 26" 36H
SC	CHWALBE MARATHON GREENGUARD 26x2.00
	ELLGO LU-C3 with MT3 Clips • REAR RACK • LIGHT SPANNING ICEO Dynamo PIXEO Battery





TT REACH	П
HT	
SK K	
SA HA	ST SA HA
RC BB	BB

TT REACH
НТ
S N C
IIS
SA HA
BB

TT REACH	
neach	HT
	1
STACK	A.
ST SA	на
BB	

69,5

-50

 Frk Length
 490

 Stack
 587

 Reach
 360

PRORACE LADY 27


69,5


69,5

430

TT REACH	J-1
	НТ
STACK	
ST SA	НА
RC	

-30






	DH 27		
	S	М	L
ST (mm)	400	400	400
TT (mm)	582	601	619
HA (°)	63,7	63,7	63,7
SA (°)	73	73	73
RC (mm)	445	445	445
HT (mm)	110	115	120
BB (mm)	5	5	5
Frk Length	600	600	600
Stack	612	616	621
Reach	395	413	429

	FROGGY 26		
	S	M	L
ST (mm)	360	430	480
ΓT (mm)	575	595	615
HA (°)	65	65	65
SA (°)	72	72	72
RC (mm)	438	438	438
HT (mm)	120	120	120
BB (mm)	20	20	20
rk Length	-	-	-
Stack	584	584	584
Reach	385	405	425
	ı		l

	FROGGY 24		
•	24"		
ST (mm)	360		
TT (mm)	500		
HA (°)	67,5		
SA (°)	67		
RC (mm)	420		
HT (mm)	120		
BB (mm)	10		
Frk Length	-		
Stack	-		
Reach	-		

	SPICY 27			
	S	М	L	XL
ST (mm)	400	440	480	520
TT (mm)	580	605	625	650
HA (°)	66,7	66,7	66,7	66,7
SA (°)	73,7	73,7	73,7	73,7
RC (mm)	435	435	435	435
HT (mm)	110	110	135	135
BB (mm)	-5	-5	-5	-5
Frk Length	552	552	552	552
Stack	597	597	620	620
Reach	405	430	444	469



-72


	RAID FX 27				
	S	М	L	XL	
ST (mm)	390	445	500	555	
TT (mm)	560	585	605	630	
HA (°)	68	68	68	68	
SA (°)	74	74	74	74	
RC (mm)	440	440	440	440	
HT (mm)	110	120	130	150	
BB (mm)	-16	-16	-16	-16	
Frk Length	507	507	507	507	
Stack	572	581	590	609	
Reach	396	418	436	455	

	RAID 29			
_	L	XL		
ST (mm)	500	555		
TT (mm)	610	635		
HA (°)	69,5	69,5		
SA (°)	72,5	72,5		
RC (mm)	445	445		
HT (mm)	100	120		
BB (mm)	-60	-60		
Frk Length	510	510		
Stack	614	632		
Reach	417	436		





TT BEACH	НТ
SA SINCK	на
RC	







TT REACH HT
ST
SA HA
RC

	ZESTY AM 27				
•	S	M	L	XL	
ST (mm)	400	440	480	520	
TT (mm)	580	605	625	650	
HA (°)	67	67	67	67	
SA (°)	74	74	74	74	
RC (mm)	430	430	430	430	
HT (mm)	110	110	135	135	
BB (mm)	-12	-12	-12	-12	
Frk Length	542	542	542	542	
Stack	597	597	620	620	
Reach	409	434	447	472	




	ZESTY LADY 27				
	S	M			
ST (mm)	400	440			
TT (mm)	570	595			
HA (°)	67,8	67,8			
SA (°)	74,8	74,8			
RC (mm)	430	430			
HT (mm)	110	110			
BB (mm)	-20	-20			
Frk Length	520	520			
Stack	588	588			
Reach	410	435			

	X-CONTROL 27					
	S	М	L	XL		
ST (mm)	400	440	480	530		
TT (mm)	565	590	610	635		
HA (°)	68	68	68	68		
SA (°)	73,5	73,5	73,5	73,5		
RC (mm)	435	435	435	435		
HT (mm)	110	120	130	150		
BB (mm)	-16	-16	-16	-16		
Frk Length	507	507	507	507		
Stack	572	581	590	609		
Reach	396	418	435	455		

		RAID 2	7
,	XS	S	M
ST (mm)	335	390	445
TT (mm)	535	555	585
HA (°)	69	69	69
SA (°)	73	73	73
RC (mm)	425	425	425
HT (mm)	100	110	120
BB (mm)	-50	-50	-50
Frk Length	480	480	480
Stack	576	586	595
Reach	359	376	403

			RAID 2	5	
	XS	S	М	L	XL
ST (mm)	360	410	460	510	560
TT (mm)	540	550	570	590	610
HA (°)	70	70	70	70	70
SA (°)	74	74	74	74	74
RC (mm)	425	425	425	425	425
HT (mm)	110	110	120	140	160
BB (mm)	-35	-35	-35	-35	-35
Frk Length	460	460	460	460	460
Stack	555	555	565	583	602
Reach	381	391	408	423	437

		RAID L	ADY 27	
	XS	S	М	L
ST (mm)	350	400	450	500
TT (mm)	535	545	560	575
HA (°)	69,5	69,5	69,5	69,5
SA (°)	73	73	73	73
RC (mm)	428	428	428	428
HT (mm)	100	110	120	130
BB (mm)	-55	-55	-55	-55
Frk Length	480	480	480	480
Stack	584	593	602	612
Reach	357	364	376	388




ı	X-CO	NTROL LA	ADY 27	I	(8.2)	
	S	M	L		S	
ST (mm)	360	400	450	ST (mm)	410	
「(mm)	540	555	575	TT (mm)	572	
HA (°)	68,5	68,5	68,5	HA (°)	70	
SA (°)	73	73	73	SA (°)	72,5	
RC (mm)	435	435	435	RC (mm)	446	
IT (mm)	100	110	120	HT (mm)	100	
3B (mm)	-16	-16	-16	BB (mm)	-40	
rk Length	507	507	507	Frk Length	505	
Stack	565	574	583	Stack	591	
Reach	367	380	397	Reach	386	




	PRORACE 29					
	S	M	L			
ST (mm)	450	500	550			
TT (mm)	600	620	640			
HA (°)	69	69	69			
SA (°)	73	73	73			
RC (mm)	435	435	435			
HT (mm)	100	110	120			
BB (mm)	-65	-65	-65			
Frk Length	505	505	505			
Stack	612	621	630			
Reach	413	430	447			



	PRORACE 27		
	S	M	L
ST (mm)	350	400	450
TT (mm)	560	580	600
HA (°)	70	70	70
SA (°)	73	73	73
RC (mm)	420	420	420
HT (mm)	100	110	120
BB (mm)	-50	-50	-50
Frk Length	490	490	490
Stack	590	599	609
Reach	380	397	414



	TANDEM VTT		
	REAR	FRONT	
ST (mm)	45	50	
TT (mm)	720	580	
HA (°)	-	70	
SA (°)	73	73	
RC (mm)	425	-	
HT (mm)	-	130	
BB (mm)	-30	-5	




	TANDEM		
	REAR	FRONT	
ST (mm)	45	50	
TT (mm)	708	570	
HA (°)	-	71	
SA (°)	73	73	
RC (mm)	425	-	
HT (mm)	-	130	
BB (mm)	-30	-5	

	OVERVOLT FS 900
FRAME	OVERVOLT SUSPENDED ALLOY SUPREME 6 140mm Rear Travel
FORK	ROCKSHOX REVELATION RL FAST 27,5" SOLO AIR 140mm 15QR TAPERED
SHOCK ABSORBER	LAPIERRE R HYDRAULIC DAMPING TECHNOLOGY
REAR DERAILLEUR	SHIMANO XT KRDM786GSL Shadow+ 10-SPEED
FRONT DERAILLEUR	-
CRANKSET	MIRANDA DELTA 170mm / 15T FSA Ring
DRIVE UNIT / BATTERY PACK / DISPLAY	BOSCH PERFORMANCE 25km/h - Standard Battery Pack 400Wh - Intuvia Display
CASSETTE	SHIMANO KCSHG5010136 10-SPEED 11-36T
CHAIN	KMC X10 1/2" x 11/128" 10-SPEED
BRAKES (R-F)	SHIMANO HYDRAULIC XT BRM785 BLACK + J-KIT
DISCS (R-F)	SHIMANO SMRT66 180MM 6-BOLT TYPE
SHIFTERS	SHIMANO SLX KSLM670BIRA 10 SPEED ISpec
HEADSET	FSA Orbit 1.5E ZS NO.57E Tapered
HANDLEBARS	LAPIERRE Nico Vouilloz Signature by FUNN 6061DB W:720mm R:15mm DIA:31.8mm
STEM	EASTON EA50 8° DIA:31.8 E:75mm
GRIPS	LAPIERRE RUBBER GRIPS LOCK-ON
SEATPOST	EASTON EA50 L:350mm DIA:31,6mm
SADDLE	LAPIERRE OVERVOLT VL1205
FRONT HUB	FORMULA DC51 15QR 32H
REAR HUB	FORMULA DHT142 32H BLACK 12x142mm + LAQR-12-E Thru Axle
WHEELS (R-F)	MAVIC EN321 27,5" 32H
TYRES	MICHELIN WILDGRIPPER REINFORCED 27.5x2.35
ACCESSORIES	VP 992 with STRAP / BOSCH Charger / AXA Battery lock

	OVERVOLT HT 500
RAME	OVERVOLT HARDTAIL ALLOY SUPREME 6
ORK	ROCKSHOX XC32 27,5" SOLO AIR 120mm 15QR TAPERED
HOCK ABSORBER	-
EAR DERAILLEUR	SHIMANO SLX RDM675GS Shadow+ 10-SPEED
RONT DERAILLEUR	-
RANKSET	MIRANDA DELTA 170mm / 15T FSA Ring
RIVE UNIT / BATTERY ACK / DISPLAY	BOSCH ACTIV 25km/h - Standard Battery Pack 400Wh - Intuvia Display
ASSETTE	SHIMANO KCSHG5010136 10-SPEED 11-36T
HAIN	KMC X10 1/2" x 11/128" 10-SPEED
RAKES (R-F)	SHIMANO HYDRAULIC DEORE BRM506 BLACK + J-KIT
ISCS (R-F)	SHIMANO SMRT56 180MM 6-BOLT TYPE
HIFTERS	SHIMANO DEORE KSLM610IRA 10 SPEED ISpec
EADSET	FSA Orbit 1.5E ZS NO.57E Tapered
ANDLEBARS	LAPIERRE Nico Vouilloz Signature by FUNN 6061DB W:720mm R:15mm DIA:31.8mm
ГЕМ	LAPIERRE AS-DC1 7° DIA:31.8 E:75mm / 90mm (Size L)
RIPS	LAPIERRE RUBBER GRIPS LOCK-ON
EATPOST	SUNTOUR NCX SP12 25mm offset L:350mm DIA:31,6mm
ADDLE	LAPIERRE OVERVOLT VL1205
RONT HUB	FORMULA DC51 15QR 32H
EAR HUB	FORMULA DHT142 32H BLACK 12x142mm + LAQR-12-E Thru Axle
/HEELS (R-F)	MAVIC EN321 27,5" 32H
YRES	MICHELIN WILDGRIPPER REINFORCED 27.5x2.35
CCESSORIES	VP 992 with STRAP / BOSCH Charger / AXA Battery lock

	OVERVOLT URBAN BOSCH
AME	OVERVOLT URBAN DISC ALLOY 6061 26"
RK	TRANZX JF8-26" DISC Alloy 6061 Travel:30mm Coil Spring
OCK ABSORBER	-
AR DERAILLEUR	SHIMANO LX KRDT670SGSL 10-SPEED
NT DERAILLEUR	-
ANKSET	FSA METROPOLIS 170mm / 18T FSA Ring
VE UNIT / BATTERY CK / DISPLAY	BOSCH ACTIV 25km/h - Rear Carrier Battery Pack 300Wh - Intuvia Display
SSETTE	SHIMANO KCSHG6210134 10-SPEED 11-34T
AIN	KMC X10 1/2" x 11/128" 10-SPEED
KES (R-F)	SHIMANO HYDRAULIC ALTUS BRM355 BLACK
CS (R-F)	SHIMANO SMRT56 180MM / 160MM 6-BOLT TYPE
FTERS	SHIMANO LX KSLT670RAL 10 SPEED
ADSET	TANGE Seiki Tapered
NDLEBARS	LAPIERRE NR-AL-322 W:680mm R:80mm DIA:25,4mm
M	TRANZX JD-ST72 Adjustable 110mm
PS	HERRMANS ADRENALIN LOCK-ON
TPOST	SATORI SOLO L:350mm DIA:27,2mm
DLE	SELLE ROYAL HERTZ
NT HUB	SHIMANO AHBM475AL 36H
IR HUB	SHIMANO AFBM475AZLL 36H
EELS (R-F)	MACH1 630 26" 36H
RES	SCHWALBE BIG APPLE K-GUARD 26x2.00
CESSORIES	VP 856 / BOSCH Charger / ABUS GT Battery lock with KEYALIKE



**OVERVOLT FS 500** 

BOSCH ACTIV 25km/h - Standard Battery Pack 400Wh - Intuvia Display

ROCKSHOX SEKTOR 27,5" SOLO AIR 140mm 15QR TAPERED LAPIERRE R HYDRAULIC DAMPING TECHNOLOGY SHIMANO SLX RDM675GS Shadow+ 10-SPEED

MIRANDA DELTA 170mm / 15T FSA Ring

SHIMANO SMRT56 180MM 6-BOLT TYPE

FSA Orbit 1.5F 7S NO.57F Tapered

EASTON EA50 8° DIA:31.8 E:75mm LAPIERRE RUBBER GRIPS LOCK-ON

EASTON EA50 L:350mm DIA:31,6mm

LAPIERRE OVERVOLT VL1205

FORMULA DC51 15QR 32H

MAVIC EN321 27.5" 32H

SHIMANO DEORE KSLM610IRA 10 SPEED ISpec

SHIMANO KCSHG5010136 10-SPEED 11-36T

SHIMANO HYDRAULIC DEORE BRM506 BLACK + J-KIT

LAPIERRE Nico Vouilloz Signature by FUNN 6061DB W:720mm R:15mm DIA:31.8mm

FORMULA DHT142 32H BLACK 12x142mm + LAQR-12-E Thru Axle

**OVERVOLT TREKKING BOSCH** 

BOSCH ACTIV 25km/h - Rear Carrier Battery Pack 300Wh - Intuvia

MICHELIN WILDGRIPPER REINFORCED 27.5x2.35

VP 992 with STRAP / BOSCH Charger / AXA Battery lock

SUNTOUR NEX-ED25DS DISC 28" Travel:63mm Coil Spring

SHIMANO LX KRDT670SGSL 10-SPEED FSA METROPOLIS 170mm / 18T FSA Ring

SHIMANO KCSHG6210134 10-SPFFD 11-34T

SHIMANO HYDRAULIC ALTUS BRM355 BLACK SHIMANO SMRT56 180MM / 160MM 6-ROLT TYPE

LAPIERRE NR-AL-322 W:640mm R:52mm DIA:25,4mm

SCHWALBE ENERGIZER PLUS GREENGUARD 700x35C

VP 856 / BOSCH Charger / ABUS GT Battery lock with KEYALIKE

KMC X10 1/2" x 11/128" 10-SPEED

SHIMANO LX KSLT670RAL 10 SPEED

TRANZX JD-ST72 Adjustable 110mm

HERRMANS ADRENALIN LOCK-ON

SATORI SOLO L:350mm DIA:27,2mm SELLE ROYAL HERTZ

SHIMANO AHBM475AL 36H

MACH1 630 28" 36H

TANGE Seiki Tapered

	OVERVOLT FS		
	S	M	L
ST (mm)	390	450	510
TT (mm)	570	605	640
HA (°)	67	67	67
SA (°)	72,5	72,5	72,5
RC (mm)	477	477	477
HT (mm)	110	125	140
BB (mm)	-21	-16	-16
Frk Length	538	538	538
Stack	600	609	623
Reach	381	413	444
WB	1151	1189	1226



VP 856 /SHIMANO Charger / ABUS GT Battery lock with KEYALIKE

**OVERVOLT HT 900** 

ROCKSHOX REBAS RL 27,5" SOLO AIR 120mm 15QR TAPERED

BOSCH PERFORMANCE 25km/h - Standard Battery Pack 400Wh -

SHIMANO XT KRDM786GSL Shadow+ 10-SPEED

MIRANDA DELTA 170mm / 15T FSA Ring

SHIMANO KCSHG5010136 10-SPEED 11-36T KMC X10 1/2" x 11/128" 10-SPEED

SHIMANO SMRT56 180MM 6-BOLT TYPE

LAPIERRE RUBBER GRIPS LOCK-ON

LAPIERRE OVERVOLT VL1205

FORMULA DC51 15QR 32H

MAVIC EN321 27,5" 32H

KCTS500I

SHIMANO KCNE609010

TANGE Seiki Tapered

SELLE ROYAL HERTZ

MACH1 630 26" 36H

SHIMANO AHBM475AL 36H

SHIMANO SLX KSLM670BIRA 10 SPEED ISpec FSA Orbit 1.5E ZS NO.57E Tapered

SHIMANO HYDRAULIC DEORE BRM506 BLACK + J-KIT

LAPIERRE Nico Vouilloz Signature by FUNN 6061DB W:720mm R:15mm DIA:31.8mm EASTON EA50 8° DIA:31.8 E:75mm / 90mm (Size L)

SUNTOUR NCX SP12 25mm offset L:350mm DIA:31,6mm

MICHELIN WILDGRIPPER REINFORCED 27.5x2.35

VP 992 with STRAP / BOSCH Charger / AXA Battery lock

TRANZX JF8-26" DISC Alloy 6061 Travel:30mm Coil Spring

SHIMANO STEPS 25km/h - Rear Carrier Battery Pack 418Wh SHIMANO ALFINE KCSS50018X 18T + CHAIN TENSIONNER SHIMANO

SHIMANO 38T 170mm / Double Bash Guard

SHIMANO HYDRAULIC ALTUS BRM355 BLACK

SHIMANO SMRT56 180MM / 160MM 6-BOLT TYPE

SHIMANO ALFINE ASLS70082100LLA 8-SPEED

SHIMANO ALFINE KSGS70008AL 36H 8 SPEED

SCHWALBE BIG APPLE K-GUARD 26x2.00

TRANZX JD-ST72 Adjustable 110mm

HERRMANS ADRENALIN LOCK-ON

LAPIERRE NR-AL-322 W:680mm R:80mm DIA:25,4mm

FORMULA DHT142 32H BLACK 12x142mm + LAQR-12-E Thru Axle

**OVERVOLT URBAN SHIMANO STEPS** 

Intuvia Display

	OVERVOLT HT		
	S	M	L
ST (mm)	390	450	510
TT (mm)	570	605	640
HA (°)	68,5	68,5	68,5
SA (°)	72	72	72
RC (mm)	477	477	477
HT (mm)	110	125	140
BB (mm)	-37	-16	-16
rk Length	513	513	513
Stack	601	609	623
Reach	375	407	437
WB	1120	1158	1194

	OVERVOLT TREKKING		
,	S	M	L
ST (mm)	410	470	530
TT (mm)	550	570	587
HA (°)	70,5	70,5	70,5
SA (°)	72,5	72,5	72,5
RC (mm)	467	467	467
HT (mm)	130	150	170
BB (mm)	62	62	62
Frk Length	465	465	465
Stack	486	486	486
Reach	397	411	422
WB	1099	1120	1137

# **OVERVOLT URBAN SHIMANO STEPS**

	OVERVOLT URBAN	
_	S	M
ST (mm)	410	460
TT (mm)	565	600
HA (°)	70	70,5
SA (°)	72	71
RC (mm)	450	450
HT (mm)	150	200
BB (mm)	45	45
Frk Length	430	430
Stack	486	536
Reach	407	416
WB	1094	1114

**OVERVOLT URBAN BOSH** 

	HT (mm)	130	150	170	
	BB (mm)	62	62	62	
	Frk Length	465	465	465	
	Stack	486	486	486	
	Reach	397	411	422	
	WB	1099	1120	1137	
			AIRC	ODE 700	DB DI2
RAME		AIRCODI	E CARBON		
ORK		LAPIERRE AIRCODE CARBON - Carbon Steerer			
REAR DE	RAILLEUR	ILLEUR SHIMANO ULTEGRA Di2 KRD6870SS 11-SPEED			SPEED
RONT D	ERAILLEUR	SHIMANO ULTEGRA Di2 KFD6870F			
BATTER	1	SHIMANO INTERNAL BATTERY KSMBTR2A		(2A	
CRANKS	SHIMANO ULTEGRA KFC6800CX39 53x39 170mm, (L,XL,XXL)			7 170mm / 172,5 (	
YRES	YRES SHIMANO KSMBB7241B PRESSFIT				
CASSET	ASSETTE SHIMANO ULTEGRA KCS680011225 11-SPEED 12-2			SPEED 12-25T	
CHAIN	SHIMANO KCNHG70011 11-SPEED				
BRAKES	KES (R-F) SHIMANO ULTEGRA KBR6800				
<b>EVER</b>		SHIMANO ULTEGRA Di2 KST6870 2x11-SPEED			
HEADSE	T	FSA 1"1/8 1"1/4 FSA ORBIT C-33 CF 44E + 15mm Carbo		+ 15mm Carbon 1	
HANDLE	BARS	ZIPP Ser (XL,XXL)	ZIPP Service Course SL 80 Beyond Black W:40 (XS) / 42 (S (XL,XXL)		
RUBAN		LAPIERRE VEXGEL Bicolor			

CHAIN	SHIMANO KCNHG70011 11-SPEED
BRAKES (R-F)	SHIMANO ULTEGRA KBR6800
LEVER	SHIMANO ULTEGRA Di2 KST6870 2x11-SPEED
HEADSET	FSA 1"1/8 1"1/4 FSA ORBIT C-33 CF 44E + 15mm Carbon Top cover
HANDLEBARS	ZIPP Service Course SL 80 Beyond Black W:40 (XS) / 42 (S,M,L) / 44 (XL,XXL)
RUBAN	LAPIERRE VEXGEL Bicolor
STEM	ZIPP Service Course SL Beyond Black 6° DIA:31.8 E:90mm (XS-S) / 100
SEATPOST	(M) / 110 (L) / 120 (XL) / 130 (XXL)
	ZIPP SL SPEED CARBON L:330mm DIA:31,6mm SETBACK: 20MM
SADDLE	FIZIK ANTARES MG
FRONT HUB	
REAR HUB	-
WHEELS	MAVIC KSYRIUM ELITE WTS
RIMS	-
TYRES	MAVIC YKSION PRO GRIP LINK / POWERLINK 700x23
ACCESSORIES	CHARGER KSMBCR2 (with USB cord)

	AIRCODE 500 CP
RAME	AIRCODE CARBON
ORK	LAPIERRE AIRCODE CARBON - Carbon Steerer
EAR DERAILLEUR	SHIMANO DURAACE KRD9000SS 11-SPEED
RONT DERAILLEUR	SHIMANO ULTEGRA KFD6800F
ATTERY	-
RANKSET	SHIMANO DURAACE KFC9000CX04 50x34 170mm / 172,5 (M) / 175 (L,XL,XXL)
YRES	SHIMANO KSMBB7241B PRESSFIT
ASSETTE	SHIMANO ULTEGRA KCS680011128 11-SPEED 11-28T
HAIN	SHIMANO KCNHG60011 11-SPEED
RAKES (R-F)	SHIMANO ULTEGRA DIRECTMOUNT KBR6810
EVER	SHIMANO ULTEGRA KST6800 2x11-SPEED
EADSET	FSA 1"1/8 1"1/4 FSA ORBIT C-33 CF 44E + 15mm Carbon Top cover
ANDLEBARS	ZIPP Service Course SL 80 Beyond Black W:40 (XS) / 42 (S,M,L) / 44 (XL,XXL)
UBAN	LAPIERRE VEXGEL Bicolor
ГЕМ	ZIPP Service Course SL Beyond Black 6° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / 120 (XL) / 130 (XXL)
EATPOST	LAPIERRE CARBON FDJ SP-297N-ACF L:350mm DIA:31,6mm
ADDLE	FIZIK ANTARES MG
RONT HUB	-
EAR HUB	-
/HEELS	MAVIC KSYRIUM EQUIPE WTS
IMS	-
YRES	MAVIC YKSION COMP 23

1074 1114	
AIRCODE 700 CP DI2	AIRCODE
AIRCODE CARBON	AIRCODE CARBON
LAPIERRE AIRCODE CARBON - Carbon Steerer	LAPIERRE AIRCODE CARBON - Carbo
SHIMANO ULTEGRA Di2 KRD6870SS 11-SPEED	SHIMANO DURAACE KRD9000SS 11-
SHIMANO ULTEGRA Di2 KFD6870F	SHIMANO ULTEGRA KFD6800F
SHIMANO INTERNAL BATTERY KSMBTR2A	-
SHIMANO ULTEGRA KFC6800CX04 50x34 170mm / 172,5 (M) / 175 (L,XL,XXL)	SHIMANO DURAACE KFC9000CX39 5: (L,XL,XXL)
SHIMANO KSMBB7241B PRESSFIT	SHIMANO KSMBB7241B PRESSFIT
SHIMANO ULTEGRA KCS680011128 11-SPEED 11-28T	SHIMANO ULTEGRA KCS680011225 1
SHIMANO KCNHG70011 11-SPEED	SHIMANO KCNHG60011 11-SPEED
SHIMANO ULTEGRA KBR6800	SHIMANO ULTEGRA DIRECTMOUNT
SHIMANO ULTEGRA Di2 KST6870 2x11-SPEED	SHIMANO ULTEGRA KST6800 2x11-SI
FSA 1"1/8 1"1/4 FSA ORBIT C-33 CF 44E + 15mm Carbon Top cover	FSA 1"1/8 1"1/4 FSA ORBIT C-33 CF 4
ZIPP Service Course SL 80 Beyond Black W:40 (XS) / 42 (S,M,L) / 44 (XL,XXL)	ZIPP Service Course SL 80 Beyond Bla (XL,XXL)
LAPIERRE VEXGEL Bicolor	LAPIERRE VEXGEL Bicolor
ZIPP Service Course SL Beyond Black 6° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / 120 (XL) / 130 (XXL)	ZIPP Service Course SL Beyond Black (M) / 110 (L) / 120 (XL) / 130 (XXL)
ZIPP SL SPEED CARBON L:330mm DIA:31,6mm SETBACK: 20MM	LAPIERRE CARBON FDJ SP-297N-AC
FIZIK ANTARES MG	FIZIK ANTARES MG
<u>-</u>	-
-	-
MAVIC KSYRIUM ELITE WTS	MAVIC KSYRIUM EQUIPE WTS
<u>-                                    </u>	
MAVIC YKSION PRO GRIP LINK / POWERLINK 700x23	MAVIC YKSION COMP 23
CHARGER KSMBCR2 (with USB cord)	-

AIRCODE 300 DB

SHIMANO ULTEGRA KFC6800CX39 53x39 170mm / 172,5 (M) / 175 (L,XL,XXL)

ZIPP Service Course 6° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / 120 (XL) / 130 (XXL) LAPIERRE CARBON SP-297N-ACF L:350mm DIA:31,6mm

LAPIERRE AIRCODE CARBON - Carbon Steere SHIMANO ULTEGRA KRD6800SS 11-SPEED SHIMANO ULTEGRA KFD6800F

SHIMANO KSMBB7141B PRESSFIT SHIMANO 105 KCS580011225 11-SPEED 12-25T SHIMANO KCNHG60011 11-SPEED SHIMANO UI TEGRA DIRECTMOUNT KBR6810 FSA 1"1/8 1"1/4 FSA ORBIT C-33 44E + 15mm Top cover ZIPP Service Course 80 anatomic W:40 (XS) / 42 (S,M,L) / 44 (XL,XXL)

LAPIERRE DIGITAL NERO

FIZIK ANTARES MG

	AIRCODE 500 DB
	AIRCODE CARBON
	LAPIERRE AIRCODE CARBON - Carbon Steerer
	SHIMANO DURAACE KRD9000SS 11-SPEED
	SHIMANO ULTEGRA KFD6800F
	-
	SHIMANO DURAACE KFC9000CX39 53x39 170mm / 172,5 [M] / 175 [L,XL,XXL]
	SHIMANO KSMBB7241B PRESSFIT
	SHIMANO ULTEGRA KCS680011225 11-SPEED 12-25T
	SHIMANO KCNHG60011 11-SPEED
	SHIMANO ULTEGRA DIRECTMOUNT KBR6810
	SHIMANO ULTEGRA KST6800 2x11-SPEED
	FSA 1"1/8 1"1/4 FSA ORBIT C-33 CF 44E + 15mm Carbon Top cover
	ZIPP Service Course SL 80 Beyond Black W:40 (XS) / 42 (S,M,L) / 44 (XL,XXL)
	LAPIERRE VEXGEL Bicolor
100	ZIPP Service Course SL Beyond Black 6° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / 120 (XL) / 130 (XXL)
	LAPIERRE CARBON FDJ SP-297N-ACF L:350mm DIA:31,6mm
	FIZIK ANTARES MG
	-
	-
	MAVIC KSYRIUM EQUIPE WTS
	<u>-</u>
	MAVIC YKSION COMP 23
	-
	AIRCODE 300 CP
	AIRCODE CARBON

MAVIC YKSION COMP 23
-
AIRCODE 300 CP
AIRCODE CARBON
LAPIERRE AIRCODE CARBON - Carbon Steerer
SHIMANO ULTEGRA KRD6800SS 11-SPEED
SHIMANO ULTEGRA KFD6800F
-
SHIMANO ULTEGRA KFC6800CX04 50x34 170mm / 172,5 [M] / 175 [L,XL,XXL]
SHIMANO KSMBB7141B PRESSFIT
SHIMANO ULTEGRA KCS680011128 11-SPEED 11-28T
SHIMANO KCNHG60011 11-SPEED
SHIMANO ULTEGRA DIRECTMOUNT KBR6810
SHIMANO ULTEGRA KST6800 2x11-SPEED
FSA 1"1/8 1"1/4 FSA ORBIT C-33 44E + 15mm Top cover
ZIPP Service Course 80 anatomic W:40 (XS) / 42 (S,M,L) / 44 (XL,XXL)
LAPIERRE DIGITAL NERO
ZIPP Service Course 6° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / 120 (XL) / 130 (XXL)
LAPIERRE CARBON SP-297N-ACF L:350mm DIA:31,6mm
FIZIK ANTARES MG
-
-
MAVIC KSYRIUM EQUIPE WTS
-
MAVIC YKSION COMP 23
-

**~** 207 **~** 

MAVIC KSYRIUM EQUIPE WTS MAVIC YKSION COMP 23

AIRCODE CARBON

	XELIUS EFI 400 DB
FRAME	XELIUS CARBON
FORK	LAPIERRE XELIUS CARBON - Carbon Steerer
REAR DERAILLEUR	SHIMANO ULTEGRA KRD6800SS 11-SPEED
FRONT DERAILLEUR	SHIMANO ULTEGRA KFD6800F
BATTERY	-
CRANKSET	SHIMANO ULTEGRA KFC6800CX39 53x39 170mm / 172,5 [M] / 175 [L,XL]
TYRES	SHIMANO KSMBB7141B PRESSFIT
CASSETTE	SHIMANO ULTEGRA KCS680011225 11-SPEED 12-25T
CHAIN	SHIMANO KCNHG60011 11-SPEED
BRAKES (R-F)	SHIMANO ULTEGRA BR6800
LEVER	SHIMANO ULTEGRA KST6800LIAX 2x11-SPEED
HEADSET	FSA 1"1/8 1"1/4 FSA ORBIT C-33 CF 44E + 15mm Carbon Top cover
HANDLEBARS	ZIPP Service Course 80 anatomic W:40 (XS) / 42 (S,M,L) / 44 (XL
RUBAN	LAPIERRE VEXGEL Bicolor
STEM	ZIPP Service Course 6° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / 120 (XL)
SEATPOST	LAPIERRE CARBON SP-297N-ACF L:350mm DIA:31,6mm
SADDLE	FIZIK ANTARES MG
FRONT HUB	-
REAR HUB	-
WHEELS	MAVIC KSYRIUM ELITE
RIMS	- -
TYRES	MAVIC YKSION PRO GRIP LINK / POWERLINK 700x23
ACCESSORIES	-
	XELIUS EFI 200 CP
EDAME	VELILIS CADDONI

XELIUS EFI 400 CP	XELIUS EFI 200 DB
(ELIUS CARBON	XELIUS CARBON
APIERRE XELIUS CARBON - Carbon Steerer	LAPIERRE XELIUS CARBON - Carbon Steerer
SHIMANO ULTEGRA KRD6800SS 11-SPEED	SHIMANO ULTEGRA KRD6800SS 11-SPEED
SHIMANO ULTEGRA KFD6800F	SHIMANO ULTEGRA KFD6800F
	-
SHIMANO ULTEGRA KFC6800CX04 50x34 170mm / 172,5 [M] / 175 L,XL)	SHIMANO ULTEGRA KFC6800CX39 53x39 170mm / 172,5 (M) / 175 (L,XL)
SHIMANO KSMBB7141B PRESSFIT	SHIMANO KSMBB7141B PRESSFIT
SHIMANO ULTEGRA KCS680011128 11-SPEED 11-28T	SHIMANO 105 KCS580011225 11-SPEED 12-25T
SHIMANO KCNHG60011 11-SPEED	SHIMANO KCNHG60011 11-SPEED
SHIMANO ULTEGRA BR6800	SHIMANO ULTEGRA BR6800
SHIMANO ULTEGRA KST6800 2x11-SPEED	SHIMANO ULTEGRA KST6800 2x11-SPEED
FSA 1"1/8 1"1/4 FSA ORBIT C-33 CF 44E + 15mm Carbon Top cover	FSA 1"1/8 1"1/4 FSA ORBIT C-33 44E + 15mm top cover
ZIPP Service Course 80 anatomic W:40 (XS) / 42 (S,M,L) / 44 (XL)	DEDA RHM02 W:42 (XS) / 44 (S,M,L) / 46 (XL)
APIERRE VEXGEL Bicolor	LAPIERRE DIGITAL NERO
ZIPP Service Course 6° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / 120 (XL)	DEDA ZERO2 7° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / 120 (XL)
APIERRE CARBON SP-297N-ACF L:350mm DIA:31,6mm	LAPIERRE CARBON SP-297N-ACF L:350mm DIA:31,6mm
FIZIK ANTARES MG	SELLE ITALIA SL
	-
	-
MAVIC KSYRIUM ELITE	MAVIC KSYRIUM EQUIPE 23C BLACK/BLUE
	-
MAVIC YKSION PRO GRIP LINK / POWERLINK 700x23	MAVIC YKSION COMP 700x23
	-

	XELIUS EFI 200 CP
RAME	XELIUS CARBON
ORK	LAPIERRE XELIUS CARBON - Carbon Steerer
EAR DERAILLEUR	SHIMANO ULTEGRA KRD6800SS 11-SPEED
RONT DERAILLEUR	SHIMANO ULTEGRA KFD6800F
ATTERY	-
RANKSET	SHIMANO ULTEGRA KFC6800CX04 50x34 170mm / 172,5 (M) / 175 (L,XL)
YRES	SHIMANO KSMBB7141B PRESSFIT
ASSETTE	SHIMANO 105 KCS580011128 11-SPEED 11-28T
HAIN	SHIMANO KCNHG60011 11-SPEED
RAKES (R-F)	SHIMANO ULTEGRA BR6800
EVER	SHIMANO ULTEGRA KST6800 2x11-SPEED
EADSET	FSA 1"1/8 1"1/4 FSA ORBIT C-33 44E + 15mm top cover
ANDLEBARS	DEDA RHM02 W:42 (XS) / 44 (S,M,L) / 46 (XL)
UBAN	LAPIERRE DIGITAL NERO
TEM	DEDA ZERO2 7° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / 120 (XL)
EATPOST	LAPIERRE CARBON SP-297N-ACF L:350mm DIA:31,6mm
ADDLE	SELLE ITALIA SL
RONT HUB	-
EAR HUB	-
/HEELS	MAVIC KSYRIUM EQUIPE 23C BLACK/BLUE
IMS	<u> </u>
YRES	MAVIC YKSION COMP 700x23
CCESSORIES	-

XELIUS EFI 100 DB
XELIUS CARBON
LAPIERRE XELIUS CARBON - Carbon Steerer
SHIMANO 105 KRD5800SSL 11-SPEED
SHIMANO 105 KFD5800FL
-
SHIMANO 105 KFC5800CX39L 53x39 170mm / 172,5 (M) / 175 (L,XL)
SHIMANO KSMBB7141B PRESSFIT
SHIMANO 105 KCS580011225 11-SPEED 12-25T
SHIMANO KCNHG60011 11-SPEED
SHIMANO 105 KBR5800
SHIMANO 105 KST5800 2x11-SPEED
FSA 1"1/8 1"1/4 FSA ORBIT C-33 44E + 15mm top cover
DEDA RHM02 W:42 (XS) / 44 (S,M,L) / 46 (XL)
LAPIERRE DIGITAL NERO
DEDA ZERO2 7° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / 120 (XL)
LAPIERRE CARBON SP-297N-ACF L:350mm DIA:31,6mm
SELLE ITALIA SL
-
<u>-                                    </u>
MAVIC AKSIUM WTS 23C

MAVIC AKSION 700x23

$\rangle$	(ELIUS CARBON
Į	APIERRE XELIUS CARBON - Carbon Steerer
5	SHIMANO 105 KRD5800SSL 11-SPEED
9	SHIMANO 105 KFD5800FL
-	
9	SHIMANO 105 KFC5800CX04L 50x34 170mm / 172,5 (M) / 175 (L,XL)
9	SHIMANO KSMBB7141B PRESSFIT
9	SHIMANO 105 KCS580011128 11-SPEED 11-28T
9	SHIMANO KCNHG60011 11-SPEED
9	SHIMANO 105 KBR5800
9	SHIMANO 105 KST5800 2x11-SPEED
F	FSA 1"1/8 1"1/4 FSA ORBIT C-33 44E + 15mm top cover
[	DEDA RHM02 W:42 (XS) / 44 (S,M,L) / 46 (XL)
Į	APIERRE DIGITAL NERO
[	DEDA ZERO2 7° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / 120 (XL)
Į	APIERRE CARBON SP-297N-ACF L:350mm DIA:31,6mm
9	SELLE ITALIA SL
-	
١	MAVIC AKSIUM WTS 23C
١	MAVIC AKSION 700x23

	PULSIUM 700 CP DI2
RAME	PULSIUM CARBON
ORK	LAPIERRE PULSIUM CARBON - Carbon Steerer
EAR DERAILLEUR	SHIMANO ULTEGRA Di2 KRD6870GS 11-SPEED
RONT DERAILLEUR	SHIMANO ULTEGRA Di2 KFD6870F
ATTERY	SHIMANO INTERNAL BATTERY KSMBTR2A
RANKSET	SHIMANO ULTEGRA KFC6800CX04 50x34 170mm / 172,5 (M) / 175 (L,XL,XXL)
YRES	SHIMANO KSMBB7241B PRESSFIT
ASSETTE	SHIMANO ULTEGRA KCS680011132 11-SPEED 11-32T
HAIN	SHIMANO KCNHG60011 11-SPEED
RAKES (R-F)	SHIMANO ULTEGRA KBR6800
EVER	SHIMANO ULTEGRA Di2 KST6870 2x11-SPEED
EADSET	FSA 1"1/8 1"1/4 FSA ORBIT C-33 CF 44E + 15mm Carbon Top cover
ANDLEBARS	ZIPP Service Course 80 anatomic W:40 (XS) / 42 (S,M,L) / 44 (XL, XXL)
UBAN	LAPIERRE VEXGEL Bicolor
ТЕМ	ZIPP Service Course 6° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / 120 (XL) / 130(XXL)
EATPOST	LAPIERRE CARBON SP-297N-ACF L:350mm DIA:27,2mm
ADDLE	FIZIK Aliante Delta Mg
RONT HUB	-
EAR HUB	-
/HEELS	MAVIC KSYRIUM EQUIPE WTS
IMS	-
YRES	MAVIC YKSION COMP 25
CCESSORIES	CHARGER KSMBCR2 (with USB cord)

PULSIUM 500 CP	
PULSIUM CARBON	PUL:
LAPIERRE PULSIUM CARBON - Carbon Steerer	LAPI
SHIMANO ULTEGRA KRD6800GS 11-SPEED	SHIM
SHIMANO ULTEGRA KFD6800F	SHIM
-	-
SHIMANO ULTEGRA KFC6800CX04 50x34 170mm / 172,5 [M] / 175 [L,XL,XXL]	SHIM (L,XL
SHIMANO KSMBB7141B PRESSFIT	SHIM
SHIMANO 105 KCS580011132 11-SPEED 11-32T	SHIM
SHIMANO KCNHG60011	SHIM
SHIMANO KBR6800	SHIM
SHIMANO ULTEGRA KST6800 2x11-SPEED	SHIM
FSA 1"1/8 1"1/4 FSA ORBIT C-33 44E + 15mm top cover	FSA
ZIPP Service Course 80 anatomic W:40 (XS) / 42 (S,M,L) / 44 (XL, XXL)	ZIPP
LAPIERRE DIGITAL NERO	LAPI
ZIPP Service Course 6° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / 120 (XL) / 130(XXL)	ZIPP 120 (
LAPIERRE CARBON SP-297N-ACF FDJ logo L:350mm DIA:27,2mm	LAPI
FIZIK Aliante Delta Mg	FIZIK
-	-
-	-
MAVIC AKSIUM S WTS	SHIM
-	-
MAVIC AKSION 25	MICH

LAPIERRE PULSIUM CAR SHIMANO 105 KRD580051 SHIMANO 105 KFD5800FL SHIMANO 105 KFC5800CX LXLLXXLL SHIMANO KSMBB7141B F SHIMANO 105 KCS580011 SHIMANO KCNHG60011	SL 11-SPEED 
SHIMANO 105 KFD5800FL SHIMANO 105 KFC5800CX L.XL,XXL) SHIMANO KSMBB7141B F SHIMANO 105 KCS580011	:04L 50x34 170mm / 172,5 (M) / 175 PRESSFIT
SHIMANO 105 KFC5800CX L,XL,XXL) SHIMANO KSMBB7141B F SHIMANO 105 KCS580011	04L50x34170mm/172,5(M)/175 PRESSFIT
L,XL,XXL) SHIMANO KSMBB7141B F SHIMANO 105 KCS580011	PRESSFIT
SHIMANO 105 KCS580011	11200111
	122 11 CDEED 11 22T
SHIMANO KCNHG60011	13Z 11-3FEED 11-3Z1
SHIMANO KBR5800	
SHIMANO 105 KST5800 2x	11-SPEED
FSA 1"1/8 1"1/4 FSA ORBI	Г C-33 44E + 15mm top cover
ZIPP Service Course 80 an	atomic W:40 (XS) / 42 (S,M,L) / 44 (XL, X)
APIERRE DIGITAL NERO	
ZIPP Service Course 6° DI 120 (XL) / 130(XXL)	A:31.8 E:90mm (XS-S) / 100 (M) / 110 (L)
LAPIERRE CARBON SP-2	97N-ACF L:350mm DIA:27,2mm
FIZIK Aliante Delta Mg	
-	
-	
SHIMANO RS010	

	SENSIUM 500 CP DI2
FRAME	SENSIUM CARBON
FORK	LAPIERRE SENSIUM CARBON - Carbon Steerer
REAR DERAILLEUR	SHIMANO ULTEGRA Di2 KRD6870GS 11-SPEED
FRONT DERAILLEUR	SHIMANO ULTEGRA Di2 KFD6870F + CLAMP KSMAD67L 34.9mm
BATTERY	SHIMANO INTERNAL BATTERY KSMBTR2A
CRANKSET	SHIMANO ULTEGRA KFC6800CX04 50x34 170mm / 172,5 (M) / 175 (L,XL)
TYRES	SHIMANO KSMBB7241B PRESSFIT
CASSETTE	SHIMANO 105 KCS580011132 11-SPEED 11-32T
CHAIN	SHIMANO KCNHG60011 11-SPEED
BRAKES (R-F)	SHIMANO ULTEGRA HYDRAULIC KR785 with J-Kit + SMRT99SS Disc 140mm
LEVER	SHIMANO ULTEGRA Di2 KR785 2x11-SPEED
HEADSET	FSA 1"1/8 1"1/4 FSA ORBIT C-33 CF 44E + 15mm Carbon Top cover
HANDLEBARS	DEDA RHM02 W:42 (XS) / 44 (S,M,L) / 46 (XL)
RUBAN	LAPIERRE VEXGEL Bicolor
STEM	DEDA ZERO2 7° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / 120 (XL)
SEATPOST	LAPIERRE CARBON SP-297N-ACF L:350mm DIA:27,2mm
SADDLE	FIZIK Aliante Delta Mg
FRONT HUB	<u>-</u>
REAR HUB	<u>-                                      </u>
WHEELS	SHIMANO WHRX31
RIMS	<u>-                                      </u>
TYRES	MICHELIN PR04 700x25 SERVICE COURSE TS
ACCESSORIES	CHARGER KSMBCR2 (with USB cord)

	SENSIUM 500 CP DI2	SENSIUM 400 CP	100
ME	SENSIUM CARBON	SENSIUM CARBON	SENS
(	LAPIERRE SENSIUM CARBON - Carbon Steerer	LAPIERRE SENSIUM CARBON - Carbon Steerer	LAPIE
R DERAILLEUR	SHIMANO ULTEGRA Di2 KRD6870GS 11-SPEED	SHIMANO ULTEGRA KRD6800GS 11-SPEED	SHIM
NT DERAILLEUR	SHIMANO ULTEGRA Di2 KFD6870F + CLAMP KSMAD67L 34.9mm	SHIMANO ULTEGRA KFD6800F + CLAMP KSMAD67L 34.9mm	SHIM
ERY	SHIMANO INTERNAL BATTERY KSMBTR2A	-	-
NKSET	SHIMANO ULTEGRA KFC6800CX04 50x34 170mm / 172,5 (M) / 175 (L,XL)	SHIMANO ULTEGRA KFC6800CX04 50x34 170mm / 172,5 [M] / 175 (L,XL)	SHIM. (L,XL)
S	SHIMANO KSMBB7241B PRESSFIT	SHIMANO KSMBB7141B PRESSFIT	SHIM
SETTE	SHIMANO 105 KCS580011132 11-SPEED 11-32T	SHIMANO ULTEGRA KCS680011132 11-SPEED 11-32T	SHIM
N	SHIMANO KCNHG60011 11-SPEED	SHIMANO KCNHG60011 11-SPEED	KMC
KES (R-F)	SHIMANO ULTEGRA HYDRAULIC KR785 with J-Kit + SMRT99SS Disc 140mm	SHIMANO ULTEGRA KBR6800	SHIM
R	SHIMANO ULTEGRA Di2 KR785 2x11-SPEED	SHIMANO ULTEGRA KST6800 2x11-SPEED	SHIM
DSET	FSA 1"1/8 1"1/4 FSA ORBIT C-33 CF 44E + 15mm Carbon Top cover	FSA 1"1/8 1"1/4 FSA ORBIT C-33 44E + 15mm top cover	FSA 1
DLEBARS	DEDA RHM02 W:42 (XS) / 44 (S,M,L) / 46 (XL)	DEDA RHM02 W:42 (XS) / 44 (S,M,L) / 46 (XL)	RITCH
AN	LAPIERRE VEXGEL Bicolor	LAPIERRE DIGITAL NERO	LAPIE
1	DEDA ZERO2 7° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / 120 (XL)	DEDA ZERO2 7° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / 120 (XL)	RITCH / 120 (
POST	LAPIERRE CARBON SP-297N-ACF L:350mm DIA:27,2mm	LAPIERRE CARBON SP-297N-ACF L:350mm DIA:27,2mm	RITCH
DLE	FIZIK Aliante Delta Mg	SELLE ITALIA X1	SELLI
NT HUB	-	-	-
RHUB	-	-	-
ELS	SHIMANO WHRX31	MAVIC AKSIUM ONE	SHIM
i	-	-	-
S	MICHELIN PRO4 700x25 SERVICE COURSE TS	MICHELIN DYNAMIC SPORT 700x25	MICH
ESSORIES	CHARGER KSMBCR2 (with USB cord)	-	-

1.0000000000000000000000000000000000000	SENSION 200 IP
	SENSIUM CARBON
	LAPIERRE SENSIUM CARBON - Carbon Steerer
	SHIMANO ULTEGRA KRD6700AGSG 10-SPEED
mm	SHIMANO 105 FD5703BLL 34.9mm
	-
M) / 175	SHIMANO 105 KFC5703CX090L 50x39x30 170mm / 172,5 (M) / 175 (L,XL)
	SHIMANO KSMBB7141B PRESSFIT
	SHIMANO TIAGRA KCS460010125 10-SPEED 11-25T
	KMC X10 1/2x11/128" 10-SPEED
	SHIMANO BRR5800
	SHIMANO 105 KST5703 3x10-SPEED
	FSA 1"1/8 1"1/4 FSA ORBIT C-33 44E + 15mm top cover
	RITCHEY COMP CURVE W:40 (XS) / 42 (S,M,L) / 44 (XL)
	LAPIERRE DIGITAL NERO
/ 120 (XL)	RITCHEY 4 AXIS WTD 6° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / 120 (XL)
1	RITCHEY 2 BOLTS WTD L:300mm (XL:400mm) DIA:27,2mm
	SELLE ITALIA X1
	-
	SHIMANO RS010
	MICHELIN DYNAMIC SPORT 700x25
	-

	SENSIUM 200 CP
FRAME	SENSIUM CARBON
FORK	LAPIERRE SENSIUM CARBON - Carbon Steerer
REAR DERAILLEUR	SHIMANO 105 KRD5800GSL 11-SPEED
FRONT DERAILLEUR	SHIMANO 105 FD5800BLL 34.9mm
BATTERY	-
CRANKSET	SHIMANO 105 KFC5800CX04L 50x34 170mm / 172,5 (M) / 175 (L,XL)
BOTTOM BRACKET	SHIMANO KSMBB7141B PRESSFIT
CASSETTE	SHIMANO 105 KCS580011132 11-SPEED 11-32T
CHAIN	SHIMANO KCNHG60011
BRAKES (R-F)	SHIMANO KBR5800
LEVER	SHIMANO 105 KST5800 2x11-SPEED
HEADSET	FSA 1"1/8 1"1/4 FSA ORBIT C-33 44E + 15mm top cover
HANDLEBARS	RITCHEY COMP CURVE W:40 (XS) / 42 (S,M,L) / 44 (XL)
RUBAN	LAPIERRE DIGITAL NERO
STEM	RITCHEY 4 AXIS WTD 6° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / 120 (XL)
SEATPOST	RITCHEY 2 BOLTS WTD L:300mm (XL:400mm) DIA:27,2mm
SADDLE	SELLE ITALIA X1
FRONT HUB	-
REAR HUB	-
WHEELS	SHIMANO RS010
RIMS	-
TYRES	MICHELIN DYNAMIC SPORT 700x25
ACCESSORIES	-

SENSIUM (	CARBON
LAPIERRE	SENSIUM CARBON - Carbon Steerer
SHIMAN0	ULTEGRA KRD6700AGSG 10-SPEED
SHIMAN0	105 FD5703BLL 34.9mm
-	
SHIMANO	105 KFC5703CX090L 50x39x30 170mm / 172,5 (L)
SHIMANO	KSMBB7141B PRESSFIT
SHIMANO	TIAGRA KCS460010125 10-SPEED 11-25T
KMC X10 1,	/2x11/128" 10-SPEED
SHIMAN0	KBR5800
SHIMAN0	105 KST5703 3x10-SPEED
FSA 1"1/8 1	1"1/4 FSA ORBIT C-33 44E + 15mm top cover
LAPIERRE	HB-TM11 W: 38 (S,M) / 40 (L)
LAPIERRE	DIGITAL NERO
RITCHEY 4	AXIS WTD 6° DIA:31.8 E:90mm / 100 (M,L)
RITCHEY 2	BOLTS WTD L:300mm DIA:27,2mm
SELLE ITAL	LIA X1
-	
-	
SHIMAN0	RS010
-	
MICHELIN	DYNAMIC SPORT 700x25
-	

SHIMANO TIAGRA RD4601GS 10-SPEED SHIMANO TIAGRA KFD4603BL 34.9mm  - SHIMANO TIAGRA FC4603CX090 50x39x30 170mm / 172,5 [M] / [L,KL] SHIMANO TIAGRA KC546010125 10-SPEED 11-25T KMC X10 1/2x11/128* 10-SPEED SHIMANO TIAGRA KC546010125 10-SPEED SHIMANO TIAGRA BR4600 SHIMANO TIAGRA BR4600 SHIMANO TIAGRA KST4603 3x10-SPEED FSA 1*1/8 1*1/4 FSA ORBIT C-33 44E + 15mm top cover RTCHEY COMP CURVE W-40 [XS] / 42 [S,M,L] / 44 [XL] LAPIERRE DIGITAL NERO	_	SENSIUM CARBON
SHIMANO TIAGRA KFD4603BL 34.9mm  SHIMANO TIAGRA FC4603CX090 50x39x30 170mm / 172,5 [M] / [LXL]  SHIMANO TIAGRA FC4603CX090 50x39x30 170mm / 172,5 [M] / [LXL]  SHIMANO KSMBB7141B PRESSFIT  SHIMANO TIAGRA KC5460010125 10-SPEED 11-25T  KMC X10 1/2x11/128* 10-SPEED  SHIMANO TIAGRA BR4600  SHIMANO TIAGRA KST4603 3x10-SPEED  FSA 1*1/8 1*1/4 FSA 0RBIT C-33 44E + 15mm top cover  RITCHEY COMP CURVE W:40 [XS] / 42 [S,M,L] / 44 [XL]  LAPIERRE DIGITAL NERO  RITCHEY 4 AXIS 6* DIA:31.8 E:90mm [XS-S] / 100 [M] / 110 [L] / *  RITCHEY 2 BOLTS L:300mm [XL:400mm] DIA:27,2mm  SELLE ITALIA X1  -  SHIMANO WHR 501	_	APIERRE SENSIUM CARBON - Carbon Steerer
SHIMANO TIAGRA FC4603CX090 50x39x30 170mm / 172,5 [M] / [L,XL]  SHIMANO KSMBB7141B PRESSFIT  SHIMANO TIAGRA KCS460010125 10-SPEED 11-25T  KMC X10 1/2x11/128* 10-SPEED  SHIMANO TIAGRA BR4600  SHIMANO TIAGRA KST4603 3x10-SPEED  FSA 1*1/B 1*1/4 FSA ORBIT C-33 44E + 15mm top cover  RITCHEY COMP CURVE W:40 [XS] / 42 [S,M,L] / 44 [XL]  LAPIERRE DIGITAL NERO  RITCHEY 4 AXIS 6* DIA:31.8 E:90mm [XS-S] / 100 [M] / 110 [L] / RITCHEY 2 BOLTS L:300mm [XL:400mm] DIA:27,2mm  SELLE ITALIA X1  -  SHIMANO WHR 501	_	
(L_XL) SHIMANO KSMBB7141B PRESSFIT SHIMANO TAGRA KCS460010125 10-SPEED 11-25T KMC X10 1/2x11/128* 10-SPEED SHIMANO TAGRA BR4600 SHIMANO TAGRA BR4600 SHIMANO TAGRA KST4603 3x10-SPEED FSA 1**1/8 1**1/4 FSA ORBIT C-33 44E + 15mm top cover RITCHEY COMP CURVE W-40 [xs] / 42 [s,M,L] / 44 [XL] LAPIERRE DIGITAL NERO RITCHEY 4 AXIS 6* DIA-31.8 E-90mm [XS-S] / 100 [M] / 110 [L] / * RITCHEY 2 BOLTS L-300mm [XL-400mm] DIA-27,2mm SELLE ITALIA X1 - SHIMANO WHR 501	_ (	SHIMANO TIAGRA KFD4603BL 34.9mm
(LXL) SHIMANO KSMBB7141B PRESSFIT SHIMANO TIAGRA KCS460010125 10-SPEED 11-25T KMC X10 1/2x11/128" 10-SPEED SHIMANO TIAGRA BR4600 SHIMANO TIAGRA BR4600 SHIMANO TIAGRA KST4603 3x10-SPEED FSA 1"1/8 1"1/4 FSA ORBIT C-33 44E + 15mm top cover RITCHEY COMP CURVE W-40 [XS] / 42 [S,M,L] / 44 [XL] LAPIERRE DIGITAL NERO RITCHEY 4 AXIS 6" DIA:1 8 E:90mm [XS-S] / 100 [M] / 110 [L] / " RITCHEY 2 BOLTS L:300mm [XL:400mm] DIA:27,2mm SELLE ITALIA X1 - SHIMANO WHR 501		,
SHIMANO TIAGRA KCS460010125 10-SPEED 11-25T KMC X10 1/2x11/128" 10-SPEED SHIMANO TIAGRA BR4600 SHIMANO TIAGRA KST4603 3x10-SPEED FSA 1"1/8 1"1/4 FSA ORBIT C-33 44E + 15mm top cover RITCHEY COMP CURVE W:40 [XS] / 42 [S,M,L] / 44 [XL] LAPIERRE DIGITAL NERO RITCHEY 4 AXIS 6" DIA:31.8 E:90mm [XS-S] / 100 [M] / 110 [L] / RITCHEY 2 BOLTS L:300mm [XL:400mm] DIA:27,2mm SELLE ITALIA X1 - SHIMANO WHR 501		
KMC X10 1/2x11/128" 10-SPEED SHIMANO TIAGRA BR4600 SHIMANO TIAGRA KST4603 3x10-SPEED FSA 1"1/8 1"1/4 FSA ORBIT C-33 44E + 15mm top cover RITCHEY COMP CURVE W:40 [XS] / 42 [S,M,L] / 44 [XL] LAPIERRE DIGITAL NERO RITCHEY 4 AXIS 6" DIA:31.8 E:90mm [XS-S] / 100 [M] / 110 [L] / RITCHEY 2 BOLTS L:300mm [XL:400mm] DIA:27,2mm SELLE ITALIA X1 - SHIMANO WHR 501	9	SHIMANO KSMBB7141B PRESSFIT
SHIMANO TIAGRA BR4600 SHIMANO TIAGRA KST4603 3x10-SPEED FSA 1*1/8 1*1/4 FSA ORBIT C-33 44E + 15mm top cover RITCHEY COMP CURVE W:40 [XS] / 42 [S,M,L] / 44 [XL] LAPIERE DIGITAL NERO RITCHEY 4 AXIS 6° DIA:31.8 E:90mm [XS-S] / 100 [M] / 110 [L] / RITCHEY 2 BOLTS L:300mm [XL:400mm] DIA:27,2mm SELLE ITALIA X1 - SHIMANO WHR 501	Ś	SHIMANO TIAGRA KCS460010125 10-SPEED 11-25T
SHIMANO TIAGRA KST4603 3x10-SPEED FSA 1"1/8 1"1/4 FSA ORBIT C-33 44E + 15mm top cover RITCHEY COMP CURVE W:40 [XS] / 42 [S,M,L] / 44 [XL] LAPIERRE DIGITAL NERO RITCHEY 4 AXIS 6" DIA:31.8 E:90mm [XS-S] / 100 [M] / 110 [L] / RITCHEY 2 BOLTS L:300mm [XL:400mm] DIA:27,2mm SELLE ITALIA X1 - SHIMANO WHR 501	ł	KMC X10 1/2x11/128" 10-SPEED
FSA 1"1/8 1"1/4 FSA ORBIT C-33 44E + 15mm top cover RITCHEY COMP CURVE W:40 [XS] / 42 [S,M,L] / 44 [XL] LAPIERRE DIGITAL NERO RITCHEY 4 AXIS 6° DIA:31.8 E:90mm [XS-S] / 100 [M] / 110 [L] / RITCHEY 2 BOLTS L:300mm [XL:400mm] DIA:27,2mm SELLE ITALIA X1 - SHIMANO WHR 501 -	Ś	SHIMANO TIAGRA BR4600
RITCHEY COMP CURVE W:40 (XS) / 42 (S,M,L) / 44 (XL) LAPIERRE DIGITAL NERO  RITCHEY 4 AXIS 6° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / ' RITCHEY 2 BOLTS L:300mm (XL:400mm) DIA:27,2mm  SELLE ITALIAX1  - SHIMANO WHR 501	9	SHIMANO TIAGRA KST4603 3x10-SPEED
LAPIERRE DIGITAL NERO RITCHEY 4 AXIS 6° DIA:31.8 E:90mm (XS-S)/100 (M)/110 (L)/ RITCHEY 2 BOLTS L:300mm (XL:400mm) DIA:27,2mm SELLE ITALIA X1 - SHIMANO WHR 501	F	-SA 1"1/8 1"1/4 FSA ORBIT C-33 44E + 15mm top cover
RITCHEY 4 AXIS 6° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / RITCHEY 2 BOLTS L:300mm (XL:400mm) DIA:27,2mm SELLE ITALIA X1 - SHIMANO WHR 501 -	F	RITCHEY COMP CURVE W:40 (XS) / 42 (S,M,L) / 44 (XL)
RITCHEY 2 BOLTS L:300mm (XL:400mm) DIA:27,2mm  SELLE ITALIAX1  - SHIMANO WHR 501	Į	APIERRE DIGITAL NERO
SELLE ITALIA X1  SHIMANO WHR 501	F	RITCHEY 4 AXIS 6° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / 1:
- - SHIMANO WHR 501 -	F	RITCHEY 2 BOLTS L:300mm (XL:400mm) DIA:27,2mm
-	Ś	SELLE ITALIA X1
-		-
-	-	-
- MICHELIN DYNAMIC SPORT 700x25	Ś	SHIMANO WHR 501
MICHELIN DYNAMIC SPORT 700x25	-	-
	١	MICHELIN DYNAMIC SPORT 700x25

	SENSIUM 100 CP
FRAME	SENSIUM CARBON
FORK	LAPIERRE SENSIUM CARBON - Carbon Steerer
REAR DERAILLEUR	SHIMANO TIAGRA RD4601SS 10-SPEED
FRONT DERAILLEUR	SHIMANO TIAGRA KFD4600BL 34.9mm
BATTERY	-
CRANKSET	SHIMANO TIAGRA FC4650CX04 50x34 170mm / 172,5 (M) / 175 (L,XL)
BOTTOM BRACKET	SHIMANO KSMBB7141B PRESSFIT
CASSETTE	SHIMANO TIAGRA KCS460010228 10-SPEED 12-28T
CHAIN	SHIMANO KCN4601 10-SPEED
BRAKES (R-F)	SHIMANO TIAGRA BR4600
LEVER	SHIMANO TIAGRA KST4600 2x10-SPEED
HEADSET	FSA 1"1/8 1"1/4 FSA ORBIT C-33 44E + 15mm top cover
HANDLEBARS	RITCHEY COMP CURVE W:40 (XS) / 42 (S,M,L) / 44 (XL)
RUBAN	LAPIERRE DIGITAL NERO
STEM	RITCHEY 4 AXIS 6° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / 120 (XL)
SEATPOST	RITCHEY 2 BOLTS L:300mm (XL:400mm) DIA:27,2mm
SADDLE	SELLE ITALIA X1
FRONT HUB	-
REAR HUB	-
WHEELS	SHIMANO WHR 501
RIMS	-
TYRES	MICHELIN DYNAMIC SPORT 700x25

AUDACIO 400 TP
AUDACIO ALLOY 6061
LAPIERRE CARBON - ALLOY Steerer
SHIMANO TIAGRA RD4601GS 10-SPEED
SHIMANO TIAGRA KFD4603BL 34.9mm
-
SHIMANO TIAGRA FC4603CB090 50x39x30 170mm / 172,5 (M) / 175 [L,XL,XXL]
SHIMANO SMBB4600
SHIMANO TIAGRA KCS460010125 10-SPEED 11-25T
KMC X10 1/2x11/128" 10-SPEED
SHIMANO TIAGRA BR4600
SHIMANO TIAGRA KST4603 3x10-SPEED
FSA ZS 4D 1" 1/8 + 5,3mm top cover
RITCHEY COMP CURVE W:40 (XS) / 42 (S,M,L) / 44 (XL, XXL)
LAPIERRE DIGITAL NERO
RITCHEY 4 AXIS 6° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / 120 (XL,XXL)
RITCHEY 2 BOLTS L:300mm DIA:31,6mm / 400mm (L, XL, XXL)
SELLE ITALIA X1
-
-
SHIMANO WHR 501
-
MICHELIN DYNAMIC SPORT 700x25
-

	AUDACIO 400 CP
AUDA	ACIO ALLOY 6061
LAPII	ERRE CARBON - ALLOY Steerer
SHIM	IANO TIAGRA RD4601SS 10-SPEED
SHIM	IANO TIAGRA KFD4600BL 34.9mm
-	
	MANO TIAGRA FC4650CB04 50x34 170mm / 172,5 (M) / 175 ,XXL)
SHIM	IANO SMBB4600
SHIM	1ANO TIAGRA KCS460010228 10-SPEED 12-28T
SHIM	IANO KCN4601 10-SPEED
SHIM	IANO TIAGRA BR4600
SHIM	IANO TIAGRA KST4600 2x10-SPEED
FSA 2	ZS 4D 1" 1/8 + 5,3mm top cover
RITC	HEY COMP CURVE W:40 (XS) / 42 (S,M,L) / 44 (XL,XXL)
LAPII	ERRE DIGITAL NERO
RITC (XL,X	HEY 4 AXIS 6° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / 120 XL)
RITC	HEY 2 BOLTS L:300mm DIA:31,6mm / 400mm (L, XL, XXL)
SELL	E ITALIA X1
-	
-	
SHIM	1ANO WHR 501
-	
MICH	HELIN DYNAMIC SPORT 700x25
-	

\_\_\_\_ 208 \_\_\_\_

ACCESSORIES

	AUDACIO 400 LADY
FRAME	AUDACIO ALLOY 6061
FORK	LAPIERRE CARBON - ALLOY Steerer
REAR DERAILLEUR	SHIMANO TIAGRA RD4601GS 10-SPEED
FRONT DERAILLEUR	SHIMANO TIAGRA KFD4603BL 34.9mm
BATTERY	-
CRANKSET	SHIMANO TIAGRA FC4603CB090 50x39x30 170mm (S,M) / 172,5 (L)
BOTTOM BRACKET	SHIMANO SMBB4600 (included with Crankset)
CASSETTE	SHIMANO TIAGRA KCS460010125 10-SPEED 11-25T
CHAIN	KMC X10 1/2x11/128" 10-SPEED
BRAKES (R-F)	SHIMANO TIAGRA BR4600
LEVER	SHIMANO TIAGRA KST4603 3x10-SPEED + ADDITIONNAL LEVER TEKTRO RL721
HEADSET	FSA ZS 4D 1" 1/8 + 5,3mm top cover
HANDLEBARS	LAPIERRE HB-TM11 W: 38 (S,M) / 40 (L)
RUBAN	LAPIERRE DIGITAL NERO
STEM	RITCHEY 4 AXIS 6° DIA:31.8 E:80mm (S) / 90 (M, L)
SEATPOST	RITCHEY 2 BOLTS L:300mm DIA:31,6mm
SADDLE	SELLE ITALIA X1 FLOW LADY
FRONT HUB	-
REAR HUB	-
WHEELS	SHIMANO WHR 501
RIMS	-
TYRES	MICHELIN DYNAMIC SPORT 700x25

	AUDACIO 300
Α	UDACIO ALLOY 6061
L	APIERRE CARBON - ALLOY Steerer
S	HIMANO SORA RD3500GS1 9-SPEED
S	HIMANO SORA FD3503BL 34.9mm
-	
S	HIMANO SORA FC3503CB090X 50x39x30 170mm / 175 (L, XL, XX
S	HIMANO SMBB4600
S	HIMANO HG509125 9-SPEED 11-25T
S	HIMANO HG53108G 9-SPEED
Ρ	ROMAX RC 841
S	HIMANO SORA ST3503 3x9-SPEED
F	SA ZS 4D 1" 1/8 + 5,3mm top cover
R	ITCHEY COMP CURVE W:40 (XS) / 42 (S,M,L) / 44 (XL, XXL)
L	APIERRE DIGITAL NERO
	ITCHEY 4 AXIS 6° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / 120 (L, XXL)
R	ITCHEY 2 BOLTS L:300mm DIA:31,6mm / 400mm (L, XL, XXL)
S	ELLE ITALIA X1
-	
-	
S	HIMANO WHR 501
-	
Ν	IICHELIN DYNAMIC SPORT 700x25
F	LITE BOTTLE HANGER + BOTTLE

AUDACIO AL LOY 6061	
APIERRE CARBON -	ALLI NY Steerer
SHIMANO CLARIS ARE	02400GS 8-SPEED
SHIMANO CLARIS FD2	403BL 34.9mm
SHIMANO CLARIS FC2	403C090XL 50x39x30 170mm / 175 (L)
SHIMANO ABBES25B2	1
SHIMANO HG508326 8	-SPEED 13-26T
KMC Z72 1/2"x 3/32" 7.	1mm 8-SPEED
PROMAX RC 841	
SHIMANO CLARIS ST2 TEKTRO RL721	403 3x8-SPEED + ADDITIONNAL LEVER
SA ZS 4D 1" 1/8 + 5,3n	nm top cover
APIERRE HB-TM11 W	/: 38 (S,M) / 40 (L)
APIERRE DIGITAL NE	RO .
RITCHEY 4 AXIS 6° DIA	.31.8 E:80mm (S) / 90 (M, L)
RITCHEY 2 BOLTS L:30	0mm DIA:31,6mm
SELLE ITALIA X1 FLOW	LADY
SHIMANO CLARIS HB2	2400BAL 32H
SHIMANO CLARIS FH2	400BYBL 32H
-	<u> </u>
MACH1 CFX 700C 32H	
VICHELIN DYNAMIC S	PORT 700x25

FRAME
FORK
REAR DERAILLEUR
FRONT DERAILLEUR
BATTERY
CRANKSET
BOTTOM BRACKET
CASSETTE
CHAIN
BRAKES (R-F)
LEVER
HEADSET
HANDLEBARS
RUBAN
STEM
SEATPOST
SADDLE
FRONT HUB
REAR HUB
WHEELS
RIMS
TYRES
ACCESSORIES

LAPIERRE CARBON X-F07LAAA Alloy Steerer  SHIMANO SORA RD35006S1 9-SPEED  SHIMANO SORA FD3503BL 34.9mm   SHIMANO FCR453C090XL 50x39x30 170mm / 175 [XL]  SHIMANO BBES25B21  SHIMANO KCSH63009128 9-SPEED 12-28T  SHIMANO KCSH63009128 9-SPEED 12-28T  SHIMANO HG53 9-SPEED  PROMAX RC459  SHIMANO SORA SL3500 3x9-SPEED / SHIMANO BLR550  FSA N010 16,2mm Top cover 1"1/8" SEMI INTEGRATED  LAPIERRE AD.110PP W-620mm B-10° DIA:25.4mm  LAPIERRE AD.USTABLE TDS-C297-8 E:105mm  LAPIERRE AD.USTABLE TDS-C297-8 E:105mm  SELLE ROYAL SHADOW ROYAI Gel Black / White  SHIMANO CLARIS HB2400BAL 32H
SHIMANO SORA FD3503BL 34.9mm  - SHIMANO FCR453C090XL 50x39x30 170mm / 175 [XL]  SHIMANO BES25B21  SHIMANO KCSHG3009128 9-SPEED 12-28T  SHIMANO HGS3 9-SPEED  PROMAX RC459  SHIMANO SORA SL3500 3x9-SPEED / SHIMANO BLR550  FSA N010 16,2mm Top cover 1*1/8* SEMI INTEGRATED  LAPIERRE AL-110PP W.620mm B:10* DIA:25.4mm  LAPIERRE DD30B by HERRMANS  LAPIERRE ADJUSTABLE TD5-C297-8 E:105mm  LAPIERRE SP-65 ALLOY L:350mm DIA:31,6mm  SELLE ROYAL SHADOW Royal Gel Black / White
SHIMANO FCR453C090XL 50x39x30 170mm / 175 (XL) SHIMANO BERS25B21 SHIMANO KCSHG3009128 9-SPEED 12-28T SHIMANO HG53 9-SPEED PROMAX RC459 SHIMANO SORA SL3500 3x9-SPEED / SHIMANO BLR550 FSA N010 16,2mm Top cover 1"1/8" SEMI INTEGRATED LAPIERRE AL-110PP W.620mm B:10" DIA:25.4mm LAPIERRE DD30B by HERRMANS LAPIERRE ADJUSTABLE TDS-C297-8 E:105mm LAPIERRE SD-65 ALLOY L:350mm DIA:31,6mm SELLE ROYAL SHADOW Royal Gel Black / White
SHIMANO BBES25B21 SHIMANO KCSHG3009128 9-SPEED 12-28T SHIMANO HG53 9-SPEED PROMAX RC459 SHIMANO SORA SL3500 3x9-SPEED / SHIMANO BLR550 FSA NO10 16,2mm Top cover 1"1/8" SEMI INTEGRATED LAPIERRE AL-110PP W-620mm B:10" DIA:25.4mm LAPIERRE DD30B by HERRMANS LAPIERRE ADJUSTABLE TDS-C297-8 E:105mm LAPIERRE SP-65 ALLOY L:350mm DIA:31,6mm SELLE ROYAL SHADOW Royal Gel Black / White
SHIMANO BBES25B21 SHIMANO KCSHG3009128 9-SPEED 12-28T SHIMANO HGS3 9-SPEED PROMAX RC459 SHIMANO SORA SL3500 3x9-SPEED / SHIMANO BLR550 FSA NO10 16,2mm Top cover 1"1/8" SEMI INTEGRATED LAPIERRE AL-110PP W:620mm B:10° DIA:25.4mm LAPIERRE DD30B by HERRMANS LAPIERRE ADJUSTABLE TDS-C297-8 E:105mm LAPIERRE SP-65 ALLOY L:350mm DIA:31,6mm SELLE ROYAL SHADOW Royal Gel Black / White
SHIMAND KCSHG3009128 9-SPEED 12-28T SHIMAND HG53 9-SPEED PROMAX RC459 SHIMAND SORA SL3500 3x9-SPEED / SHIMAND BLR550 FSA ND10 16,2mm Top cover 1"1/8" SEMI INTEGRATED LAPIERRE AL-110PP W-620mm B:10" DIA:25.4mm LAPIERRE DD30B by HERRMANS LAPIERRE DD30B by HERRMANS LAPIERRE SP-65 ALLOY L:350mm DIA:31,6mm SELLE ROYAL SHADOW Royal Gel Black / White
SHIMANO HG53 9-SPEED PROMAX RC459 SHIMANO SORA SL3500 3x9-SPEED / SHIMANO BLR550 FSA NO10 16,2mm Top cover 1"1/8" SEMI INTEGRATED LAPIERRE AL-110PP W-620mm B:10" DIA:25.4mm LAPIERRE DD30B by HERRMANS LAPIERRE ADJUSTABLE TD5-C297-8 E:105mm LAPIERRE SD-65 ALLOY L:350mm DIA:31,6mm SELLE ROYAL SHADOW Royal Gel Black / White
PROMAX RC459 SHIMANO SORA SL3500 3x9-SPEED / SHIMANO BLR550 FSA NO10 16,2mm Top cover 1"1/8" SEMI INTEGRATED LAPIERRE AL-110PP W620mm B:10" DIA:25.4mm LAPIERRE DD30B by HERRMANS LAPIERRE ADJUSTABLE TD5-C297-8 E:105mm LAPIERRE SP-65 ALLOY L:350mm DIA:31,6mm SELLE ROYAL SHADOW Royal Gel Black / White
SHIMANO SORA SL3500 3x9-SPEED / SHIMANO BLR550 FSA N010 16,2mm Top cover 1"1/8" SEMI INTEGRATED  LAPIERRE AL-110PP W620mm B:10" DIA:25.4mm  LAPIERRE DD30B by HERRMANS  LAPIERRE ADJUSTABLE TDS-C297-8 E:105mm  LAPIERRE SP-65 ALLOY L350mm DIA:31,6mm  SELLE ROYAL SHADOW Royal Gel Black / White
FSA N010 16,2mm Top cover 1"1/8" SEMI INTEGRATED  LAPIERRE AL-110PP W:620mm B:10° DIA:25.4mm  LAPIERRE DD30B by HERRMANS  LAPIERRE ADJUSTABLE TDS-C297-8 E:105mm  LAPIERRE SP-65 ALLOY L:350mm DIA:31,6mm  SELLE ROYAL SHADOW Royal Gel Black / White
LAPIERRE AL-110PP W:620mm B:10° DIA:25.4mm  LAPIERRE DD30B by HERRMANS  LAPIERRE ADJUSTABLE TDS-C297-8 E:105mm  LAPIERRE SP-65 ALLOY L:350mm DIA:31,6mm  SELLE ROYAL SHADOW Royal Gel Black / White
LAPIERRE DD30B by HERRMANS LAPIERRE ADJUSTABLE TDS-C297-8 E:105mm LAPIERRE SP-65 ALLOY L:350mm DIA:31,6mm SELLE ROYAL SHADOW Royal Gel Black/White
LAPIERRE ADJUSTÁBLE TDS-C297-8 E:105mm LAPIERRE SP-65 ALLOY L:350mm DIA:31,6mm SELLE ROYAL SHADOW Royal Gel Black / White
LAPIERRE SP-65 ALLOY L:350mm DIA:31,6mm SELLE ROYAL SHADOW Royal Gel Black / White
SELLE ROYAL SHADOW Royal Gel Black/White
,
SHIMANO CLARIS HB2400BAL 32H
SHIMANO CLARIS FH2400BYBL 32H
-
MACH1 CFX 700C 32H
MICHELIN DYNAMIC SPORT 700x28
VP-335T with clips and straps

SHAPER 300

LAPIERRE CAF	RBON X-F07LAAA Alloy Steerer
SHIMANO SOR	A RD3500GS1 9-SPEED
SHIMANO SOR	A FD3503BL 34.9mm
-	
SHIMANO FCR	453C090XL 50x39x30 170mm
HIMANO BBE	S25B21
SHIMANO KCS	HG3009128 9-SPEED 12-28T
SHIMANO HG5	3 9-SPEED
PROMAX RC45	9
SHIMANO SOR	A SL3500RA 3x9-SPEED / SHIMANO BLR55
SA NO10 16,2	mm Top cover 1"1/8" SEMI INTEGRATED
APIERRE AL-	110PP W:620mm B:10° DIA:25.4mm
HERRMANS (1)	(Y DD29BL 120mm
APIERRE ADJ	USTABLE TDS-C297-8 E:105mm
LAPIERRE SP-	65 ALLOY L:350mm DIA:31,6mm
SELLE ROYALS	SHADOW LADY Royal Gel Black/White
SHIMANO CLA	RIS HB2400BAL 32H
SHIMANO CLA	RIS FH2400BYBL 32H
-	
MACH1 CFX 70	0C 32H
VICHELIN DYN	IAMIC SPORT 700x28
/P-335T with cl	ips and straps

SHAPER 100
SHAPER ALLOY 6061
LAPIERRE RB-651AX STEEL
SHIMANO CLARIS ARD2400GS 8-SPEED
SHIMANO CLARIS FD2403BM 31.8mm
-
SHIMANO AFCM171C888X3 48X38X28 170mm
CH 52-68 L:122mm
SHIMANO ACSHG318130 8-SPEED 11-30T
KMC Z72 1/2"x 3/32" 7.1mm 8-SPEED
PROMAX RC459
SHIMANO CLARIS STR240RCA 3x8-SPEED
FSA TH-888 w/15mm Cone spacer 1/8"
 LAPIERRE AL-110PP W:620mm B:10° DIA:25.4mm
LAPIERRE DD30B by HERRMANS
LAPIERRE ADJUSTABLE TDS-C297-8 E:105mm
LAPIERRE SP-208 L:350mm DIA:27,2mm
SELLE ROYAL SHADOW Royal Gel Black / Red
SHIMANO AHBTX800BAL 32H
SHIMANO AFHTX800BZAL 32H
-
MACH1 CFX 700C 32H
MICHELIN DYNAMIC SPORT 700x28
VP-335T with clips and straps

RAME	AUDACIO ALLOY 6061
ORK	LAPIERRE CARBON - ALLOY Steerer
EAR DERAILLEUR	SHIMANO CLARIS ARD2400GS 8-SPEED
RONT DERAILLEUR	SHIMANO CLARIS FD2403BL 34.9mm
ATTERY	-
RANKSET	SHIMANO CLARIS FC2403C090XL 50x39x30 170mm / 175 (L, XL, XXL)
SOTTOM BRACKET	SHIMANO ABBES25B21
ASSETTE	SHIMANO HG508326 8-SPEED 13-26T
HAIN	KMC Z72 1/2"x 3/32" 7.1mm 8-SPEED
RAKES (R-F)	PROMAX RC 841
EVER	SHIMANO CLARIS ST2403 3x8-SPEED
IEADSET	FSA ZS 4D 1" 1/8 + 5,3mm top cover
IANDLEBARS	RITCHEY COMP CURVE W:40 (XS) / 42 (S,M,L) / 44 (XL,XXL)
UBAN	LAPIERRE DIGITAL NERO
TEM	RITCHEY 4 AXIS 6° DIA:31.8 E:90mm (XS-S) / 100 (M) / 110 (L) / 120 (XL,XXL)
EATPOST	RITCHEY 2 BOLTS L:300mm DIA:31,6mm / 400mm (L, XL, XXL)
ADDLE	SELLE ITALIA X1
RONT HUB	SHIMANO CLARIS HB2400BAL 32H
EAR HUB	SHIMANO CLARIS FH2400BYBL 32H
VHEELS	-
RIMS	MACH1 CFX 700C 32H
SOTTOM BRACKET	MICHELIN DYNAMIC SPORT 700x25

**AUDACIO 200** 

CX CARBON
LAPIERRE CARBON - Carbon Steerer
SHIMANO 105 KRD5701SSL 10-SPEED
SHIMANO KFDCX70DBL 34.9mm
-
SHIMANO FCCX50CX66L 46x36 170mm / 172,5 (M,L) / 175 (XL)
SHIMANO KSMBB7141B PRESSFIT
SHIMANO TIAGRA KCS460010230 10-SPEED 12-30T
SHIMANO TIAGRA KCN4601 10-SPEED
SRAM SHORTY 4
SHIMANO 105 KST5700 2x10-SPEED
PRESTINE SW1856-8
RITCHEY COMP CURVE W:40 (S, M) / 42 (L, XL)
LAPIERRE EVO
RITCHEY 4 AXIS WTD 6° E:90mm (S) / 100 (M) / 110 (L) / 120 (XL)
RITCHEY WTD L:300mm DIA:31,6mm / 400mm (XL)
SELLE ITALIA SL
-
-
MAVIC AKSIUM ONE
-
SCHWALRE BACING BALDH 700-23C

CX CARBON

	CX ALLOY
CX ALLOY SU	PREME 6
LAPIERRE CA	ARBON - Alloy Steerer
SHIMANO 10	5 KRD5701SSL 10-SPEED
SHIMANO KF	DCX70DBL 34.9mm
-	
SHIMANO FC	CX50CX66L 46x36 170mm / 172,5 (M) / 175 (L,XL)
SHIMANO KS	SMBB7141B PRESSFIT
SHIMANO TIA	AGRA KCS460010230 10-SPEED 12-30T
SHIMANO TIA	AGRA KCN4601 10-SPEED
SRAM SHORT	TY 4
SHIMANO 10: RL721	5 KST5700 2x10-SPEED + ADDITIONNAL LEVER TEKTRO
FSA ZS 4D 1"	1/8 + 5.3MM TOP COVER
RITCHEY COM	MP CURVE W:40 (S, M) / 42 (L, XL)
LAPIERRE EV	/0
RITCHEY 4 AX	(IS WTD 6° E:90mm (S) / 100 (M) / 110 (L) / 120 (XL)
RITCHEY WT	D L:300mm DIA:31,6mm / 400mm (XL)
SELLE ITALIA	\SL
-	
-	
SHIMANO WH	HR501
-	
CUI///ALDE	RACING RALPH 700x33C

SHAPER 500

FRAME	
FORK	
REAR DERAILLEUR	Π
FRONT DERAILLEU	R
BATTERY	
CRANKSET	
BOTTOM BRACKET	
CASSETTE	
CHAIN	
BRAKES (R-F)	
LEVER	
HEADSET	Π
HANDLEBARS	
RUBAN	
STEM	
SEATPOST	
SADDLE	
FRONT HUB	Ξ
REAR HUB	
WHEELS	_
RIMS	Τ
TYRES	
ACCESSORIES	_

SHAPER 100 LADY	655100
SHAPER ALLOY 6061	
LAPIERRE RB-651AX STEEL	
SHIMANO CLARIS ARD2400GS 8-SPEED	
SHIMANO CLARIS FD2403BM 31.8mm	
-	
SHIMANO AFCM171C888X3 48X38X28 170mm	
CH 52-68 L:122mm	
SHIMANO ACSHG318130 8-SPEED 11-30T	
KMC Z72 1/2"x 3/32" 7.1mm 8-SPEED	
PROMAX RC459	
SHIMANO CLARIS STR240RCA 3x8-SPEED	
FSA TH-888 w/15mm Cone spacer 1/8"	
LAPIERRE AL-110PP W:620mm B:10° DIA:25.4mm	
HERRMANS OXY DD29BL 120mm	
LAPIERRE ADJUSTABLE TDS-C297-8 E:105mm	
LAPIERRE SP-208 L:350mm DIA:27,2mm	
SELLE ROYAL SHADOW LADY Royal Gel Black / White	
SHIMANO AHBTX800BAL 32H	
SHIMANO AFHTX800BZAL 32H	
-	
MACH1 CFX 700C 32H	
MICHELIN DYNAMIC SPORT 700x28	
VP-335T with clips and straps	

UPBAN	SHAPER 600
URBAN SHAPER DISC ALLOY	
URBAN SHAPER DISC ALL OY	
SHIMANO XLS KRDM670SGS 1	
SHIMANO DEORE KFDT611L3	_34.9mm 63-66°
-	
SHIMANO DEORE AFCT611C8	66CL 48x36x26 with CG / 175 XL
SHIMANO SMBB51	
SHIMANO KCSHG6210132 10-5	SPEED 11-32T
SHIMANO KCNHG54 10-SPEE	0
SHIMANO HYDRAULIC M355 1	60mm
SHIMANO DEORE KSLM610 3>	10-SPEED
FSA 1"1/8 1"1/4 FSA ORBIT C-3	3 44E + 15mm top cover
LAPIERRE MTB-AL-152BT W:6	660mm DIA:31.8mm
HERRMANS ADRENALIN 3D02	2 128mm Black/ White with minibar
LAPIERRE ADJUSTABLE AS7A	D E:80mm / 100 (XL)
LAPIERRE SP-216 L:350mm D	IA:31,6mm
SELLE ROYAL SHADOW Royal	Gel Black / White
SHIMANO AHBRM33B 32H	
SHIMANO AFHRM33BZB 32H	
-	
MACH1 560 32H	
SCHWALBE SPICER 700X30C	
VP-856 PLASTIC BLACK	

URB/	AN SHAPER V-BRAKE ALLOY 7005
URB/	AN SHAPER V-BRAKE ALLOY 6061
SHIM	ANO DEORE KRDM610SGSL 10 SPEED
SHIM	ANO DEORE KFDT611L3L 34.9mm 63-66°
SHIM	ANO DEORE AFCT611C866CL 48x36x26 with CG / 175 XL
SHIM	ANO SMBB51
SHIM	ANO KCSHG6210132 10-SPEED 11-32T
SHIM	ANO KCNHG54 10-SPEED
TEKT	RO V-BRAKE SET 837AL
SHIM	ANO DEORE KSLM610 3x10-SPEED / LEVER ABLT611
FSA N	NO10 16,2mm Top cover 1"1/8" SEMI INTEGRATED
LAPIE	ERRE MTB-AL-320BT W:660mm DIA:31.8mm
HERF	RMANS OXY DD29BL 120mm
_APIE	ERRE ADJUSTABLE TDS-C268 DIA:31.8 E:105mm
LAPIE	ERRE SP-C212 L:350mm DIA:31,6mm
SELL	E ROYAL SHADOW Royal Gel Black / Green
SHIM	ANO CLARIS AHB2400BAL 32H
SHIM	ANO CLARIS AFH2400BYBL 32H
-	
MACI	H1 550 32H
SCHV	VALBE SPICER 700X30C
/P-85	56 PLASTIC BLACK

URBAN SHAPER 400

	SHAPER 900	
FRAME	SHAPER CARBON	
FORK	LAPIERRE CARBON Carbon Steerer	
REAR DERAILLEUR	SHIMANO ULTEGRA RD6800GS 11-SPEED	
FRONT DERAILLEUR	SHIMANO 105 FD5800BLL 34.9mm	
BATTERY	-	
CRANKSET	SHIMANO 105 KFC5800CX04L 50x34 170mm (XS, S) / 172,5 (M,L) / 175 (XL)	
BOTTOM BRACKET	SHIMANO KSMBB7141B PRESSFIT	
CASSETTE	SHIMANO 105 KCS580011132 11-SPEED 11-32T	
CHAIN	SHIMANO KCNHG600 11-SPEED	
BRAKES (R-F)	SHIMANO BRR451AF73CL	
LEVER	SHIMANO ULTEGRA SLRS700 2x11-SPEED / SHIMANO BLR780CLL	
HEADSET	FSA 1"1/8 1"1/4 FSA ORBIT C-33 44E + 15mm top cover	
HANDLEBARS	RITCHEY MOUNTAIN FLAT W:620mm DIA:31.8mm	
RUBAN	LAPIERRE CORK LOCK-ON	
STEM	LAPIERRE ADJUSTABLE AS7AD E:90mm / 110 (L, XL)	
SEATPOST	RITCHEY 2 BOLTS L:300mm DIA:27,2mm	
SADDLE	FIZIK ARDEA Mg Black-Red	
FRONT HUB	-	
REAR HUB	-	
WHEELS	MAVIC AKSIUM ONE	
RIMS	-	
TYRES	MICHELIN DYNAMIC SPORT 700x28	
ACCESSORIES	VP-335T with clips and straps	

BE.	SHAPER 700
SHA	PER CARBON
LAP	IERRE CARBON Carbon Steerer
SHII	MANO 105 RD5701GSS 10-SPEED
SHII	MANO TIAGRA FD4603BL 34.9mm
SHII 175	MANO FCR563CX090S 50x39x30 170mm (XS, S) / 172,5 (M,L). (XL)
SHII	MANO KSMBB7141B PRESSFIT
SHII	MANO TIAGRA KCS460010228 10-SPEED 12-28T
KM	CX10 1/2x11/128" 10-SPEED
SHII	MANO BRR451AF73CS
SHII	MANO TIAGRA SL4600 3x10-SPEED / SHIMANO BLR550
FSA	1"1/8 1"1/4 FSA ORBIT C-33 44E + 15mm top cover
RITO	CHEY MOUNTAIN FLAT W:620mm DIA:31.8mm
LAP	IERRE CORK LOCK-ON
LAP	IERRE ADJUSTABLE AS7AD E:90mm / 110 (L,XL)
RITO	CHEY 2 BOLTS L:300mm DIA:27,2mm
FIZI	K ARDEA Mg Black-Blue-White
-	
-	
SHII	MANO RS010
-	
MIC	HELIN DYNAMIC SPORT 700x28
VP-3	335T with clips and straps

SHAPER ALLOY 7005	
APIERRE CARBON X-F07LAAA Alloy Steerer	
SHIMANO TIAGRA RD4601GS 10-SPEED	
SHIMANO TIAGRA FD4603BL 34.9mm	
-	
SHIMANO FC4603CB090 50x39x30 170mm / 175 (XL)	
SHIMANO SMBB4600	
SHIMANO TIAGRA KCS460010228 10-SPEED 12-28T	
KMC X10 1/2x11/128" 10-SPEED	
SHIMANO BRR451AF73CS	
SHIMANO TIAGRA SL4600 3x10-SPEED / SHIMANO BL	_R550
SA N010 16,2mm Top cover 1"1/8" SEMI INTEGRATED	)
RITCHEY MOUNTAIN FLAT W:620mm DIA:31.8mm	
APIERRE CORK LOCK-ON	
APIERRE ADJUSTABLE AS7AD E:90mm / 110 (XL)	
RITCHEY 2 BOLTS L:300mm DIA:31,6mm	
SELLE ROYAL SHADOW Royal Gel Black / White	
SHIMANO CLARIS HB2400BAL 32H	
SHIMANO CLARIS FH2400BYBL 32H	
-	
MACH1 CFX 700C 32H	
MICHELIN DYNAMIC SPORT 700x28	
/P-335T with clips and straps	

	URBAN SHAPER 200
FRAME	CROSS ALLOY 7005 DISC
FORK	SUNTOUR NEX HLO 700C 63mm DISC
REAR DERAILLEUR	SHIMANO DEORE KRDM591SGSL 9 SPEED
FRONT DERAILLEUR	SHIMANO ALIVIO AFDT4000TSM6 31.8mm 66-69°
BATTERY	-
CRANKSET	SHIMANO AFCM311C888CL 48X38X28 170mm with CHAINGUARD / 175 XL
BOTTOM BRACKET	SHIMANO ABBUN26B23X BSA 68mm L:123mm
CASSETTE	SHIMANO ACSHG2008232 8-SPEED 12-32T
CHAIN	KMC Z72 1/2"x 3/32" 7.1mm 8-SPEED
SHIFTERS	-
BRAKES (R-F)	TEKTRO V-BRAKE SET 837AL
LEVER	SHIMANO ASTEF51 3x8-SPEED
HEADSET	FSA NO10 16,2mm Top cover 1"1/8" SEMI INTEGRATED
HANDLEBARS	LAPIERRE MTB-AL-320BT W:660mm DIA:31.8mm
RUBAN	HERRMANS 0XY DD29BL 120mm
STEM	LAPIERRE ADJUSTABLE TDS-C268 DIA:31.8 E:105mm
GRIPS	-
SEATPOST	LAPIERRE SP-C212 L:350mm DIA:31,6mm
SADDLE	SELLE ROYAL SHADOW Royal Gel Black / Red
FRONT HUB	SHIMANO CLARIS AHB2400BAL 32H
REAR HUB	SHIMANO CLARIS AFH2400BYBL 32H
RIMS	MACH1 550 32H
TYRES	SCHWALBE SPICER 700X30C
PEDALS	
ACCESSORIES	VP-856 PLASTIC BLACK

CROSS 400 PACK
URBAN SHAPER V-BRAKE ALLOY 7005
URBAN SHAPER V-BRAKE ALLOY 6061
SHIMANO ACERA ARDM360SGSL 8 SPEED
SHIMANO AFDM313L3 34.9mm 63-66°
-
SHIMANO AFCM391C866CL 48X36X26 170mm with CHAINGUARD (175mm on M , L , XL, XXL)
SHIMANO ABBUN26B23X
SHIMANO KCSHG3009134 9-SPEED 11-34T
KMC Z99 1/2"x 11/128" 6.6mm 9-SPEED
SHIMANO ALIVIO ASTT4000 3x9 SPEED
TEKTRO DISC NOVELA MECHANICAL 160mm DISC (180mm for size XL-XXL)
-
CH-918 1.1/8" STEEL/ALLOY SEMI INTEGRATED
LAPIERRE AB-064 ALLOY W:660mm R:20mm DIA:25.4mm
-
LAPIERRE ADJUSTABLE ALLOY TDS-C217-8 AHEADSET E:100mm DIA:28.6mm
HERRMANS 0XY DD29 L:120mm
LAPIERRE SP-235 ALLOY L:350mm DIA:27.2mm
SELLE ROYAL SHADOW ROYAL GEL STEEL RAILS
SHIMANO DYNAMO ADH3D32L 6V/3.0W 32H
SHIMANO AFHM475BZLL 32H
MACH1 ER250 32H
SCHWALBE MARATHON MONDIAL 37-622 700X35C
VP-856
-

	CROSS 400 PACK LADY
	OY 6061 DISC
SUNTOUR N	NEX HLO 700C 63mm DISC
SHIMANO D	EORE KRDM591SGSL 9 SPEED
SHIMANO A	LIVIO AFDT4000TSM6 31.8mm 66-69°
-	
SHIMANO A (175mm on	FCM391C866CL 48X36X26 170mm with CHAINGUARD M ,L)
SHIMANO A	BBUN26B23X
SHIMANO K	CSHG3009134 9-SPEED 11-34T
KMC Z99 1/2	2"x 11/128" 6.6mm 9-SPEED
SHIMANO A	LIVIO ASTT4000 3x9 SPEED
TEKTRO DIS	SC NOVELA MECHANICAL 160mm DISC
-	
CH-918 1.1/	B" STEEL/ALLOY SEMI INTEGRATED
LAPIERRE A	AB-064 ALLOY W:620mm R:20mm DIA:25.4mm
-	
LAPIERRE A DIA:28.6mm	DJUSTABLE ALLOY TDS-C217-8 AHEADSET E:100mm
HERRMANS	6 OXY DD29 L:120mm
LAPIERRE S	P-235 ALLOY L:350mm DIA:27.2mm
SELLE ROYA	AL SHADOW LADY ROYAL GEL STEEL RAILS
SHIMANO D	YNAMO ADH3D32L 6V/3.0W 32H
SHIMANO A	FHM475BZLL 32H
MACH1 ER2	50 32H
	MARATHON MONDIAL 37-622 700X35C

210 —

211 —

	CROSS 300
FRAME	CROSS ALLOY 6061 DISC
FORK	SUNTOUR NEX HLO 700C 63mm DISC
REAR DERAILLEUR	SHIMANO ALIVIO ARDM4000SGS 9 SPEED
FRONT DERAILLEUR	SHIMANO ACERA AFDM390M6 31.8mm 66-69°
CRANKSET	SHIMANO AFCM391C866CL 48X36X26 170mm with CHAINGUARD (175mm on M , L , XL , XXL)
BOTTOM BRACKET	SHIMANO ABBUN26B23X
CASSETTE	SHIMANO ACSHG20I9134 9-SPEED 11-34T
CHAIN	KMC Z99 1/2"x 11/128" 6.6mm 9-SPEED
SHIFTERS	SHIMANO ALIVIO ASLM4000 3x9 SPEED
BRAKES (R-F)	SHIMANO DISC HYDRAULIC BLM355 160mm DISC (180mm for size XL-XXL)
HEADSET	CH-918 1.1/8" STEEL/ALLOY SEMI INTEGRATED
HANDLEBARS	LAPIERRE AB-064 ALLOY W:660mm R:20mm DIA:25.4mm
STEM	LAPIERRE ADJUSTABLE ALLOY TDS-C217-8 AHEADSET E:100mm DIA:28.6mm
GRIPS	HERRMANS OXY DD29 L:120mm
SEATPOST	LAPIERRE SP-235 ALLOY L:350mm DIA:27.2mm
SADDLE	SELLE ROYAL SHADOW ROYAL GEL STEEL RAILS
FRONT HUB	SHIMANO AHBM475BL 32H
REAR HUB	SHIMANO AFHM475BZLL 32H
RIMS	MACH1 ER20 Black / 32H
TYRES	SCHWALBE CX COMP 37-622 700X35C
PEDALS	VP-856

	CROSS 200 LADY
FRAME	CROSS ALLOY 6061 V-BRAKE
FORK	SUNTOUR NEX HLO 700C 63mm V-BRAKE
REAR DERAILLEUR	SHIMANO ACERA ARDM360SGSS 8 SPEED
FRONT DERAILLEUR	SHIMANO AFDM191M3 31.8mm 63-66°
CRANKSET	SHIMANO AFCM311C888CL 48X38X28 170mm with CHAINGUARD
BOTTOM BRACKET	SHIMANO ABBUN26B23X
CASSETTE	SHIMANO ACSHG2008232 8-SPEED 12-32T
CHAIN	KMC Z72 1/2"x 3/32" 7.1mm 8-SPEED
SHIFTERS	SHIMANO ASTEF51 3x8 SPEED
BRAKES (R-F)	TEKTRO 837AL V-BRAKE SET
HEADSET	CH-918 1.1/8" STEEL/ALLOY SEMI INTEGRATED
HANDLEBARS	LAPIERRE MTB-152TP STEEL W:620mm R:20mm BS:6° DIA:25.4mm
STEM	LAPIERRE ADJUSTABLE ALLOY TDS-C217-8 AHEADSET E:100mm DIA:28.6mm
GRIPS	HERRMANS DD08B L:120mm
SEATPOST	LAPIERRE SP-235 ALLOY L:350mm DIA:27.2mm
SADDLE	SELLE ROYAL SHADOW LADY ROYAL GEL STEEL RAILS
FRONT HUB	SHIMANO AHBTX80 36H
REAR HUB	SHIMANO AFHTX800 36H
RIMS	MACH1 ER10 Black / 36H / CNC Side
TYRES	CST C-1446 42-622 700X40C
PEDALS	SP-877

AIRCODE XS S M L XL XXL 460 490 520 550 580

550 570 73

408 408

-67 -67

973 978 984 999 1003 1022

150

73 72,5

170

408

368

590

398 412

520

535

72

408

130

-67 368 368 368 368

520 525 548 567

371 374 383 391

610

nm	LAPIERRE ADJUSTABLE ALLOY TDS-C217-8 AHEADSET E:100mm DIA:28.6mm
	HERRMANS DD08B L:120mm
	LAPIERRE SP-235 ALLOY L:350mm DIA:27.2mm
	SELLE ROYAL SHADOW Royal Gel STEEL RAILS
	SHIMANO HBTX800 36H
	SHIMANO AFHRM307AZLS 36H
	MACH1 ER10 Black / 36H / CNC Side
	CST C-1446 42-622 700X40C
	SP-877
	REACH

**CROSS 300 LADY** 

SHIMANO AFCM391C866CL 48X36X26 170mm with CHAINGUARD (175mm on M, L.)

SUNTOUR NEX HLO 700C 63mm DISC SHIMANO ALIVIO ARDM4000SGS 9 SPEED

SHIMANO ABBUN26B23X

DIA:28.6mm

SHIMANO ACERA AFDM390M6 31.8mm 66-69°

SHIMANO ACSHG20I9134 9-SPEED 11-34T

KMC Z99 1/2"x 11/128" 6.6mm 9-SPEED

SHIMANO ALIVIO ASLM4000 3x9 SPEED

HERRMANS OXY DD29 L:120mm

SHIMANO AHBM475BL 32H

MACH1 ER20 Black / 32H

SHIMANO AFHM475BZLL 32H

SCHWALBE CX COMP 37-622 700X350

SUNTOUR NEX 700C 63mm V-BRAKE

SHIMANO AFDTX51M3 31.8mm 63-66°

CH 52-68 L:122mm

SHIMANO TOURNEY ARDTX35D 6-7 SPEED

SHIMANO ACSHG20I7228 7-SPEED 12-28T

CH-918 1.1/8" STEEL/ALLOY SEMI INTEGRATED

KMC Z51 1/2"x 3/32" 7.1mm 7-SPEED

SHIMANO ASTEF41 3x7 SPEED

TEKTRO 837AL V-BRAKE SET

SHIMANO DISC HYDRAULIC BLM355 160mm DISC

CH-918 1.1/8" STEEL /ALL OY SEMI INTEGRATED

LAPIERRE SP-235 ALLOY L:350mm DIA:27.2mm

LAPIERRE AB-064 ALLOY W:620mm R:20mm DIA:25.4mm

SELLE ROYAL SHADOW LADY ROYAL GEL STEEL RAILS

LAPIERRE ADJUSTABLE ALLOY TDS-C217-8 AHEADSET E:100mm

CROSS 100

SHIMANO AFCM131C888C 48X38X28 170mm with CHAINGUARD

LAPIERRE MTB-152TP STEEL W:660mm R:20mm BS:6° DIA:25.4mm

ST S.		TT REACH	HA BUYGK	HT
		XELIUS		
XS	S	M	L	XL

	XELIUS					
•	XS	S	M	L	XL	
ST (mm)	460	490	520	550	580	
TT (mm)	520	535	550	570	590	
HA (°)	72	72	73	73	74	
SA (°)	74	73	73	73	72	
RC (mm)	408	408	408	408	408	
HT (mm)	115	130	150	170	190	
BB (mm)	-67	-67	-67	-67	-67	
Frk Length	368	368	368	368	368	
Stack	513	527	550	569	592	
Reach	373	374	382	396	398	
WB	965	971	977	997	995	



CROSS 200

SHIMANO AFCM311C888CL 48X38X28 170mm with CHAINGUARD

LAPIERRE MTB-152TP STEEL W:660mm R:20mm BS:6° DIA:25.4mm

**CROSS 100 LADY** 

SHIMANO AFCM131C888C 48X38X28 170mm with CHAINGUARD

LAPIERRE MTB-152TP STEEL W:620mm R:20mm BS:6° DIA:25.4mm LAPIERRE ADJUSTABLE ALLOY TDS-C217-8 AHEADSET E:100mm

LAPIERRE ADJUSTABLE ALLOY TDS-C217-8 AHEADSET E:100mm DIA:28.6mm

SUNTOUR NEX HLO 700C 63mm V-BRAKE

SHIMANO AFDM191M3 31.8mm 63-66°

SHIMANO ABBUN26B23X

SHIMANO ACERA ARDM360SGSS 8 SPEED

SHIMANO ACSHG2008232 8-SPEED 12-32T

CH-918 1.1/8" STEEL/ALLOY SEMI INTEGRATED

LAPIERRE SP-235 ALLOY L:350mm DIA:27.2mm

SELLE ROYAL SHADOW ROYAL GEL STEEL RAILS

KMC 772 1/2"x 3/32" 7.1mm 8-SPEED

SHIMANO ASTEF51 3x8 SPEED

TEKTRO 837AL V-BRAKE SET

HERRMANS DD08B L:120mm

SHIMANO AHRTX80.36H

SHIMANO AFHTX800 36H

CST C-1446 42-622 700X40C

CROSS ALLOY 6061 V-BRAKE

CH 52-68 L:122mm

SUNTOUR NEX 700C 63mm V-BRAKE

SHIMANO TOURNEY ARDTX35D 6-7 SPEED SHIMANO AFDTX51M3 31.8mm 63-66°

SHIMANO ACSHG20I7228 7-SPEED 12-28T

CH-918 1.1/8" STEEL/ALLOY SEMI INTEGRATED

LAPIERRE SP-235 ALLOY L:350mm DIA:27.2mm

SELLE ROYAL SHADOW LADY Royal Gel STEEL RAILS

KMC Z51 1/2"x 3/32" 7.1mm 7-SPEED

SHIMANO ASTEF41 3x7 SPEED

TEKTRO 837AL V-BRAKE SET

HERRMANS DD08B L:120mm

SHIMANO AFHRM307A7LS 36H


CST C-1446 42-622 700X40C

MACH1 ER10 Black / 36H / CNC Side

SHIMANO HBTX800 36H

MACH1 FR10 Black / 36H / CNC Side

	PULSIUM					
	XS	S	M	L	XL	XXL
ST (mm)	460	490	520	550	580	610
IT (mm)	520	530	545	565	585	600
HA (°)	71	71,5	72	72	72,5	73
SA (°)	74,5	74	73,5	73	72,5	72
RC (mm)	412	412	412	412	412	412
HT (mm)	125	145	165	185	210	230
3B (mm)	-72	-72	-69	-69	-67	-67
rk Length	368	368	368	368	368	368
Stack	522	543	560	579	603	624
Reach	375	374	379	388	395	397
NΒ	989	990	997	1012	1023	1026



	SENSIUM						
	XS	S	М	L	XL		
ST (mm)	460	490	520	550	580		
TT (mm)	520	532	547	565	585		
HA (°)	71,5	72	72,5	73	73,5		
SA (°)	74	74,5	73	72,5	72		
RC (mm)	412	412	412	412	412		
HT (mm)	120	140	160	180	200		
BB (mm)	-67	-67	-67	-67	-67		
rk Length	368	368	368	368	368		
Stack	516	537	558	578	599		
Reach	377	378	377	383	390		
NΒ	979	982	983	990	999		



480

530

71,5

412

368

543

374

981

440

515

71

74.5

412

120

-75


368

522

370

965

ADY					AUD	ACIO	Į.
	L		XS	S	M	L	Γ
	520	ST (mm)	460	490	520	550	
	545	TT (mm)	520	532	547	565	
	72	HA (°)	71,5	72	72,5	73	
	73,5	SA (°)	74,5	74	73	72,5	Г
	412	RC (mm)	412	412	412	412	ſ
	160	HT (mm)	120	140	160	180	Г
	-75	BB (mm)	-67,5	-67,5	-67,5	-67,5	
	368	Frk Length	368	368	368	368	Г
	564	Stack	517	537	558	579	
	364	Reach	377	378	376	382	ſ
	987	WB	979	982	983	990	ſ



M L XL XXL

585 600

412 412

-67,5 -67,5

368 368

600 617

390 399

490 520 550 580

	AUDACIO LADY				
	S	M	L		
ST (mm)	440	480	520		
TT (mm)	515	530	545		
HA (°)	71	71,5	72		
SA (°)	74,5	74	73,5		
RC (mm)	412	412	412		
HT (mm)	125	145	170		
BB (mm)	-75	-75	-75		
Frk Length	368	368	368		
Stack	527	548	573		
Reach	369	373	375		
WB	975	982	987		



	CYCLOCROSS					
	S	М	L	XL		
T (mm)	500	540	570	600		
T (mm)	520	540	560	580		
HA (°)	71	71,5	72	72,5		
SA (°)	74,5	74	73,5	73		
RC (mm)	425	425	425	425		
HT (mm)	100	140	160	180		
BB (mm)	-62	-62	-62	-62		
rk Length	368	368	368	368		
Stack	491	531	552	573		
Reach	384	388	397	405		
VB	990	1003	1014	1024		



		SHAP	ER CA		
	XS	S	M	L	XL
(mm)	460	490	520	550	580
(mm)	520	532	547	565	585
\ (°)	71	72	72,5	73	73,5
(°)	74,5	74	73	72,5	72
(mm)	412	412	412	412	412
(mm)	120	140	160	180	200
(mm)	-67	-67	-67	-67	-67
k Length	368	368	368	368	368
ack	516	537	558	578	599
ach	377	378	377	383	390
В	979	982	983	990	999



ST (mm) 440 480 520

74,5 73,5

140 160

-67,5 -67,5

390 390

556 577

396 399

1019 1024 1039

550 570 595

71 72 72,5

420 420 420

M L XL

73

185

-67.5

390

603

411

73

72,5

420

215

-67,5

633

TT REACH	SHAPER 100L
HA HA	ST SA HA
SHAPER ALLOY	SHAPER 300L




RC			
	SHA	PER L	ADY
	S	M	L
ST (mm)	440	480	520
TT (mm)	530	545	565
HA (°)	71	71,5	72
SA (°)	74,5	74	73,5
RC (mm)	420	420	420
HT (mm)	140	160	185
BB (mm)	-75	-75	-75
Frk Length	390	390	390

562 583 374 378 385



			CROSS		
	S	М	L	XL	XXL
ST (mm)	410	460	510	560	600
TT (mm)	550	570	590	610	630
HA (°)	70.5	71	71	71	71
SA (°)	74	73	73	73	73
RC (mm)	440	440	440	440	440
HT (mm)	110	120	140	160	180
BB (mm)	50	50	50	50	50



	CROSS LADY				
	S	М	L		
ST (mm)	410	480	530		
TT (mm)	556,5	582	600		
HA (°)	70	70	70		
SA (°)	73	73	73		
RC (mm)	440	440	440		
HT (mm)	110	120	140		
BB (mm)	62	62	62		

# SIZE GUIDE

## **HOW DO I CHOOSE THE RIGHT SIZE?**

The size of a bike depends first and foremost on the size of the frame, even if it's possible to adjust certain components such as the seat post, the stem and the position of the saddle to fine-tune your set-up. To choose the correct frame size, you'll need to know your style of riding and the kind of bike you're interested in.

The following recommendations will help you choose the right size. If you are hesitating between two sizes, please see your local authorized Lapierre dealer who can help you pick the frame that will be best adapted to your morphology. Please note that two people of the same height may need different sizes, due to differences in torso length.

VTT —							
	XS	S	M	L	XL		
OVERVOLT	100 TO 100	< 1.72	1.70 • 1.82	> 1.80	-		
DH		< 1.74	1.72 • 1.80	> 1.78			
FROGGY		1.50 • 1.68	1.65 • 1.78	1.76 • 1.90	4 -		
SPICY		1.55 • 1.72	1.70 • 1.78	1.76 • 1.86	>1.84		
ZESTY	127 7 1 - 1	1.55 • 1.72	1.70 • 1.78	1.76 • 1.86	>1.84		
X-CONTROL		1.50 • 1.70	1.68 • 1.78	1.76 • 1.86	>1.84		
XR		1.50 • 1.70	1.68 • 1.78	1.76 • 1.86	>1.84		
PRORACE		1.50 • 1.70	1.68 • 1.78	1.76 • 1.86	>1.84		
RAID	< 1,52	1.50 • 1.70	1.68 • 1.78	1.76 • 1.86	>1.84		
LADIES		1.35 • 1.55	1.50 • 1.65	1.60 • 1.75			
KIDS 24		1.35 • 1.55					
KIDS 20	10 11 11	1.20 • 1.35	100				
	* V/						

ROAD ———						
	XS	S	M	L	XL	XXL
AIRCODE	1.55 • 1.60	1.60 • 1.70	1.70 • 1.80	1.80 • 1.88	1.89 • 1.95	>1.95
XELIUS	1.55 • 1.60	1.60 • 1.70	1.70 • 1.80	1.80 • 1.88	1.89 • 1.95	
PULSIUM	1.55 • 1.60	1.60 • 1.70	1.70 • 1.80	1.80 • 1.88	1.89 • 1.95	>1.95
SENSIUM	1.55 • 1.60	1.60 • 1.70	1.70 • 1.80	1.80 • 1.88	1.89 • 1.95	
AUDACIO	1.55 • 1.60	1.60 • 1.70	1.70 • 1.80	1.80 • 1.88	1.89 • 1.95	>1.95
SHAPER Carbon	1.55 • 1.60	1.60 • 1.70	1.70 • 1.80	1.80 • 1.88	1.89 • 1.95	
SHAPER Alu	4 300	1.50 • 1.60	1.60 • 1.75	1.75 • 1.85	1.85 • 1.95	
CYCLO-CROSS	-	1.50 • 1.60	1.60 • 1.75	1.75 • 1.85	1.85 • 1.95	
LADIES	2.0	1.55 • 1.65	1.60 • 1.75	1.70 • 1.85	100	
		100	1 MON.	MAYRO	ARE IN I	
		_ = =			CANAL CO.	

		M	L	XL	XXL
OVERVOLT TREKKING	1.50 • 1.70	1.70 • 1.85	1.85 • 1.95	2 1 22	-
OVERVOLT URBAN	1.50 • 1.70	1.70 • 1.90		- 1	
URBAN SHAPER	1.50 • 1.60	1.60 • 1.75	1.75 • 1.85	1.85 • 1.95	
CROSS	1.50 • 1.60	1.60 • 1.75	1.75 • 1.85	1.85 • 1.95	>1.95
CITY	1.50 • 1.60	1.60 • 1.75	1.75 • 1.85	1.85 • 1.95	
LADIES	1.55 • 1.65	1.60 • 1.75	1.75 • 1.85		
				×	



# **PHOTOS**

JEAN-LUC ARMAND

DAVE TRUMPORE

MANU MOLLE

DAMIAN MCARTHUR

SVEN MARTIN

PARIS GORE

COLIN MEAGHER

NICOLAS JOLY

NICOLAS BRIZIN - 26IN

TITO TOMASI

HERVÉ LAYES

CLÉMENT BOËS

NICOLAS GÖTZ

SIROTTI

PRESSE-SPORTS

PHOTOGRAPHIC

# ARTISTIC DIRECTION & GRAPHIC CREATION

# SPECIAL THANKS TO

LES GETS
PORTES DU SOLEIL
VELOROC CAVAILLON
IXS

**EDEN PARK** 

<del>-----</del> 214 -

<del>---</del> 215 ·



# LAPIERRE

-- PLUS QU'UNE MARQUE, UN NOM ----



RUE EDMOND VOISENET BP 50573 - 21005 DIJON CEDEX FRANCE contact@lapierrebikes.com

LAPIERREBIKES.COM