

TABLEAU DES TAILLES - SIZE CHART

Comment choisir la taille de votre vélo ?

La taille d'un vélo dépend en premier lieu de la taille du cadre, même s'il est ensuite possible d'ajuster légèrement en combinant longueur de potence, sortie et recul de selle. Pour choisir son vélo, il faut se demander quelle taille de cadre de vélo vous convient le mieux en fonction de votre morphologie et de votre pratique.

Vous pouvez vérifier la taille de votre vélo à l'aide des chiffres que nous vous donnons à titre indicatif. Si vous hésitez entre deux tailles, merci de vous adresser à votre détaillant qui pourra vous guider dans votre choix en fonction de votre morphologie.

How do i choose the right size ?

The size of a bike depends first and foremost on the size of the frame, even if it's possible to adjust certain components such as the seatpost, the stem and the position of the saddle to fine-tune your set-up. To choose the correct frame size, you'll need to know your style of riding and the kind of bike you're interested in.

The following recommendations will help you choose the right size. If you are hesitating between two sizes, please see your local authorized Lapierre dealer who can help you pick the frame that will be best adapted to your morphology.

SIZE	XS	S	M	L	XL
SPICY	-	1.55 • 1.70	1.70 • 1.80	1.78 • 1.88	> 1.86
eZESTY AM	-	-	1.70 • 1.80	1.78 • 1.88	> 1.86
ZESTY AM	-	1.55 • 1.70	1.70 • 1.80	1.78 • 1.88	> 1.86
X-CONTROL	-	1.50 • 1.70	1.68 • 1.78	1.76 • 1.86	> 1.84
XR	-	1.50 • 1.70	1.68 • 1.78	1.76 • 1.86	> 1.84
PRORACE SAT	-	1.50 • 1.70	1.68 • 1.78	1.76 • 1.86	> 1.84
PRORACE ALLOY	<1.50	1.50 • 1.70	1.68 • 1.78	1.76 • 1.86	> 1.84
EDGE 27"	1.45 • 1.55	1.50 • 1.70	1.68 • 1.78	1.76 • 1.86	-
EDGE 29"	-	1.50 • 1.70	1.68 • 1.78	1.76 • 1.86	> 1.84
WOMEN SERIES	-	1.35 • 1.55	1.50 • 1.65	1.60 • 1.75	-
X-CONTROL W	-	1.35 • 1.55	1.50 • 1.65	1.60 • 1.75	-
PRORACE ALLOY W,EDGE W	-	1.35 • 1.55	1.50 • 1.65	1.60 • 1.75	-

VTT

MTB

[MTB]



MARQUE / BRAND	FAZUA	FAZUA
Batterie Battery	252 Wh • 36V 1,4Kg • Lithium-ion	252 Wh • 36V 1,4Kg • Lithium-ion
Autonomie (selon usage) Autonomy (depending on usage)	20 > 75 kms	20 > 75 kms
Temps de recharge Recharge time	3h30	3h30
Rechargement Recharging	<ul style="list-style-type: none"> Batterie sécurisée Une clé pour la batterie et le cadenas (selon le modèle) Recharge en place sur le vélo ou hors du vélo Facile à installer et retirer 	<ul style="list-style-type: none"> Locked battery One key for the battery & lock (according to the model) Rechargeable on or off the bike Easy to install and take-off: sideways engagement
Moteur Motor	Système complet = 5 kg	Full system • 5 kg
Puissance Power	400W • 36V	400W • 36V
Vitesse maximum Maximum speed	25 km/h	25 km/h
Couple maximum Maximum torque	60 Nm en mode ROCKET	60 Nm in ROCKET mode
Modes d'assistance Assistance modes	<ul style="list-style-type: none"> 3 niveaux d'assistance : <ul style="list-style-type: none"> BREEZE : le mode le plus économique (125W) RIVER : mode intermédiaire (250W) ROCKET : pleine puissance à utiliser seulement dans les portions difficiles (400W) Fonction d'aide à la marche. 	<ul style="list-style-type: none"> 3 assistance levels: <ul style="list-style-type: none"> BREEZE : Economical mode (125W) RIVER : Intermediary mode (250W) ROCKET : Full boost assistance that you should use only in the hardest sections Walk mode
Console Console	<ul style="list-style-type: none"> Manette de changement de mode d'assistance au cintre Signale lumineux pour indiquer le niveau d'assistance Option Bluetooth 	<ul style="list-style-type: none"> Shifter of assistance mode attached to the handlebar Lighting signal as an indicator of the mode of assistance Bluetooth option
Modèles Models	eZesty AM LTD Ultimate eZesty AM 9.0 Ultimate	eZesty AM LTD Ultimate eZesty AM 9.0 Ultimate

**OST+ XR**

Notre suspension brevetée OST+ pour un maximum de confort et une efficacité au pédalage optimale. Basée sur une cinématique à point de pivot virtuel, l'effet de pompage induit par le pédalage est en permanence contré par l'effort exercé par la chaîne. Le point de pivot virtuel ramène systématiquement la suspension en position d'équilibre pour empêcher toute apparition de kickback. La courbe de suspension se montre très sensible sur les petits chocs puis plus progressive en fin de course.

**FPS+ X-CONTROL**

Basée sur un cinématique à point de pivot virtuel, la suspension FPS+ donne au X-Control une motricité sans égal et le rend imbattable au pédalage. La conception de la cinématique FPS+ est telle qu'elle permet de garder le point de pivot virtuel au plus proche de la ligne de chaîne. En situation de pédalage, dès que le triangle arrière s'écarte de sa position d'équilibre, il est ramené par la tension de la chaîne. Le phénomène de pompage est ainsi contré avant même de pouvoir s'amplifier : le vélo est stabilisé et la roue arrière colle littéralement au sol, offrant une adhérence incomparable !

**FIT ZESTY - SPICY**

Les modèles FIT s'adaptent à la morphologie de chaque pilote et notamment à leur taille, afin de répondre aux besoins spécifiques et procurer les meilleures sensations de ride possible. Ainsi la rigidité structurelle est adaptée en fonction des tailles vélos. Tout comme les composants : la taille des roues, longueur de manivelle, épaisseur des grippes, denture pédalier (réduction des dentures à modèle équivalent), largeur de cintre, débattement tige de selle et le débattement.

**LP BOX ZESTY - SPICY**

Dans un soucis d'intégration et de fonctionnalité, la LP Box située à côté du BB vous permet d'y loger une chambre à air et autres objets utiles en cas de dépannage afin que vous puissiez rider tout en légèreté.

**TDT (TRAPDOOR TECHNOLOGY) XR - PRORACE**

Ce brevet déposé par Lapierre permet le placement de la batterie Di2 dans le cadre au niveau du boîtier de pédalier. Facilement accessible via un cache de protection, cette technologie possède un double avantage : elle facilite la vie des mécaniciens et permet également d'abaisser le centre de gravité avec un poids au plus près du sol.

**POWERBOX TECHNOLOGY PRORACE**

La technologie PowerBox englobe le tube diagonal, le boîtier de pédalier et les bases arrières comme un ensemble dédié à la performance. Une rigidité latérale accrue pour un maximum de réactivité, une transmission maximale de la puissance de pédalage, que ce soit sur des accélérations franches, en montée ou en sprint.

**SAT (SHOCK ABSORPTION TECHNOLOGY) PRORACE SAT**

Un élastomère qui relie le tube supérieur et le tube de selle permet d'absorber et de dissiper les vibrations, pour un meilleur confort et une meilleure tenue de route. Les vibrations (verticales) sont filtrées par les haubans, puis le rubber et enfin le tube de selle. Le pouvoir d'absorption réside principalement dans nos méthodes de construction carbone et la technologie SAT permet d'accentuer ce pouvoir de flexion notamment au niveau du tube de selle en l'isolant du reste du cadre. Un confort inégalé sur les longues distances et routes difficiles.

**TECHNOLOGIE ALUMINIUM**

Le choix du matériau de votre cadre est déterminant pour les performances de votre vélo. Nous travaillons sans relâche pour perfectionner nos cadres en aluminium. En travaillant avec les meilleurs spécialistes de l'industrie, nous avons créé un alliage très haut de gamme : Alloy Supreme. 3 niveaux de résistance et de poids. Le Supreme 6, 12% plus résistant et 1,5% plus léger que l'aluminium Alu 7005, c'est un alliage d'une longévité exceptionnelle.

**TECHNOLOGIE CARBONE**

Chez Lapierre, nous utilisons 4 types de fibres distinctes avec des caractéristiques qui leur sont propres. En utilisant ces différentes fibres, nos ingénieurs sont en mesure d'adapter la rigidité, la souplesse et la résistance nécessaires aux zones du cadre directement concernées. La fibre Haute Résistance est celle dont vous aurez besoin pour l'absorption et le confort : tige de selle, bases, haubans voire même un cadre tout entier, tandis que la fibre Très Haut Module sera d'une efficacité et d'une rigidité à toute épreuve. Les fibres que nous utilisons : Haute résistance (24 tonnes), module intermédiaire (30 tonnes), haut module (40 tonnes) et très haut module (46 tonnes).

**TDT (TRAPDOOR TECHNOLOGY) XR - PRORACE**

This Lapierre patent pending Technology integrates the Di2 battery neatly in the frame. With a quick and easy trap door to access, TDT makes the mechanics job faster and lowers the centre of gravity, making pedalling more efficient.

**POWERBOX TECHNOLOGY PRORACE**

Power Box technology is made up of the down tube, bottom bracket shell and chainstays, which comprise one performance-dedicated whole. Increased lateral stiffness for maximum responsiveness and best possible pedal-power transfer, whether during bursts of acceleration, climbs or sprints.

**SAT (SHOCK ABSORPTION TECHNOLOGY) PRORACE SAT**

An elastomer damper between top tube and seat tube, which absorbs and dissipates vibration for better comfort and roadholding. Vertical vibration is cut out by the seatstays, then by the rubber and, lastly, by the seat tube. SAT's shock-absorption capacity is mainly based on our carbon build methods and it makes it possible, in particular, to produce seat tubes that flex more, since they are cut off from the rest of the frame. The elastomer damper acts as a buffer for better cushioning of bumps and vibration. Unbeatable comfort over long distances and on tough road surfaces.

**ALLOY TECHNOLOGY**

The material chosen for your frame is critical to your bike's performance. We work tirelessly to perfect our aluminium frames. Working with the best specialists in the industry, we have created our very high-end Alloy Supreme. It has three levels of strength and weight. Supreme 6 is 12% stronger and 1.5% lighter than Alu 7005 aluminium. It is an exceptionally durable alloy.



4
SUPREME
By Tubing Design

LIGHT : +
RESISTANCE : +



5
SUPREME
By Multi-Balanced
Tubing Design

LIGHT : ++
RESISTANCE : ++



6
SUPREME
Hydroformed By
Multi-Balanced
Tubing Design

LIGHT : +++
RESISTANCE : +++

**CARBON TECHNOLOGY**

We at Lapierre use four distinct fibre types, each with its own characteristics. Our engineers can use these different fibres to adapt the stiffness, flex and strength needed for the parts of the frame in question. High-strength fibre is what you will need for shock absorption and comfort: seatpost, chainstays, seatstays or even the whole frame. Very high-modulus, meanwhile, will have unyielding stiffness and efficiency. In our MTBs, we use 4 different type of fibres and we know how to get the best of each one: high resistance (24 tons), intermediate modulus (30 tons), high modulus (40 tons) and very high modulus (46 tons).

**WHEEL SIZE**

The right diameter for the right discipline. Our different MTB wheel sizes enable us to provide you with the best bike for the way you ride, for your favourite terrain and for your build. The 29" is the ultimate weapon for X-country competition and trails because it boasts increased stability and grip at high speeds for technical sections and downhills, thanks to the tire's greater surface area. Perfectly suited to all-mountain and enduro, the 27.5" represents the perfect compromise between handling, responsiveness and rollover. The 27.5+ is more fun and reassuring because of its better comfort and grip, particularly when braking. This standard is perfectly suited to power-assisted MTBs and to MTBs from our sport range.


SPICY FIT



SPICY FIT ULTIMATE OVERVIEW

GÉOMÉTRIE 27.5" 29" GEOMETRY

Size	S	M	M	L	XL
ST (mm)	400	430	430	460	500
TT (mm)	573	607	610	639	668
HA (°)	64,5	64,5	65	65	65
SA (°)	75	75	74,5	74,5	74,5
RC (mm)	425	425	433	433	433
HT (mm)	90	105	105	120	135
BB (mm)	-15	-15	-28	-28	-28
Frk Travel	170	170	160	160	160
Frk Length	580	580	570	570	570
Frk Offset	42	42	42	42	42
Stack	602	615	622	636	649
Reach	415	445	440	465	490
WB	1163	1200	1195	1227	1258



27.5" 29"
User → S 155-170 M 170-180 L 178-188 XL >186
Ref. → C27XS700 C27XM700 C27XM900 C27XL900 C27XXL90

ENDURO



SPICY FIT TEAM ULTIMATE



SPICY FIT 5.0 ULTIMATE



Cadre - Frame
NEW SPICY FIT FULL CARBON ULTIMATE 170mm (27.5), 160mm (29) travel
PRESSFIT, BOOST, METRIC, THRU AXLE

Fourche - Fork
NEW ROCKSHOX LYRIK RCT3 CHARGER 2 BOOST 15x110 170MM (27.5), 160MM (29)

Amortisseur - Shock
ROCKSHOX SUPER DELUXE COIL RCT TRUNNION

Dérailleur arrière - Rear Derailleur
SRAM X01 EAGLE CARBON 12SPD

Pédalier - Crankset
NEW SRAM DESCENDANT CARBON EAGLE BOOST 148 DUB 12SPD.
32T (S/27.5), 34T (M/27.5), 32T (M, L, XL/29)

Boîtier Pédailler - Bottom Bracket
NEW DUB PRESS FIT MTB 92

Cassette - Sprocket
SRAM XG1295 EAGLE 10-50 12SPD

Chaîne - Chain
SRAM GX EAGLE 12SPD

Freins (avt-arr) - Brakes (front-rear)
SRAM GUIDE RSC

Disques - Rotors
SRAM CENTERLINE ROUNDED 200/200

Levier - Shiftlevers
SRAM X01 EAGLE MATCHMAKER 12SPD

Jeu de direction - Headset
FSA ORBIT ZERO STACK + ANGLESET 0.5°

Cintre - Handlebar
RACEFACE SIXC CARBON 20MM RISE 785MM

Poignées - Grips
LP LOCK-ON

Potence - Stem
NEW LP FULL CNC 0° 35MM (S, M, L), 45MM (XL)

Tige de selle - Seatpost
LP 7075 DROPPER 100(S), 125(M), 150(L, XL)

Selle - Saddle
NEW Lapierre CRMO by Velo

Roues Complètes - Wheelset
DT SWISS EX1501 SPLINE BOOST 30c TUBELESS READY

Pneus - Tires
NEW MICHELIN WILD ENDURO FRONT/REAR 27.5x2.40 (S, M), 29x2.40 (M, L, XL)

Pédales - Pedals
NW-91K

Accessoires - Accessories
TUBELESS TAPE + VALVES

Cadre - Frame
NEW SPICY FIT FULL CARBON ULTIMATE 170mm (27.5), 160mm (29) travel
PRESSFIT, BOOST, METRIC, THRU AXLE

Fourche - Fork
NEW FOX 36 FLOAT PERFORMANCE BOOST 15x110 170MM (27.5), 160MM (29)

Amortisseur - Shock
FOX DHX2 PERFORMANCE ELITE TRUNNION

Dérailleur arrière - Rear Derailleur
SRAM GX EAGLE 12SPD

Pédalier - Crankset
NEW SRAM DESCENDANT 7K EAGLE BOOST 148 DUB 12SPD.
32T (S/27.5), 34T (M/27.5), 32T (M, L, XL/29)

Boîtier Pédailler - Bottom Bracket
NEW DUB PRESS FIT MTB 92

Cassette - Sprocket
NEW SRAM PG1230 EAGLE 11-50 12SPD

Chaîne - Chain
NEW SRAM NX EAGLE 12SPD

Freins (avt-arr) - Brakes (front-rear)
SRAM GUIDE R

Disques - Rotors
SRAM CENTERLINE ROUNDED 200/200

Levier - Shiftlevers
SRAM NX EAGLE MATCHMAKER 12SPD

Jeu de direction - Headset
FSA ORBIT ZERO STACK + ANGLESET 0.5°

Cintre - Handlebar
LP 6061DB 760MM (S), 780 (M, L, XL) 20MM RISE, 31.8 BAR BORE

Poignées - Grips
LP LOCK-ON

Potence - Stem
NEW LP FULL CNC 0° 35MM (S, M, L), 45MM (XL)

Tige de selle - Seatpost
LP 7075 DROPPER 100(S), 125(M), 150(L, XL)

Selle - Saddle
NEW Lapierre CRMO by Velo

Moyeu avant - Front hub
LAPIERRE BY FORMULA DC-511, BOOST 15x110, 32H

Moyeu arrière - Rear hub
LAPIERRE BY FORMULA LA-148S, 4 SEALED BEARINGS, BOOST 12x148, 32H

Jantes - Rims
MAVIC EX630 32H, TUBELESS READY

Pneus - Tires
NEW MICHELIN WILD ENDURO FRONT/REAR 27.5x2.40 (S, M), 29x2.40 (M, L, XL) (1)

Pédales - Pedals
NW-91K

Accessoires - Accessories
TUBELESS TAPE + VALVES


OVERSEAS : (1) Maxxis HIGH ROLLER II WT 2.5 FRONT, 2.4 REAR

MTB

OVERVIEW

GÉOMÉTRIE / GEOMETRY

	27.5"		29"		
Size	S	M	M	L	XL
ST (mm)	400	430	430	460	500
TT (mm)	573	607	610	639	668
HA (°)	64,5	64,5	65	65	65
SA (°)	75	75	74,5	74,5	74,5
RC (mm)	425	425	433	433	433
HT (mm)	90	105	105	120	135
BB (mm)	-15	-15	-28	-28	-28
Frk Travel	170	170	160	160	160
Frk Length	580	580	570	570	570
Frk Offset	42	42	42	42	42
Stack	602	615	622	636	649
Reach	415	445	440	465	490
WB	1163	1200	1195	1227	1258



ENDURO



- Cadre - Frame
NEW SPICY FIT SUPREME 5 170mm (27.5), 160mm (29) travel PRESSFIT, BOOST, METRIC, THRU AXLE
- Jeu de direction - Headset
FSA ORBIT ZERO STACK + ANGLESET 0°
- Cintre - Handlebar
LP 6061DB 760MM (S), 780 (M, L, XL) 20MM RISE, 31.8 BAR BORE
- Poignées - Grips
LP LOCK-ON
- Potence - Stem
NEW LP FULL CNC 0° 35MM (S, M, L), 45MM (XL)
- Tige de selle - Seatpost
LP DROPPER by JD 80(S), 100(M), 125 (L, XL)
- Selle - Saddle
NEW Lapierre CRMO by Velo
- Moyeu avant - Front hub
LAPIERRE BY FORMULA DC-511, BOOST 15x110, 32H
- Moyeu arrière - Rear hub
LAPIERRE BY FORMULA LA-148S, 4 SEALED BEARINGS, BOOST 12x148, 32H
- Jantes - Rims
MAVIC EX630 32H, TUBELESS READY
- Pneus - Tires
NEW MICHELIN WILD ENDURO FRONT/REAR 27.5x2.40 (S, M), 29x2.40 (M, L, XL) (1)
- Pédales - Pedals
NW-91K
- Accessoires - Accessories
TUBELESS TAPE + VALVES

Ref. → C270

eZESTY AM ULTIMATE

OVERVIEW




**eZESTY
ZESTY
AM**
all mountain

FAZUA

GÉOMÉTRIE

Size	M	L	XL
ST (mm)	430	460	500
TT (mm)	606	636	666
HA (°)	65,5	65,5	65,5
SA (°)	75	75	75
RC (mm)	435	435	435
HT (mm)	130	145	160
BB (mm)	-15	-15	-15
Frk Travel	150	150	150
Frk Length	540	540	540
Frk Offset	42	42	42
Stack	607	621	635
Reach	443	470	496
WB	1194	1227	1259

GEOMETRY



User

M 170-180

L 178-188

XL >186



Ref.

C05X4300

C05X4600

C05X5000

ALL MOUNTAIN



eZESTY AM LTD ULTIMATE



Pour plus d'information, voir p. 60.
[Moteurs Overview].
To find out more, see page 60.
[Overview Motors].



eZESTY AM 9.0 ULTIMATE



Pour plus d'information, voir p. 60.
[Moteurs Overview].
To find out more, see page 60.
[Overview Motors].



Cadre - Frame
NEW eZESTY AM FULL CARBON ULTIMATE 150mm travel, BOOST, METRIC, THRU AXLE

Système - System
NEW FAZUA EVATION 1.0 DRIVE PACK + 250Wh BATTERY PACK

Fourche - Fork
NEW FOX 36 FLOAT FACTORY KASHIMA BOOST 15x110 160mm

Amortisseur - Shock
FOX FLOAT DPS FACTORY KASHIMA LV EVOL TRUNNION

Dérailleur arrière - Rear Derailleur
SRAM X01 CARBON EAGLE 12SPD

Pédalier - Crankset
NEW FSA CARBON e-Bike ISIS 170MM w/SRAM XSYNC II 32T RING

Cassette - Sprocket
NEW SRAM PG1230 EAGLE 11-50 12SPD

Chaîne - Chain
NEW SRAM NX EAGLE 12SPD

Freins (avt-arr) - Brakes (front-rear)
SRAM GUIDE RE

Disques - Rotors
SRAM CENTERLINE 200/200

Levier - Shiftevers
SRAM GX EAGLE MATCHMAKER SINGLE CLICK 12SPD

Jeu de direction - Headset
FSA ORBIT ZERO STACK

Cintre - Handlebar
RACE FACE SIXC CARBON 20MMx785MM

Poignées - Grips
LP LOCK-ON

Potence - Stem
NEW LP FULL CNC 0° 35MM (M, L), 45MM (XL)

Tige de selle - Seatpost
LP CARBON DROPPER 125(M), 150 (L, XL)

Selle - Saddle
NEW Lapierre CRM by Velo

Roues Complètes - Wheelset
LP eAM+ CARBON 584x33 BOOST, TUBELESS READY

Pneus - Tires
NEW MAXXIS HIGH ROLLER II WIDE TRAIL 27.5x2.5 3C MAXXTERRA EXO FRONT & REAR

Pédales - Pedals
NW-91K

Accessoires - Accessories
TUBELESS TAPE + VALVES FAZUA CHARGER 2A

Cadre - Frame
NEW eZESTY AM FULL CARBON ULTIMATE 150mm travel, BOOST, METRIC, THRU AXLE

Système - System
NEW FAZUA EVATION 1.0 DRIVE PACK + 250Wh BATTERY PACK

Fourche - Fork
NEW FOX 36 FLOAT PERFORMANCE BOOST 15x110 150mm

Amortisseur - Shock
FOX FLOAT DPS PERFORMANCE LV EVOL TRUNNION

Dérailleur arrière - Rear Derailleur
SRAM GX EAGLE 12SPD

Pédalier - Crankset
NEW FSA Alloy e-Bike ISIS 170MM w/SRAM XSYNC II 32T RING

Cassette - Sprocket
NEW SRAM PG1230 EAGLE 11-50 12SPD

Chaîne - Chain
NEW SRAM NX EAGLE 12SPD

Freins (avt-arr) - Brakes (front-rear)
SRAM GUIDE RE

Disques - Rotors
SRAM CENTERLINE ROUNDED 200/200

Levier - Shiftevers
SRAM GX EAGLE MATCHMAKER SINGLE CLICK 12SPD


MTB



ZESTY AM FIT ULTIMATE OVERVIEW

GÉOMÉTRIE 27.5" 29" GEOMETRY

Size	S	M	M	L	XL
ST (mm)	400	430	430	460	500
TT (mm)	571	605	608	637	666
HA (°)	65,5	65,5	66	66	66
SA (°)	75,7	75,7	75	75	75
RC (mm)	425	425	433	433	433
HT (mm)	90	105	105	120	135
BB (mm)	-20	-20	-32	-32	-32
Frk Travel	150	150	140	140	140
Frk Length	560	560	550	550	550
Frk Offset	42	42	42	42	42
Stack	594	608	613	627	641
Reach	420	450	445	470	495
WB	1157	1194	1188	1218	1250




27.5" 29"

User → S 155-170 M 170-180 L 178-188 XL >186

Ref. → C27XS700 C27XM700 C27XM900 C27XL900 C27XL90

ZESTY AM FIT 8.0 ULTIMATE



ALL MOUNTAIN



- Cadre - Frame
NEW ZESTY AM FIT FULL CARBON ULTIMATE
150mm (27.5), 140mm (29) travel PRESSFIT, BOOST, METRIC, THRU AXLE
- Fourche - Fork
NEW FOX 34 FACTORY KASHIMA BOOST 150MM (27.5), 140MM (29)
- Amortisseur - Shock
NEW FOX DPX2 FACTORY KASHIMA TRUNNION
- Dérailleur arrière - Rear Derailleur
SRAM X01 EAGLE CARBON 12SPD
- Pédalier - Crankset
NEW SRAM X1 CARBON EAGLE BOOST148 DUB 12SPD.
32T (S/27.5), 34T (M/27.5), 32T (M, L, XL/29)
- Boîtier Pédalier - Bottom Bracket
NEW DUB PRESS FIT MTB 92
- Cassette - Sprocket
SRAM XG1275 EAGLE 10-50 12spd
- Chaîne - Chain
SRAM GX EAGLE
- Freins (avt-arr) - Brakes (front-rear)
SRAM GUIDE RS
- Disques - Rotors
SRAM CENTERLINE ROUNDED 180/180 (27.5), 200/180 (29)
- Levier - Shiftevers
SRAM GX EAGLE MATCHMAKER 12SPD
- Jeu de direction - Headset
FSA ORBIT ZERO STACK + ANGLESET 0°
- Cintre - Handlebar
LP 6061DB 760MM (S,M), 780 (L,XL), 15MM RISE, 31.8 BAR BORE
- Poignées - Grips
LP LOCK-ON
- Potence - Stem
NEW LP FULL CNC 0° 35MM (S, M, L), 45MM (XL)
- Tige de selle - Seatpost
LP 7075 DROPPER 100(S), 125(M), 150 (L, XL)
- Selle - Saddle
NEW Lapierre CRMO by Velo
- Roues Complètes - Wheelset
NEW LAPPIRE AM CARBON 27.5x30c (S, M), 29x30c (M, L, XL), BOOST, XD DRIVER
- Pneus - Tires
MAXXIS HIGH ROLLER II WIDE TRAIL 27.5x2.4 (S, M), 29x2.5 (M, L, XL) FRONT.
MAXXIS HR II 27.5x2.4 (S,M), MINION DHR 29x2.4 WT (M, L, XL) REAR
- Pédales - Pedals
NW-91K
- Accessoires - Accessories
TUBELESS TAPE + VALVES

Ref. → C277

ZESTY AM FIT 5.0 ULTIMATE



Cadre - Frame
NEW ZESTY AM FIT FULL CARBON ULTIMATE
150mm (27.5), 140mm (29) travel PRESSFIT, BOOST, METRIC, THRU AXLE

Fourche - Fork
NEW ROCKSHOX REVELATION RC MOTION CONTROL BOOST 150MM (27.5), 140MM (29)

Amortisseur - Shock
NEW ROCKSHOX DELUXE RT TRUNNION

Dérailleur arrière - Rear Derailleur
SRAM GX EAGLE 12SPD

Pédalier - Crankset
NEW SRAM X01 CARBON EAGLE BOOST148 DUB 12SPD. 32T (S/27.5), 34T (M/27.5), 32T (M, L, XL/29)

Boîtier Pédalier - Bottom Bracket
NEW DUB PRESS FIT MTB 92

Cassette - Sprocket
NEW SRAM PG1230 EAGLE 11-50 12spd

Chaîne - Chain
NEW SRAM NX EAGLE 12SPD

Freins (avt-arr) - Brakes (front-rear)
SRAM GUIDER

Disques - Rotors
SRAM CENTERLINE ROUNDED 180/180 (27.5), 200/180 (29)

Levier - Shiftlevers
NEW SRAM NX EAGLE MATCHMAKER 12SPD

Jeu de direction - Headset
FSA ORBIT ZERO STACK + ANGLESET 0.5°

Cintre - Handlebar
LP 6061DB 760MM (S,M), 780 (L,XL), 15MM RISE, 31.8 BAR BORE

Poignées - Grips
LP LOCK-ON

Potence - Stem
NEW LP FULL CNC 0° 35MM (S, M, L), 45MM (XL)

Tige de selle - Seatpost
LP 7075 DROPPER 100(S), 125(M), 150 (L, XL)

Selle - Saddle
NEW Lapierre CRMO by Velo

Moyeu avant - Front hub
LAPIERRE BY FORMULA DC-7131 TORQUE CAPS, BOOST 15x110, 32H

Moyeu arrière - Rear hub
LAPIERRE BY FORMULA LA-148S, 4 SEALED BEARINGS, BOOST 12x148, 32H

Jantes - Rims
LP AM - FRONT : 27.5x30c (S, M), 29x30c (M, L, XL) (1)
REAR : 27.5x27c (S, M), 29x27c (M, L, XL). TUBELESS READY.32H (1)

Pneus - Tires
MAXXIS HIGH ROLLER II WIDE TRAIL 27.5x2.4 (S, M), 29x2.5 (M, L, XL) FRONT.
MAXXIS HIGH ROLLER II 27.5x2.4 (S,M), MINION DHR 29x2.4 WT (M, L, XL)

Pédales - Pedals
NW-91K

Accessoires - Accessories
TUBELESS TAPE + VALVES


OVERSEAS : (1) Mavic EX630 FRONT EN627 REAR

ZESTY AM FIT

OVERVIEW

GÉOMÉTRIE / GEOMETRY

Size	S	M	M	L	XL
ST (mm)	400	430	430	460	500
TT (mm)	571	605	608	637	666
HA (°)	65,5	65,5	66	66	66
SA (°)	75,7	75,7	75	75	75
RC (mm)	425	425	433	433	433
HT (mm)	90	105	105	120	135
BB (mm)	-20	-20	-32	-32	-32
Frk Travel	150	150	140	140	140
Frk Length	560	560	550	550	550
Frk Offset	42	42	42	42	42
Stack	594	608	613	627	641
Reach	420	450	445	470	495
WB	1157	1194	1188	1218	1250



ALL MOUNTAIN



ZESTY AM FIT 4.0

 **FIT**
FIT CONCEPT
 **5**
ALU SUPREME 5
FRAME
 **1x12**
SPEED
 **29"**
WHEEL
SIZE

ZESTY AM FIT 3.0

 **FIT**
FIT CONCEPT
 **5**
ALU SUPREME 5
FRAME
 **1x11**
SPEED
 **29"**
WHEEL
SIZE



 Cadre - Frame
NEW ZESTY AM FIT SUPREME 5 150mm (27.5), 140mm (29) travel PRESSFIT, BOOST, METRIC, THRU AXLE

 Fourche - Fork
NEW ROCKSHOX REVELATION RC MOTION CONTROL BOOST 150MM (27.5), 140MM (29)

 Amortisseur - Shock
NEW ROCKSHOX DELUXE RT TRUNNION

 Dérailleur arrière - Rear Derailleur
NEW SRAM NX EAGLE 12SPD

 Pédalier - Crankset
NEW SRAM NX EAGLE BOOST148 DUB 12SPD.32T (S/27.5), 34T (M/27.5), 32T (M, L, XL/29)

 Boîtier Pédalier - Bottom Bracket
NEW DUB PRESS FIT MTB 92

 Cassette - Sprocket
NEW SRAM PG1230 EAGLE 11-50 12spd

 Chaîne - Chain
NEW SRAM NX EAGLE

 Freins (avt-arr) - Brakes (front-rear)
NEW SRAM GUIDE T

 Disques - Rotors
SRAM CENTERLINE ROUNDED 180/180 (27.5), 200/180 (29)

 Levier - Shifters
NEW SRAM NX EAGLE 12SPD

 Jeu de direction - Headset
FSA ORBIT ZERO STACK + ANGLESET 0.5°

 Cintre - Handlebar
LP 6061DB 760MM (S, M), 780 (L, XL), 15MM RISE, 31.8 BAR BORE

 Poignées - Grips
LP LOCK-ON

 Potence - Stem
NEW LP FULL CNC 0° 35MM (S, M, L), 45MM (XL)

 Tige de selle - Seatpost
LP DROPPER by JD 80(S), 100(M), 125 (L, XL)

 Selle - Saddle
NEW Lapierre CRM0 by Velo

 Moyeu avant - Front hub
LAPIERRE BY FORMULA DC-511, BOOST 15x110, 32H

 Moyeu arrière - Rear hub
LAPIERRE BY FORMULA LA-148S, 4 SEALED BEARINGS, BOOST 12x148, 32H

 Jantes - Rims
LP AM - FRONT : 27.5x30c (S, M), 29x30c (M, L, XL),
REAR : 27.5x27c (S, M), 29x27c (M, L, XL). TUBELESS READY. 32H (1)

 Pneus - Tires
MAXXIS HIGH ROLLER II WIDE TRAIL 27.5x2.4 (S, M), 29x2.5 (M, L, XL) FRONT.
MAXXIS HIGH ROLLER II 27.5x2.4 (S, M), MINION DHR 29x2.4 WT (M, L, XL)

 Pédales - Pedals
NW-91K

 Accessoires - Accessories
TUBELESS TAPE + VALVES

OVERSEAS : (1) Mavic EX630 DISC FRONT, EN627 DISC REAR

 Cadre - Frame
NEW ZESTY AM FIT SUPREME 5 150mm (27.5), 140mm (29) travel PRESSFIT, BOOST, METRIC, THRU AXLE

 Fourche - Fork
NEW ROCKSHOX SEKTOR RL BOOST 150MM (27.5), 140MM (29)

 Amortisseur - Shock
NEW LAPIERRE AF2 AIR TRUNNION METRIC REBOUND & LOCKOUT

 Dérailleur arrière - Rear Derailleur
SRAM NX 11SPD

 Pédalier - Crankset
FSA GAMMA PRO 1x MEGA EXO, 1x11, 30T

 Boîtier Pédalier - Bottom Bracket
FSA PRESS FIT BB92 MEGA EXO

 Cassette - Sprocket
SUNRACE CSM8 11SPD 11-46

 Chaîne - Chain
SRAM PC1110 11SPD

 Freins (avt-arr) - Brakes (front-rear)
NEW SHIMANO MT400

 Disques - Rotors
SHIMANO SM-RT30 180MM

 Levier - Shifters
SRAM NX 11SPD

 Jeu de direction - Headset
FSA ORBIT ZERO STACK + ANGLESET 0.5°

 Cintre - Handlebar
LP 6061DB 760MM, 15MM RISE, 31.8 BAR BORE

 Poignées - Grips
LP LOCK-ON

 Potence - Stem
LP ALLOY 0° 35MM (S, M, L), 45MM (XL)

 Tige de selle - Seatpost
LP DROPPER by JD 80(S), 100(M), 125 (L, XL)

 Selle - Saddle
NEW Lapierre CRM0 by Velo

 Moyeu avant - Front hub
NEW SHIMANO MT400, BOOST 15x110, CENTERLOCK, 32H

 Moyeu arrière - Rear hub
NEW SHIMANO MT400, BOOST 12x148, CENTERLOCK, 32H

 Jantes - Rims
LP AM - FRONT : 27.5x30c (S, M), 29x30c (M, L, XL),
REAR : 27.5x27c (S, M), 29x27c (M, L, XL). TUBELESS READY. 32H (1)

 Pneus - Tires
NEW MICHELIN WILD ENDURO 27.5x2.40 (S, M), 29x2.40 (M, L, XL) (2)

 Pédales - Pedals
NW-91K

 Accessoires - Accessories
TUBELESS TAPE + VALVES

 OVERSEAS : (1) Mavic EX630 DISC FRONT, EN627 DISC REAR
(2) MAXXIS HIGH ROLLER II WT 2.5 FRONT 2.4 REAR





X-CONTROL

OVERVIEW

GÉOMÉTRIE

Size	S	M	L	XL		Size	S	M	L
ST (cm)	40	44	48	53		ST (cm)	36	40	45
TT (mm)	565	590	610	635		TT (mm)	540	555	575
HA (°)	68	68	68	68		HA (°)	68.5	68.5	68.5
SA (°)	73.5	73.5	73.5	73.5		SA (°)	73	73	73
RC (mm)	435	435	435	435		RC (mm)	435	435	435
HT (mm)	110	120	130	150		HT (mm)	100	110	120
BB (mm)	-16	-16	-16	-16		BB (mm)	-16	-16	-16
Reach	396	418	435	455		Reach	367	380	397
Stack	572	581	590	609		Stack	565	574	583
User	150-170	168-178	176-186	>184		User	135-155	150-165	160-175
Ref.	C22X4000	C22X4400	C22X4800	C22X5300		Ref.	C2213600	C2214000	C2214500

TRAIL



X-CONTROL 227

 **FPS+**
SUSPENSION SYSTEM
 **6**
ALU SUPREME 6 FRAME
 **1x11**
SPEED
 **27.5"**
WHEEL SIZE

X-CONTROL 127

 **FPS+**
SUSPENSION SYSTEM
 **6**
ALU SUPREME 6
 **3x9**
SPEED
 **27.5"**
WHEEL SIZE



 Cadre - Frame
X-CONTROL 27.5" SUPREME 6 ALLOY FPS+ 100mm travel, PRESSFIT, THRU AXLE 12x142

 Fourche - Fork
ROCKSHOX RECON GOLD RL 15MM SOLO AIR 120mm

 Amortisseur - Shock
LAPIERRE AIR WITH REBOUND ADJUST

 Dérailleur arrière - Rear Derailleur
SHIMANO SLX SHADOW PLUS 11spd

 Pédalier - Crankset
RACEFACE RIDE 30T DIRECT MOUNT STEEL 165mm (XS), 170mm (S), 175mm (M, L, XL)

 Boîtier Pédalier - Bottom Bracket
SHIMANO SMBB7141A PRESSFIT

 Cassette - Sprocket
SUNRACE 11-46T 11spd

 Chaîne - Chain
SRAM PC1110 POWERLOCK

 Freins (avt-arr) - Brakes (front-rear)
SHIMANO MT400 INTERNAL ROUTING WITH J-KIT

 Disques - Rotors
SHIMANO SMRT56 180mm / 160mm 6 BOLT TYPE

 Levier - Shifters
SHIMANO SLX 1x11

 Jeu de direction - Headset
FSA ORBIT 1.5Z SC NO.57SC

 Cintre - Handlebar
LAPIERRE 6061 ALLOY W: 740mm R: 15mm Ø: 31.8mm

 Poignées - Grips
LAPIERRE DD34 LOCK ON

 Potence - Stem
LAPIERRE 3D FORGED 7° Ø: 31.8mm L: 60mm (S) / 75mm (M, L) / 80mm (XL)

 Tige de selle - Seatpost
LAPIERRE by JD DROPPER 125mm travel Ø: 31.6mm

 Selle - Saddle
LAPIERRE by VELO

 Moyeu avant - Front hub
FORMULA DC51 15QR 32H

 Moyeu arrière - Rear hub
FORMULA DHT142 142x1232H

 Jantes - Rims
MACH1 M630 32H 27.5"

 Pneus - Tires
MICHELIN 27.5X2.25 WILD GRIP'R TS

 Pédales - Pedals
NW 91K steel cage

 Cadre - Frame
X-CONTROL 27.5" SUPREME 6 ALLOY FPS+ 100mm travel, PRESSFIT, THRU AXLE 12x142

 Fourche - Fork
ROCKSHOX 30 SILVER TURNKEY SOLO AIR 120mm

 Amortisseur - Shock
LAPIERRE AIR WITH REBOUND ADJUST

 Dérailleur arrière - Rear Derailleur
SHIMANO ALIVIO RDM4000 9s SHADOW DESIGN

 Dérailleur avant - Front Derailleur
SHIMANO DEORE FDM611D DIRECT MOUNT

 Pédalier - Crankset
SHIMANO ALIVIO M4050 40x30x22T 170mm(S), 175mm(M, L, XL)

 Boîtier Pédalier - Bottom Bracket
SHIMANO SMBB7141A PRESSFIT

 Cassette - Sprocket
SHIMANO HG201 9s 11-36T

 Chaîne - Chain
SHIMANO HG53

 Freins (avt-arr) - Brakes (front-rear)
SHIMANO MT200

 Disques - Rotors
SHIMANO SMRT26 180mm / 160mm 6 BOLT TYPE

 Levier - Shifters
SHIMANO ALTUS SLM2000

 Jeu de direction - Headset
FSA ORBIT 1.5ZS SC NO.57SC

 Cintre - Handlebar
LAPIERRE 6061 ALLOY W: 720mm R: 15mm Ø: 31.8mm

 Poignées - Grips
LAPIERRE DD34 LOCK ON

 Potence - Stem
LAPIERRE ALLOY 8° Ø: 31.8mm L: 60mm (S, M) / 75mm (L, XL)

 Tige de selle - Seatpost
LAPIERRE ALLOY Ø: 31.6mm L: 350mm

 Selle - Saddle
LAPIERRE by VELO

 Moyeu avant - Front hub
FORMULA DC20LW 32H

 Moyeu arrière - Rear hub
FORMULA DHT 142x1232H

 Jantes - Rims
MACH1 M630 32H 27.5"

 Pneus - Tires
MICHELIN 27.5X2.25 WILD GRIP'R TS (FRONT) 27.5X2.10 COUNTRY GRIP'R (REAR)

 Pédales - Pedals
NW 91K steel cage

MTB

X-CONTROL 127 W



W WOMEN SERIES



- Cadre - Frame
X-CONTROL 27.5" SUPREME 6 ALLOY FPS+ 100mm travel, PRESSFIT, THRU AXLE 12x142
- Fourche - Fork
ROCKSHOX 30 SILVER TURNKEY SOLO AIR 120mm
- Amortisseur - Shock
LAPIERRE AIR WITH REBOUND ADJUST
- Dérailleur arrière - Rear Derailleur
SHIMANO ALIVIO RDM4000 9s SHADOW DESIGN
- Dérailleur avant - Front Derailleur
SHIMANO DEORE FDM611D DIRECT MOUNT
- Pédalier - Crankset
SHIMANO ALIVIO M4050 40x30x22T 165mm(S), 170mm(M), 175mm(L)
- Boîtier Pédalier - Bottom Bracket
SHIMANO SMBB7141A PRESSFIT
- Cassette - Sprocket
SHIMANO HG201 9s 11-36T
- Chaîne - Chain
SHIMANO HG53
- Freins (avt-arr) - Brakes (front-rear)
SHIMANO MT200
- Disques - Rotors
SHIMANO SMRT26 180mm / 160mm 6 BOLT TYPE
- Levier - Shiftlevers
SHIMANO ALTUS SLM2000


- Jeu de direction - Headset
FSA ORBIT 1.5ZS SC NO.57SC
- Cintre - Handlebar
LAPIERRE 6061 ALLOY WOMEN W: 700mm R: 15mm Ø: 31.8mm
- Poignées - Grips
LAPIERRE DD34 LOCK ON
- Potence - Stem
LAPIERRE ALLOY 8° Ø: 31.8mm L: 60mm
- Tige de selle - Seatpost
LAPIERRE ALLOY Ø: 31.6mm L: 350mm
- Selle - Saddle
LAPIERRE WOMEN by VELO
- Moyeu avant - Front hub
FORMULA DC20LW 32H
- Moyeu arrière - Rear hub
FORMULA DHT 142x12 32H
- Jantes - Rims
MACH1 M630 32H 27.5"
- Pneus - Tires
MICHELIN 27.5x2.25 WILD GRIP'R TS (FRONT) 27.5x2.10 COUNTRY GRIP'R (REAR)
- Pédales - Pedals
NW 91K steel cage




GÉOMÉTRIE

Size	S	M	L	XL
ST (cm)	39	43	47	51
TT (mm)	575	600	620	645
HA (°)	69	69	69	69
SA (°)	74.5	74.5	74.5	74.5
RC (mm)	441	441	441	441
HT (mm)	100	100	120	120
BB (mm)	-40	-40	-40	-40
Reach	412	437	452	477
Stack	587	587	605	605
User	150-170	168-178	176-186	>184
Ref.	C20X3900	C20X4300	C20X4700	C20X5100


GEOMETRY



XR 929 ULTIMATE



CROSS-COUNTRY



[MTB]

- Cadre - Frame
XR 29" FULL CARBON ULTIMATE 100mm travel PRESSFIT, BOOST, METRIC THRU AXLE
- Fourche - Fork
FOX 32 STEP CAST FACTORY KASHIMA 29" BOOST 100MM + 2 POSITION REMOTE
- Amortisseur - Shock
FOX FLOAT DPS FACTORY KASHIMA 2 POSITION REMOTE 190X40
- Dérailleur arrière - Rear Derailleur
SRAM XX1 EAGLE GOLD CARBON 12s
- Pédalier - Crankset
SRAM XX1 EAGLE GOLD CARBON DUB DIRECT MOUNT 32T 170mm(S), 175mm (M,L,XL)
- Boîtier Pédalier - Bottom Bracket
SRAM DUB PRESSFIT 92
- Cassette - Sprocket
SRAM XG 1299 GOLD 12s 10-50T
- Chaîne - Chain
SRAM XX1 EAGLE GOLD
- Freins (avt-arr) - Brakes (front-rear)
SRAM LEVEL ULTIMATE CARBON GOLD
- Disques - Rotors
SRAM CENTERLINE 180mm / 160mm 6 BOLT TYPE
- Levier - Shifters
SRAM X01 EAGLE
- Jeu de direction - Headset
FSA ORBIT 1.5E ZS NO.57ECF
- Cintre - Handlebar
FSA SLK CARBON FLAT W: 740mm Ø: 31.8mm
- Poignées - Grips
PRE FOAM GRIPS
- Potence - Stem
LAPIERRE 7050 ALLOY 3D FORGED 7° Ø: 31.8mm L: 60mm(S,M)/70mm (L,XL)
- Tige de selle - Seatpost
LAPIERRE CARBON Ø: 31.6mm L: 400mm
- Selle - Saddle
FIZIK TUNDRA M5
- Roues Complètes - Wheelset
LAPIERRE CARBON XC 29" BOOST XD DRIVER TLR
- Pneus - Tires
2.25 MAXXIS ARDENT / 2.20 IKON FOLDING BLACK 60TPI TLR
- Pédales - Pedals
NW 91K steel cage



 Cadre - Frame
XR 29" FULL CARBON 100mm travel PRESSFIT, BOOST, METRIC, THRU AXLE

 Fourche - Fork
FOX 32 STEP CAST PERFORMANCE 29" BOOST 100MM + 2 POSITION REMOTE

 Amortisseur - Shock
FOX FLOAT DPS PERFORMANCE ELITE 2 POSITION REMOTE 190X40

 Dérailleur arrière - Rear Derailleur
SRAM X01 EAGLE CARBON 12s

 Pédalier - Crankset
SRAM X1 CARBON EAGLE DUB DIRECT MOUNT 32T ALLOY 170mm(S), 175mm(M,L,XL)

 Boîtier Pédalier - Bottom Bracket
SRAM DUB PRESSFIT 92

 Cassette - Sprocket
SRAM XG 1275 12s 10-50T

 Chaîne - Chain
SRAM NX EAGLE WITH POWER LOCK

 Freins (avt-arr) - Brakes (front-rear)
SRAM LEVEL TL

 Disques - Rotors
SRAM CENTERLINE 180mm / 160mm 6 BOLT TYPE

 Levier - Shifters
SRAM GX EAGLE 1x12

 Jeu de direction - Headset
FSA ORBIT 1.5Z SC NO.57SC

 Cintre - Handlebar
FSA SLK CARBON FLAT W: 740mm Ø: 31.8mm

 Poignées - Grips
PRE FOAM GRIPS

 Potence - Stem
LAPIERRE 705 ALLOY 3D FORGED 7° Ø: 31.8mm L: 60mm(S,M)/ 70mm(L,XL)

 Tige de selle - Seatpost
LAPIERRE CARBON Ø: 31.6mm L: 400mm

 Selle - Saddle
LAPIERRE by VELO

 Roues Complètes - Wheelset
MAVIC CROSSMAX ELITE UST 29" 15x110/ 12x148

 Pneus - Tires
2.25 MAXXIS ARDENT/ 2.20 IKON FOLDING BLACK 60TPI TLR

 Pédales - Pedals
NW 91K steel cage

 Cadre - Frame
XR 29" FULL CARBON 100mm travel PRESSFIT, BOOST, METRIC, THRU AXLE

 Fourche - Fork
ROCKSHOX REBA RL 29" BOOST™ 15x110 MOTION CONTROL 100MM + ONELOC

 Amortisseur - Shock
ROCKSHOX DELUXE RL 190X40 DEBONAIR

 Dérailleur arrière - Rear Derailleur
SRAM GX EAGLE 12s

 Pédalier - Crankset
SRAM NX EAGLE DUB 32T DIRECT MOUNT ALLOY 170mm (S), 175mm (M, L, XL)

 Boîtier Pédalier - Bottom Bracket
SRAM DUB PRESSFIT 92

 Cassette - Sprocket
SRAM EAGLE PG1230 11-50 12spd

 Chaîne - Chain
SRAM NX EAGLE

 Freins (avt-arr) - Brakes (front-rear)
SRAM LEVEL

 Disques - Rotors
SRAM G2 CLEANSWEEP 180mm / 160mm

 Levier - Shifters
SRAM NX EAGLE 1x12

 Jeu de direction - Headset
FSA ORBIT 1.5Z SC NO.57SC

 Cintre - Handlebar
LAPIERRE 6061 TOP FLAT W: 720mm Ø: 31.8mm

 Poignées - Grips
PRE FOAM GRIPS

 Potence - Stem
LAPIERRE 705 ALLOY 3D FORGED 7° Ø: 31.8mm L: 60mm(S, M)/ 70mm(L, XL)

 Tige de selle - Seatpost
LAPIERRE 2014 ALLOY Ø: 31.6mm L: 400mm

 Selle - Saddle
LAPIERRE by VELO

 Moyeu avant - Front hub
FORMULA DC-7131 15x110 32H WITH TORQUE CAPS

 Moyeu arrière - Rear hub
FORMULA DCL-348S 12x148 BOOST 32H

 Jantes - Rims
MAVIC XC 421 32H 29"

 Pneus - Tires
2.25 MAXXIS ARDENT/ 2.20 IKON FOLDING BLACK 60TPI TLR

 Pédales - Pedals
NW 91K steel cage

PRO RACE SAT




PRORACE SAT

OVERVIEW

GÉOMÉTRIE

Size	S	M	L	XL
ST (cm)	40	45	50	55
TT (mm)	575	600	625	650
HA (°)	69.5	69.5	69.5	69.5
SA (°)	73	73	73	73
RC (mm)	428	428	428	428
HT (mm)	90	95	105	120
BB (mm)	-65	-60	-60	-60
Reach	390	415	437	458
Stack	605	605	614	628

GEOMETRY



User → 150-170 168-178 176-186 >184

Ref. → C1XX4000 C1XX4500 C1XX5000 C1XX5500

CROSS-COUNTRY



PRORACE SAT 929 ULTIMATE



PRORACE SAT SL 829



- Cadre - Frame
PRORACE SAT 29"CARBON ULTIMATE, BOOST, PRESSFIT, THRU AXLE 12x148
- Fourche - Fork
FOX 32 STEP CAST FACTORY KASHIMA 15mm 29" 100mm
BOOST + 2 POSITION REMOTE
- Dérailleur arrière - Rear Derailleur
SRAM XX1 EAGLE GOLD CARBON 12s
- Pédalier -Crankset
SRAM XX1 EAGLE GOLD CARBON DUB 32T 170mm (S), 175mm (M, L, XL)
- Boîtier Pédalier - Bottom Bracket
SRAM DUB PRESSFIT 92
- Cassette - Sprocket
SRAM XG1299 EAGLE GOLD 10-50 12spd
- Chaîne - Chain
SRAM XX1 GOLD
- Freins (avt-arr) - Brakes (front-rear)
SRAM LEVEL ULTIMATE CARBON GOLD
- Disques - Rotors
SRAM CENTERLINE ROUNDED 180mm / 160mm
- Levier - Shiftlevers
SRAM X01 EAGLE 12s

- Jeu de direction - Headset
FSA ORBIT 1.5Z SC NO.57SC
- Cintre - Handlebar
FSA SLK CARBON FLAT W: 740mm Ø: 31.8mm
- Poignées - Grips
PRE FOAM GRIPS
- Potence - Stem
LAPIERRE 7050 ALLOY 3D FORGED 7° Ø: 31.8mm L: 70mm(S.M, L)/ 90mm (XL)
- Tige de selle - Seatpost
LAPIERRE CARBON Ø: 27.2mm L: 400mm
- Selle - Saddle
FIZIK TUNDRA M5
- Roues Complètes - Wheelset
LAPIERRE CARBON XC 29" BOOST XD DRIVER
- Pneus - Tires
29X2.25 MAXXIS ARDENT/ 29X2.20 IKON FOLDING BLACK 60TPI
- Pédales - Pedals
NW 91K steel cage
- Accessoires - Accessories
CHAINGUIDE LAPIERRE



- Cadre - Frame
PRORACE SAT 29"CARBON SL, BOOST, PRESSFIT, THRU AXLE 12x148
- Fourche - Fork
FOX 32 STEP CAST PERFORMANCE 15mm 29" 100mm
BOOST + 2 POSITION REMOTE
- Dérailleur arrière - Rear Derailleur
SHIMANO XTR M9100 SHADOW PLUS 12s
- Pédalier -Crankset
SHIMANO XTR 32T HOLLOWTECH II 170mm (S), 175mm (M, L, XL)
- Boîtier Pédalier - Bottom Bracket
SHIMANO SMBB9441A
- Cassette - Sprocket
SHIMANO XTR 10-51 12spd
- Chaîne - Chain
SHIMANO XTR 12spd
- Freins (avt-arr) - Brakes (front-rear)
SHIMANO XTR M9100
- Disques - Rotors
SHIMANO MT900 180mm / 160mm
- Levier - Shiftlevers
SHIMANO XTR 1x12
- Jeu de direction - Headset
FSA ORBIT 1.5Z SC NO.57SC

- Cintre - Handlebar
FSA SLK CARBON FLAT W: 740mm Ø: 31.8mm
- Poignées - Grips
PRE FOAM GRIPS
- Potence - Stem
LAPIERRE 7050 ALLOY 3D FORGED 7° Ø: 31.8mm L: 70mm(S.M, L)/ 90mm (XL)
- Tige de selle - Seatpost
LAPIERRE CARBON Ø: 27.2mm L: 400mm
- Selle - Saddle
LAPIERRE by VELO
- Roues Complètes - Wheelset
DT SWISS X 1700 SPLINE BOOST 29"X25C
- Pneus - Tires
29X2.25 MAXXIS ARDENT/ 29X2.20 IKON FOLDING BLACK 60TPI TLR
- Pédales - Pedals
NW 91K steel cage
- Accessoires - Accessories
CHAINGUIDE LAPIERRE

MTB

PRORACE SAT SL 729



PRORACE SAT SL 629



Cadre - Frame
PRORACE SAT 29" CARBON SL, BOOST, PRESSFIT, THRU AXLE 12x148

Fourche - Fork
FOX 32 STEP CAST PERFORMANCE 15mm 29" 100mm
BOOST + 2 POSITION REMOTE

Dérailleur arrière - Rear Derailleur
SRAM X01 EAGLE CARBON 12s

Pédalier - Crankset
SRAM X1 CARBON EAGLE DUB 32T DIRECT MOUNT ALLOY
170mm (S), 175mm (M, L, XL)

Boîtier Pédalier - Bottom Bracket
SRAM DUB PRESSFIT 92

Cassette - Sprocket
SRAM EAGLE PG1230 11-50

Chaîne - Chain
SRAM NX EAGLE

Freins (avt-arr) - Brakes (front-rear)
SHIMANO MT500

Disques - Rotors
SHIMANO RT56 180mm / 160mm

Levier - Shiftlevers
SRAM GX EAGLE 1x12

Jeu de direction - Headset
FSA ORBIT 1.5Z SC NO.57SC

Cintre - Handlebar
FSA SLK CARBON FLAT W: 740mm Ø: 31.8mm

Poignées - Grips
PRE FOAM GRIPS

Potence - Stem
LAPIERRE 7050 ALLOY 3D FORGED 7° Ø: 31.8mm L: 70mm(S,M,L)/ 90mm (XL)

Tige de selle - Seatpost
LAPIERRE ALLOY FORGED Ø: 27.2mm L: 400mm

Selle - Saddle
LAPIERRE by VELO

Roues Complètes - Wheelset
MAVIC CROSSMAX UST BOOST 29"

Pneus - Tires
29X2.25 MAXXIS ARDENT/ 29X2.20 IKON FOLDING BLACK 60TPI TLR

Pédales - Pedals
NW 91K steel cage

Accessoires - Accessories
CHAINGUIDE LAPIERRE

Cadre - Frame
PRORACE SAT 29" CARBON, BOOST, PRESSFIT, THRU AXLE 12x148

Fourche - Fork
ROCKSHOX REBA RL 15mm MOTION CONTROL AIR 100mm BOOST + ONE LOC

Dérailleur arrière - Rear Derailleur
SRAM GX EAGLE 12s

Pédalier - Crankset
SRAM NX EAGLE DUB 32T DIRECT MOUNT ALLOY 170mm (S), 175mm (M, L, XL)

Boîtier Pédalier - Bottom Bracket
SRAM DUB PRESSFIT 92

Cassette - Sprocket
SRAM EAGLE PG1230 11-50 12spd

Chaîne - Chain
SRAM NX EAGLE

Freins (avt-arr) - Brakes (front-rear)
SRAM LEVEL

Disques - Rotors
SRAM G2 CLEANSWEEP 180mm / 160mm

Levier - Shiftlevers
SRAM NX EAGLE 1x12

Jeu de direction - Headset
FSA ORBIT 1.5Z SC NO.57SC

Cintre - Handlebar
LAPIERRE 6061 TOP FLAT W: 720mm Ø: 31.8mm

Poignées - Grips
PRE FOAM GRIPS

Potence - Stem
LAPIERRE 7050 ALLOY 3D FORGED 7° Ø: 31.8mm L: 70mm(S,M,L)/ 90mm (XL)

Tige de selle - Seatpost
LAPIERRE ALLOY FORGED Ø: 27.2mm L: 400mm

Selle - Saddle
LAPIERRE by VELO

Moyeu avant - Front hub
FORMULA DC7131

Moyeu arrière - Rear hub
FORMULA DC348S

Jantes - Rims
MAVIC XC421 TLR

Pneus - Tires
29X2.25 MAXXIS ARDENT/ 29X2.20 IKON FOLDING BLACK 60TPI TLR

Pédales - Pedals
NW 91K steel cage

Accessoires - Accessories
CHAINGUIDE LAPIERRE

MTB

PRORACE SAT SL 529



Cadre - Frame
PRORACE SAT 29°CARBON, BOOST, PRESSFIT, THRU AXLE 12x148

Fourche - Fork
ROCKSHOX RECON RL 15mm SOLO AIR 100mm BOOST + ONE LOC

Dérailleur arrière - Rear Derailleur
SHIMANO XT SHADOW PLUS 11spd

Pédalier - Crankset
RACE FACE RIDE 30T DIRECT MOUNT 170mm (S), 175mm (M, L, XL)

Boîtier Pédalier - Bottom Bracket
SHIMANO SMBB7141A

Cassette - Sprocket
SHIMANO SLX11-46 11spd

Chaîne - Chain
SHIMANO HG601

Freins (avt-arr) - Brakes (front-rear)
SHIMANO MT400 INTERNAL ROUTING WITH J-KIT

Disques - Rotors
SHIMANO SMRT30 180mm / 160mm CENTER LOCK

Levier - Shifters
SHIMANO SLX1x11

Jeu de direction - Headset
FSA ORBIT 1.5Z SC NO.57SC

Cintre - Handlebar
LAPIERRE 6061 TOP FLAT W: 720mm Ø: 31.8mm

Poignées - Grips
PRE FOAM GRIPS

Potence - Stem
LAPIERRE ALLOY 3D FORGED 7° Ø: 31.8mm L: 70mm(S, M, L) / 90mm (XL)

Tige de selle - Seatpost
LAPIERRE ALLOY FORGED Ø: 27.2mm L: 400mm

Selle - Saddle
LAPIERRE by VÉLO

Moyeu avant - Front hub
SHIMANO MT400 THRU AXLE

Moyeu arrière - Rear hub
SHIMANO MT400 THRU AXLE

Jantes - Rims
MAVIC XC421 TLR

Pneus - Tires
MAXXIS ARDENT 29x2.25 FOLDING 60 TPI TLR EXO
IKON 29x2.2 FOLDING 60 TPI TLR EXO

Pédales - Pedals
NW 91K steel cage

Accessoires - Accessories
CHAINGUIDE LAPIERRE



PRO RACE

PRORACE

OVERVIEW

GÉOMÉTRIE

Size	XS	S	M	L	XL	W	Size	S	M	L
	ST (cm)	35	40	44	48	53	ST (cm)	35	40	45
TT (mm)	550	575	600	625	650		TT (mm)	550	580	610
HA (°)	69	69.5	69.5	69.5	69.5		HA (°)	69	69.5	69.5
SA (°)	73	73	73	73	73		SA (°)	73	73	73
RC (mm)	428	428	428	428	428		RC (mm)	428	428	428
HT (mm)	90	90	90	105	120		HT (mm)	90	90	100
BB (mm)	-65	-65	-60	-60	-60		BB (mm)	-65	-65	-60
Reach	371	390	416	437	458		Reach	371	401	424
Stack	584	605	600	614	628		Stack	584	587	610


User < 150 150-170 168-178 176-186 >184

Ref. C14X3500 C14X4000 C14X4400 C14X4800 C14X5300


WOMEN SERIES

User	135-155	150-165	160-175
Ref.	C1413500	C1414000	C1414500

PRORACE 429



CROSS-COUNTRY



96

- Cadre - Frame
PRORACE 29" SUPREME 5 ALLOY DISC, BOOST, PRESSFIT, THRU AXLE 12x148
- Fourche - Fork
ROCKSHOX REBA RL MOTION CONTROL 15mm SOLO AIR 100mm BOOST + ONE LOC
- Dérailleur arrière - Rear Derailleur
SRAM NX EAGLE 12 spd
- Pédalier - Crankset
SRAM NX EAGLE DUB 165mm (XS), 170mm (S), 175mm (M, L, XL)
- Boîtier Pédalier - Bottom Bracket
SRAM DUB
- Cassette - Sprocket
SRAM PG1230 EAGLE 11-50T 12 spd
- Chaîne - Chain
SRAM NX EAGLE 12spd
- Freins (avt-arr) - Brakes (front-rear)
SHIMANO MT400 INTERNAL ROUTING WITH J-KIT
- Disques - Rotors
SHIMANO SMRT56 180mm / 160mm 6 BOLT TYPE
- Levier - Shiftlevers
SRAM NX EAGLE 1x12
- Jeu de direction - Headset
FSA ORBIT 1.5Z SC NO57SC
- Cintre - Handlebar
LAPIERRE 6061 TOP FLAT W: 720mm Ø: 31.8mm
- Poignées - Grips
PRE FOAM GRIPS
- Potence - Stem
LAPIERRE ALLOY 3D FORGED 7° Ø: 31.8mm L: 60mm(XS, S) / 75mm (M, L) / 80mm (XL)
- Tige de selle - Seatpost
LAPIERRE ALLOY FORGED Ø: 27.2mm L: 400mm
- Selle - Saddle
LAPIERRE by VELO
- Moyeu avant - Front hub
FORMULA DC7131 WITH TORQUE CAPS
- Moyeu arrière - Rear hub
FORMULA LA 148S
- Jantes - Rims
MACH1 390 SL 622x19C 32H TUBELESS READY TAPERED SPOKES (1)
- Pneus - Tires
29X2.25 MAXXIS ARDENT / 29X2.20 IKON FOLDING BLACK 60TPI (2)
- Pédales - Pedals
NW 91K steel cage

OVERSEAS : (1) ALEX RIMS TD19
(2) MAXXIS ARDENT 29x2.25 60 TPI FOLDING, IKON 29x2.2 60 TPI FOLDING (REAR)

Ref. C143

97

CROSS-COUNTRY

MTB

PRORACE 329

5
ALU SUPREME 5 FRAME
1x11
SPEED
29"
WHEEL SIZE

PRORACE 229

5
ALU SUPREME 5 FRAME
1x11
SPEED
29"
WHEEL SIZE



Cadre - Frame
PRORACE 29" SUPREME 5 ALLOY DISC, BOOST, PRESSFIT, THRU AXLE 12x148

Fourche - Fork
ROCKSHOX JUDY GOLD RL 15mm SOLO AIR 100mm BOOST + ONELOC

Dérailleur arrière - Rear Derailleur
SHIMANO XT 11spd

Pédalier - Crankset
RACEFACE RIDE 30T DIRECT MOUNT STEEL
165mm (XS), 170mm (S), 175mm (M, L, XL)

Boîtier Pédalier - Bottom Bracket
SHIMANO SMBB7141A PRESSFIT

Cassette - Sprocket
SUNRACE 11-46T 11spd

Chaîne - Chain
SRAM PC1110 POWERLOCK

Freins (avt-arr) - Brakes (front-rear)
SHIMANO MT400 INTERNAL ROUTING WITH J-KIT

Disques - Rotors
SHIMANO SMRT56 180mm / 160mm 6 BOLT TYPE

Levier - Shiftlevers
SHIMANO SLX 1x11

Jeu de direction - Headset
FSA ORBIT 1.5Z SC NO.57SC

Cintre - Handlebar
LAPIERRE 6061 TOP FLAT W: 720mm Ø: 31.8mm

Poignées - Grips
PRE FOAM GRIPS

Potence - Stem
LAPIERRE ALLOY 3D FORGED 7° Ø: 31.8mm
L: 60mm (XS, S) / 75mm (M, L) / 80mm (XL)

Tige de selle - Seatpost
LAPIERRE ALLOY Ø: 27.2mm L: 400mm

Selle - Saddle
LAPIERRE by VELO

Moyeu avant - Front hub
FORMULA DC511

Moyeu arrière - Rear hub
FORMULA DC1248

Jantes - Rims
RODI EXCALIBUR XC2 622x19C 32H TAPERED SPOKES

Pneus - Tires
29x2.25 MAXXIS ARDENT / 29x2.20 IKON FOLDING BLACK 60TPI

Pédales - Pedals
NW 91K steel cage

Cadre - Frame
PRORACE 29" SUPREME 5 ALLOY DISC, BOOST, PRESSFIT, THRU AXLE 12x148

Fourche - Fork
ROCKSHOX JUDY SILVER QR15mm SOLO AIR 100mm BOOST

Dérailleur arrière - Rear Derailleur
SHIMANO SLX 11spd

Pédalier - Crankset
FSA GAMMA PRO 1X 30T 170mm (XS, S), 175mm (M, L, XL)

Boîtier Pédalier - Bottom Bracket
FSA MEGA EXO

Cassette - Sprocket
SUNRACE 11-46T 11spd

Chaîne - Chain
SRAM PC1110 POWERLOCK

Freins (avt-arr) - Brakes (front-rear)
SHIMANO MT200 INTERNAL ROUTING WITH J-KIT

Disques - Rotors
SHIMANO SMRT30 180mm / 160mm CENTER LOCK

Levier - Shiftlevers
SHIMANO SLX 1x11

Jeu de direction - Headset
FSA ORBIT 1.5Z SC NO.57SC

Cintre - Handlebar
LAPIERRE 6061 TOP FLAT W: 720mm Ø: 31.8mm

Poignées - Grips
LAPIERRE by HERRMANS DD30B

Potence - Stem
LAPIERRE ALLOY 3D FORGED 7° Ø: 31.8mm
L: 60mm (XS, S) / 75mm (M, L) / 80mm (XL)

Tige de selle - Seatpost
LAPIERRE ALLOY Ø: 27.2mm L: 400mm

Selle - Saddle
LAPIERRE by VELO

Moyeu avant - Front hub
SHIMANO MT400

Moyeu arrière - Rear hub
SHIMANO MT400

Jantes - Rims
RODI EXCALIBUR XC2 622x19C 32H TAPERED SPOKES (1)

Pneus - Tires
MICHELIN 29x2.25 WILD GRIP'R TS (2)

Pédales - Pedals
NW 91K steel cage

MTB

PRORACE 229 W



W WOMEN SERIES



Cadre - Frame
PRORACE WOMEN 29" SUPREME 5 ALLOY DISC, BOOST, PRESSFIT, THRU AXLE 12x148

Fourche - Fork
ROCKSHOX JUDY SILVER 15mm SOLO AIR 100mm BOOST

Dérailleur arrière - Rear Derailleur
SHIMANO SLX 11spd

Pédalier - Crankset
FSA GAMMA PRO 1X 30T 170mm (S), 175mm (M, L)

Boîtier Pédalier - Bottom Bracket
FSA MEGA EXO

Cassette - Sprocket
SUNRACE 11-46T 11spd

Chaîne - Chain
SRAM PC1110 POWERLOCK

Freins (avt-arr) - Brakes (front-rear)
SHIMANO MT200 INTERNAL ROUTING WITH J-KIT

Disques - Rotors
SHIMANO SMRT30 180mm / 160mm CENTER LOCK

Levier - Shiftlevers
SHIMANO SLX 1x11

Jeu de direction - Headset
FSA ORBIT 1.5Z SC NO.57SC

Cintre - Handlebar
LAPIERRE 6061 TOP FLAT W: 720mm Ø: 31.8mm

Poignées - Grips
LAPIERRE by HERRMANS DD30B

Potence - Stem
LAPIERRE ALLOY 3D FORGED 7° Ø: 31.8mm L: 60mm

Tige de selle - Seatpost
LAPIERRE ALLOY Ø: 27.2mm L: 400mm

Selle - Saddle
LAPIERRE WOMEN by VELO

Moyeu avant - Front hub
SHIMANO MT400

Moyeu arrière - Rear hub
SHIMANO MT400

Jantes - Rims
RODI EXCALIBUR XC2 622x19C 32H TAPERED SPOKES (1)

Pneus - Tires
MICHELIN 29x2.25 WILD GRIP'R TS (2)

Pédales - Pedals
NW 91K steel cage

Accessoires - Accessories
FP917

OVERSEAS : (1) ALEX RIMS TD19
(2) MAXXIS ARDENT 29x2.25 60 TPI FOLDING, IKON 29x2.2 60 TPI FOLDING (REAR)

C141 Ref.



EDGE


EDGE

OVERVIEW

GÉOMÉTRIE

Size	S	M	L
ST (cm)	35	40	45
TT (mm)	550	580	610
HA (°)	68	68	68
SA (°)	73.5	73.5	73.5
RC (mm)	425	425	425
HT (mm)	115	125	135
BB (mm)	-50	-50	-45
Reach	372	399	428
Stack	602	611	615
User	135-155	150-165	160-175
Ref.	C12X3500	C12X4000	C12X4500

GEOMETRY



WOMEN SERIES

SPORT




EDGE 29/27

GÉOMÉTRIE

Size	27.5"					29"			
	XS	S	M	L	XL	S	M	L	XL
ST (cm)	36	40	44	48	53	40	44	48	53
TT (mm)	540	565	590	615	640	565	590	615	640
HA (°)	68	68	68	68	68	69.5	69.5	69.5	69.5
SA (°)	73.5	73.5	73.5	73.5	73.5	73	73	73	73
RC (mm)	425	425	425	425	425	444	444	444	444
HT (mm)	100	110	120	130	140	95	95	110	125
BB (mm)	-50	-50	-45	-45	-45	-65	-60	-60	-60
Reach	366	388	412	434	456	375	401	422	443
Stack	588	597	601	611	620	622	617	631	645
User	XS 145-155	S 150-170	M 168-178	L 176-186	XL >184				
Ref.	C12X3600	C12X4000	C12X4400	C12X4800	C12X5300				


GEOMETRY



EDGE 29''/27.5''


Size	XS	S	M	L	XL
ST (cm)	36	40	44	48	53
TT (mm)	540	565	590	615	640
HA (°)	68	68	68	68	68
SA (°)	73.5	73.5	73.5	73.5	73.5
RC (mm)	425	425	425	425	425
HT (mm)	100	110	120	130	140
BB (mm)	-50	-50	-45	-45	-45
Reach	368	390	414	436	458
Stack	581	591	595	604	613
User	145-155	150-170	168-178	176-186	>184
Ref.	C1203600	C1204000	C1204400	C1204800	C1205300

EDGE 127



EDGE 129

Size	S	M	L	XL
ST (cm)	40	44	48	53
TT (mm)	565	590	615	640
HA (°)	69.5	69.5	69.5	69.5
SA (°)	73	73	73	73
RC (mm)	444	444	444	444
HT (mm)	105	105	120	135
BB (mm)	-65	-60	-60	-60
Reach	379	406	426	447
Stack	608	603	617	631
User	150-170	168-178	176-186	>184
Ref.	C1224000	C1224400	C1224800	C1225300





Cadre - Frame
EDGE 29 " / 27.5 " SUPREME 5 ALLOY DISC

Fourche - Fork
ROCKSHOX XC30 COIL 29 " / 27.5 " 100mm with POPLOC

Dérailleur arrière - Rear Derailleur
SHIMANO DEORE RDM6000 10s SHADOW DESIGN

Dérailleur avant - Front Derailleur
SHIMANO DEORE FDM6025H 2x10s

Pédalier - Crankset
29 " : SHIMANO FCMT500-2 36/26 170mm (XS, S) / 175mm (M, L, XL)
27.5 " : SHIMANO 2PC FCMT500-2 36/26 170mm (XS, S) / 175mm (M, L, XL)

Boîtier Pédalier - Bottom Bracket
29 " : SHIMANO / 27.5 " : SHIMANO included w/cranksets

Cassette - Sprocket
SHIMANO HG500 10s 11-42T

Chaîne - Chain
29 " : S10 S2 10s / 27.5 " : YBN S2 10s

Freins (avt-arr) - Brakes (front-rear)
SHIMANO MT200

Disques - Rotors
SHIMANO SMRT26 180mm / 160mm

Levier - Shiftlevers
SHIMANO DEORE SLM6000 2/3x10s

OVERSEAS : (1) ALEX RIMS TD19 29 " / 27.5 " - (2) MAXXIS ARDENT 29x2.25 60 TPI (FRONT), IKON 29x2.2 60 TPI (REAR) / MAXXIS ARDENT 27.5x2.25 60 TPI (FRONT), IKON 27.5x2.2 60 TPI (REAR)

Jeu de direction - Headset
FSA NO. 10 ZS 50/44 1.6 TOP CAP

Cintre - Handlebar
29 " : LAPIERRE 6061 TOP FLAT W: 720mm Ø: 31.8mm
27.5 " : LAPIERRE 6061 ALLOY W: 720mm R: 15mm Ø: 31.8mm

Poignées - Grips
LAPIERRE by HERRMANS DD30B

Potence - Stem
LAPIERRE ALLOY 7° Ø: 31.8mm L: 60mm(S, M, L) / 75mm (XL)

Tige de selle - Seatpost
LAPIERRE ALLOY Ø: 27.2mm L: 350mm

Selle - Saddle
LAPIERRE by VELO

Moyeu avant - Front hub
FORMULA DC20LW 32H

Moyeu arrière - Rear hub
FORMULA DC22LW 32H

Jantes - Rims
29 " : RODI FW DOUBLE WALL 622X19C DISC TAPERED SPOKES (1)
27.5 " : RODI FW DOUBLE WALL 27.5X19C DISC TAPERED SPOKES (1)

Pneus - Tires
MICHELIN 29X2.25 WILD GRIP'R (FRONT) 29X2.10 COUNTRY GRIP'R (REAR) (2)
MICHELIN 27.5X2.25 WILD GRIPR TS (FRONT) 27.5X2.10 COUNTRY GRIP'R (REAR) (2)

Pédales - Pedals
NW 91K steel cage

C138 **27.5"**

C139 **29"**

Cadre - Frame
EDGE 29" / 27.5" SUPREME 5 ALLOY DISC INTERNAL ROUTING

Fourche - Fork
SUNTOUR XCR-RL-R-29"/27.5" 100mm WITH REMOTE

Dérailleur arrière - Rear Derailleur
SHIMANO ALIVIO RDM4000 9s SHADOW DESIGN

Dérailleur avant - Front Derailleur
SHIMANO ACERA FDM3000

Pédalier - Crankset
SHIMANO FCMT200 40x30x22 170mm (S) / 175mm (M, L, XL)

Boîtier Pédalier - Bottom Bracket
SHIMANO included w/cranksets

Cassette - Sprocket
SHIMANO CSHG201 9s 11-36T

Chaîne - Chain
YBN 9-SPEED

Freins (avt-arr) - Brakes (front-rear)
SHIMANO MT200

Disques - Rotors
SHIMANO SMRT30 180mm / 160mm CENTERLOCK

Levier - Shiftlevers
SHIMANO ALTUS SLM2000 3x9-SPEED

Jeu de direction - Headset
FSA NO. 10 ZS 50/44 1.6 TOP CAP

27.5" C135

29" C137

Cintre - Handlebar
29 " : LAPIERRE 6061 TOP FLAT W: 720mm Ø: 31.8mm
27.5 " : LAPIERRE 6061 ALLOY W: 720mm R: 15mm Ø: 31.8mm

Poignées - Grips
LAPIERRE by HERRMANS DD30B

Potence - Stem
29 " : LAPIERRE ALLOY 7° Ø: 31.8mm L: 60mm(S, M, L) / 75mm (XL)
27.5 " : LAPIERRE ALLOY 7° Ø: 31.8mm L: 60mm(XS, S, M, L) / 75mm (XL)

Tige de selle - Seatpost
LAPIERRE ALLOY Ø: 27.2mm L: 350mm

Selle - Saddle
LAPIERRE by VELO

Moyeu avant - Front hub
SHIMANO HBTX505 32H CENTER LOCK

Moyeu arrière - Rear hub
SHIMANO FHTX505 32H CENTER LOCK

Jantes - Rims
29 " : RODI FW DOUBLE WALL 622X19C DISC TAPERED SPOKES
27.5 " : RODI FW DOUBLE WALL 27.5X19C DISC TAPERED SPOKES (1)

Pneus - Tires
MICHELIN 29X2.25 WILD GRIP'R (FRONT) 29X2.10 COUNTRY GRIP'R (REAR)
MICHELIN 27.5X2.25 WILD GRIPR TS (FRONT) 27.5X2.10 COUNTRY GRIP'R (REAR) (2)

Pédales - Pedals
NW 91K steel cage

OVERSEAS 27.5 " : (1) ALEX RIMS TD19

(2) MAXXIS ARDENT 27.5x2.25 60 TPI (FRONT), IKON 27.5x2.2 60 TPI (REAR)

 **WOMEN SERIES**


 Cadre - Frame
EDGE WOMEN 27.5" SUPREME 5 ALLOY DISC

 Fourche - Fork
SUNTOUR XCR-RL-R-27.5" 100mm WITH REMOTE

 Dérailleur arrière - Rear Derailleur
SHIMANO ALIVIO RDM4000 9s SHADOW DESIGN

 Dérailleur avant - Front Derailleur
SHIMANO ACERA FDM3000

 Pédalier -Crankset
SHIMANO FCMT200 40x30x22 170mm (S) / 175mm (M, L, XL)

 Boîtier Pédalier - Bottom Bracket
SHIMANO included w/crank

 Cassette - Sprocket
SHIMANO HG201 9s 11-36T

 Chaîne - Chain
YBN 9-SPEED

 Freins (avt-arr) - Brakes (front-rear)
SHIMANO MT200

 Disques - Rotors
SHIMANO SMRT30 180mm / 160mm CENTERLOCK

 Levier - Shifters
SHIMANO ALTUS SLM2000 3x9-SPEED

 Jeu de direction - Headset
FSA NO. 10 ZS 50/44 1.6 TOP CAP

 Cintre - Handlebar
LAPIERRE 6061 ALLOY WOMEN W: 700mm R: 15mm Ø: 31.8mm

 Poignées - Grips
LAPIERRE by HERRMANS DD30B

 Potence - Stem
LAPIERRE ALLOY 7° Ø: 31.8mm L: 60mm

 Tige de selle - Seatpost
LAPIERRE ALLOY Ø: 27.2mm L: 350mm

 Selle - Saddle
LAPIERRE WOMEN by VELO

 Moyeu avant - Front hub
SHIMANO HBTX505 32H CENTER LOCK

 Moyeu arrière - Rear hub
SHIMANO FHTX505 32H CENTER LOCK

 Jantes - Rims
RODI FW DOUBLE WALL 27.5X19C DISC TAPERED SPOKES (1)

 Pneus - Tires
MICHELIN 27.5X2.25 WILD GRIP'R TS (FRONT) 27.5X2.10 COUNTRY GRIP'R (REAR) (2)

 Pédales - Pedals
NW 91K steel cage

OVERSEAS : (1) ALEX RIMS TD19
(2) MAXXIS ARDENT 27.5x2.25 60 TPI (FRONT), IKON 27.5x2.2 60 TPI (REAR)



 Cadre - Frame
EDGE 29" / 27.5" SUPREME 4 ALLOY DISC

 Fourche - Fork
SUNTOUR XCT-HLO-PM-29" / 27.5 100mm

 Dérailleur arrière - Rear Derailleur
SHIMANO ALTUS RDM2000 9s SHADOW DESIGN

 Dérailleur avant - Front Derailleur
SHIMANO ALTUS FDM200

 Pédalier -Crankset
SHIMANO FCMT100 40x30x22 170mm (S) / 175mm (M, L, XL)

 Boîtier Pédalier - Bottom Bracket
SQUARE CH 52 127MM

 Cassette - Sprocket
SHIMANO HG200 9s 11-36T

 Chaîne - Chain
YBN 9-SPEED

 Freins (avt-arr) - Brakes (front-rear)
SHIMANO HYDRAULIC MT200

 Disques - Rotors
SHIMANO SMRT10 160mm / 160mm CENTERLOCK

 Levier - Shifters
COMBO SHIMANO STEF505 3x9s/ hydraulic brake lever

 Jeu de direction - Headset
FSA NO. 10 ZS 50/44 1.6 TOP CAP

 Cintre - Handlebar
LAPIERRE 6061 ALLOY W: 720mm R: 15mm Ø: 31.8mm

 Poignées - Grips
LAPIERRE by HERRMANS DD30B

 Potence - Stem
LAPIERRE ALLOY 7° Ø: 31.8mm L: 60mm(S, M, L) / 75mm (XL)
LAPIERRE ALLOY 7° Ø: 31.8mm L: 60mm(XS, S, M, L) / 75mm (XL)

 Tige de selle - Seatpost
LAPIERRE ALLOY Ø: 27.2mm L: 350mm

 Selle - Saddle
LAPIERRE by VELO

 Moyeu avant - Front hub
SHIMANO HBTX505 32H CENTER LOCK

 Moyeu arrière - Rear hub
SHIMANO FHTX505 32H CENTER LOCK

 Jantes - Rims
RODI FW DOUBLE WALL 622X19C DISC (1)
RODI FW DOUBLE WALL 27.5X19C DISC (1)

 Pneus - Tires
MICHELIN 29X2.25 WILD GRIP'R (FRONT) 29X2.10 COUNTRY GRIP'R (REAR) (2)
MICHELIN 27.5X2.25 WILD GRIP'R TS (FRONT) 27.5X2.10 COUNTRY GRIP'R (REAR) (2)

 Pédales - Pedals
NW 91K steel cage

OVERSEAS : (1) 29 " / 27.5 " ALEX RIMS TD19
(2) MAXXIS ARDENT 29 / 27.5 x2.25 60 TPI (FRONT), IKON 29 / 27.5 x2.2 60 TPI (REAR)


W WOMEN SERIES


Cadre - Frame
EDGE WOMEN 27.5" SUPREME 4 ALLOY DISC

Fourche - Fork
SUNTOUR XCT-HLO-PM-27.5" 100mm

Dérailleur arrière - Rear Derailleur
SHIMANO ALTUS RDM2000 9s SHADOW DESIGN

Dérailleur avant - Front Derailleur
SHIMANO ALTUS FDM200

Pédalier - Crankset
SHIMANO FCMT100 40x30x22 170mm (S) / 175mm (M, L)

Boîtier Pédailler - Bottom Bracket
SQUARE CH 52 127MM

Cassette - Sprocket
SHIMANO HG200 9s 11-36T

Chaîne - Chain
YBN 9-SPEED

Freins (avt-arr) - Brakes (front-rear)
SHIMANO HYDRAULIC MT200

Disques - Rotors
SHIMANO SMRT10 160mm / 160mm CENTERLOCK

Levier - Shiftlevers
COMBO SHIMANO STEF505 3x9s/ hydraulic brake lever

Jeu de direction - Headset
FSA NO. 10 ZS 50/44 1.6 TOP CAP

Cintre - Handlebar
LAPIERRE 6061 ALLOY WOMEN W: 700mm R: 15mm Ø: 31.8mm

Poignées - Grips
LAPIERRE by HERRMANS DD30B

Potence - Stem
LAPIERRE ALLOY 7° Ø: 31.8mm L: 60mm

Tige de selle - Seatpost
LAPIERRE ALLOY Ø: 27.2mm L: 350mm

Selle - Saddle
LAPIERRE WOMEN by VELO

Moyeu avant - Front hub
SHIMANO HBTX505 32H CENTER LOCK

Moyeu arrière - Rear hub
SHIMANO FHTX505 32H CENTER LOCK

Jantes - Rims
RODI FW DOUBLE WALL 27.5X19C DISC (1)

Pneus - Tires
MICHELIN 27.5X2.25 WILD GRIP'R TS (FRONT) 27.5X2.10 COUNTRY GRIP'R (REAR) (2)

Pédales - Pedals
NW 91K steel cage

OVERSEAS : (1) ALEX RIMS TD19
(2) MAXXIS ARDENT 27.5x2.25 60 TPI (FRONT), IKON 27.5x2.2 60 TPI (REAR)



Cadre - Frame
EDGE 29" / 27.5" SUPREME 4 ALLOY DISC

Fourche - Fork
29": SUNTOUR XCE-DS-700 80mm travel
27.5": SUNTOUR XCE-DS-27.5" 80mm travel

Dérailleur arrière - Rear Derailleur
SHIMANO TX RDTX800 8-Speed

Dérailleur avant - Front Derailleur
SHIMANO TOURNEY FDTY500

Pédalier - Crankset
29": SHIMANO FCTY301 42x34x24 170mm (S) / 175mm (M, L, XL)
27.5": SHIMANO FCTY301 42x34x24 170mm (XS, S) / 175mm (M, L, XL)

Boîtier Pédailler - Bottom Bracket
SQUARE CH 52 127MM

Cassette - Sprocket
SHIMANO HG200 8s 12x32T

Chaîne - Chain
S8 1/2x3/32" 8-SPEED

Freins (avt-arr) - Brakes (front-rear)
SHIMANO HYDRAULIC MT200

Disques - Rotors
SHIMANO SMRT10 160mm / 160mm CENTERLOCK

Levier - Shiftlevers
SHIMANO STEF505 3x8-SPEED/ HYDRO BRAKE LEVER

Jeu de direction - Headset
FSA NO. 10 ZS 50/44 1.6 TOP CAP

Cintre - Handlebar
LAPIERRE 6061 ALLOY W: 720mm R: 15mm Ø: 31.8mm

Poignées - Grips
VELO DOUBLE DENSITY BLACK

Potence - Stem
29": LAPIERRE ALLOY 7° Ø: 31.8mm L: 60mm(S, M, L) / 75mm (XL)
27.5": LAPIERRE ALLOY 7° Ø: 31.8mm L: 60mm(XS, S, M, L) / 75mm (XL)

Tige de selle - Seatpost
LAPIERRE ALLOY Ø: 27.2mm L: 350mm

Selle - Saddle
SELLÉ ROYAL SHADOW

Moyeu avant - Front hub
SHIMANO HBTX505 32H CENTER LOCK

Moyeu arrière - Rear hub
SHIMANO FHTX505 32H CENTER LOCK

Jantes - Rims
29": ALLOY DOUBLE WALL 622X19C DISC
27.5": ALLOY DOUBLE WALL 27.5X19C DISC

Pneus - Tires
29X2.10 MICHELIN COUNTRY RACE'R

Pédales - Pedals
NW 91K steel cage

 **WOMEN SERIES**


Cadre - Frame
EDGE WOMEN 27.5" SUPREME 4 ALLOY DISC

Fourche - Fork
SUNTOUR XCE-DS-27.5" 75mm travel

Dérailleur arrière - Rear Derailleur
SHIMANO TX RDTX800 8-Speed

Dérailleur avant - Front Derailleur
SHIMANO TOURNEY FDTY500

Pédalier - Crankset
SHIMANO FCTY301 42x34x24 170mm (S) / 175mm (M, L)

Boîtier Pédalier - Bottom Bracket
SQUARE CH 52 127MM

Cassette - Sprocket
SHIMANO HG200 8s 12x32T

Chaîne - Chain
S8 1/2x3/32" 8-SPEED

Freins (avt-arr) - Brakes (front-rear)
SHIMANO HYDRAULIC MT200

Disques - Rotors
SHIMANO SMRT10 160mm / 160mm CENTERLOCK

Levier - Shiftlevers
SHIMANO STEF505 3x8-SPEED/ HYDRO BRAKE LEVER

Jeu de direction - Headset
FSA NO. 10 ZS 50/44 1.6 TOP CAP

Cintre - Handlebar
LAPIERRE 6061 ALLOY WOMEN W: 700mm R: 15mm Ø: 31.8mm

Poignées - Grips
VELO DOUBLE DENSITY BLACK

Potence - Stem
LAPIERRE ALLOY 7° Ø: 31.8mm L: 60mm

Tige de selle - Seatpost
LAPIERRE ALLOY Ø: 27.2mm L: 350mm

Selle - Saddle
SELLER ROYAL SHADOW WOMEN

Moyeu avant - Front hub
SHIMANO HBTX505 32H CENTER LOCK

Moyeu arrière - Rear hub
SHIMANO FHTX505 32H CENTER LOCK

Jantes - Rims
ALLOY DOUBLE WALL 27.5X19C DISC

Pneus - Tires
27.5X2.10 MICHELIN COUNTRY RACER

Pédales - Pedals
NW 91K steel cage



Cadre - Frame
EDGE 29" / 27.5" SUPREME 4 ALLOY V-BRAKE

Fourche - Fork
SUNTOUR XCE-P-700 80mm travel / SUNTOUR XCE-P-27.5" 80mm travel

Dérailleur arrière - Rear Derailleur
SHIMANO TX RDTX800 8-Speed

Dérailleur avant - Front Derailleur
SHIMANO TOURNEY FDTY500

Pédalier - Crankset
SHIMANO FCTY301 42x34x24 170mm (S) / 175mm (M, L, XL)
SHIMANO FCTY301 42x34x24 170mm (XS, S) / 175mm (M, L, XL)

Boîtier Pédalier - Bottom Bracket
SQUARE CH 52 127MM

Cassette - Sprocket
SHIMANO HG200 8s 12x32T

Chaîne - Chain
S8 1/2x3/32" 8-SPEED

Freins (avt-arr) - Brakes (front-rear)
ALONGHA V-BRAKE

Levier - Shiftlevers
SHIMANO ALTUS STEF500 3x8-SPEED

Jeu de direction - Headset
FSA NO. 10 ZS 50/44 1.6 TOP CAP

Cintre - Handlebar
LAPIERRE 6061 ALLOY W: 720mm R: 15mm Ø: 31.8mm

Poignées - Grips
VELO DOUBLE DENSITY BLACK

Potence - Stem
LAPIERRE ALLOY 7° Ø: 31.8mm L: 60mm(S, M, L) / 75mm (XL)
LAPIERRE ALLOY 7° Ø: 31.8mm L: 60mm(XS, S, M, L) / 75mm (XL)

Tige de selle - Seatpost
LAPIERRE ALLOY Ø: 27.2mm L: 350mm

Selle - Saddle
SELLER ROYAL SHADOW

Moyeu avant - Front hub
FORMULA FM21 32H

Moyeu arrière - Rear hub
FORMULA FM32 32H

Jantes - Rims
ALLOY DOUBLE WALL 622X19C / ALLOY DOUBLE WALL 27.5X19C

Pneus - Tires
29 / 27.5X2.10 MICHELIN COUNTRY RACER

Pédales - Pedals
NW 91K steel cage

W WOMEN SERIES


Cadre - Frame
EDGE WOMEN 27.5" SUPREME 4 ALLOY V-BRAKE

Fourche - Fork
SUNTOUR XCE -P-27.5" 80mm travel

Dérailleur arrière - Rear Derailleur
SHIMANO TX RDTX800 8-Speed

Dérailleur avant - Front Derailleur
SHIMANO TOURNEY FDTY500

Pédalier -Crankset
SHIMANO FC TY301 42x34x24 170mm (S) / 175mm (M, L)

Boîtier Pédalier - Bottom Bracket
SQUARE CH 52 127MM

Cassette - Sprocket
SHIMANO HG200 8s 12x32T

Chaîne - Chain
S8 1/2x3/32" 8-SPEED

Freins (avt-arr) - Brakes (front-rear)
ALONGHA V-BRAKE

Levier - Shifters
SHIMANO ALTUS STEF500 3x8-SPEED

Jeu de direction - Headset
FSA NO. 10 ZS 50/44 1.6 TOP CAP

Cintre - Handlebar
LAPIERRE 6061 ALLOY WOMEN W: 700mm R: 15mm Ø: 31.8mm

Poignées - Grips
VELO DOUBLE DESNSITY BLACK

Potence - Stem
LAPIERRE ALLOY 7° Ø: 31.8mm L: 60mm

Tige de selle - Seatpost
LAPIERRE ALLOY Ø: 27.2mm L: 350mm

Selle - Saddle
SELLA ROYAL SHADOW WOMEN

Moyeu avant - Front hub
FORMULA FM21 32H

Moyeu arrière - Rear hub
FORMULA FM32 32H

Jantes - Rims
ALLOY DOUBLE WALL 27.5X19C

Pneus - Tires
27.5X2.10 MICHELIN COUNTRY RACE'R


Pédales - Pedals
NW 91K steel cage

GÉOMÉTRIE **GEOMETRY**

Size	XS	S	M	L	XL	XXL
ST (cm)	46	49	52	55	58	61
TT (mm)	520	530	545	565	585	600
HA (°)	70	70.5	71	71.5	72	72
SA (°)	74.5	74	73.5	73	72.5	72
RC (mm)	430	430	430	430	430	430
HT (mm)	105	125	145	165	190	215
BB (mm)	-72	-72	-69	-69	-67	-67
Reach	373	372	377	385	392	393
Stack	529	550	568	589	613	636

User → 155-162 160-172 170-182 180-190 188-195 >195

Ref. → C46X4600 C46X4900 C46X5200 C46X5500 C46X5800 C46X6100



Cadre - Frame
CROSSHILL SUPREME5 ALLOY DISC THRU AXLE

Fourche - Fork
CROSSHILL FULL CARBON DISC

Dérailleur arrière - Rear Derailleur
RIVAL 1 LONG CAGE 11s

Pédalier -Crankset
SRAM S350-1 XSYNC 38T 170mm(XS,S) 172.5mm(M), 175mm(L,XL,XXL)

Boîtier Pédalier - Bottom Bracket
SRAM PRESSFIT GXP ROAD 86.5/WA91.5

Cassette - Sprocket
SRAM CS PG 1130 11-42T

Chaîne - Chain
SRAM PC1130 POWERLOCK

Disques - Rotors
SRAM CENTERLINE 160mm/140mm

Manettes - Shifters
SRAM RIVAL 1 HYDRAULIC BRAKES

Jeu de direction - Headset
FSA 1"1/8- 1"1/4 ORBIT C-33 44E

Cintre - Handlebar
RITCHIE ROAD COMP VENTURE MAX 24° 40cm(XS,S) 42cm(M,L) 44cm(XL,XXL)

Ruban Cintre - Bartape
LAPIERRE TAPE + GEL PADS

Potence - Stem
LAPIERRE -8° 31.8mm 90mm(XS,S) 100mm(M) 115mm(L, XL, XXL)

Tige de selle - Seatpost
LAPIERRE CARBON 27.2*350mm

Selle - Saddle
LAPIERRE BY VELO

Roues Complètes - Wheelset
LAPIERRE 622-24 DISC 12x100/12x142 6 bolts

Pneus - Tires
SCWHALBE G-ONE PERFORMANCE 40-622

Pédales - Pedals
VP-335 Clips&Strap